

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	19-08-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	19-08-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Housing & Urban Affairs (mohua)
विभाग का नाम / Department Name	Ministry Of Housing And Urban Affairs
संगठन का नाम / Organisation Name	Delhi Metro Rail Corporation Limited
कार्यालय का नाम / Office Name	Delhi Metro Rail Corporation Limited
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : sp.dhasmana.dmrc@nic.in Buyer Email id: bycon3.dmrc.newdelhi@gembuyer.in
कुल मात्रा / Total Quantity	254

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Crossing of Ballastless Slab TO 1 in 12 , All Pads crossing 1 in 12 Ballastless , Base Plates of 1 in 12 RH crossing , Base Plates of 1 in 12 LH crossing , Switch set for 1 in 12 LH or RH BLT TO , Switch set for 1 in 12 LH or RH Turnout SPL , Half set switch for 1 in 12 RR TO , Half set switch for 1 in 12 LL TO , 1 in 12 R412 switch chair plates RH , 1 in 12 R412 switch chair plates LH , 1 in 12 R413 switch chair plates RH , 1 in 12 R413 switch chair plates LH , All Pads Switch Portion 1 in 12 Ballastless , All pads of switch portion 1 in 12, R413 , Crossing of Ballastless Slab TO 1 in 8.5 , CMS Crossing for 1 in 8.5 R218 -800mm , All Pads crossing 1 in 8.5 Ballastless , Base Plates of 1 in 8.5RH crossing R218 , Switch set for 1 in 8.5LH or RH BLT TO , Switch set for 1 in 8.5LH or RH Turnout SPL , Half set switch for 1 in 8.5 LL TO , 1 in 8.5 R218 switch chair plates RH , 1 in 8.5 R218 switch chair plates LH , All Pads Switch Portion 1 in 8.5 Ballastless , 1 in 12 SCO acute Xing base plates , 1 in 12 SCO Obtuse Xing base plates , Supply curved crossing of P03P -CF , Design of curved crossing P03P at RCK , Freight Charges , Crossing body for 1 in 9 TO CF RH , Half Switch- Left side of RHS 1 in 9 CF TO , Half switch- Right side of RH 1 in 9 CF TO , Half switch- Left side of LHS 1 in 9 TO , Half switch- Right side of LH 1 in 9 TO , Half switch- Left side of RHS 1 in 9 TO , Half switch- Right side of RH 1 in 9 TO , Crossing body for 1 in 9 TO LHS , Crossing body for 1 in 9 TO RHS , Check rails straight -11 holes 1 in 9 TO , Check rails divergence -9 holes 1 in 9 TO , Base plate set for Normal turnout 1 in 9 , Pads set for Normal Turnout 1 in 9 , Base plate set for Scissor crossover 1 in 9 , Pads set for Scissor crossover 1 in 9 , Half switch- Right side of RH 1 in 7 TO , Half switch- left side of RHS 1 in 7 TO , Crossing body for 1 in 7 TO RHS , Third party Inspection Charges , Freight and Unloading Charges , 1 in 9 R300 SCO TC 5.03m , 1 in 9 R300 LH Turnout complete set , Third party inspection charges

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Crossing of Ballastless Slab TO 1:12, Crossing of Ballastless Slab TO 1 in 12, All Pads crossing 1:12 Ballastless, Base Plates of 1:12 RH crossing, Base Plates of 1:12 LH crossing, Switch set for 1 in 12 LH or RH BLT TO, Switch set for 1/12 LH or RH Turnout SPL, Half set switch for 1 in 12 RR TO, Half set switch for 1 in 12 LL TO, 1/12 R412 switch chair plates RH, 1/12 R412 switch chair plates LH, 1/12 R413 switch chair plates RH, 1/12 R413 switch chair plates LH, All Pads Switch Portion 1:12 Ballastless, All pads of switch portion 1:12, R413, All pads of switch portion 1:12, R413, Crossing of Ballastless Slab TO 1:8.5, CMS Crossing for 1 in 8.5 R218 (800mm), All Pads crossing 1:8.5 Ballastless, Base Plates of 1:8.5RH crossing R218, Switch set for 1 in 8.5LH or RH BLT TO, Switch set for 1/8.5LH or RH Turnout SPL, Half set switch for 1 in 8.5 LL TO, 1/8.5 R218 switch chair plates RH, 1/8.5 R218 switch chair plates LH, All Pads Switch Portion 1:8.5 Ballastless, 1/12 SCO acute Xing base plates, 1/12 SCO Obtuse Xing base plates, Supply curved crossing of P03P (CF), Design of curved crossing P03P at RCK, Freight Charges, Crossing body for 1:9 T/O CF RH, Half Switch- Left side of RHS 1:9 CF T/O, Half switch- Right side of RH 1:9 CF T/o, Half switch- Left side of LHS 1:9 T/o, Half switch- Right side of LH 1:9 T/O, Half switch- Left side of RHS 1:9 T/o, Half switch- Right side of RH 1:9 T/o, Crossing body for 1:9 T/o LHS, Crossing body for 1:9 T/o RHS, Check rails straight (11 holes) 1:9 T/o, Check rails divergence (9 holes) 1:9 T/o, Base plate set for Normal turnout 1:9, Pads set for Normal Turnout 1:9, Base plate set for Scissor crossover 1:9, Pads set for Scissor crossover 1:9, Half switch- Right side of RH 1:7 T/o, Half switch- left side of RHS 1:7 T/o, Crossing body for 1:7 T/o RHS, Third party Inspection Charges, Freight and Unloading Charges, 1/9 R300 SCO TC 5.03m, 1/9 R300 LH Turnout complete set, Third party inspection charges
	Searched String: Crossing of Ballastless Slab TO 1:12 Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Screwed Ends of Fittings conforming to IS 1239 (Part 2), Cotton Bandage Cloth Conforming to IS 863, Writing and Printing Papers Conforming to IS 1848 (Part 1), Ladder Crevasse Crossing (Defence), Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Absorbent Cotton Gauze Conforming to IS 758, Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1) Searched String: Crossing of Ballastless Slab TO 1 in 12 Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Computer Paper (V3) Conforming to IS 12766 (In Packet), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Computer Paper (V3) Conforming to IS 12766, Manganese Sulphate, Monohydrate - IS 10535, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Binder Clips (V3) Conforming to IS 8231, LED Luminaire

बिड विवरण / Bid Details	(Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II)
	Searched String: All Pads crossing 1:12 Ballastless LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497 Searched String: Base Plates of 1:12 RH crossing Lat Pull Down (Version 2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Auditorium Chair (V2), Taekwondo Mats, Weightlifting Equipment – Bars / Plates / Collars (V2), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Binder Clips (V3) Conforming to IS 8231, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Multipurpose or General Test Tubes (V2) as per IS 2618, Locking Compression Plates (V2) Searched String: Base Plates of 1:12 LH crossing Lat Pull Down (Version 2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Auditorium Chair (V2), Taekwondo Mats, Weightlifting Equipment – Bars / Plates / Collars (V2), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Binder Clips (V3) Conforming to IS 8231, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Multipurpose or General Test Tubes (V2) as per IS 2618, Locking Compression Plates (V2) Searched String: Switch set for 1 in 12 LH or RH BLT TO Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area Searched String: Switch set for 1/12 LH or RH Turnout SPL Category not available on GeM for the text string uploaded by the buyer Searched String: Half set switch for 1 in 12 RR TO Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Desk and Bench Set for Classroom/Training Area, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, High Capacity Portable Pump For Fire Fighting Conforming To IS 12717, Desk and Chair Set for Classroom/Training Area, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, Quick Lime For Chemical Industries (V2) Conforming to IS 1540 Part 1, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Stud Remover & Installer with Screwdriver tool Set(ONGC), Pillar Taps for Water Supply Purpose conforming to IS 1795 Searched String: Half set switch for 1 in 12 LL TO

विड विवरण/Bid Details	Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Desk and Bench Set for Classroom/Training Area, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, High Capacity Portable Pump For Fire Fighting Conforming To IS 12717, Desk and Chair Set for Classroom/Training Area, Kit for Special School Students (Intellectual Disability) - Kit 4 Age Group 12 to 15 and 16 to 18 Years, Pillar Taps for Water Supply Purpose conforming to IS 1795, Quick Lime For Chemical Industries (V2) Conforming to IS 1540 Part 1, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Stud Remover & Installer with Screwdriver tool Set(ONGC)
	Searched String: 1/12 R412 switch chair plates RH Desk and Chair Set for Classroom/Training Area, Auditorium Chair (V2) Searched String: 1/12 R412 switch chair plates LH Desk and Chair Set for Classroom/Training Area, Auditorium Chair (V2) Searched String: 1/12 R413 switch chair plates RH Desk and Chair Set for Classroom/Training Area, Auditorium Chair (V2) Searched String: 1/12 R413 switch chair plates LH Desk and Chair Set for Classroom/Training Area, Auditorium Chair (V2) Searched String: All Pads Switch Portion 1:12 Ballastless LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497 Searched String: All pads of switch portion 1:12, R413 Multipurpose or General Test Tubes (V2) as per IS 2618, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Auditorium Chair (V2) Searched String: All pads of switch portion 1:12, R413 Multipurpose or General Test Tubes (V2) as per IS 2618, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Auditorium Chair (V2) Searched String: Crossing of Ballastless Slab TO 1:8.5 Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Stable Bleaching Powder (V2) for Treatment of Water Intended for Drinking conforming to IS 1065 (Part 2), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Stable Bleaching Powder (V2) for Household and Industrial use conforming to IS 1065 (Part 1), Split Air Conditioner Including Green AC, Wall Mount Type (V2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES &

बिड विवरण / Bid Details	STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Hydrochloric Acid (V3) Conforming to IS 265, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2) Searched String: CMS Crossing for 1 in 8.5 R218 (800mm) Health Supplements, Nutraceuticals and Food for Special Dietary Use, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Polyurethane Tube (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Theft Proof Rifle Racks, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) Searched String: All Pads crossing 1:8.5 Ballastless LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Static Protective Relays, Minifuge, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2), Non Sparking Hammers (V2), Non Sparking Ring Slugging Spanners (V2) Searched String: Base Plates of 1:8.5RH crossing R218 Lat Pull Down (Version 2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Locking Compression Plates (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2) Searched String: Switch set for 1 in 8.5LH or RH BLT TO Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Alphabet Block Set / Number Block Set (Preschool Kit), Cricket Stumps and Bails (V2) Conforming to IS 6621, Sports Nets (V2) Conforming to IS 3345 Searched String: Switch set for 1/8.5LH or RH Turnout SPL Category not available on GeM for the text string uploaded by the buyer Searched String: Half set switch for 1 in 8.5 LL TO Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Alphabet Block Set / Number Block Set (Preschool Kit) Searched String: 1/8.5 R218 switch chair plates RH Locking Compression Plates (V2), 4.5mm Broad D.C. Plate
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण / Bid Details	with corresponding screws
	Searched String: 1/8.5 R218 switch chair plates LH Locking Compression Plates (V2), 4.5mm Broad D.C. Plate with corresponding screws Searched String: All Pads Switch Portion 1:8.5 Ballastles Category not available on GeM for the text string uploaded by the buyer Searched String: 1/12 SCO accute Xing base plates Locking Compression Plates (V2), Deep well plates Searched String: 1/12 SCO Obtuse Xing base plates Locking Compression Plates (V2), Deep well plates Searched String: Supply curved crossing of P03P (CF) Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment Searched String: Design of curved crossing P03P at RCK Prelaminated MDF Board, Outdoor Slide (V2) Searched String: Freight Charges Freight Containers - High Security Cable Seal as per IS 17381:2021, Portland Slag Cement for Bulk Buying as per IS 455, Portland - Pozzolana Cement (Fly Ash Based) for Bulk Buying as per IS 1489 (Part 1), General Purpose Battery Chargers, Touchless Soap Dispenser (V3), Electrostatic Discharge Chairs (V2), Battery Chargers For Transceivers (V2), Heavy Duty Battery Charger, DC EV Charging Station, AC EV Charging Station Searched String: Crossing body for 1:9 T/O CF RH Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode Searched String: Half Switch- Left side of RHS 1:9 CF T/O Category not available on GeM for the text string uploaded by the buyer Searched String: Half switch- Right side of RH 1:9 CF T/o Category not available on GeM for the text string uploaded by the buyer Searched String: Half switch- Left side of LHS 1:9 T/o Category not available on GeM for the text string uploaded by the buyer Searched String: Half switch- Right side of LH 1:9 T/O Category not available on GeM for the text string uploaded by the buyer Searched String: Half switch- Left side of RHS 1:9 T/o Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	Searched String: Half switch- Right side of RH 1:9 T/o
	Category not available on GeM for the text string uploaded by the buyer Searched String: Crossing body for 1:9 T/o LHS Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode Searched String: Crossing body for 1:9 T/o RHS Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode Searched String: Check rails straight (11 holes) 1:9 T/o Category not available on GeM for the text string uploaded by the buyer Searched String: Check rails divergence (9 holes) 1:9 T/o Locking Compression Plates (V2), Signal Generator, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, HT Tape Searched String: Base plate set for Normal turnout 1:9 Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area Searched String: Pads set for Normal Turnout 1:9 Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Desk and Bench Set for Classroom/Training Area, Pads for Rubber Stamps (V2) Conforming to IS 4747, Desk and Chair Set for Classroom/Training Area, Desk Only for Classroom/Training Area, Bitumen Emulsion for Roads - Cationic Type (V2) as per IS 8887, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Watering Can For Gardening Searched String: Base plate set for Scissor crossover 1:9 Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area Searched String: Pads set for Scissor crossover 1:9 Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Desk and Bench Set for Classroom/Training Area, Pads for Rubber Stamps (V2) Conforming to IS 4747, Desk and Chair Set for Classroom/Training Area, Desk Only for Classroom/Training Area, Bitumen Emulsion for Roads - Cationic Type (V2) as per IS 8887, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Watering Can For Gardening Searched String: Half switch- Right side of RH 1:7 T/o Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode Searched String: Half switch- left side of RHS 1:7 T/o Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode

बिड विवरण / Bid Details	Searched String: Crossing body for 1:7 T/o RHS
	Flux for submerged arc welding of structural steel (BEML) - as per C4202 BEML Welding Electrode, Steel Tubes used for Water Wells (V2) as per IS 4270 Searched String: Third party Inspection Charges Category not available on GeM for the text string uploaded by the buyer Searched String: Freight and Unloading Charges Electric Racket (Battery Operated) For Fly And Mosquito, Charge Fire Extinguisher AFFF 550 ML (Defence) Searched String: 1/9 R300 SCO TC 5.03m Desk and Chair Set for Classroom/Training Area, shoes school pvc boys girls, Elastic Surgical Adhesive Tapes (V2), Lyophilizer, Desk Only for Classroom/Training Area, Volleyball Net (V2) Conforming to IS 3345, Muffle Furnace, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Double sided tape, Leather Gauntlets and Mittens (V2) Conforming to IS 2573 Searched String: 1/9 R300 LH Turnout complete set Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area, Hydraulic Torque Wrench Set, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4) Searched String: Third party inspection charges
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Abrasive Rail Grinding Machine for gasline exporing uploaded by the buyer • Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280 • Ladder Crevasse Crossing (Defence)
बीओक्यू शीर्षक / BOQ Title	Proc of Turnouts and its components and spares and Curved Crossing with accessories and fittings
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	1 in 9 R300 SCO TC 5.03m
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	No, got exemption from competent authority as defined in Department of expenditure OM No. F.12/17/2019-PPD dated 29.10.2020, since the procurement is of spares parts of the equipment / Plant & Machinery etc. on nomination basis from Original Equipment Manufacturer (OEM)/ Original Equipment Supplier (OES) or Original Part Manufacturer (OPM)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Preference to Make In India products (For bids > 200 Crore) (can also be used in Bids < 200 Crore but only after exemption by competent authority as defined in Deptt of Expenditure OM dated 28.5.2020): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned

Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee /Reporting Officer	Consignee Address	Quantity
	Crossing Of Ballastless Slab To 1 In 12	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	8
	Crossing Of Ballastless Slab To 1 In 12	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	20
	All Pads Crossing 1 In 12 Ballastless	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	16
	Base Plates Of 1 In 12 Rh Crossing	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Base Plates Of 1 In 12 Lh Crossing	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Switch Set For 1 In 12 Lh Or Rh Blt To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	4
	Switch Set For 1 In 12 Lh Or Rh Turnout Spl	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	6
	Half Set Switch For 1 In 12 Rr To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	6

Group A: Turnouts and their
Components for Line 01 & 02

Half Set Switch For 1 In 12 LI To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	6
1 In 12 R412 Switch Chair Plates Rh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	6
1 In 12 R412 Switch Chair Plates Lh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	5
1 In 12 R413 Switch Chair Plates Rh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
1 In 12 R413 Switch Chair Plates Lh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
All Pads Switch Portion 1 In 12 Ballastless	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	7
All Pads Of Switch Portion 1 In 12, R413	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
All Pads Of Switch Portion 1 In 12, R413	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	7
Crossing Of Ballastless Slab To 1 In 8.5	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
Cms Crossing For 1 In 8.5 R218 -800mm	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	8
All Pads Crossing 1 In 8.5 Ballastless	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	7
Base Plates Of 1 In 8.5rh Crossing R218	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
Switch Set For 1 In 8.5lh Or Rh Blt To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
Switch Set For 1 In 8.5lh Or Rh Turnout Spl	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	6
Half Set Switch For 1 In 8.5 LI To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
1 In 8.5 R218 Switch Chair Plates Rh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
1 In 8.5 R218 Switch Chair Plates Lh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2

	All Pads Switch Portion 1 In 8.5 Ballastles	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	11
	1 In 12 Sco Accute Xing Base Plates	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	4
	1 In 12 Sco Obtuse Xing Base Plates	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	4
Group B: Curved Crossing (Contrary flexure) with necessary accessories and fittings of P&C PO3P at R	Supply Curved Crossing Of P03p -cf	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Design Of Curved Crossing P03p At Rck	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	Freight Charges	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
Group C: Turnout Spares for Line 05	Crossing Body For 1 In 9 To Cf Rh	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Half Switch- Left Side Of Rhs 1 In 9 Cf To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Half Switch- Right Side Of Rh 1 In 9 Cf To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Half Switch- Left Side Of Lhs 1 In 9 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Half Switch- Right Side Of Lh 1 In 9 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Half Switch- Left Side Of Rhs 1 In 9 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Half Switch- Right Side Of Rh 1 In 9 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	Crossing Body For 1 In 9 To Lhs	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Crossing Body For 1 In 9 To Rhs	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	2
	Check Rails Straight -11 Holes 1 In 9 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	5
	Check Rails Divergence -9 Holes 1 In 9 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	7

	Base Plate Set For Normal Turnout 1 In 9	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	16
	Pads Set For Normal Turnout 1 In 9	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	32
	Base Plate Set For Scissor Crossover 1 In 9	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	Pads Set For Scissor Crossover 1 In 9	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	Half Switch- Right Side Of Rh 1 In 7 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
	Half Switch- Left Side Of Rhs 1 In 7 To	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
	Crossing Body For 1 In 7 To Rhs	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	3
	Third Party Inspection Charges	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	Freight And Unloading Charges	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
Group D: Spares of Turnouts and Scissor Crossover for Line 07 Ext (MUPR-MKPR)	1 In 9 R300 Sco Tc 5.03m	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	1 In 9 R300 Lh Turnout Complete Set	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1
	Third Party Inspection Charges	Kousik Guin	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	1

Crossing Of Ballastless Slab TO 1 In 12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	8	240

Crossing Of Ballastless Slab TO 1 In 12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	20	240

All Pads Crossing 1 In 12 Ballastless

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	16	240

Base Plates Of 1 In 12 RH Crossing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

Base Plates Of 1 In 12 LH Crossing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

Switch Set For 1 In 12 LH Or RH BLT TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	4	240

Switch Set For 1 In 12 LH Or RH Turnout SPL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	6	240

Half Set Switch For 1 In 12 RR TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	6	240

Half Set Switch For 1 In 12 LL TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	6	240

1 In 12 R412 Switch Chair Plates RH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	6	240

1 In 12 R412 Switch Chair Plates LH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	5	240

1 In 12 R413 Switch Chair Plates RH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	240

1 In 12 R413 Switch Chair Plates LH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

All Pads Switch Portion 1 In 12 Ballastless

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	7	240

All Pads Of Switch Portion 1 In 12, R413

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	240

All Pads Of Switch Portion 1 In 12, R413

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	7	240

Crossing Of Ballastless Slab TO 1 In 8.5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

CMS Crossing For 1 In 8.5 R218 -800mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	8	240

All Pads Crossing 1 In 8.5 Ballastless

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	7	240

Base Plates Of 1 In 8.5RH Crossing R218

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	240

Switch Set For 1 In 8.5LH Or RH BLT TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

Switch Set For 1 In 8.5LH Or RH Turnout SPL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	6	240

Half Set Switch For 1 In 8.5 LL TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

1 In 8.5 R218 Switch Chair Plates RH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	240

1 In 8.5 R218 Switch Chair Plates LH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

All Pads Switch Portion 1 In 8.5 Ballastles

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	11	240

1 In 12 SCO Accute Xing Base Plates

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	4	240

1 In 12 SCO Obtuse Xing Base Plates

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	4	240

Supply Curved Crossing Of P03P -CF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	240

Design Of Curved Crossing P03P At RCK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	240

Freight Charges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	240

Crossing Body For 1 In 9 TO CF RH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Half Switch- Left Side Of RHS 1 In 9 CF TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Half Switch- Right Side Of RH 1 In 9 CF TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Half Switch- Left Side Of LHS 1 In 9 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Half Switch- Right Side Of LH 1 In 9 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Half Switch- Left Side Of RHS 1 In 9 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Half Switch- Right Side Of RH 1 In 9 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	150

Crossing Body For 1 In 9 TO LHS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Crossing Body For 1 In 9 TO RHS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	2	150

Check Rails Straight -11 Holes 1 In 9 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	5	150

Check Rails Divergence -9 Holes 1 In 9 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	7	150

Base Plate Set For Normal Turnout 1 In 9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	16	150

Pads Set For Normal Turnout 1 In 9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	32	150

Base Plate Set For Scissor Crossover 1 In 9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	150

Pads Set For Scissor Crossover 1 In 9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	150

Half Switch- Right Side Of RH 1 In 7 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	150

Half Switch- Left Side Of RHS 1 In 7 TO

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	150

Crossing Body For 1 In 7 TO RHS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	3	150

Third Party Inspection Charges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	150

Freight And Unloading Charges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	150

1 In 9 R300 SCO TC 5.03m

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	120

1 In 9 R300 LH Turnout Complete Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	120

Third Party Inspection Charges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 80% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kousik Guin	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	1	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original

delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Proprietary Item

The item being procured is of the specific make and model detailed in the attached Specification Document. The approved OEM of the item is M/s Voestalpine VAE VKN India Pvt. Ltd., Sonapat, Haryana, India.

2. Eligibility of Bidders:

a) Only the following entities shall be eligible to participate:

The OEM; or

The OEM's wholly owned Indian subsidiary; or

An authorized channel partner having bid specific authorization from the OEM/its wholly owned Indian subsidiary.

b) Where the bid is submitted by an authorized channel partner, a bid-specific authorization certificate issued by the OEM or its wholly owned Indian subsidiary shall be submitted along with the bid, failing which the bid shall be summarily rejected.

c) Where a wholly owned Indian subsidiary participates directly or authorizes a channel partner, documentary evidence/undertaking issued by the OEM confirming its wholly owned subsidiary status shall be submitted along with the bid. Failure to submit such confirmation shall render the bid liable for rejection. Submission of false or misleading declarations may invite appropriate action.

3. Simultaneous Participation

In the tender, either the OEM/ its wholly owned Indian subsidiary or its authorized channel partner(s) can be considered as valid bidders. In case where the OEM/ its wholly owned Indian subsidiary has submitted bid, bid(s) of authorized channel partner(s) will not be considered.

4. Compliance with Specifications

The offered item shall strictly conform to the specifications provided in the Specification Document. Any deviation from the prescribed make, model or specifications may render the offer liable for rejection.

5. Warranty

a) The bidder shall submit a declaration along with the bid confirming that the OEM/wholly owned Indian subsidiary shall provide the warranty certificate at the time of supply. The applicable warranty terms shall be clearly indicated in the bid.

b) Required Warranty Terms: As per the Specifications attached in the Buyer uploaded ATC document. Where no specific warranty requirement has been prescribed in the tender for any Group, the warranty shall be 26 months from the date of supply.

6. Local Content Declaration

The bidder shall submit an OEM/ OEM's wholly owned Indian subsidiary issued declaration indicating the percentage of local content in the offered product(s). In the absence of such declaration, the offer shall be evaluated by considering the local content as Nil (0%).

7. Applicability of Public Procurement Orders

This tender shall be governed by Office Memorandum No. F.12/1/2021-PPD (Pt.) dated 02.03.2021, including subsequent amendments, regarding exemption from registration requirements under Rule 144(xi) of the General Financial Rules, 2017 and the applicable Public Procurement Orders.

8. Global Tender Enquiry

This tender shall also be governed by Office Memorandum No. F.12/17/2019-PPD dated 29.10.2020, read with Office Memorandum dated 15.05.2020 and subsequent amendments relating to relaxation in Global Tender Enquiry.

9. Submission of Documents

a) Bidders shall submit all documents required under the tender along with their e-bid. Failure to do so may render the offer liable for rejection.

b) Evaluation shall be carried out based on documents submitted with the bid and the bidder's past performance records available with the COS Office, DMRC, wherever applicable.

c) Shortfall documents may be sought only in respect of historical documents that existed prior to the tender opening date and have remained unchanged thereafter. No document created after bid submission for the purpose of qualifying the bidder shall be considered. For example, a completion/performance certificate corresponding to an already submitted purchase order may be sought, whereas a fresh purchase order shall not be accepted.

10. Deviations

a) All deviations, comments and exceptions shall be furnished exclusively in Annexure-A (Statement of Deviations).

b) Any deviation, qualification or condition mentioned elsewhere in the bid shall be treated as null and void and deemed to have been withdrawn.

c) If Annexure-A is not submitted, the bid shall be evaluated on the basis of Nil Deviations.

d) Deviations affecting the tender conditions, specifications or scope of supply may render the offer liable for rejection.

11. Payment Terms

For Indian suppliers: Payment shall be made through e-payment against 100% receipt and acceptance of material

12. GST Details

i. For supplies to DMRC depots located in Delhi, invoices (Bill-to and Ship-to) shall bear GSTIN:

07AAACD3254A2ZA

ii. For supplies to Ajrona, Gurgaon or Bahadurgarh Depots (Haryana), invoices (Bill-to and Ship-to) shall bear GSTIN:

06AAACD3254A1ZD

13. Technical Compliance

The specifications uploaded under the Buyer Added Bid Specific ATC shall form part of the tender. Bidders shall submit the duly filled compliance statement against the specifications, failing which the offer shall be liable for rejection.

14. Inspections and Tests: As per the Specifications attached in the Buyer uploaded ATC document.

All costs towards appointing the inspection agency shall be borne by the Purchaser (i.e., DMRC) and shall be reimbursed to the successful bidder on actuals, subject to submission of documentary proof.

15. Scope of Supply: As per the Specifications attached in the Buyer uploaded ATC document.

16. All other terms and conditions related to material's design & drawings etc. shall be governed by the specification document attached in the Buyer uploaded ATC document.

.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The

Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---