

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-09-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-09-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	100 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Employees State Insurance Corporation (esic)
कार्यालय का नाम/Office Name	Esic Hospital Peenya, Bangalore
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :ms-peenya.ka@esic.gov.in Buyer Email id: dr.dc.deepak@esic.gov.in
कुल मात्रा/Total Quantity	1061
वस्तु श्रेणी /Item Category	ALBUMIN BCG , BILIRUBIN DIRECT , BILIRUBIN TOAL , CALCIUM , CHOLESTROL HiCo , CREATININE J , HbA1c , HDL-C , IRON , MAGNESIUM , PHOSPHORUS , TG , TOTAL PROTEIN , UIBC , UREA , URIC ACID , ALP , ALT/ SGPT , AMYLASE , AST SGOT , GGT , LDH , LIPASE , TRANSFERRIN , CRP LATEX , RF II , CK , CK MB , Halogen Lamp , Cobas Integra Cleaner , Cobas Integra Microcuvettes , CFAS 12X3 ml , CFAS Lipids 3X1 ml , HBA1C Calibrator 3 x 2 ml , HBA1C Control N 4 x 1 ml , CFAS PAC 3X1 ml , CFAS Proteins 5X1 ml , CFAS PUC 5X1 ml , CFAS CKMB , RF Calibrator Set , RF Control Set 2X1 ml , Probe Set for Cobas 400 , HbA1c Haemolysin Reagent , Fe Standard , PM Kit for Cobas 400 , Deproteinizer for Cobas 400 6x21 ml , NaCl 9 6x22 ml , Precicontrol Multi 1 , Precicontrol Multi 2 , Precipath PUC , Precinorm PUC
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	ALBUMIN BCG, BILIRUBIN DIRECT, BILIRUBIN TOAL, CALCIUM, CHOLESTROL HiCo, CREATININE J, HbA1c, HDL-C, IRON, MAGNESIUM, PHOSPHORUS, TG, TOTAL PROTEIN, UIBC, UREA, URIC ACID, ALP, ALT/ SGPT, AMYLASE, AST / SGOT, GGT, LDH, LIPASE, TRANSFERRIN, CRP LATEX, RF II, CK, CK MB, Halogen Lamp, Cobas Integra Cleaner, Cobas Integra Microcuvettes, CFAS 12X3 ml, CFAS Lipids 3X1 ml, HBA1C Calibrator 3 x 2 ml, HBA1C Control N 4 x 1 ml, CFAS PAC 3X1 ml, CFAS Proteins 5X1 ml, CFAS PUC 5X1 ml, CFAS CKMB, RF Calibrator Set, RF Control Set 2X1 ml, Probe Set for Cobas 400+, HbA1c Haemolysin Reagent, Fe Standard, PM Kit for Cobas 400+, Deproteinizer for Cobas 400+ (6x21 ml), NaCl 9% (6x22 ml), Precicontrol Multi 1, Precicontrol Multi 2, Precipath PUC, Precinorm PUC

बिड विवरण/Bid Details	Searched String: ALBUMIN BCG
	Albumin Egg Flakes, Biochemistry Reagent Kit for Human Samples, BCG Vaccine under Universal Immunization Programme of MoHFW, Bovine Albumine Searched String: BILIRUBIN DIRECT Bilirubin, Wheel Chairs (V2), Direct Dye, Biochemistry Reagent Kit for Human Samples, Spirometer, Hand Operated Direct Shear Apparatus, Motorized Direct Shear Test Apparatus, Dial type indicating Pressure Gauges, Bilirubinometer, Shoes Oxford Direct Injected PU Sole Searched String: BILIRUBIN TOAL Bilirubin, Biochemistry Reagent Kit for Human Samples, Bilirubinometer Searched String: CALCIUM Calcium Metal, Flame Photometer, Calcium Silicate, Biochemistry Reagent Kit for Human Samples, Calcium hypophosphite, Calcium Stearate, Calcium carbide, Calcium Standard, Calcium Hydroxide, Calcium Oxide Searched String: CHOLESTROL HiCo Category not available on GeM for the text string uploaded by the buyer Searched String: CREATININE J Dyslexia Screening Test-Junior India Kit (DST-J India), Eosin Y Dissodium Salt, Biochemistry Reagent Kit for Human Samples, Tapered Bearings as per IS 12102, Blood Collection Tube, Revolving Chair (V5), Modular Table / Meeting Table / Centre Table (V2), Books (V2), Executive Table (V4), medical stools or chairs Searched String: HbA1c HBA1C/Hemoglobinopathy Analyzer, Nitrile Coated/Nitrile Hand Gloves (V2), Glycated Haemoglobin (HbA1c) Analyzer, Multipara Monitor - Low End, BOD Incubator, Muffle/Box Furnace (V2), High End Desktop Computer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Lyophilizer, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204 Searched String: HDL-C Mapleson C Circuit (V2), Muffle/Box Furnace (V2), C Clamps as per IS 9181, UV - C Disinfection System (V2), Stainless Steel Dining Table With Fixed Chair, E C DINGHY (Sailing Boat), B-COMPLEX+VITAMIN C & ZINC, Oil C - 70-Defence (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, UV-C Disinfection Wand Torch Searched String: IRON Iron Standard, Garden Bench, Iron Sucrose Injection, Cast Iron Bench, Submersible Sewerage Pump, Electric Soldering Iron, Classroom Stools, Iron Sulfite Agar, Bastar Iron Craft - ODOP, Lysine iron agar Searched String: MAGNESIUM

बिड विवरण/Bid Details	Magnesium sulphate Injection, Medical Tuning Fork Sets, Magnesium (Mg) Powder, Magnesium Gym Chalk,
	Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Magnesium Standard Solution, Dolomite, Magnesium anode Ribbon, Magnesium Sulphate (Epsom Salt) as per IS 2730, Light Magnesium Oxide (ONGC) Searched String: PHOSPHORUS Phosphorus pentoxide, Biochemistry Reagent Kit for Human Samples, Brazing Alloy (V2) Conforming to IS 2927 Searched String: TG TG-DTA Analyser (Thermogravimetric Analysis/Differential Thermal Analysis), Labels Stickers (V2), Thermostate(BHEL), Account Opening Form (V2), Labels Stickers (V3), Bills or Bill Books (V2), Multipurpose Counter Machine Stickers for Post Office, Parcel Bag Labels of 'CBD / CED' Series, Speed Post Proof of Delivery (POD) Cards, RP - 54 Acknowledgement Due Card Searched String: TOTAL PROTEIN Protein Powder, Platform Step Ladder (V2), electronic total station, Kids Protein Powder, Women's Protein Powder, Whey Protein Powder, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Protein ladder marker, Nitrogen / Protein Analyzers, Biochemistry Reagent Kit for Human Samples Searched String: UIBC Biochemistry Reagent Kit for Human Samples Searched String: UREA Urea Phosphate, Biochemistry Reagent Kit for Human Samples, Nano Urea (liquid) 16, Urea Conforming to IS 1781, Dry Chemical Powder for Fire Fighting (Potassium Bicarbonate Base Urea Reaction Product) Type - A, Diesel Exhaust Fluid ISI marked to IS 17042 Searched String: URIC ACID Veratric Acid (3,4-Dimethoxybenzoic Acid), Humic Acid and Fulvic Acid, Acid Orange, Adipic Acid, Perchloric acid, Periodic Acid, Acrylic acid, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Benzoic acid, Biochemistry Reagent Kit for Human Samples Searched String: ALP Alphabet kits or Alphabet Slate, Hearing Aid, Magnetic Alphabet Chart (Preschool Kit), Alphacypermethrin10.00% Suspension Concentrate (SC), Behind the Ear Hearing Aids - Digital, Alphacypermethrin 10% Emulsifiable Concentrate Conforming To Is 15602, Table Top Autoclave, Alphabets, Numbers, Symbols and Shapes Activity Set (Preschool Kit), Behind the Ear Hearing Aid (Digital), Alphabet Flash Cards (Preschool Kit) Searched String: ALTL / SGPT Biochemistry Reagent Kit for Human Samples Searched String: AMYLASE

बिड विवरण/Bid Details	Biochemistry Reagent Kit for Human Samples
	Searched String: AST / SGOT AST Carrier Sets for Mycobacteria Growth under NTEP, Biochemistry Reagent Kit for Human Samples, Astronomy Education tool for Night navigation, Tool Kit for Seeng Evam Asthi Utpaad (Horn and Bone Products) - ODOP UP Gov. (Sambhal), Austenitic Stainless Steel Tubing for General Service (As Per ASTM A 269), Boiler, Superheater and Heat Exchanger Tubes (As Per ASTM A 213), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, China Astor Seeds, Artificial Turf, Artificial Turf (V2) Searched String: GGT Biochemistry Reagent Kit for Human Samples, LCR Meter Searched String: LDH Biochemistry Reagent Kit for Human Samples, instrument trolley for hospitals, foot step for hospitals, medical stools or chairs, ELISA Test Kits (V2) Searched String: LIPASE Biochemistry Reagent Kit for Human Samples Searched String: TRANSFERRIN Category not available on GeM for the text string uploaded by the buyer Searched String: CRP LATEX C-Reactive Protein (CRP) Test Kit - Latex Agglutination Method for Human Samples, Rover Mask, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Khaki Uniform Cloth (CRPF), Cloth Disruptive Polyester and Cotton (20: 80) with Digital Print Uniform Cloth (V4) as per CRPF Specifications, Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), C Band Pass Filter for POLNET Terminal (CRPF), General Purpose Hand Gloves (V2), Cloth (NYCO) Disruptive Pattern for CoBRA (V2) (CRPF), Light Weight Sleeping Bag (Improved) - CAPF (V2) Searched String: RF II RF Terminals, Wooden Podium, RF Cable Assembly, Outdoor RF Antenna, Handheld Digital Infrared Thermometer, RF Radio NMS, Digital RF Power Meter (V2), TISAB II Solution, Lead(II) Acetate, Cobalt(II) chloride Searched String: CK Network Detection and Response (NDR) Software, Biochemistry Reagent Kit for Human Samples, Pick Axe as per IS 273 Searched String: CK MB MB Plough / Reversible MB Plough, Carbendazim (MBC) WP (V3) Conforming To IS 8446, Carbendazim (MBC) Wetttable Powder (V2) Conforming To IS 8446, Network Detection and Response (NDR) Software, Biochemistry Reagent Kit for Human Samples, Blood Collection Tube, Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming

GeMARPTS में खोजा गया परिणाम / Searched	बिड विवरण/Bid Details
Result generated in GeMARPTS	to IS 808, Holter with Monitor for analysis Searched String: Halogen Lamp Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Hand Lamp, Hand Held Slit Lamp - RBSK, Inspection Lamp, Slit Lamp, Infrared Heat Lamp, Lamp Shades-Handicraft, Digital Photo Slit Lamp with Applanation Tonometer, Slit Lamp (V2) Searched String: Cobas Integra Cleaner Solvent Cleaner, industrial vacuum cleaner, Automotive Cleaner, LED General Examination Light - Medical Exam or Surgical Headlight or Headlamp, Carbon Cleaner, Ultrasonic Cleaners, Cell cleaner, Motorized Pipette Controller, Multi Grain Winnow Paddy cleaner Grain Cleaner, Shoe Shining Machine Searched String: Cobas Integra Microcuvettes Rain Jacket with Integrated Hood And Trouser as per IAF specifications (V2), LED General Examination Light - Medical Exam or Surgical Headlight or Headlamp, Compact Integrated Shielding Set (CISS-Paridhi Rakshak), Motorized Pipette Controller, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Low Fouling Composite (LFC) RO Membrane, Digital Stethoscope with integrated ECG as per MHA QR, High Speed Drill System for Neurosurgery & Spinal Surgery, Integrated Library Management Software, Peristaltic Pump Searched String: CFAS 12X3 ml Charge Fire Extinguisher AFFF 550 ML (Defence), Cleaning Duster (V3), 0.5 ml Auto Disable (AD) Syringe for Universal Immunization Programme, Liquid Consortia (V2), Geophysical Data Interpretation & Analytics Software, High End Desktop Computer, PCR Tube Storage Racks, Entry and Mid Level Desktop Computer, Memory Card Reader (V2), Bag Calico- OFB Searched String: CFAS Lipids 3X1 ml Shaker Incubator, Liquid Consortia (V2), Medical Centrifuge, Blood Collection Tube, Household Insecticides (V2), Sterile Hypodermic Syringe (V3), Tissue Homogenizer, Minifuge, Laboratory Vials (V2), DNA marker Searched String: HBA1C Calibrator 3 x 2 ml Blood Collection Tube, Dental Composite Kit with Etchant and Bonding Agent, Portable Toilet, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Theft Proof Rifle Racks, Compostable Nursery Bags, Correspondence Envelopes (V3) Conforming to IS 13892, shoes school pvc boys girls, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 Searched String: HBA1C Control N 4 x 1 ml

बिड विवरण/Bid Details	N-(1-Naphthyl)ethylenediamine, Towel Hand Cotton Turkish (IAF), Laboratory Glassware Volumetric Flask, Cotton Towelling And Towels Conforming To IS 7056 (V4), Multipurpose or General Test Tubes (V2) as per IS 2618, Cotton Towelling And Towels (V3) Conforming To IS 7056, Correspondence Envelopes (V3) Conforming to IS 13892, Shaker Incubator, Household Insecticides (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948
	Searched String: CFAS PAC 3X1 ml Bag Calico- OFB, Shaker Incubator, Dunnage Pallets Made from Recycled Plastic Wastes for Warehousing Applications as per IS 16058, Medical Centrifuge, Hydrocollator Machine, Blood Collection Tube, Liquid Consortia (V2), Household Insecticides (V2), Sterile Hypodermic Syringe (V3), Tissue Homogenizer Searched String: CFAS Proteins 5X1 ml Shaker Incubator, Liquid Consortia (V2), Medical Centrifuge, Sterile Hypodermic Syringe (V3), Household Insecticides (V2), Urine Collection Bag - Sterile (Single Use), Blood Collection Tube, Tissue Homogenizer, DNA marker, Laboratory Vials (V2) Searched String: CFAS PUC 5X1 ml Shaker Incubator, Liquid Consortia (V2), Medical Centrifuge, Sterile Hypodermic Syringe (V3), Household Insecticides (V2), Urine Collection Bag - Sterile (Single Use), Blood Collection Tube, Tissue Homogenizer, DNA marker, Laboratory Vials (V2) Searched String: CFAS CKMB Memory Card Reader (V2), Bag Calico- OFB Searched String: RF Calibrator Set RF Terminals, Sofa (V3), Temperature calibrator, Rain Suit, Pressure Calibrator, Diesel Power Generator (up to 900 KVA), Process Calibrator, OTI / WTI Calibrator, RF Cable Assembly, Desk and Bench Set for Classroom/Training Area Searched String: RF Control Set 2X1 ml Access Control System, Diesel Power Generator (up to 900 KVA), Piston Ring Set-IS:6621, IS:8422, Rain Suit, Digital VHF Base / Mobile Transceiver Set as per MHA QR, Sofa (V3), Digital UHF Repeater Sets as per MHA QR (V2), Desk and Bench Set for Classroom/Training Area, Shaker Incubator, Flying Insect Control Traps - Fly Catcher Searched String: Probe Set for Cobas 400+ Line Probe Assay Kit for First Line Drugs under NTEP, Desk and Bench Set for Classroom/Training Area, Line Probe Assay Kit for Second Line Drugs under NTEP, Ultrasonic Probe Sonicator, Bush Set for lever & Armature for DCEM Brakes (SAIL), Desk and Chair Set for Classroom/Training Area, Kitchen Set (Preschool Kit), Diesel Power Generator (up to 900 KVA), Fire Fighting Suit (Set), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) Searched String: HbA1c Haemolysin Reagent

बिड विवरण / Bid Details	HBA1C/Hemoglobinopathy Analyzer, Nitrile Coated/Nitrile Hand Gloves (V2), Glycated Haemoglobin (HbA1c) Analyzer, TRIZOL Reagent, Multipara Monitor - Low End, Barfoed's Reagent, Biuret Reagent, BOD Incubator, Molisch's Reagent, Tollen's Reagent
	Searched String: Fe Standard Iron Standard, Universal Pipette Tips (V2), Standard Ambulances, Non Sparking Ring Slugging Spanners (V2), Calcium Standard, Network Attached Storage (V2), Turbidity Standard, High Visibility Reflective Vest, Manganese Standard Solution, Football Goal Post Net as per IS 3345 Searched String: PM Kit for Cobas 400+ Head Gears (Caps) for Cook cum Helpers - PM POSHAN Scheme, Biochemistry Reagent Kit for Human Samples, Purna Kit for Anganwadi, Networking Trainer Educational Kit, Hygiene Kit for Gujarat, Point of Care Rapid Test Kits for Humans - Dengue, Malaria, Typhoid & Others, Human Identification- DNA Kit : Autosomal Mini STR (Forensic Use), Safety Equipment Tool Kit for Labours, personal safety kit reflective luminous garments, Pre - School Education Kit for Anganwadi Centres Searched String: Deproteinizer for Cobas 400+ (6x21 ml) Plastic Crates for Fruits and Vegetable (V2) conforming to IS 15532, Portable Toilet, Modular Toilet, Flood Light Luminaire suitable for HPSV Lamps, M.S Stopper for Traffic Control (Portable Barrier), parat and lid as per cqa specification Searched String: NaCl 9% (6x22 ml) Shaker Incubator, Medical Centrifuge, Blood Collection Tube, Desk and Bench Set for Classroom/Training Area, Desk and Chair Set for Classroom/Training Area, Sinks, Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, shoes school pvc boys girls, Minifuge Searched String: Precicontrol Multi 1 Lithium Base Multi-Purpose Grease EP-1 (BEML), Nitrile Coated/Nitrile Hand Gloves (V2), Selectorized Multi Press, Multi Crop Thresher, Multipara Monitor - Low End, Multi Crop Planter, BOD Incubator, Multi function Calibrators, Lyophilizer, 1, 1, 3 - Triethoxybutane Searched String: Precicontrol Multi 2 Selectorized Multi Press, Laminar air flow cabinets or stations, Multi Crop Thresher, Multi Crop Planter, Sofa (V3), Multi function Calibrators, 2-2-BIPYRIDYL, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Multi Adjustable Bench (V2), Water Quality Meters / Analyzers Searched String: Precipath PUC Category not available on GeM for the text string uploaded by the buyer Searched String: Precinorm PUC Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Biochemistry Reagent Kit for Human Samples
बीओक्यू शीर्षक / BOQ Title	Biochemistry reagents for Roche analyser
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	30 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ OEM Average Turnover (Last 3 Years)	244 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/ Turnover eligibility criteria	GeM verified turnover
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन / Past Performance	80 %

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	ALBUMIN BCG
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	6142475
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	PUNJAB NATIONAL BANK
ईएमडी राशि/EMD Amount	122850

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	5

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

M S

Esic Hospital Peenya, Bangalore, NA, Employees State Insurance Corporation (ESIC), Ministry of Labour and Employment
(Dr. Mridula A M)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
02-09-2026 15:00:00	http://meet.google.com/nzm-fzzz-kqn the time may be considered as 230 pm

ALBUMIN BCG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	39	15

BILIRUBIN DIRECT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	70	15

BILIRUBIN TOAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	90	15

CALCIUM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	4	15

CHOLESTROL HiCo

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	30	15

CREATININE J

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	32	15

HbA1c

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	51	15

HDL-C

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	39	15

IRON

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	17	15

MAGNESIUM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	11	15

PHOSPHORUS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	3	15

TG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	45	15

TOTAL PROTEIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	45	15

UIBC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	19	15

UREA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	56	15

URIC ACID

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	2	15

ALP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	45	15

ALTL SGPT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	41	15

AMYLASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	4	15

AST SGOT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	41	15

GGT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	34	15

LDH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	4	15

LIPASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	6	15

TRANSFERRIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	39	15

CRP LATEX

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	30	15

RF II

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	9	15

CK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

CK MB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	3	15

Halogen Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

Cobas Integra Cleaner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	186	15

Cobas Integra Microcuvettes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	18	15

CFAS 12X3 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

CFAS Lipids 3X1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

HBA1C Calibrator 3 X 2 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	2	15

HBA1C Control N 4 X 1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	3	15

CFAS PAC 3X1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

CFAS Proteins 5X1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

CFAS PUC 5X1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

CFAS CKMB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

RF Calibrator Set

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

RF Control Set 2X1 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	2	15

Probe Set For Cobas 400

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

HbA1c Haemolysin Reagent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	10	15

Fe Standard

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

PM Kit For Cobas 400

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

Deprotenizer For Cobas 400 6x21 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	7	15

NaCl 9 6x22 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	8	15

Precicontrol Multi 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

Precicontrol Multi 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

Precipath PUC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

Precinorm PUC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Deepak D C	560022,ESIC Hospital-Peenya Sy.No.11-55-1, 5th Main Road, Near FTI Campus, Yeshwanthpur Suburb, Yeshwanthpur Post Office, Bangalore	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

OEM & Bidder Documentation - Terms and Conditions (Mandatory)

The bidder shall submit the following documents along with the Technical Bid. Non-submission of any of the following documents may result in rejection of the bid during technical evaluation.

1. Proprietary Article Certificate (PAC)

The bidder shall submit a valid Proprietary Article Certificate (PAC) issued by the Original Equipment Manufacturer (OEM).

The certificate shall clearly certify that:

- The quoted reagents are proprietary in nature.
- The quoted reagents are fully compatible with the respective analyzer/equipment for which they are being offered.

- The quoted reagents are recommended/approved by the OEM for use in the specified analyzer/equipment.

2. OEM Authorization Letter

A valid OEM Authorization Letter shall be submitted.

The authorization shall:

- Be issued on the OEM's official letterhead.
- Specifically authorize the bidder to participate in this tender.
- Authorize the bidder to supply the quoted reagents under this tender.

3. L1 (Lowest Price) Certificate

The bidder shall submit an L1 (Lowest Price) Certificate issued by the OEM.

The certificate shall certify that the prices quoted in the bid are the lowest prices offered by the OEM to any:

- Central Government Department,
- State Government Department,
- Public Sector Undertaking (PSU), or
- Autonomous Body

for the same or similar items under similar terms and conditions.

4. Fall Clause Certificate

The bidder shall submit a Fall Clause Certificate duly issued by the OEM.

The OEM shall undertake that:

- The prices quoted under this tender shall not exceed the prices charged to any Central/State Government Department, PSU, or Autonomous Body during the currency of the contract.
- In the event of any reduction in the price of the same item supplied to any such organization, the benefit of the reduced price shall automatically be extended to the purchaser from the effective date of such reduction.

5. Place of Manufacture Clause

The OEM shall clearly specify the Place of Manufacture of the quoted reagents.

The details shall include:

- Country of Origin.
- Name and complete address of the manufacturing facility/location.

Any change in the place of manufacture during the currency of the contract shall be intimated to the purchaser in writing and shall be subject to the approval of the purchaser.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).

2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---