

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	19-08-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	19-08-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Madhya Pradesh
विभाग का नाम / Department Name	Technical Education And Man Power Planning Department Madhya Pradesh
संगठन का नाम / Organisation Name	Directorate Of Training Government Of Madhya Pradesh Bhopal
कार्यालय का नाम / Office Name	Directorate Of Skill Development Mp Jabalpur
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : addsd.jbp@mp.gov.in Buyer Email id: iti.anp@mp.gov.in
कुल मात्रा / Total Quantity	11259

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Wooden Screw , Whitner , Washers , Varnish , UPS 7.5 AH Battery , Transistor , Transformer , Timer , Three Phase Wire , Tag Small , Tag Big , Switch Board , Switch 2 way , Switch 1 way , Switch , Steno Notebook , Staplier Pin 24x6 , Staplier Machine handle type size 24x6 , Stamp pad , Stamp Ink , Spring Washers , Soldering Lead , Soldering Flux , Socket power , Socket , SMPS , Sketch Pen , Single Core copper Wire , Short hand Pencil , Seek Jadhu , Sand Paper , Rubber , RJ 45 Connector , Resistors , Relay Module , Star Delta Timer Din Rail mounting 90 x 22.5 x 72 230 V AC , Register 4 Core , RCCB , Rawl Plugs , Ram , PVC copper Insulated Wire , PVC Copper Cable , PVC Casing Capping 1inch 25mm , Push Button Switch , Plug Top , Phynl Goli 250grm , Phynl , Photo Copy paper A4 Size , Phool Jadhu , Pencil Cutter , PCB Board , Overload Relay , Nuts M3 to M6 , Multi meter battery 9volt , MS Round Bar , MS Flat , MS Electrode 4mm , MS Electrode 3.15mm , Mouse , MCB , Lugs and Ferrules , Lubricating Oil , LED Bulb , LED , Lamp Holder , Keybord , Junction Box , Insulation Tape , Insulation Sleeves , Insulation Paper , Indicator Lamps , ICs , Hydraulic Oil , Hexzgonal Milling Cutter , Harpick , Hacksaw Blade , Gum 150ml , GREASH , Glands , GEAR OIL , Fuse Unit , Floor Acid , Flexible Wire , File Cover , Fevistick , Ferrules , Envelop A4 , Envelop A3 , ENGINE OIL , ENGINE COOLENT , EMERY PAPER , ELCB , Earthing Set Copper , Earth Electrode , Duster , Distribution Board , Diodes , DIN Rail , Battery Water Distilled water for use in battery , Cutting Oil , Cotton Waste , Copper Winding Wire , Contactor , Connecting Wires , Conduit Accessories , CMOS Battery , Chalk , Ceiling Rose , CD Marker , CAT 6 Cable , Cast Iron Electrode 5mm , Cast Iron Electrode 4mm , Electrode Cast Iron 2.5mm , Carbon Paper A4 Size , Capacitors 2.5 mfd Electrolytic and Ceramic passive , Cable Tray , Cable Lugs , Cable Clips , Bus Bar , Bridge Rectifier , BREAK OIL , Breadboard , Binding Thread , BATTERY ACID , BATTERY , Ball Pen Blue, Red , Power Switch 16amp , Power Socket 16amp , Modular Board 4way , UPS Battery 26ah

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Wooden Screw, Wooden Screw, Wooden Screw, Wooden Screw, Wooden Screw, Whitner, Washers, Varnish, UPS 7.5 AH Battery, Transistor, Transistor, Transformer, Transformer, Timer, Three Phase Wire, Tag Small, Tag Big, Switch Board, Switch 2 way, Switch 1 way, Switch, Steno Notebook, Staplier Pin 24x6, Staplier Machine handle type size 24x6 , Stamp pad, Stamp Ink, Spring Washers, Soldering Lead, Soldering Flux, Socket power, Socket, SMPS, Sketch Pen, Single Core copper Wire, Short hand Pencil, Seek Jadhui, Sand Paper, Rubber, RJ 45 Connector, Resistors, Relay Module, Star Delta Timer Din Rail mounting 90 x 22.5 x 72 230 V AC, Register 4 Core, RCCB, Rawl Plugs, Rawl Plugs, Ram, PVC copper Insulated Wire, PVC copper Insulated Wire, PVC Copper Cable, PVC Casing Capping 1inch 25mm, Push Button Switch, Plug Top, Phynl Goli 250grm, Phynl, Photo Copy paper A4 Size, Phool Jadhui, Pencil Cutter, PCB Board, Overload Relay, Nuts M3 to M6, Multi meter battery 9volt, MS Round Bar, MS Round Bar, MS Round Bar, MS Round Bar, MS Round Bar, MS Flat , MS Flat, MS Electrode 4mm, MS Electrode 3.15mm, Mouse, MCB, MCB, MCB, MCB, Lugs and Ferrules, Lubricating Oil, LED Bulb, LED, Lamp Holder, Keybord, Junction Box, Junction Box, Insulation Tape, Insulation Sleeves, Insulation Paper, Indicator Lamps, ICs, Hydraulic Oil, Hexzgonal Milling Cutter, Harpick, Hacksaw Blade, Gum 150ml, GREASH, Glands, GEAR OIL , Fuse Unit, Floor Acid, Flexible Wire, File Cover, Fevistick, Ferrules, Envelop A4, Envelop A3, ENGINE OIL , ENGINE COOLENT, EMERY PAPER , EMERY PAPER , EMERY PAPER , EMERY PAPER , ELCB, Earthing Set Copper, Earth Electrode, Duster, Distribution Board, Distribution Board, Diodes, DIN Rail, Battery Water Distilled water for use in battery, Cutting Oil, Cotton Waste , Copper Winding Wire, Contactor, Connecting Wires, Conduit Accessories, Conduit Accessories, CMOS Battery, Chalk, Ceiling Rose, CD Marker, CAT 6 Cable, Cast Iron Electrode 5mm, Cast Iron Electrode 4mm, Electrode Cast Iron 2.5mm , Carbon Paper A4 Size, Capacitors 2.5 mfd Electrolytic and Ceramic passive, Cable Tray, Cable Lugs, Cable Clips, Bus Bar, Bridge Rectifier, BREAK OIL, Breadboard, Binding Thread, BATTERY ACID, BATTERY , Ball Pen Blue, Red, Power Switch 16amp, Power Socket 16amp, Modular Board 4way, UPS Battery 26ah
	Searched String: Wooden Screw Screw Compressor, Modular Table / Meeting Table / Centre Table (V2), Compression Screw, Wooden Flooring (V3), Wooden Podium, Wooden Handicrafts, Wooden Flooring (V2), Wooden block, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), wooden flooring Searched String: Wooden Screw Screw Compressor, Modular Table / Meeting Table / Centre Table (V2), Compression Screw, Wooden Flooring (V3), Wooden Podium, Wooden Handicrafts, Wooden Flooring (V2), Wooden block, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), wooden flooring Searched String: Wooden Screw Screw Compressor, Modular Table / Meeting Table / Centre Table (V2), Compression Screw, Wooden Flooring (V3),

बिड विवरण / Bid Details	Wooden Podium, Wooden Handicrafts, Wooden Flooring (V2), Wooden block, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), wooden flooring
	Searched String: Wooden Screw Screw Compressor, Modular Table / Meeting Table / Centre Table (V2), Compression Screw, Wooden Flooring (V3), Wooden Podium, Wooden Handicrafts, Wooden Flooring (V2), Wooden block, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), wooden flooring Searched String: Wooden Screw Screw Compressor, Modular Table / Meeting Table / Centre Table (V2), Compression Screw, Wooden Flooring (V3), Wooden Podium, Wooden Handicrafts, Wooden Flooring (V2), Wooden block, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), wooden flooring Searched String: Whitner Category not available on GeM for the text string uploaded by the buyer Searched String: Washers Laboratory Glassware Washers, High Pressure Washer, Spring Washers-IS:12511, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Plain Washer as per IS 2016, Adaptor sleeve along with locknut and washer, Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, ELISA Reader and Washer - Semi Automated, Emergency Shower and Eye Washer as per IS 10592 Searched String: Varnish Varnishes or Shellac Varnish as per IS 347, Flat Brushes for Paints and Varnishes for Heavy Duty as per IS 384 (Part 1), Thinner for Synthetic Paint and Varnishes Conforming to IS 14314, Quick Lime For Chemical Industries (V2) Conforming to IS 1540 Part 1, Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1) Searched String: UPS 7.5 AH Battery Online UPS (>10 KVA) Without Battery, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (>10 KVA) With Battery, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (V2), Stationary Lead-Acid Cells and Batteries with Plante Positive Plates Conforming To IS 1652, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Wireless LAN Access Point (V3), Endotracheal Tube - Sterile (Single Use) Searched String: Transistor DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, Manual Metal Arc Welding (MMA) Machine (V3), Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2)

बिड विवरण/Bid Details	Searched String: Transistor
	DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, Manual Metal Arc Welding (MMA) Machine (V3), Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2) Searched String: Transformer Control Transformer, Distribution Transformer, 3 Phase, 11 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Isolation Transformer, Transformer Oil Pump, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), Transformer Oil BDV Test Kit, Capacitive Voltage Transformer (DTL), Transformer Winding Resistance Meter, Power Transformer, Oil immersed type Searched String: Transformer Control Transformer, Distribution Transformer, 3 Phase, 11 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Isolation Transformer, Transformer Oil Pump, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), Transformer Oil BDV Test Kit, Capacitive Voltage Transformer (DTL), Transformer Winding Resistance Meter, Power Transformer, Oil immersed type Searched String: Timer Digital Timer, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Stopwatch (V2), Auto Drain Trap Valve-Solenoid operated (To drain Water) for Oxygen Concentrator, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Rotary Shaker, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Humidifier (V2), Time Switch, Time delay relay Searched String: Three Phase Wire Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Muffle Furnace, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Power Quality Analyzer, Wooden Podium, Star Delta Motor Starter for Three Phase Induction Motors (V2), Composite Office Tables conforming to IS 8126 (V2), Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Phase Indicator Searched String: Tag Small RFID Tag (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Animal Ear Tag (V2), EMS Speed Post Tag Labels, Durry Small (IAF), Small Angle Grinders, Small Form - Factor Pluggable Transceiver, Ear TAG Applicator (For Animal), Hospitals Cleaning Gloves, Small Cardamom (छोटी इलाइची) Searched String: Tag Big Big Crash Mattresses - Gymnastic, BIG STAINLESS STEEL AND IRON UTENSILS, RFID Tag (V2), EMS Speed Post Tag Labels, Animal Ear Tag (V2), Corrugated Boxes, Tags For Files (V3) Conforming to IS 8499, Ear TAG Applicator (For

विड विवरण / Bid Details	Animal), Plastic Grip Seal, Flying Disk Big (Preschool Kit) (V2)-Toys
	Searched String: Switch Board modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Limit Switch, Time Switch, Dry Erase Writing Boards (V3), Reed Switch, Industrial Switch, Computer Table (V3), KVM Switch, Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller) Searched String: Switch 2 way Layer 2 Access Switch (V3), Sofa (V3), Two Way Valve, Three Way Stopcocks, Laminar air flow cabinets or stations, KVM Switches (V2), Desk and Bench Set for Classroom/Training Area, Machine Tool Way oils, water baths, Limit Switch Searched String: Switch 1 way Two Way Valve, Nitrile Coated/Nitrile Hand Gloves (V2), Three Way Stopcocks, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Lyophilizer, Machine Tool Way oils, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Limit Switch, Towel Hand Cotton Turkish (IAF), Time Switch Searched String: Switch Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Time Switch, Reed Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Industrial Switch, Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller), KVM Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, SAN Switch Searched String: Steno Notebook Rugged Notebook - Laptop, Yearly Planners as per IS 1848, High End Laptop - Notebook, Shorthand Notebooks, Semi Rugged Notebook - Laptop, Exercise Notebook for Mathematics, Exercise Notebook for Science, Entry and Mid Level Laptop - Notebook, Exercise Notebook for Hindi Writing, Notebooks-Handicraft Searched String: Staplier Pin 24x6 pin cushions, Cleaning Duster (V3), Dowel Pin, Staplers(V3), Steinmann Pin, Dry Erase Writing Boards (V3), Knowles Pin, File/Folder (V3), Piston Pin, Cotton Towelling And Towels Conforming To IS 7056 (V4) Searched String: Staplier Machine handle type size 24x6 Net Camouflage Shrimp Type as per Defence Specifications, Door Handles (V2) ISI marked to IS 208, Binder Clips (V3) Conforming to IS 8231, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Multipurpose Counter Machine Stickers for Post Office, Thermal Binding Machines , Mice and Rat Restrainers, FRP Shelters - Barrel Type Cabin (Five Men), Laboratory Filter Papers (V2), Tape Dispensers (V2) Searched String: Stamp pad

बिड विवरण / Bid Details	stamp pads, Chair for General Purpose, Pads for Rubber Stamps (V2) Conforming to IS 4747, Stamp - Pad Ink as per IS 393, Stamp-Pad Ink (V2) Conforming to IS 393, Writing Pad Chair, Desk Pads - Writing (V2), Stamp Album, Mouse Pad (V2), STEEL STAMP NUMBER
	Searched String: Stamp Ink Stamp-Pad Ink (V2) Conforming to IS 393, Toner Cartridges / Ink Cartridges / Consumables for Printers, Stamp - Pad Ink as per IS 393, Self Inking Rubber Stamp, stamp pads, Self Inking Rubber Stamp (V2), Rollerball Pen (V3), Stamp Album, Inks (V2), STEEL STAMP NUMBER Searched String: Spring Washers Spring Washers-IS:12511, File/Folder (V3), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Laboratory Glassware Washers, High Pressure Washer, Spring post, Safety Relief Valves- Spring Loaded, Spring Balance, Plain Washer as per IS 2016, Spring Rider Searched String: Soldering Lead Electric Soldering Iron, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Soldering Clamp Holder, Soldering and Desoldering Station with digital display, SMD Rework Station, Temperature controlled soldering station, Electronic Welding (Soldering) Tool Kit, Radiation protective Lead aprons with accessories, Lead nitrate, Fume extraction unit for filtration of soldering fumes Searched String: Soldering Flux Brazing flux, Temperature controlled soldering station, WELDING FLUX, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Electric Soldering Iron, Soldering and Desoldering Station with digital display, Soldering Clamp Holder, Lithium Base Grease For Automotive Purposes(V2) Conforming to IS 12203, SMD Rework Station, Electronic Welding (Soldering) Tool Kit Searched String: Socket power Industrial Tempra Mount Socket, Ultrasonic Probe Sonicator, Electrical Power Connector, Electrical Extension Box (V4), Impact socket, Small Angle Grinders, Deep Socket, IC SOCKET, Diesel Power Generator (up to 900 KVA), Insulated socket Searched String: Socket Impact socket, Electrical Extension Box (V4), Deep Socket, Stationery Holder/Pen Stand(V3), IC SOCKET, Insulated socket, Laboratory Glass Adapters, PVC Reducer Socket, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Flameproof Switch Socket Searched String: SMPS Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Switching Power Supply for Wireless Application, Mains Battery Charger (MHA) Searched String: Sketch Pen

बिड विवरण / Bid Details	Sketch Pen (V2), Writing Pens, Sketch Pens (V3), Highlighter Pen, PEN Sanitizer Sprayer, Fountain Pens (V2), Pen Stands-Handicraft, Rollerball Pen (V3), Gel Pen (V3), Handcrafted Pen Stand Searched String: Single Core copper Wire PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Tapered Bearings as per IS 12102, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Zinc Coated EDM Wire (V2) Searched String: Short hand Pencil Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175, Nitrile Coated/Nitrile Hand Gloves (V2), Screwing Taps - Hand And Short Machine (BHEL), Pencil Boxes-Handicraft, Towel Hand Cotton Turkish (IAF), Pencil box, Pencil Boxes-Handicraft (Bamboo), Digital Multimeter, Pencils-Handicraft, true rms clamp meter Searched String: Seek Jadhu Category not available on GeM for the text string uploaded by the buyer Searched String: Sand Paper Sand Paper (Defense), Disposable Paper Cup, Filter Sand, Sand Art, Plotter Paper Roll (V2), Fine Aggregate (V2) Conforming to IS 383, Sand Pouring Cylinder, Computer Paper (V3) Conforming to IS 12766 (In Packet), River Bed Sand, Standards Sand for testing cement - IS 650 Searched String: Rubber Rubber Tourniquet, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Rubber Grommet, Spring post, Rubber Glazing, Rubberized Weight Dumbbells, Rubber Plug, rubber bands, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Rubber Diaphragms Searched String: RJ 45 Connector Ethernet Information Outlet, Household Insecticides (V2), Hose connector, SMA connector, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Connector Glass, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Spinosad 45% SC, Syringe Filter, Field Mountable (FM45) Connector for Telecommunication Searched String: Resistors Resistors (V2), Neutral Grounding Resistor (NGR)
-------------------------	---

बिड विवरण/Bid Details	Searched String: Relay Module
	Relay Module, Random Access Memory (RAM) Module, Overload Relay, CONTACTOR RELAY, Interface module, LED Flasher Relay, Relay Testing Educational Kit, Voltage Monitor Relay, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Time delay relay Searched String: Star Delta Timer Din Rail mounting 90 x 22.5 x 72 230 V AC Category not available on GeM for the text string uploaded by the buyer Searched String: Register 4 Core Register (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Cash Register (V2), 4-Aminoantipyrine, All in One PC (V2), Motorized core cutting machine, Cotton Towelling And Towels Conforming To IS 7056 (V4), Methyl 4 Hydroxybenzoate (Methylparaben), Pin Up Notice Board (V2), Interceptor Vehicle (4 Wheeler) Searched String: RCCB Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) Searched String: Rawl Plugs Spark plugs, Lawn Mowers, Hexagon Socket Pipe Plugs- IS:9645, Electrical Plugs (V2) ISI Marked to IS 1293, Mobile Containers For Solid Waste Conforming to IS 12402, Plug and Socket Distribution Board, Hand Held Brush Cutter (V2), HEDGE TRIMMER or HEDGE CUTTER, Plug-In Protection Guard for RJ45 Ports, Plug Cock for Water Supply Purpose as per IS 3004 Searched String: Rawl Plugs Spark plugs, Lawn Mowers, Hexagon Socket Pipe Plugs- IS:9645, Electrical Plugs (V2) ISI Marked to IS 1293, Mobile Containers For Solid Waste Conforming to IS 12402, Plug and Socket Distribution Board, Hand Held Brush Cutter (V2), HEDGE TRIMMER or HEDGE CUTTER, Plug-In Protection Guard for RJ45 Ports, Plug Cock for Water Supply Purpose as per IS 3004 Searched String: Ram Random Access Memory (RAM) Module, Random Access Memory (RAM) Card (V2), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Portable Ramps Conforming to IS 18560, Smartphones (V3), Books (V2), Raman Spectrophotometer System (Forensic use), Tablet Computer (V2), ODOP Tool Kit for Patchwork ke Sath Aplic Work or Zari Patchwork of Rampur District, Uttar Pradesh, India, Mini PC Searched String: PVC copper Insulated Wire PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked

बिड विवरण / Bid Details	To IS 694, Insulated wire stripper, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694
	Searched String: PVC copper Insulated Wire PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Insulated wire stripper, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694 Searched String: PVC Copper Cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Cable Analyser, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: PVC Casing Capping 1inch 25mm Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Premium Casing Pipe (Petroleum Industry), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), PVC Insulated Unsheathed Cable with

बिड विवरण / Bid Details	Flexible Conductor ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)
	Searched String: Push Button Switch Emergency Push Button Switch, modular electrical enclosure switch board boxes for modular type accessories, telephone instrument single push button, Flameproof Control Station, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, telephone instrument single push button one plus one and one plus, Lawn Mowers, Fitness Push Up Bar, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Limit Switch Searched String: Plug Top Electric Power Plug Top for Industrial Applications, Modular Table / Meeting Table / Centre Table (V2), Plug Gauge, Rubber Plug, Computer Table (V3), Rubber Plug (V2), Thread Plug Gauge, Wooden Podium, Electrical Plugs (V2) ISI Marked to IS 1293, Laboratory Steel Furniture Searched String: Phynl Goli 250grm Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), AZITHROMYCIN, Speed Breaker (V2), Mycophenolate Mofetil Tablet, Deep freezer, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Curtains (V2), CEPHALEXIN, Shaker Incubator, CIPROFLOXACIN Searched String: Phynl Category not available on GeM for the text string uploaded by the buyer Searched String: Photo Copy paper A4 Size A4 and Legal Size Multifunction Printer (MFP), File/Folder (V3), Photography Paper (V2), Plain Copier Paper (V3) ISI Marked to IS 14490, A3 Size Multifunction Printer (MFP), Scanner (V3), Photography paper Conforming to IS 6139, Multifunction Printer (Print, Scan, Copy), Pneumatic impact wrenches, Shredding Machine/Paper Shredder Searched String: Phool Jadhu Sweeping Broom (V5), Medicinal Plant Saplings Searched String: Pencil Cutter Manual Pencil Sharpener (V3), Hand Held Brush Cutter (V2), Pencil box, Black Lead Pencils (V2) as per IS 1375, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Black Lead Pencils (V3) Conforming to IS 1375, Nail Cutter, Vegetable Cutter, HEDGE TRIMMER or HEDGE CUTTER, Chaff Cutter Searched String: PCB Board PCB Platting, Modular Table / Meeting Table / Centre Table (V2), Printed circuit board storage rack, PCB Prototype Machine, Printed Circuit Board, Dry Erase Writing Boards (V3), Computer Table (V3), Impression Board, File/Folder (V3), Chess Board Searched String: Overload Relay

बिड विवरण / Bid Details	Overload Relay, Relay Module, Relay Testing Educational Kit, CONTACTOR RELAY, LED Flasher Relay, Time delay relay, Voltage Monitor Relay, Digital Motor Protection Relays, Gas Operated Relay (Buchholz relay) as per IS : 3637, Single phasing preventer Relay (SPPR) Searched String: Nuts M3 to M6 Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), water baths, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Bonded Mineral Wool as per IS 8183, Muffle/Box Furnace (V2), Ultra low temperature laboratory deep freezer, Biosafety Cabinet Searched String: Multi meter battery 9volt Multi Function Meter (BHEL), Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Elastic Surgical Adhesive Tapes (V2), Water Quality Meters / Analyzers, Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, Sterile Paraffin Gauze Dressings Conforming to IS 16291, Multiparameter pH or mV or ISE or Temp Meter, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission) Searched String: MS Round Bar Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), cobweb brush, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Gas Chromatography Mass Spectrometry (GC - MS), Cloth Dryer Stand, Drill Rods for Tools, Towel Rail, Alloy Steel Round Bars (BHEL), Screw Drivers as per IS 844, Round Baler Searched String: MS Round Bar Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), cobweb brush, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Gas Chromatography Mass Spectrometry (GC - MS), Cloth Dryer Stand, Drill Rods for Tools, Towel Rail, Alloy Steel Round Bars (BHEL), Screw Drivers as per IS 844, Round Baler Searched String: MS Round Bar Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), cobweb brush, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Gas Chromatography Mass Spectrometry (GC - MS), Cloth Dryer Stand, Drill Rods for Tools, Towel Rail, Alloy Steel Round Bars (BHEL), Screw Drivers as per IS 844, Round Baler Searched String: MS Round Bar Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), cobweb brush, Gas Chromatography - Triple Quadrupole Mass Spectrometry
-------------------------	---

विड विवरण / Bid Details	(GC - MS - MS), Gas Chromatography Mass Spectrometry (GC - MS), Cloth Dryer Stand, Drill Rods for Tools, Towel Rail, Alloy Steel Round Bars (BHEL), Screw Drivers as per IS 844, Round Baler
	Searched String: MS Round Bar Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), cobweb brush, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Gas Chromatography Mass Spectrometry (GC - MS), Cloth Dryer Stand, Drill Rods for Tools, Towel Rail, Alloy Steel Round Bars (BHEL), Screw Drivers as per IS 844, Round Baler Searched String: MS Flat Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Cast Iron Bench, Gas Chromatography Mass Spectrometry (GC - MS), Wild - Life Cages, Flat Brick Tiles, cobweb brush, MS Sheet as per IS 1079, Flat Bed Knitting Machines, Parallel Bar - Outdoor Gym Equipment, Flat Gym Bench (V2) Searched String: MS Flat Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Cast Iron Bench, Gas Chromatography Mass Spectrometry (GC - MS), Wild - Life Cages, Flat Brick Tiles, cobweb brush, MS Sheet as per IS 1079, Flat Bed Knitting Machines, Parallel Bar - Outdoor Gym Equipment, Flat Gym Bench (V2) Searched String: MS Electrode 4mm Earthing Electrode, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), pH Electrode, Parallel Bar - Outdoor Gym Equipment, Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS), Dry Erase Writing Boards (V3), Gas Chromatography Mass Spectrometry (GC - MS), Cotton Towelling And Towels Conforming To IS 7056 (V4), ECG Bulb Electrode, Pin Up Notice Board (V2) Searched String: MS Electrode 3.15mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Portable electrode oven, Cast Iron Bench, trolleys or accessories, Parallel Bar - Outdoor Gym Equipment, Dough Kneader (V1), Locking Compression Plates (V2), Chapati Plate with Puffer (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Bucket Mop Wringer Trolley Searched String: Mouse Computer Mouse, Mouse Pad (V2), Mouse Trap (V2), Keyboards and Mouse Combo (V2), KVM Extenders (V2), KVM Switches (V2) Searched String: MCB Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Electric Appliances Repairing Kit (GRIMCO Gujarat

विड विवरण / Bid Details	Govt)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: MCB
	Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Electric Appliances Repairing Kit (GRIMCO Gujarat Govt)
	Searched String: MCB
	Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Electric Appliances Repairing Kit (GRIMCO Gujarat Govt)
	Searched String: MCB
	Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Electric Appliances Repairing Kit (GRIMCO Gujarat Govt)
	Searched String: Lugs and Ferrules
	Electrical Cable Lugs, Entry and Mid Level Desktop Computer, Electrical connection Lugs or thimbles, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Modular Table / Meeting Table / Centre Table (V2), FPO - Millet Based Bread, Colour And Shape (Preschool Kit) (V2)-Toys, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), FPO - Millet-Based Cakes, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2)
	Searched String: Lubricating Oil
	Weapon Lubricating Oil, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Turbine mobil lubricating oil, Turbine Lubricating Oil as per IS 1012, 15w - 40 Diesel Engine Oil, Oil Filter Cartridges, Narrow Mouth HDPE Drum for Lubricating Oil, High Visability Reflective Vest, Lubricating Grease, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656
	Searched String: LED Bulb
	Rechargeable LED Bulb (V2), Laboratory Incubators, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), LED Bulb with Battery as per IS 16102, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Flower Bulb/Seeds, ECG Bulb Electrode, Muffle Furnace, ecg chest suction bulb electrode, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725
	Searched String: LED
	LED Batten, Laboratory Incubators, LED Curbstone, data wall display, LED Batten Light (LED Tube Light) (V2), LED

बिड विवरण / Bid Details	Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Marine Lanterns, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Flash Light, Muffle Furnace
	Searched String: Lamp Holder Hand Lamp, Surgical Needle Holders, Inspection Lamp, Business Card Holder (V2), Slit Lamp, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Soldering Clamp Holder, Ryder Needle Holder, Dumbbell Rack, Tooth brush Holder Searched String: Keyboard Category not available on GeM for the text string uploaded by the buyer Searched String: Junction Box Telephone Junction Box, Muffle/Box Furnace (V2), Junction Boxes (Flameproof), Electrical Junction Box for Lighting, File/Folder (V3), Telecommunication Cable Connection Enclosure, Electrical Extension Box (V4), Thermocouple Standards Platinum / Platinum Rhodium, Hopper Tipper Dumper for Garbage, Tissue box Searched String: Junction Box Telephone Junction Box, Muffle/Box Furnace (V2), Junction Boxes (Flameproof), Electrical Junction Box for Lighting, File/Folder (V3), Telecommunication Cable Connection Enclosure, Electrical Extension Box (V4), Thermocouple Standards Platinum / Platinum Rhodium, Hopper Tipper Dumper for Garbage, Tissue box Searched String: Insulation Tape Glass Mica Tape-IS :7809, Environmental Chamber, Polyimide Tapes, HT Tape, Insulation Tester, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Acoustical insulation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Tape Cartridge / Tape Media, Elastic Surgical Adhesive Tapes (V2) Searched String: Insulation Sleeves Electrical Sleeves Conforming To IS 11654 (Part 3/Sec 403), Environmental Chamber, Sleeves for DVT Pump, Insulation Tester, Acoustical insulation, Shirt Plain Weave Polyester and Viscose Dope Dyed - NCC, Adaptor sleeve along with locknut and washer, T - Shirt Half Sleeves with Collar for Ministerial Staff of CAPFS (MHA) QRs, Suspension Sleeves for Trans-Femoral Prosthesis, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Insulation Paper Insulation Tester, Environmental Chamber, Acoustical insulation, pH Paper, Disposable Paper Cup, Blotting paper, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Paper weights, Plotter Paper Roll (V2), Graph paper

बिड विवरण/Bid Details	Searched String: Indicator Lamps
	Floor Lamps-Handicraft, Self Ballasted LED Lamps (LED Bulb) (V3) Conforming to IS 16102 (Part 2) (Under BIS Scheme - II), Projector Lamps, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Floor Lamps-Handicraft (Bamboo), Silica Gel (V2) Conforming to IS 3401, Wall Lamps and Sconces-Handicraft, Silica Gel as per IS 3401, Phenolphthalein indicator, Ballasts For Discharge Lamps Conforming To IS 15882 Searched String: ICs Cyber Threat Intelligence Platform Software, Ride-On Sweepers, IC SOCKET, Diamond Chain Saw, Alumino - Ferric (V2) Conforming to IS 299, Three Wheeler for Goods (V2) Searched String: Hydraulic Oil Almond oil, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Paraffin Oil, Refined Mustard Oil (V4) (Defence), Oil Deflector, 15w - 40 Diesel Engine Oil, Silicone Oil, Light Diesel Oil-IS:15770, Palm Oil, High Visibility Reflective Vest Searched String: Hexzgonal Milling Cutter T Slot Cutters with Cylindrical Shanks and with Morse Taper Shank Having Tapped Hole - IS 2668, File/Folder (V3), High Steel Speed Cutters, Turning and Milling Inserts (BHEL), Milling Machine as per IS 6893, IS 8614, IS 9474, Hand Held Brush Cutter (V2), Nail Cutter, Vegetable Cutter, Pliers, Pincers and Nippers as per IS 2615, IS 11526, Chaff Cutter Searched String: Harpick Category not available on GeM for the text string uploaded by the buyer Searched String: Hacksaw Blade Non Sparking Hacksaw Blade Or Frame-IS:4595, knife blades, Saw Blades or Hacksaw Blades (V3) as per IS 2594, Saw Blades or Hacksaw Blades (V2) as per IS 2594, Hand Held Brush Cutter (V2), Hacksaw Frame (V2), Carbide Chain Saw, JigSaw Blade, HEDGE TRIMMER or HEDGE CUTTER, Insulated hacksaw frame Searched String: Gum 150ml Guar Gum - Oil, Shaker Incubator, Gum Arabic as per IS: 356, Paper Adhesives, Liquid Gum and Office Paste Type (V2) Conforming to IS 2257, Gum Powder from Sri Ganganagar - ODOP, Blood Collection Tube, Ester Gum (V2) Conforming to IS 356, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Gum Spirit of Turpentine Oil as per IS 533, Laboratory Glassware Volumetric Flask Searched String: GREASH Category not available on GeM for the text string uploaded by the buyer Searched String: Glands Flamproof Cable Gland, PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, SCREWED GLANDS (PG

बिड विवरण/Bid Details	THREADS) FOR CABLES AND LEADS(BHEL), Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Graphite gland packing ropes, Weatherproof Double Compression Cable Gland As Per BHEL Specification, Flameproof Cable Gland (BHEL) (EM), Gasket And Packings-Gland Packings Asbestos - IS 4687
	Searched String: GEAR OIL Extreme Pressure Gear Oil as per IS 1118, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406, Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, 15w - 40 Diesel Engine Oil, Hydraulic Gear Pump, High Visibility Reflective Vest, Gear Shaper, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Gear couplings Searched String: Fuse Unit Glass Fuse, Sofa (V3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Executive Table (V4), Cylindrical Fuses, Computer Table (V3), HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Metal Storage Cabinet, Drop Out Fuses Searched String: Floor Acid Floor Drain Traps, Metal Storage Cabinet, Automotive Floor Mat, Currency Counting Machine (V2), Handcrafted Floor Mats, Scrubber Dryer Floor Cleaning Machine (V2), Floor Lamps-Handicraft, Floor Drain Traps (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Floor Lamps-Handicraft (Bamboo) Searched String: Flexible Wire Flexible Cystoscope, Muffle Furnace, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Cryogenic Flexible Hose, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flexible Jaw Coupling, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Flexible Heating Element, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Shaft Grinder Searched String: File Cover File/Folder (V3), File Storage Boxes, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), File Folders-Handicraft, Upcycled File Folders, Pin Up Notice Board (V2), Vehicle Cover, Modular Metal Drawer File Cabinet Pedestal, quilt cover, Composite Office Tables conforming to IS 8126 (V2) Searched String: Fevistick Category not available on GeM for the text string uploaded by the buyer Searched String: Ferrules

बिड विवरण/Bid Details	Double ferrule fittings for air spring, Ferrule Printer
	Searched String: Envelop A4 A4 and Legal Size Multifunction Printer (MFP), Scanner (V3), Plain Copier Paper (V3) ISI Marked to IS 14490, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Correspondence Envelopes (V3) Conforming to IS 13892, Correspondence Envelopes (V3), File/Folder (V3), Divyangjan-Eco Stationery, Cotton Towelling And Towels Conforming To IS 7056 (V4), Envelopes-Handicraft (Bamboo) Searched String: Envelop A3 A3 Size Multifunction Printer (MFP), Correspondence Envelopes (V3) Conforming to IS 13892, Correspondence Envelopes (V3), Entry and Mid Level Desktop Computer, Divyangjan-Eco Stationery, High End Desktop Computer, Envelopes-Handicraft (Bamboo), Interactive Panels with CPU, Envelopes-Handicraft, Sofa (V3) Searched String: ENGINE OIL Marine Engine Oil, Modular Table / Meeting Table / Centre Table (V2), 15w - 40 Diesel Engine Oil, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Revolving Chair (V5), Diesel Engine as per IS 10001, Hand Held Brush Cutter (V2), Synthetic Oil for AVON/LM 2500 and RB 211 engines installed at MH Asset (ONGC), Lawn Mowers Searched String: ENGINE COOLENT Diesel Engine as per IS 10001, Modular Table / Meeting Table / Centre Table (V2), Marine Engine Oil, Engine Monoset Pumps for Clear, Cold, Water (Dewatering Pump) Conforming To IS 11501, 15w - 40 Diesel Engine Oil, Revolving Chair (V5), Connecting Rod Assembly for Automobile Engine, Hand Held Brush Cutter (V2), IC Engine Scooters for Specially Abled, Lawn Mowers Searched String: EMERY PAPER Emery Cloth, Disposable Paper Cup, Sand Paper (Defense), Emery Cloth Plain Weave Roll, Plotter Paper Roll (V2), Abrasive Emery Grain Conforming to IS 3178, Emery Powder Grit # 120-IS 3178, pH Paper, Blotting paper, Computer Paper (V3) Conforming to IS 12766 (In Packet) Searched String: EMERY PAPER Emery Cloth, Disposable Paper Cup, Sand Paper (Defense), Emery Cloth Plain Weave Roll, Plotter Paper Roll (V2), Abrasive Emery Grain Conforming to IS 3178, Emery Powder Grit # 120-IS 3178, pH Paper, Blotting paper, Computer Paper (V3) Conforming to IS 12766 (In Packet) Searched String: EMERY PAPER Emery Cloth, Disposable Paper Cup, Sand Paper (Defense), Emery Cloth Plain Weave Roll, Plotter Paper Roll (V2), Abrasive Emery Grain Conforming to IS 3178, Emery Powder Grit # 120-IS 3178, pH Paper, Blotting paper, Computer Paper (V3) Conforming to IS 12766 (In Packet)

बिड विवरण/Bid Details	Searched String: EMERY PAPER
	Emery Cloth, Disposable Paper Cup, Sand Paper (Defense), Emery Cloth Plain Weave Roll, Plotter Paper Roll (V2), Abrasive Emery Grain Conforming to IS 3178, Emery Powder Grit # 120-IS 3178, pH Paper, Blotting paper, Computer Paper (V3) Conforming to IS 12766 (In Packet) Searched String: ELCB Earth Leakage Circuit Breaker (ELCB), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester Searched String: Earthing Set Copper Earthing Plate, Sofa (V3), Copper Jumper, Earthing Rod, Desk and Bench Set for Classroom/Training Area, Earthing Electrode, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Earthing Powder, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Chemical Earth Pit Complete Set Searched String: Earth Electrode Earthing Electrode, Digital Earth Resistance Meter, Reusable Patient Return Electrode (V2), Chemical Earth Pit Complete Set, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), pH Electrode, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Magnetic Earth Clamp, ECG Electrodes (V2), ECG Bulb Electrode Searched String: Duster Cleaning Duster (V3), Whiteboard Duster (V2), Duster, Cotton Khadi, Bleached (V2) Conforming to IS 3777, Fingerprint Brushes and Dusters Searched String: Distribution Board Plug and Socket Distribution Board, Modular Table / Meeting Table / Centre Table (V2), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Pressure Calibrator, Power Distribution Box, Dry Erase Writing Boards (V3), Impression Board, Chess Board, Computer Table (V3), Carrom Board Searched String: Distribution Board Plug and Socket Distribution Board, Modular Table / Meeting Table / Centre Table (V2), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Pressure Calibrator, Power Distribution Box, Dry Erase Writing Boards (V3), Impression Board, Chess Board, Computer Table (V3), Carrom Board Searched String: Diodes Professional Large Format Display (V2), Television (V3), Light emitting diode driver, White LED (W-LED) based Solar Lantern as per MNRE Specification, Relay Module, Rectifier diode, Gold Purity Testing Meter/ Karat Meter (V2), Soft Tissue Diode Dental Laser Searched String: DIN Rail Din Rail, Towel Rail / Ring for Bathroom, Towel Rail, Temperature Transmitter, Elastic Rail Clip, Towel Rail / Ring

विड विवरण / Bid Details	/ Back / Hooks for Bathroom, Abrasive Rail Cutter Machine (gasoline powered), Light Rail conforming to IS 3964, Industrial composite color 3D Printer, Compressor oils Rail Road Service
	Searched String: Battery Water Distilled water for use in battery Lithium Battery For Use With Radio Set in Mobile Role as per MHA QRs, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Inverter Battery Trolley, Bitumen Primer for use in Waterproofing and Damp - Proofing as per IS 3384, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Ready Made Water Analysis Test Kit, Activated Carbons Granular as per IS 2752, Sterile Water for Injection, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Corrosion Inhibitor for Water Injection in Assam Asset - ONGC Searched String: Cutting Oil Cutting oil, Hand Held Brush Cutter (V2), Cutting Oil, Neat, Cutting Oil (V2), Shredding Machine/Paper Shredder, Cutting Oil, Soluble as per IS 1115, Crop Reaper and Binder, Cutting Paste, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Cutting Tools Searched String: Cotton Waste Cotton Yarn Waste (V2) as per IS 5485, Cleaning Duster (V3), Waste Container (V3), Markin Cloth (V2), Medical Waste Incinerator, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cotton Saree, Cotton Stockinette, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cotton Pillow Searched String: Copper Winding Wire Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Control Cable, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Muffle Furnace, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Sonometers, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: Contactor CONTACTOR RELAY, Air Break Contactors, Vacuum Contactor Conforming To IS/IEC 60470, DC Motor Armature Reversing Contactor-BHEL Searched String: Connecting Wires Sterile Connecting Device, Muffle Furnace, Connecting Rod Assembly for Automobile Engine, Molybdenum Wires for Lighting and Electronic Application Conforming To IS 12465 (V2), Tapered Bearings as per IS 12102, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926,

बिड विवरण / Bid Details	scrubbing brush, Stainless Steel Wire Conforming To IS 6528, PTFE (Polytetrafluoroethylene) Wire (V2)
	Searched String: Conduit Accessories Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, modular electrical enclosure switch board boxes for modular type accessories, Flexible Metallic Conduit(Bhel)-IS:3480, Flexible Steel Conduits For Electrical Wiring Conforming To IS 3480, Radiation protective Lead aprons with accessories, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Prism - Surveying Accessories (V1), LED Diving Torch Light (Diving Instruments or Accessories), Panchakarma Accessories, Embroidery Work Kit (Gujarat Govt) as per IS 15449 Searched String: Conduit Accessories Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, modular electrical enclosure switch board boxes for modular type accessories, Flexible Metallic Conduit(Bhel)-IS:3480, Flexible Steel Conduits For Electrical Wiring Conforming To IS 3480, Radiation protective Lead aprons with accessories, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Prism - Surveying Accessories (V1), LED Diving Torch Light (Diving Instruments or Accessories), Panchakarma Accessories, Embroidery Work Kit (Gujarat Govt) as per IS 15449 Searched String: CMOS Battery Battery Cover, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Tester, Gel Documentation System, Battery Terminal Coating, Online UPS (V2), Battery Link Terminal, book scanner, Inverter Battery Trolley, Scrubber Dryer Floor Cleaning Machine (V2) Searched String: Chalk Magnesium Gym Chalk, School Chalks, Moulded, White as per IS 2694, Alphacypermethrin 0.5% Chalk, French Chalk - IS 380, Cypermethrin 1% Chalk, Coloured Chalks, Moulded as per IS 4222, White School Chalks (V2) Conforming to IS 2694, French Chalk Conforming to IS 380, Coloured Chalks, Moulded (V2) Conforming to IS 4222, Dry Erase Writing Boards (V3) Searched String: Ceiling Rose Ceiling rose - IS 371, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Rose Seeds, Wiper Ceiling Bungi, Ceiling OT Light (V2), (Vitreous China) - Shower Rose-IS:2556, Electric Ceiling Fan (V4) ISI Marked to IS 374, Bathroom Water Shower (V2), Chandeliers-Handicraft, Standalone Ceiling Mounted Fire Suppression System Searched String: CD Marker DNA marker, Compact Disk Cases - CD - DVD Case, Protein ladder marker, Permanent Marker Pen, Surgical Skin Marker Pen (V2), Self Adhesive Flags (V2), Rigid / Flexible Median Marker, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Permanent Paint Marker (V3), Marker Ink (for Permanent and Whiteboard Markers)

बिड विवरण/Bid Details	Searched String: CAT 6 Cable
	Copper Patch Cord, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 6 - Benzylaminopurine, Ethernet Cables, water baths, 6 - Mercaptopurine Tablets (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Protective PX- 6 -Defence (V2) Searched String: Cast Iron Electrode 5mm Cast Iron Bench, Garden Bench, FRP strip cast iron Bench, Cast Iron Components (Deepwell Hand Pumps Components) Conforming to IS 15500 (Part 5), Submersible Sewerage Pump, Cast Iron Saddle Pieces for Service Connection from Asbestos Cement Pressure Pipes conforming to IS 10299, Earthing Electrode, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285 Searched String: Cast Iron Electrode 4mm Cast Iron Bench, Garden Bench, FRP strip cast iron Bench, Submersible Sewerage Pump, Cast Iron Components (Deepwell Hand Pumps Components) Conforming to IS 15500 (Part 5), Cast Iron Saddle Pieces for Service Connection from Asbestos Cement Pressure Pipes conforming to IS 10299, Earthing Electrode, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285 Searched String: Electrode Cast Iron 2.5mm Cast Iron Bench, Garden Bench, FRP strip cast iron Bench, Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285, Cast Iron Components (Deepwell Hand Pumps Components) Conforming to IS 15500 (Part 5), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cast Iron Saddle Pieces for Service Connection from Asbestos Cement Pressure Pipes conforming to IS 10299, General Purpose Ball Valves (V2), Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Bunk Beds conforming to IS 17636 Searched String: Carbon Paper A4 Size A4 and Legal Size Multifunction Printer (MFP), File/Folder (V3), Carbon Papers (V2), Plain Copier Paper (V3) ISI Marked to IS 14490, A3 Size Multifunction Printer (MFP), Carbon Papers as per IS 1551, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Multifunction Printer (Print, Scan, Copy), Pneumatic impact wrenches, Shredding Machine/Paper Shredder Searched String: Capacitors 2.5 mfd Electrolytic and Ceramic passive Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774

बिड विवरण/Bid Details	Searched String: Cable Tray
	Cable Management - Cable Tray System and Cable Ladder System Conforming To IS/IEC 61537, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Enamel Tray, Baby Tray, Executive Table (V4), Oil tray, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Root Trainers Tray / Germination Tray (Block Type), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Enamel Tray (V2) Searched String: Cable Lugs Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical connection Lugs or thimbles, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Antenna Cable, Cables, Converters and Adapters, Control Cable Searched String: Cable Clips Pipe Clips, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Kelvin Clips, Clips, Paper as per IS 5650, Ligation Clips, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cable Nail Clip (V2), Badges (V2), Binder Clips (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 Searched String: Bus Bar Laminated Bus Bar(BHEL), Cloth Dryer Stand, Copper Bus Bar (Bhel)-IS:1897, IS:8130, Bus Stop Shelter, Parallel Bar - Outdoor Gym Equipment, Bar Counter, Solder Bar, Buses (V2), Triceps bar, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932 Searched String: Bridge Rectifier Bridge Rectifiers, Electronic Weigh Bridge (Without Civil Work), Rectifier diode, Portable Single Operated Rectifier Type DC Arc Welding Set Suitable for Manual Arc Welding Process as per IS 4559, Brake Rectifier, Wireless Bridge, Meter Bridge, Crown and bridge preparation kit, Outdoor Wireless Bridge, Blocking Rectifier /Free Wheeling Diode Panel - BHEL Searched String: BREAK OIL Air Break Contactors, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Double Break Disconnectors, Almond oil, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Paraffin Oil, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Oil Deflector, 15w - 40 Diesel Engine Oil, Silicone Oil Searched String: Breadboard

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Binding Thread Spiral Binding / Wiro Binding (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Binding Covers, Thermal Binding Machines , Thread sealant, Allen Bolt, Nylon Thread, Automatic Binding Machine, Silk Thread, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781 Searched String: BATTERY ACID Lead Acid Tubular Tbs Battery(Oil India Limited)-IS:1651, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Stationary Lead-Acid Cells and Batteries with Plante Positive Plates Conforming To IS 1652, Battery Operated Motorized Tricycle Conforming to IS 17154, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Online UPS (V2), Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), General Purpose Battery Chargers, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Scrubber Dryer Floor Cleaning Machine (V2) Searched String: BATTERY Battery Cover, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Tester, Battery Operated Three Wheeler for Goods, Battery Terminal Coating, Online UPS (V2), Battery Link Terminal, Battery Operated Motorized Tricycle for Specially Abled, Inverter Battery Trolley, Scrubber Dryer Floor Cleaning Machine (V2) Searched String: Ball Pen Blue, Red Rollerball Pen (V3), Writing Pens, Ball Point Pens (V2) as per IS 3705, Ink Refills (V2), Conference Speakerphone with Bluetooth, Cricket Ball, Bird Repellent Tape, Swiss Gym Ball, Conference Speakerphone without Bluetooth, Gel Pen (V3) Searched String: Power Switch 16amp Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Cleaning Duster (V3), Unmanaged L2 Ethernet Switch (PoE), Power Control Center (PCC) Panel for Power Distribution, Ultrasonic Probe Sonicator, Limit Switch, Time Switch, Small Angle Grinders, Reed Switch, Industrial Switch Searched String: Power Socket 16amp Industrial Tempura Mount Socket, Cleaning Duster (V3), Electrical Power Connector, Impact socket, Ultrasonic Probe Sonicator, Deep Socket, Electrical Extension Box (V4), IC SOCKET, Small Angle Grinders, Insulated socket Searched String: Modular Board 4way modular electrical enclosure switch board boxes for modular type accessories, Modular Table / Meeting Table / Centre Table (V2), Modular Toilet, File/Folder (V3), Modular Control Desk, Modular Cold Rooms, Dry Erase Writing Boards (V3), Modular Tensile Structure, Modular Extendable Conference Table (V2), Online Ups Modular Type

बिड विवरण / Bid Details	Searched String: UPS Battery 26ah
	Online UPS (>10 KVA) Without Battery, Pin Up Notice Board (V2), Online UPS (>10 KVA) With Battery, Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (V2), Line Interactive UPS with AVR (V2), water baths, Stationary Lead-Acid Cells and Batteries with Plante Positive Plates Conforming To IS 1652, Scrubber Dryer Floor Cleaning Machine (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Self Drilling Screw
बीओक्यू शीर्षक / BOQ Title	RAW MATERIAL
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	10 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Wooden Screw
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	30000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be

in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Principal
ITI Anuppur
(The Principal Iti Anuppur)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the

date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Whitner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	3	15

Washers

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Varnish

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

UPS 7.5 AH Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Transistor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

Transistor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

Transformer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Transformer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Timer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Three Phase Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Tag Small

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Tag Big

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Switch Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

Switch 2 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Switch 1 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	6	15

Steno Notebook

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	600	15

Staplier Pin 24x6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Staplier Machine Handle Type Size 24x6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Stamp Pad

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Stamp Ink

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	4	15

Spring Washers

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Soldering Lead

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Soldering Flux

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Socket Power

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

SMPS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Sketch Pen

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Single Core Copper Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Short Hand Pencil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	600	15

Seek Jadhu

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Sand Paper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

Rubber

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	300	15

RJ 45 Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Resistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Relay Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Star Delta Timer Din Rail Mounting 90 X 22.5 X 72 230 V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	4	15

Register 4 Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

RCCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Rawl Plugs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Rawl Plugs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Ram

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

PVC Copper Insulated Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

PVC Copper Insulated Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

PVC Copper Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	4	15

PVC Casing Capping 1inch 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Push Button Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Plug Top

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

Phynl Goli 250grm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Phynl

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Photo Copy Paper A4 Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

Phool Jadhu

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Pencil Cutter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	300	15

PCB Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

Overload Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Nuts M3 To M6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Multi Meter Battery 9volt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

MS Round Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	720	15

MS Round Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	120	15

MS Round Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	250	15

MS Round Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

MS Round Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

MS Flat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	150	15

MS Flat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	850	15

MS Electrode 4mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

MS Electrode 3.15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Mouse

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

MCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

MCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

MCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

MCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	8	15

Lugs And Ferrules

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Lubricating Oil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

LED Bulb

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

LED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

Lamp Holder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

Keybord

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Junction Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Junction Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	8	15

Insulation Tape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

Insulation Sleeves

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

Insulation Paper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Indicator Lamps

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	30	15

ICs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Hydraulic Oil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Hexzgonal Milling Cutter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Harpick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Hacksaw Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2500	15

Gum 150ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

GREASH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Glands

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

GEAR OIL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

Fuse Unit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	4	15

Floor Acid

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Flexible Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

File Cover

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	300	15

Fevistick

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	12	15

Ferrules

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Envelop A4

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	24	15

Envelop A3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	24	15

ENGINE OIL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

ENGINE COOLENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

EMERY PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	30	15

EMERY PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	30	15

EMERY PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	30	15

EMERY PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

ELCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Earthing Set Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	3	15

Earth Electrode

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Duster

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Distribution Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Distribution Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Diodes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

DIN Rail

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Battery Water Distilled Water For Use In Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	30	15

Cutting Oil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	26	15

Cotton Waste

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

Copper Winding Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	4	15

Contactor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	3	15

Connecting Wires

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Conduit Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

Conduit Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

CMOS Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Chalk

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Ceiling Rose

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	50	15

CD Marker

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

CAT 6 Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Cast Iron Electrode 5mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Cast Iron Electrode 4mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Electrode Cast Iron 2.5mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Carbon Paper A4 Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Capacitors 2.5 Mfd Electrolytic And Ceramic Passive

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

Cable Tray

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	5	15

Cable Lugs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Cable Clips

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Bus Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	2	15

Bridge Rectifier

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

BREAK OIL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

Breadboard

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Binding Thread

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

BATTERY ACID

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	40	15

BATTERY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	1	15

Ball Pen Blue, Red

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	20	15

Power Switch 16amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

Power Socket 16amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	200	15

Modular Board 4way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	100	15

UPS Battery 26ah

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vijay Kumar Sharma	484224,GOVT ITI ANUPPUR DIST ANUPPUR Jaitahri Road Behind Tulsi Collage ANUPPUR DIST ANUPPUR	10	15

क्रता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery

time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

5. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. PAN CARD
2. GST & 6 MONTH RETURN
3. LAST THREE YEAR ITR
4. ADHAR CARD
5. TURN OVER CERTIFICATE
6. Bidder should submit the undertaking on the letter head of the firm about non-debarment/ non blacklisting/ no any forfeiture during last two years by any Govt./PSU/central or state agencies. In absence of the said undertaking the bid will be summarily rejected.(Affidavit On 100 Stamp Paper)

6. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it

will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---