

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	08-09-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	08-09-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Telangana
विभाग का नाम/Department Name	Animal Husbandry And Fisheries Department Telangana
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Directorate Of Veterinary & Animal Husbandry
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :dir_ahd@telangana.gov.in Buyer Email id: vas-ahdit-ahd@telangana.gov.in
कुल मात्रा/Total Quantity	268
वस्तु श्रेणी /Item Category	Ice Lined Refrigerator (V2) (Q2)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	40 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	10 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	400000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
-----------------------------	---------------------

ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	60

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Director Veterinary & Animal Husbandry
Directorate Of Veterinary & Animal Husbandry, Animal Husbandry and Fisheries Department Telangana, N/A,
(Dr B Gopi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Ice Lined Refrigerator (V2) (268 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Description	Ice?lined, medical?grade refrigerator maintaining +2°C to +8°C using ice lining for safe storage of temperature?sensitive biological products with extended holdover during power failures.
Features and Parameters	Net Vaccine Storage Capacity in Liters	> 200L ? 300L
	Material of Construction of body	Galvanized Steel, Mild Steel, Precoated Steel Or higher
	Material of Inner chamber	Stainless Steel 304, Stainless Steel 316 Or higher
	Type of Door (with lock and handle)	Chest Door
	Thermometer Type	Digital
	Location of Ice?Pack compartment	Around Inner Walls
	Number of Vaccine Storage Tray	2
	Refrigerant (CFC/HCFC?free refrigerants)	R134a
	Salient Features	High/Low Temperature Indicator/Alarm, Power Failure Indicator/Alarm, Sensor Error Indicator/Alarm, Door Open Indicator/Alarm
	Additional Features	Appropriate Provision for drainage for the waste water

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kotha Karthik	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	268	30

Special terms and conditions-Version:1 effective from 25-02-2026 for category Ice Lined Refrigerator (V2)

- Comprehensive Warranty

The comprehensive warranty shall include preventive maintenance, including calibration as per the manufacturer's technical, service, and operational manuals. It shall cover service charges and replacement of spares, except for consumables.

During the warranty period, commencing from the date of successful installation and commissioning, service personnel shall visit each consignee site at least once every six months or as recommended in the manufacturer's manuals. The warranty shall ensure 98% uptime on a 24 hours x 7 days x 365 days basis. In case of downtime beyond the permissible limit, the warranty period shall be extended by double the duration of the downtime.

- **Service Centres**

The seller shall provide details of authorized service outlets in India at the time of supply, including complete addresses, telephone numbers, and email IDs. It shall be the seller's responsibility to ensure that authorized service centres are available within a reasonable distance from each installation site to handle service calls promptly. Details of toll-free numbers and facilities for online registration of service requests shall also be provided to the buyer/consignee at the time of supply.

- **Source of Supply**

The seller shall provide documentary evidence to establish the source of the equipment, such as a copy of the proforma invoice or equivalent documents, confirming that the supplied products are manufactured by the indicated OEM and sourced directly from them.

- **Packing and Marking**

As medical equipment is delicate and sensitive, the packing shall be strong and durable enough to withstand transit (including transshipment, if any), rough handling, and open storage without damage or deterioration. The packaging design shall consider the size, weight, and volume of the equipment, the remoteness of the final destination, and the availability of transport and handling facilities en route.

Each package shall be clearly marked on three sides with indelible paint of proper quality, indicating the contract number and date, a brief description of goods and quantity, packing list reference number, country of origin, and any other relevant details. Accessories shall be suitably labeled and packed.

- **Spare Parts**

The seller shall provide all relevant information and materials pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that required spares remain available for purchase for at least 10 years from the date of supply. In the event of discontinuation of any spare part, the seller shall give sufficient advance notice to the buyer/consignee to enable advance procurement.

The OEM and its authorized service centres/dealers shall maintain adequate inventories to ensure ex-stock availability of consumables and spares. Further, the OEM or reseller shall accord the buyer/consignee "most favoured client" status and offer the most competitive prices for all spares and consumables related to the supplied equipment.

- **Installation, Training, and Manuals**

The seller shall be responsible for installation, commissioning, supervision, and demonstration of the equipment. Required jigs, tools, and minor civil works needed for installation shall be provided by the seller. Training shall be imparted to the consignee's representatives for proper operation and maintenance of the equipment. The seller shall supply the required number of operation and maintenance manuals.

If the product category parameters specify any additional requirements for installation, training, or documentation, those shall also apply.

- **Electrical Safety Checking**

The seller shall furnish a list of equipment and instruments required for performing routine and preventive maintenance to the buyer/consignee. Periodic electrical safety checks shall be performed as per relevant BIS safety standards or equivalent. If the seller does not possess the required testing facilities, safety compliance shall be verified through accredited laboratories during each preventive maintenance visit.

- **Software**

All software updates shall be provided free of cost during the warranty period

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at

the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

ICE LINED REFRIGERATOR TECHNICAL SPECIFICATION

Size:- 200-300 Liters or above

General:

Ice-lined compression-cycle, horizontal refrigerators, powered by mains electricity, are used primarily in areas with an intermittent electricity supply (i.e., eight or more hours of reliable electricity per typical day). Manufacturers may offer products suitable for one or more temperature zones.

Performance:

- a. Operating temperature range: The equipment specifications are designed as per the moderate zone climatic conditions.
- b. Refrigeration cycle: Compression-cycle unit operating on alternating current electricity.
- c. Voltage and frequency: 220-240-volt 50/60 Hz.

Temperature control:

- a. **Refrigerator compartment:** The entire vaccine load must remain within the acceptable temperature range during any continuous ambient temperature or day/night cycling temperature.
- b. **Thermostat:** The thermostat must be set to prevent freezing in any part of the vaccine storage compartment. The thermostat must be effective throughout the ambient operating temperature range. It must be designed so that it cannot be adjusted by the user. A means for adjustment by a technician is acceptable provided the device is protected from user interference (e.g., by location within the appliance cabinet). Alternatively, programmable thermostats may be password protected.

Temperature Display: Externally readable cabinet-mounted electronic temperature display showing current temperature and alarm status is essential.

Holdover time: 20 hours.

Minimum rated ambient temperature: All models will be tested to establish their minimum rated ambient temperature. The minimum acceptable performance rating is achieved if the product passes the day/night test for its nominal temperature zone.

Lock: The door or lid must be fitted with a lock. Minimum two keys are to be supplied with every unit.

Corrosion resistance: Internal and external cabinet, lid and frame protected against corrosion.

Electrical safety rating: Manufacturer to certify compliance with IEC 60335-1 and IEC60335-2-24.

Quality: "WHO/PQS compliance shall be mandatory. The bidder/OEM shall submit a valid WHO/PQS certificate along with the relevant product catalogue/documentation confirming compliance with the prescribed standards."

Sample: compulsory sample deposition & demonstration shall be made available in the premises of the Directorate of Veterinary & Animal Husbandry S hantinagar, Hyderabad, Telangana.

Refrigerant: Compressors operating on R 134a refrigerant to be preferably used.

Environmental requirements: Ambient temperature range during transport and storage: -30°C to +55°C when the product is inactivated. Ambient humidity range during transport, storage, and use: 5% to 95% RH (Preferably).

Physical characteristics:

- a. Voltage stabilizer compatibility: All electrical components must be supplied with an appropriate device of equivalent performance to those voltage stabilizers.
- b. Control panel and thermometer: The control panel must be positioned on the front of the unit. The on/off switch should be recessed or otherwise protected so that it is not possible inadvertently to switch the unit off. The thermometer may be placed physically inside ILR to measure temperature in case of power disconnection.

Servicing Provision: The product is to be designed to achieve a maintenance-free life of not less than 10 years apart from routine de-frosting and cleaning and replacement of batteries (if any).

Instructions: User and maintenance instructions to be written for users and repair technicians

Warranty and service: Warranty for minimum period of 5 years comprehensive onsite warranty, including compressor, and ensure availability of genuine spare parts during the warranty period for minimum period of 5 years from the date of expiry of warranty period. Availability of spare parts for minimum period of 10 years from the date of supply is essential. Company should provide backup unit during servicing of portable unit.

Past Experience

The bidder/OEM must have supplied ILRs to Government /PSU/Autonomous Bodies during the last 3 years.

Relevant completion certificates shall be uploaded.

Manufacturers: Preferably OEM / Made in India

Additional Terms& conditions

Scope & Delivery

- Supply shall be on destination basis to locations as per the annexed list of Locations.
- The Buyer reserves the right to increase quantity up to 50% at the same rates and terms, as per GeM/GFR.

Eligible Bidders

- Bidding may be done either by the OEM or by an OEM-authorized dealer.
- If the OEM participates, no dealer/distributor of that OEM shall participate.
- If the OEM does not participate directly, only one tender-specific authorization may be issued to a single dealer.
- Tender-specific OEM authorization letter is mandatory and must be uploaded.
- **No exemption with respect to experience or turnover shall be considered.**
-

Installation & Service Responsibility

- The bidder shall be responsible for delivery, installation, commissioning, and demonstration of ILRs at designated locations.

Service Capability (Mandatory)

- The bidder/OEM must have OEM-authorized service support capable of servicing all locations in Telangana during the warranty period. Documentary proof of service support shall be uploaded.

Timelines

- Installation & commissioning: within 10 days of delivery
- Complaint response time: ≤ 48 hours
- Rectification time: ≤ 72 hours

Penalty

- Delay in installation shall attract liquidated damages @ 0.5% per week, subject to a maximum of 10% of the item value.

Non-restrictive Clause

- Participation is open to all eligible GeM bidders meeting the above technical, service, and performance requirements.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---