

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	17-08-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	17-08-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Puducherry
विभाग का नाम / Department Name	Industries And Commerce Department Puducherry
संगठन का नाम / Organisation Name	Puducherry Distilleries Limited (pdl)
कार्यालय का नाम / Office Name	Puducherry
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :pdl.pon@nic.in Buyer Email id: buycon1.pdlp.py@gembuyer.in
कुल मात्रा / Total Quantity	330
वस्तु श्रेणी / Item Category	Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (Q2) , Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1) (Q2) , LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II) (Q2) , LED Batten Light (LED Tube Light) (V2) (Q2) , Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 (Q2) , Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1) (Q2)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	136000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 (25 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Rated Current	6A
	Nature of Switch	1 way switch
Switch Classification	Type of Terminal Connection	Screw type terminal, Screwless type terminal
Construction	Current Carrying Contact Material	Brass, Copper

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	25	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	6
	Rated Voltage (in Volts)	240 V, AC, 230 / 415 V, AC, 240 / 415 V, AC
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	50	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (20

pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	10
	Rated Voltage (in Volts)	230 / 415 V, AC, 240 / 415 V, AC
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	20	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (10 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	40

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Voltage (in Volts)	240 V, AC, 240 / 415 V, AC
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	10	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (10 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	3 P with 3 PP
	Rated Current (in Ampere)	32
	Rated Voltage (in Volts)	230 / 415 V, AC, 240 / 415 V, AC
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	10	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (5 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	3 P with 3 PP
	Rated Current (in Ampere)	16
	Rated Voltage (in Volts)	240 / 415 V, AC
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	5	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (5 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 3 PP, 4 P with 4 PP
	Rated Current (in Ampere)	63
	Rated Voltage (in Volts)	415 V, AC, 230 / 415 V, AC, 240 / 415 V, AC
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	5	15

LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II) (10 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	System Wattage (in Watt)	48
	LED Luminaire System Efficacy (in lumen/watt)	100, 120, 140 Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Construction	Ingress Protection (Entire Housing)	IP65, IP66 Or higher

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	10	15

LED Batten Light (LED Tube Light) (V2) (5 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Wattage (in Watts)	10.0
	Length of LED Batten Light	2.0 (foot)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	5	15

LED Batten Light (LED Tube Light) (V2) (100 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Wattage (in Watts)	40.0
	Length of LED Batten Light	4.0 (foot)

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	100	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (10 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	32
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	10	15

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (20 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	20
	Instantaneous Tripping Current Type	B, C, D
	Rated Short Circuit Capacity (in Ampere)	1500, 3000, 6000, 7500, 10000, 15000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure, Yes with 1.2 mm thick

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	20	15

Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 (10 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Performance Parameters	Rated Current	16.0 (Ampère)
	Number of Pins	2, 3, 6 Or higher
	Provision of Safety Shutter in Socket	With Shutter, Without Shutter
Generic	Current Carrying Material	Brass, Copper
	Type of Terminal Connection	Screw Type Terminal, Screwless Type Terminal

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	10	15

Plasticized PVC Tapes With Non-Thermosetting Adhesive For Electrical Purpose (V2) ISI Marked To IS 7809 (Part 3/ Sec1) (50 rolls)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Governing Specification	As per IS 7809 (Part 3/ Sec1)
Classification	Type	General Purpose Type (suitable for application at temperature above 0°C, and designated as F-PVCp/90/0/Tp)
Dimension	Length of tape in a roll (in metre)	5, 10, 25, 50
	Width of tape (in mm) (Tolerance as per clause 6.2.1 of the IS 7809 (part1))	5, 10, 15, 20, 25, 40, 50
	Thickness (in mm) (Tolerance ± 0.025 mm)	0.125, 0.18, 0.22, 0.25, 0.5
Generic	Colour of tape	Blue, Green, Red, Yellow

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sivaraman	605110,R.S.No.144 & 145, Ariyapalayam, Villianur, Puducherry - 605 110.	50	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Sl. No	Item Specification	Standard	Brand	Quantity	Unit
1	2' LED - 10W Batten light	IS : 10322 (Part 5 / Section 1) : 2020	Crompton / Philips / Kundan	5	Nos
2	4' LED - 40W Batten light	IS : 10322 (Part 5 / Section 1) : 2020	Crompton / Philips / Kundan	100	Nos
3	16A – Socket - Non modular 6 pin	IS : 1293	Kundan	10	Nos
4	6A – One way switch- Non modular	IS : 3854	Kundan	25	Nos

5	PVC Insulation tape (10mtr)	IS : 7809	Steelgrip / Deer	50	Nos
6	6A MCB - Single pole	IS / IEC : 60898-1	Kundan / Finolex / L&T	50	Nos
7	10A MCB - Single pole	IS / IEC : 60898-1	Kundan / Finolex / L&T	20	Nos
8	20A MCB - Single pole	IS / IEC : 60898-1	Kundan / Finolex / L&T	20	Nos
9	32A MCB - Single pole	IS / IEC : 60898-1	Kundan / Finolex / L&T	10	Nos
10	40A MCB - Single pole	IS / IEC : 60898-1	Kundan / Finolex / L&T	10	Nos
11	16A MCB - Three pole	Isolator - IS / IEC : 60947-3	Kundan / Finolex / L&T	5	Nos
12	32A MCB - Three pole	Isolator - IS / IEC : 60947-3	Kundan / Finolex / L&T	10	Nos
13	63A MCB - Four pole	Isolator - IS / IEC : 60947-3	Kundan / Finolex / L&T	5	Nos
14	48A LED Street Light	IS : 10322 (Part 5 / Section 1) : 2020	Crompton / Philips / Kundan	10	Nos

LIST OF ELECTRICAL SPARES AND TECHNICAL SPECIFICATIONS

–

Terms and Conditions:

1. Bidder shall supply the Electrical items as per the technical specification only.
2. Qualification Criteria:
 - (i) Detailed technical literature / data sheet must accompany quotations, failing which quotations are liable to be rejected.
 - (ii) Original Equipment Manufacturer's name and part number should be clearly mentioned in quotations without which quotations will be rejected.
 - (iii) GST certificate consisting of annexure A & B shall be furnished along with your offer.
3. All electrical items shall be offered as per standards.
 - (i) All electrical items shall be designed, manufactured and tested in accordance with the latest applicable standards except where modified and/or supplemented by this specification.
 - (ii) All electrical items shall be subjected to the routine test in accordance with the relevant standard: . All electrical items shall be completely assembled, wired and tested at the factory as per the relevant

vant standards.

4. **INVOICE :** In the event of award of Contractor supplier should upload physically signed Invoice Copy on GeM portal well before expiry of contractual delivery period for Payment purpose and Hard Copy of the Invoices should be forwarded to **The Managing Director, Puducherry Distilleries Ltd., R.S.No. 144 & 145 , Ariyapalayam, Villianur, Puducherry - 605 110.**

5. **General Conditions:**

- (i) Packing / Delivery Note – In case of an order, all the packages invariably will have details (Superimposed) like GeM Contract No., Consignee Name, Consignor name, Phone No., etc to avoid refusal of the consignment at the time of delivery.
- (ii) Materials must be supplied in original packing from the original manufacturer.
- (iii) Certificate of origin / traceability documents from original manufacture must be supplied with the item.
- (iv) Replacement/Repair of components during the warranty period due to any defect, is in scope of bidder.

6. Procuring Entity's right without assigning any reason to reject any or all of the Bids or Cancel the tender process, or Abandon the procurement of the goods, or Issue another tender for identical or similar goods.

4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

- 1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
- 2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
- 3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
- 4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 5. Publishing bids on GeM for procurement of works.
- 6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
- 7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
- 8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 9. Creating bid for items from incorrect categories.
- 10. Reference of conditions published on any external site or reference to external documents/clauses.
- 11. Asking for any Tender fee / Bid Participation fee, as the case may be.
- 12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including

specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---