

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-08-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-08-2026 14:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Assam
विभाग का नाम/Department Name	Public Enterprises Department Assam
संगठन का नाम/Organisation Name	Dnp Ltd
कार्यालय का नाम/Office Name	Dnpl
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :hod1.dnpl.as@gembuyer.in Buyer Email id: buycon1.dl.as@gembuyer.in
कुल मात्रा/Total Quantity	190
वस्तु श्रेणी /Item Category	Spiral Wound Metallic Gasket (Q3)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Spiral Wound Metallic Gasket
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ Evaluation Method	Item wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Required items Specifiaction - [1786076236.xlsx](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Spiral Wound Metallic Gasket	30
Schedule 2	Spiral Wound Metallic Gasket	20
Schedule 3	Spiral Wound Metallic Gasket	20
Schedule 4	Spiral Wound Metallic Gasket	10
Schedule 5	Spiral Wound Metallic Gasket	10
Schedule 6	Spiral Wound Metallic Gasket	10
Schedule 7	Spiral Wound Metallic Gasket	15
Schedule 8	Spiral Wound Metallic Gasket	15
Schedule 9	Spiral Wound Metallic Gasket	15
Schedule 10	Spiral Wound Metallic Gasket	15

Schedule 11	Spiral Wound Metallic Gasket	10
Schedule 12	Spiral Wound Metallic Gasket	10
Schedule 13	Spiral Wound Metallic Gasket	10

Spiral Wound Metallic Gasket (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	600
	Inner Ring Material	Low Carbon Steel
	Style	With Inner and Outer Ring, With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	110-120
	Sealing Element (Outer Diameter)in mm	80-90
	Sealing Element (Inside Diameter) in mm	60-70
	Nominal Pipe Size in Inches	2
	Inner Ring (Inside Diameter) in mm	50-60
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	30	30

Spiral Wound Metallic Gasket (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	300
	Inner Ring Material	Low Carbon Steel
	Style	With Inner and Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	110-120
	Sealing Element (Outer Diameter)in mm	80-90
	Sealing Element (Inside Diameter) in mm	60-70
	Nominal Pipe Size in Inches	2
	Inner Ring (Inside Diameter) in mm	50-60
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	20	30

Spiral Wound Metallic Gasket (20 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	150
	Inner Ring Material	Low Carbon Steel, NA
	Style	With Inner and Outer Ring, With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	100-110
	Sealing Element (Outer Diameter)in mm	80-90
	Sealing Element (Inside Diameter) in mm	60-70
	Nominal Pipe Size in Inches	2
	Inner Ring (Inside Diameter) in mm	50-60, NA
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	20	30

Spiral Wound Metallic Gasket (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Temperature in degree celsius	500, 625
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	600
	Inner Ring Material	Low Carbon Steel, NA
	Style	With Inner and Outer Ring, With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	190-200, 200-210
	Sealing Element (Outer Diameter)in mm	140-150
	Sealing Element (Inside Diameter) in mm	110-120, 120-130
	Nominal Pipe Size in Inches	4
	Inner Ring (Inside Diameter) in mm	100-110, NA
	Inner Ring Thickness	3.33, 0.0 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	10	30

Spiral Wound Metallic Gasket (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	300
	Inner Ring Material	Low Carbon Steel
	Style	With Inner and Outer Ring, With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	180-190
	Sealing Element (Outer Diameter)in mm	140-150
	Sealing Element (Inside Diameter) in mm	120-130
	Nominal Pipe Size in Inches	4
	Inner Ring (Inside Diameter) in mm	100-110
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	10	30

Spiral Wound Metallic Gasket (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Working pressure in mpa	150
	Inner Ring Material	Low Carbon Steel

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Style	With Inner and Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	170-180
	Sealing Element (Outer Diameter) in mm	140-150, 150-160
	Sealing Element (Inside Diameter) in mm	120-130
	Nominal Pipe Size in Inches	4
	Inner Ring (Inside Diameter) in mm	90-100, 100-110
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN	10	30

Spiral Wound Metallic Gasket (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	600
	Inner Ring Material	Low Carbon Steel
	Style	With Inner and Outer Ring

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Dimensions	Centering Ring (Outer Diameter) in mm	260-270
	Sealing Element (Outer Diameter)in mm	200-210
	Sealing Element (Inside Diameter) in mm	170-180
	Nominal Pipe Size in Inches	6
	Inner Ring (Inside Diameter) in mm	150-160
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN	15	30

Spiral Wound Metallic Gasket (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500, 625
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	300
	Inner Ring Material	Low Carbon Steel, 316 Stainless Steel
	Style	With Inner and Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	130-140, 250-260

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Sealing Element (Outer Diameter)in mm	120-130, 200-210
	Sealing Element (Inside Diameter) in mm	100-110, 180-190
	Nominal Pipe Size in Inches	6
	Inner Ring (Inside Diameter) in mm	100-110, 150-160
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN	15	30

Spiral Wound Metallic Gasket (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	625
	Winding Strip Material	316 Stainless Steel
	Working pressure in mpa	150
	Style	With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	220-230
	Sealing Element (Outer Diameter)in mm	200-210
	Sealing Element (Inside Diameter) in mm	180-190

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Pipe Size in Inches	6
	Inner Ring Thickness	0.0 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	15	30

Spiral Wound Metallic Gasket (15 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	600
	Inner Ring Material	Low Carbon Steel
	Style	With Inner and Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	50-60, 450-460
	Sealing Element (Outer Diameter)in mm	30-40, 370-380
	Sealing Element (Inside Diameter) in mm	10-20, 320-330
	Nominal Pipe Size in Inches	1/2, 12

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Inner Ring (Inside Diameter) in mm	10-20, 300-310
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	15	30

Spiral Wound Metallic Gasket (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500, 625
	Winding Strip Material	304 Low Stainless Steel, 316 Stainless Steel
	Working pressure in mpa	300
	Inner Ring Material	304 Low Stainless Steel, NA
	Style	With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	50-60, 420-430
	Sealing Element (Outer Diameter)in mm	30-40, 370-380
	Sealing Element (Inside Diameter) in mm	10-20, 280-290
	Nominal Pipe Size in Inches	1/2, 12
	Inner Ring (Inside Diameter) in mm	310-320, NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Inner Ring Thickness	3.33, 0.0 (millimeter)
	Thickness	4.5 (millimeter)

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	10	30

Spiral Wound Metallic Gasket (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel
	Working pressure in mpa	150
	Inner Ring Material	Low Carbon Steel
	Style	Basic, With Outer Ring, With Inner Ring, With Inner and Outer Ring, Double Spiral, Without Inner and Outer rings
Dimensions	Centering Ring (Outer Diameter) in mm	400-410
	Sealing Element (Outer Diameter)in mm	370-380
	Sealing Element (Inside Diameter) in mm	330-340
	Nominal Pipe Size in Inches	1/2, 12
	Inner Ring (Inside Diameter) in mm	310-320
	Inner Ring Thickness	3.33 (millimeter)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATHAR VILLAGE, MADHUBAN, PO-DULIAJAN	10	30

Spiral Wound Metallic Gasket (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Outer Ring Material	Low Carbon Steel
	Soft Filler Material	Flexible Graphite
	Temperature in degree celsius	500
	Winding Strip Material	304 Stainless Steel
	Working pressure in mpa	600
	Inner Ring Material	Low Carbon Steel
	Style	With Inner and Outer Ring, With Outer Ring
Dimensions	Centering Ring (Outer Diameter) in mm	560-570
	Sealing Element (Outer Diameter)in mm	460-470
	Sealing Element (Inside Diameter) in mm	410-420
	Nominal Pipe Size in Inches	16
	Inner Ring (Inside Diameter) in mm	380-390
	Inner Ring Thickness	3.33 (millimeter)
	Thickness	4.5 (millimeter)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nituraj Dutta	786602,1 NO. BARPATTHAR VILLAGE, MADHUBAN, PO-DULIAJAN	10	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional Terms & Condition (ATC)

1) Technical Specification

- Quoted items technical specification must be strictly in accordance with the uploaded Annexure specification of this bid.
- Product not meeting desired technical specification will be disqualified.

2) BID EVALUATION AND AWARD CRITERIA:

- Company reserves the right to ask for additional documents/information pertaining to bid during bid evaluation period from the bidders.
- Company reserves the right to raise bid related queries to the bidders during bid evaluation process.
- Company also reserves the rights to reject the submitted bid in case of poor response from the bidder which may cause delay in bid evaluation process.

3) APPLICABILITY OF LAW & JURISDICTION: The order shall be governed and interpreted in accordance with the applicable laws of India and Dibrugarh Courts in the state of Assam shall have exclusive jurisdiction.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---