

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-09-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-09-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Indian Institute Of Technology (iit)
कार्यालय का नाम/Office Name	Indian Institute Of Technology Patna
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :hod1.iit.patna@gembuyer.in Buyer Email id: tarique@iitp.ac.in
कुल मात्रा/Total Quantity	385
वस्तु श्रेणी /Item Category	Pedestal , Clamp , Spacers , laser , plate
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Optical Pedestal Post 12.5 mm , Optical Pedestal Post 25 mm , Optical Pedestal Post 38 mm , Optical Pedestal Post 50 mm , Optical Pedestal Post 75 mm , Clamping Fork for Pedestal Post , Post Spacers 1 mm , Post Spacers 2 mm , Post Spacers 3 mm , Post Spacers 5 mm , Post Spacers 7 mm , Post Spacers 10 mm , Laser Viewing Cards 700-1000 nm , Half-wave plate with mount , Quarter-wave plate with mount , Rotation Mount 1/2" , Magnetic Height Ruler 6" , Magnetic Height Ruler 12" , Right-Angle Clamp for 1/2 Posts , Right-Angle End Clamp for 1/2 Posts , 1" to 1/2" Right-Angle Post Clamp , Centred Mounting Post Joist , Guide Rod, 6 mm, 4-40 Thd, 8 In Length , Guide Rod, 6 mm, 4-40 Thd, 12 In Length
	Searched String: Optical Pedestal Post 12.5 mm Polyethylene Pipes for Water Supply conforming to IS 4984, Polyurethane Tube (V2), Locking Compression Plates (V2), Self Adhesive Flags (V3), Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Hot Rolled Round Steel Bars as per IS 1732, Passbook for Post Office (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope Searched String: Optical Pedestal Post 25 mm

बिड विवरण / Bid Details	Optical Fibre Cable for Networking, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Optical Storage Media Writer (DVD Writer), Optical Adhesive Film, Cast Iron Bench, Wild - Life Cages, Parallel Bar - Outdoor Gym Equipment, Speed Post Proof of Delivery (POD) Cards, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use)
	Searched String: Optical Pedestal Post 38 mm Optical Fibre Cable for Networking, Sterile Hypodermic Needles for Single use (V2), Optical Time Domain Reflectometer (OTDR), post fence metal angle, Self Inking Rubber Stamp (V2), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Electric Pedestal Type Fan and Regulator Conforming To IS 1169 Searched String: Optical Pedestal Post 50 mm Optical Fibre Cable for Networking, modular electrical enclosure switch board boxes for modular type accessories, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, High Density Polyethylene (HDPE) Telecom Ducts For Optical Fibre Cable as per TEC Specification, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cast Iron Bench, Staplers (V2), Grain Storage Bin (V2), Compostable Nursery Bags, Work Benches Searched String: Optical Pedestal Post 75 mm Optical Fibre Cable for Networking, modular electrical enclosure switch board boxes for modular type accessories, Bathroom Water Shower (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Wooden Lab Stools, Ultrasonic Thickness Gauge, Spring post, Portable Toilet, Labels Stickers (V3) Searched String: Clamping Fork for Pedestal Post Fork shovel, Field Hockey Goal Post Net as per IS 3345, Domestic Fork (V2) as per IS 16218, post fence metal angle, Domestic Fork (V3) Conforming to IS 16218, Multipurpose Counter Machine Stickers for Post Office, Medical Tuning Fork Sets, Passbook for Post Office (V2), Post For Wire Rope Barrier, Tuning Fork (V2) as per IS 10995 Searched String: Post Spacers 1 mm Calcined Magnesia Carbon Grog - SAIL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Mild Steel Sheet, Washable Distemper-IS:428, Correspondence Envelopes (V3) Conforming to IS 13892, Santry Post, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Biosafety Cabinet (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) Searched String: Post Spacers 2 mm

बिड विवरण / Bid Details	Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), post fence
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	metal angle, Bunk Beds conforming to IS 17636, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Bed Mattress Conforming to IS 13489 (V3), Correspondence Envelopes (V3) Conforming to IS 13892, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Endotracheal Tube - Sterile (Single Use) Searched String: Post Spacers 3 mm MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Double Headed Fire Hydrant Stand Post, Locking Compression Plates (V2), Vehicle Lift, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, rubber bands, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: Post Spacers 5 mm Passbook for Post Office (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sticky Notes (V2), Endotracheal Tube - Sterile (Single Use), Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Speed Post Proof of Delivery (POD) Cards, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Locking Compression Plates (V2), Bone Screw (V2) Searched String: Post Spacers 7 mm Endotracheal Tube - Sterile (Single Use), post fence metal angle, Writing Pens, Locking Compression Plates (V2), Rollerball Pen (V3), Bone Screw (V2), Stud with Nuts, Stapler Pin / Staples (V2), Disposable Tracheostomy Tube (V2), traffic signs - bilinker light Searched String: Post Spacers 10 mm NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Endotracheal Tube - Sterile (Single Use), Copper Tube 104.9mm-OFB, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Washable Distemper-IS:428, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: Laser Viewing Cards 700-1000 nm

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Half-wave plate with mount Adjustable Monitor Mount with Adjustable Keyboard Workstation, T - Shirt Half Sleeves with Collar for Ministerial Staff of CAPFS (MHA) QRs, Mounting plate, Smith Machine (Version 2), Chapati Plate with Puffer (V2), Bathroom Water Shower (V2), DHS Plate with corresponding screws, Truck Mounted Boom Lift Platform, Mounting Plate (V2), Metal Storage Cabinet Searched String: Quarter-wave plate with mount Adjustable Monitor Mount with Adjustable Keyboard Workstation, Bathroom Water Shower (V2), Mounting plate, Chapati Plate with Puffer (V2), Truck Mounted Boom Lift Platform, DHS Plate with corresponding screws, Outdoor Slide (V2), Mounting Plate (V2), Metal Storage Cabinet, artificial airway cpap catheter mounts or catheter mount with connector Searched String: Rotation Mount 1/2" BCAA 2:1:1 Powder, Electronic Weighing Scales, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Pneumatic impact wrenches, Split Air Conditioner, Floor Mount Type (Tower AC) Marked to IS 1391 (Part 2) (V3), Isoprothiolane, Line Interactive UPS with AVR (V2), Combination Board (V2) Searched String: Magnetic Height Ruler 6" Platform Step Ladder (V2), Electric Cars (V4), Umpire Chair, Prevailing Torque Hexagonal Nut-IS:1367, Gazebo Searched String: Magnetic Height Ruler 12" Platform Step Ladder (V2), Chess Board (V2) Searched String: Right-Angle Clamp for 1/2 Posts Stable Bleaching Powder for Household and Industrial use (V3) conforming to IS 1065 (Part 1), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Washable Distemper-IS:428, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Health Supplements, Nutraceuticals and Food for Special Dietary Use, post fence metal angle, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573 Searched String: Right-Angle End Clamp for 1/2 Posts PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, post fence metal angle, Unplsticized PVC Pipes for Water Supply

बिड विवरण / Bid Details	conforming to IS 4985, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778
	Searched String: 1" to 1/2" Right-Angle Post Clamp Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Stable Bleaching Powder for Household and Industrial use (V3) conforming to IS 1065 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Pillar Taps for Water Supply Purpose conforming to IS 1795, Heavy Petroleum Stock (HPS) Oil Conforming to IS 11489, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: Centred Mounting Post Joist Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, Truck Mounted Jetting Machine, Truck Mounted Suction Machine (V2), Water Sprinkler Application Mounted on Water Truck Cabin Truck with Water Tank Searched String: Guide Rod, 6 mm, 4-40 Thd, 8 In Length Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplasticized PVC Pipes for Water Supply conforming to IS 4985 Searched String: Guide Rod, 6 mm, 4-40 Thd, 12 In Length Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Polarimeter • Equilateral Optical Prisms • Optical bench for laboratory
बीओक्यू शीर्षक / BOQ Title	Optics Consumables Pedestals and Spacers
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	70 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Pedestal
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	51500

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

IIT Patna
Indian Institute Of Technology Patna, Bihta, Patna, Bihar
(Rnd Unit)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 70% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pedestal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rakesh Kumar	801103,IIT Patna, Kanpa Road, Bihta	120	30

Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rakesh Kumar	801103,IIT Patna, Kanpa Road, Bihta	20	30

Spacers

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rakesh Kumar	801103,IIT Patna, Kanpa Road, Bihta	115	30

Laser

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rakesh Kumar	801103,IIT Patna, Kanpa Road, Bihta	2	30

Plate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rakesh Kumar	801103,IIT Patna, Kanpa Road, Bihta	128	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

RnD IIT Patna
payable at
Patna

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

RnD IIT Patna
payable at
Patna

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.

6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---