

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	07-09-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	07-09-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Navy
कार्यालय का नाम / Office Name	*****
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :hs.kelkar@navy.gov.in Buyer Email id: enc-virbahusmo@navy.gov.in
कुल मात्रा / Total Quantity	84

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

APPARATUS OXYGEN INHALATION PORTABLE FILLING ADAPTER FOR , CYLINDER OXYGEN VALVE BULLNOSE FITTING FOR , FORCEP ENDOTRACHEAL FOR INTRODUCING ENDOTRACHEAL TUBE , FORCEP TOUNGUE , LARYNGEAL MASK AIRWAY LARGE, MEDIUM, SMALL , OUTFIT RESUSCITATION AMBU MK III COMPLETE , FOOT OPERATED SUCTION MACHINE MEDICAL , APPARATUS SUCTION TUBE SUCTION MEDIUM , FORCEP ARTERY STRAIGHT 14 CM , FORCEPS ARTERY CURVED ON FLAT 12.5CM , FORCEPS, ARTERY, 15CM , FORCEP DISSECTING FINE 12CM LONG WITH TOOTH, NOTCH AND SERRATION , FORCEPS DISSECTING SERRATED 13CM , FORCEPS, SINUS, 18CM , FORCEPS STERILIZER CHEATLE , INSTRUMENTS REGIMENTAL MEDICAL PANNIER, ROLL OF, COMPLETE , PERCUSSOR BABINSKI , PUNCTURE RESISTANT GLOVES FOR HIGH RISK HIV, HbsAg POSITIVE CASES , PROCTOSCOPE SELF ILLUMINATING WITH TRANSFORMER , SCISSORS, CURVED ON FLAT 19CM , SCISSORS, SHARP 23.5CM LONG, CARBON STEEL CHROMIUM PLATED , SCISSOR, DRESSING SHARP AND BLUNT, 14 CM LONG, SS , SCISSOR, DRESSING ST, BOTH POINT SHARP, 12.5CM , SCISSOR STRAIGHT 19CM , SCISSOR SURGICAL STRAIGHT, SHARP POINTED, 11.5CM , SPHYGMOMANOMETER ANEROID TYPE 300MM SCALE , STETHOSCOPE FOLDING WITH FLAT DIAPHRAGM , TAPE MEASURE, LINEN 1.5 METRE , TORCH, HAND CHROMIUM PLATED, BRASS STANDARD CELLS , NOISELESS SUCTION MACHINE , BOTTLE HOT WATER, IR, 30CM X 20CM, COVER FOR , INHALER , 700 ML SIZE, COMPLETE , SHEETING WATERPROOF, THICK, 110CM WIDE , SHEETING WATERPROOF, THIN, 110CM WIDE , TRAY SS, KIDNEY SHAPED, 25CM , MOUTH GAG, TOUNGUE DEPRESSER ADULT MEDIUM SIZE 4 , NEEDLE HOLDER MAYO , EMERGENCY KIT PARA MEDICAL STAFF , RESUSCITATOR NBC , PNEUMATIC SPLINT SET , FORCEPS ARTERY STRAIGHT, BOX JOINT 13CM , DIGITAL SPHYGMOMANOMETER , TOURNIQUET , ELECTRONIC THERMOMETER , CYLINDER OXYGEN BULL NOSE FITTING FINE ADJUSTMENT VALVE , CYLINDER OXYGEN KEY SPANNER FOR , NEBULIZER ELECTRIC , MASK FOR NEBULIZER

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	APPARATUS OXYGEN INHALATION PORTABLE FILLING ADAPTER FOR, CYLINDER OXYGEN VALVE BULLNOSE FITTING FOR, FORCEP ENDOTRACHEAL FOR INTRODUCING ENDOTRACHEAL TUBE, FORCEP TOUNGUE, LARYNGEAL MASK AIRWAY LARGE, MEDIUM, SMALL, OUTFIT RESUSCITATION AMBU MK III COMPLETE, FOOT OPERATED SUCTION MACHINE MEDICAL, APPARATUS SUCTION TUBE SUCTION MEDIUM, FORCEP ARTERY STRAIGHT 14 CM, FORCEPS ARTERY CURVED ON FLAT 12.5CM, FORCEPS, ARTERY, 15CM, FORCEP DISSECTING FINE 12CM LONG WITH TOOTH, NOTCH AND SERRATION, FORCEPS DISSECTING SERRATED 13CM, FORCEPS, SINUS, 18CM, FORCEPS STERILIZER CHEATLE, INSTRUMENTS REGIMENTAL MEDICAL PANNIER, ROLL OF, COMPLETE, PERCUSSOR BABINSKI, PUNCTURE RESISTANT GLOVES FOR HIGH RISK HIV / HbsAg POSITIVE CASES, PROCTOSCOPE SELF ILLUMINATING WITH TRANSFORMER, SCISSORS, CURVED ON FLAT 19CM, SCISSORS, SHARP 23.5CM LONG, CARBON STEEL CHROMIUM PLATED , SCISSOR, DRESSING SHARP AND BLUNT, 14 CM LONG, SS, SCISSOR, DRESSING ST, BOTH POINT SHARP, 12.5CM, SCISSOR STRAIGHT 19CM, SCISSOR SURGICAL STRAIGHT, SHARP POINTED, 11.5CM, SPHYGMOMANOMETER ANEROID TYPE 300MM SCALE , STETHOSCOPE FOLDING WITH FLAT DIAPHRAGM, TAPE MEASURE, LINEN 1.5 METRE, TORCH, HAND CHROMIUM PLATED, BRASS STANDARD CELLS, NOISELESS SUCTION MACHINE, BOTTLE HOT WATER, IR, 30CM X 20CM, COVER FOR, INHALER , 700 ML SIZE, COMPLETE , SHEETING WATERPROOF, THICK, 110CM WIDE, SHEETING WATERPROOF, THIN, 110CM WIDE, TRAY SS, KIDNEY SHAPED, 25CM, MOUTH GAG, TOUNGUE DEPRESSER ADULT MEDIUM SIZE 4, NEEDLE HOLDER MAYO, EMERGENCY KIT PARA MEDICAL STAFF, RESUSCITATOR NBC, PNEUMATIC SPLINT SET, FORCEPS ARTERY STRAIGHT, BOX JOINT 13CM, DIGITAL SPHYGMOMANOMETER, TOURNIQUET, ELECTRONIC THERMOMETER, CYLINDER OXYGEN BULL NOSE FITTING FINE ADJUSTMENT VALVE, CYLINDER OXYGEN KEY SPANNER FOR, NEBULIZER ELECTRIC, MASK FOR NEBULIZER
	Searched String: APPARATUS OXYGEN INHALATION PORTABLE FILLING ADAPTER FOR Category not available on GeM for the text string uploaded by the buyer Searched String: CYLINDER OXYGEN VALVE BULLNOSE FITTING FOR Flush Valves and Fitting for Water Closets and Urinals, Safety Cap for Self Closing Valves of LPG Cylinders (V2), Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Fittings and Accessories for Power Transformer, Drain Valve and Flanges as per IS:3639, Nylon String Used In Safety Cap For Self Closing Valves Of LPG Cylinders as per Oil PSUs, NBR O - Ring for Self Closing Valves of LPG Cylinders, SS clip used in Safety Cap for self closing valves of LPG cylinders Searched String: FORCEP ENDOTRACHEAL FOR INTRODUCING ENDOTRACHEAL TUBE Endotracheal Tube Cuff Manometer, Endotracheal Tube -

विड विवरण / Bid Details	Sterile (Single Use), Disposable Double Lumen Endotracheal Tubes (V2)
	Searched String: FORCEP TOUNGUE Laparoscopic Dissecting Forcep, Surgical Forceps, Laparoscopic Grasping Forcep, Sponge Holding Forcep, Surgical Instruments - Artery Forceps, Artery Forceps - Robert's Pattern, Uterine Vulsellum Forceps, Laparoscopic Biopsy Forceps and Punches, Self - Centring Bone Holding Forceps, PPIUCD Insertion Forceps Searched String: LARYNGEAL MASK AIRWAY LARGE, MEDIUM, SMALL Laryngeal Mask Airway (V2), coat combat disruptive detachable lining, LARYNGEAL MASK AIRWAYS, Thermal Gloves as per Defence specification Searched String: OUTFIT RESUSCITATION AMBU MK III COMPLETE Category not available on GeM for the text string uploaded by the buyer Searched String: FOOT OPERATED SUCTION MACHINE MEDICAL Manual Suction Unit (V2), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Portable Suction Machine (V2), Scrubber Dryer Floor Cleaning Machine (V2), High Vacuum Suction Machine (V2), Suction Catheters (V2), Foot Operated Water Valve, medical stools or chairs, Foot pedal Operated Sanitizer dispenser stand, High Vacuum Suction Machine (V3) Searched String: APPARATUS SUCTION TUBE SUCTION MEDIUM Suction Tube, Suction Catheters (V2), Suction/Irrigation Tube, Endotracheal Tube - Sterile (Single Use), Flexible Intracardiac Suction Tube (V2), Yankauer Suction Set, Suction Cannula (V2), High Vacuum Suction Machine (V3), Truck Mounted Suction Machine (Medium), Portable Suction Machine (V2) Searched String: FORCEP ARTERY STRAIGHT 14 CM Artery Forceps - Robert's Pattern, File/Folder (V3), Surgical Instruments - Artery Forceps, Surgical Forceps, Inflatable Tent Searched String: FORCEPS ARTERY CURVED ON FLAT 12.5CM Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Hemodialysis Catheter Kit, Surgical Instruments - Artery Forceps, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Tissue Forceps as per IS 3642, Dial Type Torque Wrench Searched String: FORCEPS, ARTERY, 15CM Artery Forceps - Robert's Pattern, File/Folder (V3), Surgical Instruments - Artery Forceps, Surgical Forceps, Cotton Towelling And Towels Conforming To IS 7056 (V4), Sinus

बिड विवरण / Bid Details	Forceps, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Uterine Vulsellum Forceps, PPIUCD Insertion Forceps, Towel Hand Cotton Turkish (IAF) Searched String: FORCEP DISSECTING FINE 12CM LONG WITH TOOTH, NOTCH AND SERRATION Category not available on GeM for the text string uploaded by the buyer Searched String: FORCEPS DISSECTING SERRATED 13CM Surgical Forceps, Tissue Forceps as per IS 3642, Laparoscopic Dissecting Forcep Searched String: FORCEPS, SINUS, 18CM Sinus Forceps, File/Folder (V3), Surgical Forceps, Uterine Vulsellum Forceps, water baths, PPIUCD Insertion Forceps, Artery Forceps - Robert's Pattern, Cotton Towelling And Towels Conforming To IS 7056 (V4), Surgical Instruments - Artery Forceps, Towel Hand Cotton Turkish (IAF) Searched String: FORCEPS STERILIZER CHEATLE ETO Sterilizer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Flash Sterilizer, Surgical Forceps, Surgical Sutures, Sinus Forceps, Horizontal Autoclave, Shallow Sterilizer (Dressing Drum), Vertical Autoclave, Atulya Microwave Sterilizer for (COVID - 19) Searched String: INSTRUMENTS REGIMENTAL MEDICAL PANNIER, ROLL OF, COMPLETE Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Impact Of Jet Apparatus Searched String: PERCUSSOR BABINSKI Reflex Hammer (V2), Knee Hammer (V2) Searched String: PUNCTURE RESISTANT GLOVES FOR HIGH RISK HIV / HbsAg POSITIVE CASES Category not available on GeM for the text string uploaded by the buyer Searched String: PROCTOSCOPE SELF ILLUMINATING WITH TRANSFORMER Meat Dressed Frozen with Self Certification (Defence), Transformer Oil BDV Test Kit, Chicken (Broiler) Dressed Frozen with Self Certification (Defence), Self - Contained Drinking Water Coolers (V3) as per IS 1475, Stationary Exercise Bike (V2), Point of Sale (POS) Kiosk (V2), Scissor Lift (V3), Fourier Transform Infra Red (FTIR) Spectrometer Searched String: SCISSORS, CURVED ON FLAT 19CM Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Mayo Scissors, Dedicated Wide Format Document Scanner, Metzenbaum Scissors, A3 Size Multifunction Printer (MFP), Weightlifting Discs, Hemodialysis Catheter Kit, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028 Searched String: SCISSORS, SHARP 23.5CM LONG, CARBON STEEL CHROMIUM PLATED
-------------------------	---

विड विवरण / Bid Details	Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Alloy Steel Plate
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: SCISSOR, DRESSING SHARP AND BLUNT, 14 CM LONG, SS Category not available on GeM for the text string uploaded by the buyer Searched String: SCISSOR, DRESSING ST, BOTH POINT SHARP, 12.5CM Category not available on GeM for the text string uploaded by the buyer Searched String: SCISSOR STRAIGHT 19CM Electrician Scissor, File/Folder (V3), Straight Grinders, Pallet Truck (V3), Scissor Lift (V3), Cotton Towelling And Towels Conforming To IS 7056 (V4), Scissor Lift (V2), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Stationery Scissors (V2) Conforming to IS 989, Towel Hand Cotton Turkish (IAF) Searched String: SCISSOR SURGICAL STRAIGHT, SHARP POINTED, 11.5CM Mayo Scissors, Hemodialysis Catheter Kit, Surgical Scissors (V2) Searched String: SPHYGMOMANOMETER ANEROID TYPE 300MM SCALE Aneroid Type Sphygmomanometer, Pin Up Notice Board (V2), Aneroid Type Sphygmomanometer conforming to IS 7652, Clinical Thermometer - Enclosed Scale Type, Biosafety Cabinet (V2), Electronic Weighing Scales, Clinical Thermometer - Solid Stem Type, Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 Searched String: STETHOSCOPE FOLDING WITH FLAT DIAPHRAGM Digital Stethoscope with integrated ECG as per MHA QR, Steel Folding Cot (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Acoustic Binaural Stethoscope (V3), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Chapati Plate with Puffer (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), Stainless Steel Utensil (V2) ISI Marked to IS 14756, Flat Woven Webbing Slings ISI Marked to IS 15041, Interactive Panels without CPU Searched String: TAPE MEASURE, LINEN 1.5 METRE Elastic Surgical Adhesive Tapes (V2), Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Double sided tape, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470 Searched String: TORCH, HAND CHROMIUM PLATED, BRASS STANDARD CELLS

बिड विवरण / Bid Details	mixing valves for ablutionary and domestic purposes - as per IS 1701, Proctoscope
	Searched String: NOISELESS SUCTION MACHINE Portable Suction Machine (V2), Sanitary Napkins Incinerator Machine with Smoke Control Unit, High Vacuum Suction Machine (V2), Trailer Mounted Suction Machine, Scrubber Dryer Floor Cleaning Machine (V2), Truck Mounted Suction Machine, Truck Chassis Mounted Suction Cum Jetting Machine (Medium), High Vacuum Suction Machine (V3), Sanitary Napkins Vending Machines, Truck Mounted Suction Machine (V2) Searched String: BOTTLE HOT WATER, IR, 30CM X 20CM, COVER FOR File/Folder (V3), Bottle Water Plastic with Cover (DEFENCE), Handloom Cotton Pillow Covers (V3), Pillow Covers Khadi, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Rubber Hot Water Bottel as per IS 1867, Dressing for Reusable NPWT System, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 Searched String: INHALER , 700 ML SIZE, COMPLETE Medical Centrifuge, Tracksuit, Paint spray gun, DNA marker, Water Jugs, Rust Remover Solution, dntp mix, Integrated Electrosurgical Unit and vessel sealer, GLACIAL ACETIC ACID, Correction Fluid Pen(V3) Searched String: SHEETING WATERPROOF, THICK, 110CM WIDE Handloom Cotton Bed Sheets (V2) as per IS 745, Sheeting Cloth Cotton Khadi Bleached as per IS 3779, Polymethyl Methacrylate (PMMA) (Acrylic) Sheets (V2) as per IS 14753 (Latest), Wide Format Scanners, Gasket Sheet-IS:11149, Tapered Bearings as per IS 12102, MS Sheet as per IS 1079, Linoleum Sheet & Tiles (V2) Conforming to IS 653, Bond Paper (V3) Conforming to IS 1848 (Part 1) Searched String: SHEETING WATERPROOF, THIN, 110CM WIDE Handloom Cotton Bed Sheets (V2) as per IS 745, Sheeting Cloth Cotton Khadi Bleached as per IS 3779, Tapered Bearings as per IS 12102, Wide Format Scanners, Bond Paper (V3) Conforming to IS 1848 (Part 1) Searched String: TRAY SS, KIDNEY SHAPED, 25CM Kidney Trays Conforming to IS 3992, SS Compartmental Tray (V2) as per IS 14756, Screw Cap Vial, Floor Drain Traps, Medals (V3) Searched String: MOUTH GAG, TOUNGUE DEPRESSER ADULT MEDIUM SIZE 4 Category not available on GeM for the text string uploaded by the buyer Searched String: NEEDLE HOLDER MAYO

बिड विवरण / Bid Details	Surgical Needle Holders, Surgical Sutures, Ryder Needle Holder, Mayo Scissors, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Mayo's Type Instrument Table conforming to IS 6905, Blood Lancets, Needle Threader, Spinal Needle (V2), Needle Valve Searched String: EMERGENCY KIT PARA MEDICAL STAFF First Aid Kit / First Responder Kit, Medical Training kit with Human mannequins for medical education or training, Fluid Absorbent Body Cover Bag or Emergency medical services disaster body pouches, personal safety kit reflective luminous garments, paraffin wax medical for wax bath, Clinical Apron, Multipara Monitor - Low End, Emergency Recovery Trolley (V2), Veterinary Multipara Monitor, Biochemistry Reagent Kit for Human Samples Searched String: RESUSCITATOR NBC Resuscitation Kit, Resuscitation crash cart console for hospitals (V2), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, resuscitation crash cart console for hospitals, Cylindrical Roller bearing set, Essential Newborn Care and Resuscitation Manikin (V2), Tapered Bearings as per IS 12102, Neonatal Resuscitation Trolley, Mounted Bearings Searched String: PNEUMATIC SPLINT SET Finger Splint, Sofa (V3), Splint Inflatable (Defence), Wrist and Forearm Splints (V2), Cramer Wire Splint (V2), Desk and Bench Set for Classroom/Training Area, Knee Braces and Splints (V2), Pneumatic fender, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Pneumatic Planter Searched String: FORCEPS ARTERY STRAIGHT, BOX JOINT 13CM Category not available on GeM for the text string uploaded by the buyer Searched String: DIGITAL SPHYGMOMANOMETER Mercurial Sphygmomanometer, Digital Multimeter, Aneroid Type Sphygmomanometer, Aneroid Type Sphygmomanometer conforming to IS 7652, true rms clamp meter, Digital Timer, digital conductivity meter, Digital Burette, Rotary Shaker, Digital Barometer Searched String: TOURNIQUET Buckle Tourniquet, Rubber Tourniquet, Tourniquet Machine (V2), Tourniquet Machine Searched String: ELECTRONIC THERMOMETER Candy Thermometer / Food Thermometer, Air Curtain, Room Thermometer, Infrared Medical Thermometer For Measuring Body Temperature, Clinical Thermometer - Solid Stem Type, Electronic Weighing Scales, Handheld Digital Infrared Thermometer, Wall Mount Thermometer, Electronic Baby Weighing Scale - RBSK, Digital Medical Thermometer Searched String: CYLINDER OXYGEN BULL NOSE FITTING FINE ADJUSTMENT VALVE
-------------------------	---

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: CYLINDER OXYGEN KEY SPANNER FOR Medical Oxygen Gas Cylinders - Steel (Normalized) (V2), Non Sparking Cylinder Key-IS:4595, Compressed Medical Oxygen (IP) Gas Supply in Cylinders, Medical Oxygen Gas Cylinders - Aluminium, Cylinder Stand, Medical Oxygen Gas Cylinders - Steel (Quenched and Tempered) (V2), Oxygen Purity Meter for Oxygen Concentrator, High Capacity Portable Pump For Fire Fighting Conforming To IS 12717, Medical Oxygen Gas Cylinders - Steel (Normalized), Open Jaw Wrenches (Spanners) (V2) As Per Is 2028 Searched String: NEBULIZER ELECTRIC Nebulizer (V2), Scrubber Dryer Floor Cleaning Machine (V2), Nebulizer Mask, nebulizer mask and accessories, Electrical Extension Box (V4), Levosalbutamol Respirator Solution for use in Nebulizer, Electric Drill, Budesonide Respirator Solution for use in Nebulizer, Electric Tractor, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) Searched String: MASK FOR NEBULIZER Nebulizer Mask, File/Folder (V3), nebulizer mask and accessories, Levosalbutamol Respirator Solution for use in Nebulizer, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Nebulizer (V2), Chair for General Purpose, Budesonide Respirator Solution for use in Nebulizer, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Rover Mask
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Tracheostomy Mask • Vacuum Therapy Unit • Surgical Loupes (V2)
बीओक्यू शीर्षक / BOQ Title	NON EXPENDABLE MEDICAL STORES
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	0.7 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	1 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	APPARATUS OXYGEN INHALATION PORTABLE FILLING ADAPTER FOR
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any

purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

APPARATUS OXYGEN INHALATION PORTABLE FILLING ADAPTER FOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

CYLINDER OXYGEN VALVE BULLNOSE FITTING FOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

FORCEP ENDOTRACHEAL FOR INTRODUCING ENDOTRACHEAL TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

FORCEP TOUNGUE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

LARYNGEAL MASK AIRWAY LARGE, MEDIUM, SMALL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

OUTFIT RESUSCITATION AMBU MK III COMPLETE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

FOOT OPERATED SUCTION MACHINE MEDICAL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

APPARATUS SUCTION TUBE SUCTION MEDIUM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

FORCEP ARTERY STRAIGHT 14 CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	4	30

FORCEPS ARTERY CURVED ON FLAT 12.5CM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	3	30

FORCEPS, ARTERY, 15CM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

FORCEP DISSECTING FINE 12CM LONG WITH TOOTH, NOTCH AND SERRATION

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

FORCEPS DISSECTING SERRATED 13CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

FORCEPS, SINUS, 18CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

FORCEPS STERILIZER CHEATLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

INSTRUMENTS REGIMENTAL MEDICAL PANNIER, ROLL OF, COMPLETE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

PERCUSSOR BABINSKI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

PUNCTURE RESISTANT GLOVES FOR HIGH RISK HIV, HbsAg POSITIVE CASES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

PROCTOSCOPE SELF ILLUMINATING WITH TRANSFORMER**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

SCISSORS, CURVED ON FLAT 19CM**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

SCISSORS, SHARP 23.5CM LONG, CARBON STEEL CHROMIUM PLATED

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	3	30

SCISSOR, DRESSING SHARP AND BLUNT, 14 CM LONG, SS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

SCISSOR, DRESSING ST, BOTH POINT SHARP, 12.5CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

SCISSOR STRAIGHT 19CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

SCISSOR SURGICAL STRAIGHT, SHARP POINTED, 11.5CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

SPHYGMOMANOMETER ANEROID TYPE 300MM SCALE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

STETHOSCOPE FOLDING WITH FLAT DIAPHRAGM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

TAPE MEASURE, LINEN 1.5 METRE**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	3	30

TORCH, HAND CHROMIUM PLATED, BRASS STANDARD CELLS**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	6	30

NOISELESS SUCTION MACHINE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

BOTTLE HOT WATER, IR, 30CM X 20CM, COVER FOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

INHALER , 700 ML SIZE, COMPLETE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

SHEETING WATERPROOF, THICK, 110CM WIDE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

SHEETING WATERPROOF, THIN, 110CM WIDE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

TRAY SS, KIDNEY SHAPED, 25CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

MOUTH GAG, TONGUE DEPRESSOR ADULT MEDIUM SIZE 4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

NEEDLE HOLDER MAYO**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

EMERGENCY KIT PARA MEDICAL STAFF**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

RESUSCITATOR NBC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

PNEUMATIC SPLINT SET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

FORCEPS ARTERY STRAIGHT, BOX JOINT 13CM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	2	30

DIGITAL SPHYGMOMANOMETER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	3	30

TOURNIQUET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	3	30

ELECTRONIC THERMOMETER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	3	30

CYLINDER OXYGEN BULL NOSE FITTING FINE ADJUSTMENT VALVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

CYLINDER OXYGEN KEY SPANNER FOR**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

NEBULIZER ELECTRIC**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

MASK FOR NEBULIZER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Visakhapatnam	1	30

क्रता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

MI ROOM
INS VIRBAHU
NAVAL BASE
VISAKHAPATNAM
ANDHRA PRADESH
.

2. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

4. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

5. **Generic**

Consortium: In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.

6. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

7. **Generic**

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

8. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

9. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

10. **Generic**

NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:

1. I M/s.

M/S

hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

11. **Generic**

Registration / Empanelment Requirement: Contract shall be awarded to only such sellers , who are registered / empanelled / approved / enlisted with

ANY GOVERNMENT ORGANISATION

for the required goods / service category on the date of bid opening. Prospective bidders (if not already registered), are advised to get themselves registered with the said registration authority before bid opening date. (It is certified that the registration is granted by the registering agency as per Rule 150 of GFR following a fair, transparent and reasonable procedure.)

12. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

13. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

14. Financial Criteria

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

15. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

16. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

17. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

18. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

19. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

20. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

21. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during

the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

22. **Warranty**

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope

ALL PARTS OF THE EQUIPMENTS INCLUDING CONSUMABLES

(Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

23. **Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

24. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

THE FIRMS HAS TO MANDATORILY PRODUCE THE FOLLOWING DOCUMENTS DURING BID

- PRODUCT BROCHURE, DATA SHEET, TECHNICAL LITERATURE OF THE ITEMS OFFERED

-UNDERTAKING OF NOT BLACKLISTED BY ANY GOVERNMENT ORGANISATION

-SIMILAR PAST EXPERIENCE

-SAME CATEGORY OF MSME

.

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector

Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---