

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	08-09-2026 17:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	08-09-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Social Justice And Empowerment
विभाग का नाम / Department Name	Department Of Empowerment Of Persons With Disabilities
संगठन का नाम / Organisation Name	Swami Vivekanand National Institute Of Rehabilitation Training And Research (svnirtar)
कार्यालय का नाम / Office Name	Cuttack
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :director.svnirtar@gov.in Buyer Email id: co.svnirtar@gov.in
कुल मात्रा / Total Quantity	27
वस्तु श्रेणी / Item Category	Ergonomically Designed Office Chair , Oral Kit Arks Z Vibe Sensory Integration Kit , Peanut Ball , Hippo therapy Equipment , Balance System without CMC , Balance System with CMC , EMG Biofeedback System for Whole Body without CMC , EMG Biofeedback System for Whole Body with CMC , Sensory Body Socks , Weighted Jacket , Musical Set Toy , Spike Gym Ball
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Musical Toy
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Fruit & Vegetable Toy Set (V3), Shape Sorter Toy (V3), Membranophones/ Drums-Handicraft, Violin, Handmade Decor, Utility, Toys & Momentos (Handicraft) (V2), Mandolin, Bass Drum (V2), Snare Drum (V2), Plastic Rocker (Preschool Kit), Binder Clips (V3) Conforming to IS 8231
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Shape Sorter Toy (V3)
बीओक्यू शीर्षक / BOQ Title	DOT EQUIPMENT BID
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	22 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Ergonomically Designed Office Chair
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation

बिड विवरण/Bid Details	
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	400
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	300
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	200
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	1000
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	22000
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	22000
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	23000
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	23000
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	100
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	300
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	200
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	100

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	26

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Director
CUTTACK, Department of Empowerment of Persons with Disabilities, Swami Vivekanand National Institute of Rehabilitation Training and Research (SVNIRTAR), Ministry of Social Justice and Empowerment
(Dr P P Mohanty)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in

the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Ergonomically Designed Office Chair	2
Schedule 2	Oral Kit Arks Z Vibe Sensory Integration Kit	1
Schedule 3	Peanut Ball	4
Schedule 4	Hippo Therapy Equipment	1
Schedule 5	Balance System Without Cmc	1
Schedule 6	Balance System With Cmc	1
Schedule 7	Emg Biofeedback System For Whole Body Without Cmc	1
Schedule 8	Emg Biofeedback System For Whole Body With Cmc	1
Schedule 9	Sensory Body Socks	4
Schedule 10	Weighted Jacket	4
Schedule 11	Musical Set Toy	2
Schedule 12	Spike Gym Ball	5

Ergonomically Designed Office Chair

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	45

Oral Kit Arks Z Vibe Sensory Integration Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	45

Peanut Ball

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	4	45

Hippo Therapy Equipment

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	45

Balance System Without CMC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	45

Balance System With CMC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	45

EMG Biofeedback System For Whole Body Without CMC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	45

EMG Biofeedback System For Whole Body With CMC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	1	45

Sensory Body Socks

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	4	45

Weighted Jacket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	4	45

Musical Set Toy

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	2	45

Spike Gym Ball

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasanta Rout	754010,At-Olatpur, Po-Bairoi, Dist-Cuttack, Pin-754010, Odisha	5	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery

time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

DIRECTOR, SVNIRTAR
payable at
OLATPUR, CUTTACK

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

DIRECTOR, SVNIRTAR
payable at
OLATPUR, CUTTACK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

SWAMI VIVEKANAND NATIONAL INSTITUTE OF REHABILITATION TRAINING AND RESEARCH

(Ministry of Social Justice & Empowerment, Govt. of India)

Department of Empowerment of Persons with Disabilities, (Divyangjan)

OLATPUR, P.O: BAIROI, DIST: CUTTACK (ODISHA) Pin: 754010.

Website: www.svnirtar.nic.in, E-mail: dir.nirtar@nic.in & svnirtar@gmail.com

6-27 Ref-AD-5/BOQ/DOT/Equipment//2

Date-30.07.26

GEM BOQ BID DOCUMENT FOR PROCUREMENT DOT EQUIPMENT

GENERAL INSTRUCTIONS AND TERMS & CONDITIONS OF TENDER DOCUMENT

All rules & regulations of bid are as per default conditions and procedure of GEM.

Ø FOLLOWING DOCUMENTS TO BE UPLOADED.

SI	Name of documents
1	GST Certificate
2	Pan Card
3	Aadhar card
4	Latest quarter/month GST 3B receipt.
5	IT return for 25-26
6	Bidder turnover certificate mentioning UDIN Number of CA.
7	Experience certificate in GEM.
8	MSME certificate if any & MII certificate (mandatory).
9	Technical Bid details as per Annexure-I (mandatory)
10	Compliance Statement as per Annexure-II (mandatory)
11	Declaration as per Annexure-III (mandatory)
12	Bank Account details,
13	List of Organization where required machine supplied if any.
14	Leaflet/ specification to be supplied. (Mandatory)
15	Warranty declaration of items to be supplied. (Mandatory)
16	Service declaration

–

–

–

P.S.-I/C

DOT

AO/OIC-Accounts

D.D P&A-Offg

D.D ech-Offg

Director

-
-
-
-

Annexure-I (Technical bid details format).

Sl. No.	Information required	Information to be provided by the bidder
1	Name of the firm/ organization	
2	Whether the organization is proprietorship/ partnership/ Pvt. Ltd.,/ Ltd. Company	
3	Local/present Address,	
4	Mobile No. & Whatsapp No. and E-mail. Id of the proprietor/firm/contact person..	
5	If the head office other than in (3) above, then give the address for the same	

-

Annexure-II (FORMAT OF COMPLIANCE STATEMENT) -MANDATORY

Name of Items	Required Specification	Whether complied to the required specification YES/NO	Name of brand/model of machine to be supplied.
Ergonomically Designed Office Chair	Specification mentioned below		
Oral Kit – Ark's Z-Vibe Sensory Integration Kit	-do-		

Peanut Ball	-do-		
Hippo therapy Equipment (Mechanical Equine Simulator)	-do-		
Balance System without CMC (Computerized Posturography Platform)	-do-		
Balance System with CMC	-do-		
EMG Biofeedback System for Whole Body without CMC.	-do-		
EMG Biofeedback System for Whole Body with CMC.			
Sensory Body Socks	-do-		
Weighted Jacket	-do-		
Musical Set Toy	-do-		
Spike Gym Ball	-do-		

Annexure-III (DECLARATION FORMAT)

I/wehaving my/our office atdo hereby declare that I/we have carefully read all the terms & conditions of GEM BOQ BID of the SVNIRTAR, Olatpur, Bairoi, Dist-Cuttack, Odisha-754010. I will abide by all terms and conditions set forth in the tender paper and GEM for the period of agreement.

Signature of Bidder

—

—
Ø Terms & Conditions

Ø As per default terms & condition of GEM.

- Ø Equipment will be delivered/installed at SVNIRTAR (DO T) during working hours and on working days only. If the consignee is changed, it will be informed by mail or clarification/ATC in the bid.
- Ø If any items are not accepted, they may be replaced within seven days otherwise they will be rejected.
- Ø If the price of any items or total amount of order is more than our estimate value, excess amount items may be rejected, or total bid may be cancelled.
- Ø Work will be treated as ok if it is accepted by the indenting department.
- Ø Installation/demonstration is the responsibility of supplier. No extra cost will be paid for it.
- Ø Warranty certificates may be submitted along with materials. Materials or any parts required for repair during warranty period will be provided by the supplier.
- Ø Supplier must attend the call for maintenance of any defect of equipment/materials within warranty period.
- Ø Defects in equipment/materials must be replaced/repaired within seven days and equipment must be ok.
- Ø **Bidders may submit leaflets and details specification of materials to be supplied. Pre- demonstration**

ion of item will be shown by the bidder otherwise technical bid may be rejected.

- Ø **CMC for equipment sl No-5 and 6 is required for a minimum of 5 years after warranty period. CMC amount quoted along with equipment value will be paid after satisfactory completion of CMC on a yearly basis.**

L1 eligible bidder will be given order for supply and installation of equipment at SVNIRTAR and he will also be given CMC as per quoted rate after agreement.

Payment of CMC will be made on yearly basis after satisfactory completion and submission of manual bill duly certifying from the user wing. For CMC, a minimum of two visit of party is mandatory in each quarter and further on calling as and when required or breakage of equipment. All required spare parts & consumables will be provided by the CMC party.

Security amount will be deposited as per contract order amount till completion of CMC.

- Ø ***Bidders must participate in the without CMC and with CMC bid of these two equipment. Though it is individual evaluation bid, but bidder must be participated and fill the price bid of item 5 & 6. Participation in only one schedule of these two items will not be accepted.***

- Ø **MSME certificate will be accepted for exemption of EMD if bidder is the manufacturer of the bid items otherwise bidder will deposit EMD.**

- Ø **The authority reserves the right to accept/reject and cancel any bid.**

DETAIL SPECIFICATION

01 Ergonomically Designed Office Chair

Physical Dimensions & Space Footprint

Overall Height= 95-125 cm (seat height adjustable: 43-55 cm from floor)

Seat Width × Depth= 47-50 cm × 44-47 cm

Base Spread (Diameter)= 65-70 cm (5-star caster base)

Armrest Span =60-68 cm (adjustable width, height & angle)

Minimum Floor Area= 90 cm × 90 cm clear floor area per chair

Weight= Approx. 12–15 kg

Material Composition

Seat Cushion= High-density moulded foam (density $\geq 40 \text{ kg/m}^3$); breathable fabric or

mesh cover

Backrest =Breathable nylon/polyester mesh on nylon structural frame

Frame / Shell =Reinforced nylon (PA66-GF30) or polypropylene shell

Lumbar Support= Height-adjustable lumbar pad: 18–24 cm above seat; 2–5 cm forward

protrusion

Base & Castors= Heavy-duty nylon or chrome 5-star base; dual-wheel 50 mm PU castors

for hard clinic floors

Gas Lift =Class 4 pneumatic cylinder (BIFMA X5.1 certified)

Armrests= PU foam-padded; 2D or 3D adjustable; PP housing with steel pivot

Technical Requirements

Adjustability= Pneumatic seat height; tilt tension & multi-position lock; backrest recline

90°–115°

Weight Capacity= Minimum 120 kg

Certification= BIFMA X5.1 or BIS IS 1831 equivalent

Warranty= Minimum 1 year on mechanism; 2 years on frame.

Clinical Purpose

Used by clinical professionals during administrative duties, telemedicine consultations, and patient intake evaluations to maintain optimal postural alignment and reduce the risk of work-related musculoskeletal disorders during prolonged sitting.

02 Oral Kit - Ark's Z-Vibe Sensory Integration Kit

Physical Dimensions & Storage

Hand piece Length= Approx. 14–16 cm (pen-sized ergonomic body)

Hand piece Diameter= Approx. 1.6–2.0 cm

Tip Protrusion= 3–8 cm beyond hand piece (varies by tip type)

Kit Case Dimensions =Approx. 28 cm × 18 cm × 8 cm

Total Kit Weight =Approx. 400–600 g including all tips and case

Storage Space =One standard drawer or lockable instrument tray

Material Composition

Hand piece Housing= Anodised aluminium or medical-grade ABS plastic; water-resistant

exterior

Vibration Motor = Sealed, low-amplitude, high-frequency internal motor (~ 92–100 Hz); AAA

medical battery

Tip Material == Medical-grade, latex-free, phthalate-free, BPA-free silicone or TPE

polymer

Tips Supplied= Probe tip, Prefer tip, textured Spoon tip, Mini tip, smooth tip — minimum

5–6 attachments

Sterilization = Tips fully autoclavable at 134°C or chemically serializable (70% IPA)

Case Material= Hard-shell EVA foam-lined carry case with individual tip slots

Technical Specifications

Vibration Amplitude= Low-amplitude (non-jarring); suitable for perioral use in sensory-sensitive patients

Battery Life= Approx. 4–6 hours' continuous use

Clinical Applications= Oral hypersensitivity desensitization, jaw grading, cheek/lip strengthening,

feeding therapy

Warranty = 12 months on hand piece; tips are consumables.

Clinical Purpose

A vibratory motor-sensory tool for paediatric and adult occupational therapy. Delivers targeted tactile and proprioceptive stimulation to intraoral and perioral structures, normalizing sensory hypersensitivity or hyposensitivity, improving jaw stability, and facilitating motor control for feeding and speech articulation.

03 Peanut Ball

Physical Dimensions & Space Footprint

Lobe Height / Diameter = 50 cm when inflated at standard pressure **Size** 50 × 95 cm

Overall Inflated Length=(End-to-End) 115 cm

Waist Diameter (Centre)= Approx. 30–40 cm

Minimum Floor Area During Use= 150 cm × 90 cm clear area per ball

Storage= Wall-mounted net bag or floor rack; deflated diameter approx. 70

cm

Colour Options = Four different colours

Weight = Approx. 3–4 kg inflated

Material Composition

Outer Shell = Commercial-grade anti-burst PVC; minimum wall thickness 2 mm

Anti-Burst Property = Slow-deflate technology — deflates gradually if punctured; ASTM F963 or EN71 compliant.

Surface Texture = Moulded ribbed or gridded exterior for enhanced patient grip during

weight-bearing

Seam Construction = Seamless or heat-bonded double-wall construction

Weight Capacity = Minimum dynamic load rating 150–200 kg

Chemical Safety = BPA-free, phthalate-free, latex-free, non-toxic PVC

Inflation = Standard ball pump with needle adaptor (compatible with gym pumps)

Cleaning = Wipe with mild disinfectant; avoid harsh solvents

Warranty = 6–12 months against manufacturing defects

Clinical Purpose

An essential tool for gross motor training, neurodevelopmental therapy (NDT), balance training, and core stabilization. The dual-lobe peanut shape restricts movement to the anterior-posterior plane, making it highly effective for paediatric and neuro-rehabilitation clients requiring progressive balance challenges.

04 Hippo therapy Equipment (Mechanical Equine Simulator)

Physical Dimensions & Space Footprint

Body Dimension = Approx. 88 × 45 × 74 cm (L×W×H)

Saddle Area (seat cushion) = Ergonomic seat shell approx. 68 cm length × 38 cm width

Base Platform = Approx. 160 cm × 80 cm footprint

With Mounting Steps = Total length approx. 230–250 cm (steps add 60–80 cm to one end)

Overhead Clearance = Minimum 250 cm ceiling height required (for harness system)

Minimum Room Space = 350 cm × 300 cm including steps, therapist zone, and harness swing arc

User Weight Capacity = Up to 100–120 kg

Material Composition

Frame / Base= Heavy-duty structural base frame integrated with ABS stand cover panel

Body Shell =High gloss impact resistance ABS molded external body shell with integrated anterior console hosting an HD LED LCD screen interface with physical micro-switch controls

Upholstery =Wipe-clean, seamless synthetic leather (PU/PVC vinyl) wrapping the saddle profile

Saddle= Molded fiberglass or ABS base; foam padding; genuine or synthetic leather cover

Drive Mechanism= Motorized core driving multi-axis movement patterns; integrated

front-mounted mechanical pedal connecting rod assembly on both sides supporting left/right stirrup pedal system

Motion Parameters =Microprocessor-controlled system pre-programmed with 3 automatic

simulation modes and manual overrides supporting 20 levels of speed adjustment

Safety Handles= Rigid grab handles integrated into the anterior frame ahead of the saddle,

adjacent to the console; magnetic emergency stop pulls for immediate power termination

Stirrups= Adjustable pedals suspended via vertical connecting rod on both sides; non-slip foot beds

Warranty & Maintenance

Warranty= Standard commercial warranty up to 1 year

Maintenance= Periodic inspection of pedal connecting rods and mechanical joints; wipe-clean sanitization protocol after each treatment session using clinical-grade disinfectant wipes

Clinical Purpose

Hippotherapy replicates the rhythmic, three-dimensional movement of natural horse locomotion. Enhances pelvic mobility, truncal righting responses, core strength, postural equilibrium, and vestibular processing. Indicated for patients with cerebral palsy, stroke, traumatic brain injury, and developmental delays.

05- Balance System (Computerized Posturography Platform)

Physical Dimensions & Space Footprint

Force Plate= Approx. 60 cm × 50 cm × 5-8 cm (platform surface)

Display Unit =15-22-inch monitor on adjustable stand; height 130-175 cm from floor

Cart / Stand Base= Approx. 50 cm × 50 cm; on locking castors

Safety Handrail= U-frame or parallel bars approx. 80 cm wide × 90 cm high; adjacent to platform

Minimum Floor Area= 180 cm × 120 cm including platform, handrails, and therapist zone

System Weight= Approx. 20–30 kg including cart and monitor

Material Composition

Platform Surface= Anti-slip rubber or textured polymer mat bonded over rigid aluminium alloy or steel housing

Load Cells= 4-corner strain gauge load cells; precision ± 0.1 kg; tracks Centre of Pressure (CoP) in real time

Frame =Anodised aluminium or powder-coated steel housing

Display= LED/IPS monitor; Windows-based PC or embedded processor running balance software

Connectivity= USB or Bluetooth to PC; data export via USB or network

Software & Technical Specifications

Protocols Included= mCTSIB, Limits of Stability (LOS), Body Sway, Fall Risk Score, Unilateral Stance, BESS

Outputs =CoP sway path, stability index, weight distribution, normative data comparison, printable reports

Training Games= Balance improvement games (sagittal/AP exercises, route tracing, visual stimulus challenges)

User Weight Capacity =Up to 150 kg

Power= 230V AC 50Hz or USB-powered (model dependent); < 50W

Warranty =1-year hardware; 2 years' software updates

Clinical Purpose

A computerised balance assessment and training platform to objectively measure and address impairments in postural control, vestibular integration, and somatosensory feedback. Provides real-time visual biofeedback through interactive games and standardized clinical protocols including the Clinical Test of Sensory Integration and Balance (CTSIB).

06- EMG Biofeedback System for Whole Body

Physical Dimensions & Space Footprint

Control Unit =Approx. 20–30 cm × 15–20 cm × 5–8 cm; desktop or cart-mounted

Display= 15–24-inch clinical touchscreen on adjustable arm; cart height 80–

130 cm

Medical Cart Base= Approx. 60 cm × 50 cm on 5 lockable castors

Electrode Lead Length= 8 colour-coded leads; 1.5–2.0 m each

Wireless Sensor Pods= Each approx. 4 cm × 3 cm × 1.5 cm (if wireless variant)

Minimum Working Area =150 cm × 120 cm clinical space

System Weight= Approx. 5–10 kg (control unit + cart)

Material Composition

Housing =Medical-grade ABS plastic with steel/aluminium reinforcement; IP 42 protection minimum

Electrodes= Hypoallergenic Disposable Ag/Ag Cl self-adhesive surface electrodes

Lead Cables =Shielded twisted-pair cable; colour-coded; snap or touch-proof connector ends

Technical Specifications

EMG Channels= Minimum 8 simultaneous surface EMG channels

Input Impedance= > 100 MW; CMRR ³ 100 dB; baseline noise < 1 µV RMS

Sampling Rate= ³ 2,000 samples/second/channel

Measurement Range= ±5,000 to ±6,000 µV; resolution 0.1 µV

FES / EMS Output= Minimum 4–8 channels; biphasic waveform; max 100 mA / 50V;

EMG-triggered FES

TENS Modes= Conventional, burst, frequency-modulated, acupuncture-like (AL-TENS)

Connectivity WiFi + Bluetooth + USB; web-based platform (Windows/iOS/Android

compatible)

Software =EMG graphs, threshold biofeedback, rehabilitation games, tele-rehabilitation module, patient database.

Power= 100–240V AC 50/60Hz or lithium-ion battery (portable variant)

Certifications= CE marked; ISO 13485 quality system

Warranty= 2 years' full system; 3 years' software updates

Clinical Purpose

An advanced neuromuscular monitor that records, amplifies, and feeds back electromyography signals from muscle groups across the whole body. Used to facilitate muscle re-education following CNS lesions (stroke, TBI, SCI), train isolated voluntary movement, manage spasticity, and support neuro-rehabilitation with EMG-triggered functional electrical stimulation (EMG-FES).

07- Sensory Body Socks

Physical Dimensions & Space Footprint

Sizes Available= Small (90–110 cm; 3–7 yrs), Medium (110–140 cm; 7–12 yrs), Large

(140–170 cm; adolescents/adults)

Width Arms Extended = Approx. 130–160 cm across outstretched arms

Minimum Floor Area= 200 cm × 150 cm mat area during use

Storage (Folded)= Folds flat; approx. 30 cm × 20 cm × 5 cm stack

Garment Weight= Approx. 200–400 g (size dependent)

Material Composition

Fabric= 4-way stretch Lycra/Spandex blend — typically 80–90% nylon + 10–20% elastane; breathable, prevents thermal overheating

Fabric Weight= Medium-weight 200–280 gsm for appropriate resistance without over-restriction

Seam Construction = Double or triple-reinforced flatlock safety seams — withstands high-stretch full-body resistive pushing

Closure= Non-abrasive industrial-grade hook-and-loop (Velcro) or safety snap at shoulder opening

Dye / Finish= Non-toxic, skin-safe reactive dyes; OEKO-TEX Standard 100 preferred

Washing= Machine washable at 30–40°C; air-dry flat to maintain elasticity

Expected Lifespan= 2–3 years with regular clinical use; replace when elasticity significantly

Degraded

Clinical Purpose

A whole-body sensory integration tool that envelops the client, delivering uniform continuous deep touch pressure (DTP). Proprioceptive feedback helps children and adults with Autism Spectrum Disorder, ADHD, or sensory processing difficulties develop spatial body awareness, coordinate movement boundaries, and achieve emotional self-regulation.

08- Weighted Jacket

Physical Dimensions & Space Footprint

Available Sizes= XS (~3–6 yrs), S (6–9 yrs), M (9–12 yrs), L/XL (adolescents and adults);

chest 55–110 cm

Vest Length= Approx. 30–50 cm (waist-length; covers anterior and posterior trunk)

Weight Puck Size= Approx. 7 cm × 5 cm × 1 cm per puck; 100 g or 200 g per puck

Total Loading Range= 2–10% of body weight; total vest load typically 0.5–3 kg

Storage= Flat in drawer or hanging on peg; pucks stored separately in labeled container

Material Composition

Outer Shell= Heavy-duty breathable canvas (cotton-polyester blend), denim, or quilted mesh textile

Inner Lining= Soft cotton jersey or moisture-wicking polyester — prevents skin irritation

Weight Puck Filling= Dense stainless steel shot or non-toxic micro glass beads in double-stitched nylon pouch

Puck Pockets= Reinforced double bar-tack stitching; Velcro or button closure prevents

Displacement

Closure System= Heavy-duty centre-front zip (YKK grade) plus lateral quick-release buckle

straps

Washing= Machine washable (weights removed); cold wash, hang dry; wipe pucks with damp cloth

Warranty= 1 year against manufacturing defects; pucks are consumables

Clinical Purpose

An orthotic sensory vest delivering non-invasive deep touch pressure across the upper torso. Evenly distributed weight stimulates parasympathetic activity, reducing physiological arousal, improving sustained attention to task, enhancing seated focus, and diminishing self-stimulatory behaviours in sensory-seeking clients with ASD, ADHD, or sensory modulation disorders.

09- Musical Set Toy - Paediatric Therapy Instrument Kit

Kit Contents & Dimensions

Main Board= 1 wall-mounted sensory master board with wavy decorative edges; approx. 90–120 cm × 60–80 cm

Xylophone= 1 vertical, rainbow-colored diatonic/pentatonic metal-bar xylophone, securely mounted

Tambourine= 1 round frame hand tambourine with multiple metal jingle pairs, centrally mounted

Electronic Keyboard= 1 compact black digital electronic keyboard, mounted at bottom centre

Toy Keyboard= 1 strawberry-shaped interactive electronic toy keyboard with colourful buttons

Miniature Guitar= 1 small four-string acoustic ukulele/guitar-style instrument, wood-grain finish

Sensory & Tactile Toys= Textured spikey sensory ball on tether; fish-shaped rattle/shaker; maraca/rattle with contoured handle; interactive sound toy; toy microphone/sound maker; two miniature metal handbells; small whistle/sensory element

Wind Instrument/Melodica = 1 long vertical toy clarinet/melodica with multicolored keys

Total Kit Weight= Approx. 5.0–8.0 kg (including all securely mounted instruments and plywood backing)

Material Composition

Xylophone Bars= Lacquered metal alloy (steel/aluminium) in a multi-coloured rainbow scale, securely mounted.

Xylophone Frame= Integrated plastic or wood frame backing, fastened to prevent detachment

Tambourine Frame= Natural solid birch, beech, or durable composite; smooth sanded finish, non-toxic sealant

Mallets/Strikers =Built-in or tethered; solid hardwood or impact-resistant plastic handles

Safety Compliance= Non-toxic, lead-free, BPA-free paints and finishes; meets ASTM F963 or

EN71; all instruments permanently mounted to eliminate choking hazards

Age Suitability= 3 years and above (under OT or special educator supervision for younger

patients); smooth, rounded edges, no sharp protrusions

Cleaning= Wipe surfaces with a damp cloth and mild clinical disinfectant; do not

submerge or saturate electronic components

Main Board Backing= High-quality plywood with smooth, natural wood-grain laminate finish and decorative wavy edges

Electronic Components= Heavy-duty, impact-resistant moulded ABS plastic casings

Warranty= 6 months against manufacturing defects

Clinical Purpose

The Auditory Stimulation Board combines sound exploration, tactile engagement, and interactive eLearning in one space-saving, wall-mounted design. Ideal for therapy centers, schools, and homes, this educational sound board offers a multisensory experience especially beneficial for Children with Special Needs (CWSN).

10 -Spike Gym Ball (Sensory Nodule Ball)

Physical Dimensions & Space Footprint

Size Range= Handheld: 7-10 cm diameter | Medium: 20-30 cm | Large/Core : 45-65 cm diameter

Recommended Mix (5 units) = 55 cm, 65 cm, 75 cm, 85 cm

Spike Height =Approx. 0.8-1.5 cm; uniformly distributed across entire surface

Spike Spacing= Approx. 1.5-2.5 cm centre-to-centre

Floor Space= Minimum 150 cm × 150 cm during seated balance use

Storage= Net bag or wire basket; large ball deflated and stored in mesh sack

Material Composition

Main Material= Thick, flexible PVC; minimum wall thickness 3 mm

Spike Construction= Integrally molded spikes (same material as shell, not glued); rounded,

flexible, non-abrading tips

Anti-Burst (Large Ball) = Slow-deflate anti-burst PVC for the large core stabilization model; ASTM F963 / EN71

Inflation Valve= Heavy-duty air valve for precise pressure adjustment; standard pump needle compatible

Chemical Safety= BPA-free, phthalate-free, latex-free; REACH compliant non-toxic pigments

Weight Capacity (Large)= Minimum 120 kg when properly inflated

Cleaning= Wipe with mild antiseptic solution; air-dry before storage

Warranty =6 months against manufacturing defects; replace if spikes show significant

Deformation

Clinical Purpose

A dual-purpose sensory-motor tool providing distinct tactile input to desensitize hyper-responsive dermal regions, stimulate cutaneous mechanoreceptors, facilitate superficial circulation, and support core stabilization exercises. Used across sensory integration, neurological hand therapy, vestibular balance routines, and neuromuscular massage protocols.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---