

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	19-09-2026 16:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	20-09-2026 16:00:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Navy
कार्यालय का नाम / Office Name	*****
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : biswajit.dutta@navy.gov.in Buyer Email id: jcproesp-mokochi@navy.gov.in
कुल मात्रा / Total Quantity	24290

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

EL3020B DD907041 0 , EL3020B DD907042 0 , EL3020B DD902358 1 , EL3020B DD902359 1 , EL3020B DD902360 1 , EL3020B IPMS109DZJW01 , EL3020B IPMS1103EZO01 , EL3020B DB91569 , EL3020B DB91568 , EL3020B DD902728 3 , EL3020B IPMS101661A01 , EL3020B IPMS101660E01 , EL3020B IPMS101660K01 , EL3020B IPMS101661J01 , EL3020B BB20060C , EL3020B IPMS11076A601 , EL3020B IPMS105100R01 , EL3020B IPMS11066SD01 , EL3020B IPMS101660S01 , EL3020B IPMS101661H01 , EL3020B IPMS1103EOB01 , EL3020B IPMS1103EOW01 , EL3020B IPMS1103EOF01 , EL3020B SPE0101186037 , EL3020B SPE0101146297 , EL3020B DD902967 1 , EL3020B IPMS1103EOG01 , EL3020B IPMS1103EOT01 , EL3020B IPMS1103EOU01 , EL3020B IPMS1103EON01 , EL3020B IPMS1103EOM01 , EL3020B IPMS1053EUG01 , EL3020B IPMS1103EBR01 , EL3020B IPMS1103EPE01 , EL3020B IPMS1103EOK01 , EL3020B IPMS1103EOH01 , EL3020B IPMS1103EOJ01 , EL3020B IPMS1103EPB01 , EL3020B IPMS1103EPC01 , EL3020B IPMS1103EPA01 , EL3020B IPMS1103EVP01 , EL3020B XL61182 , EL3020B XL63258 , EL3020B IPMS110784201 , EL3020B IPMS1108HNM01 , EL3020B IPMS10525ZC01 , EL3020B IPMS1103EOX01 , EL3020B SPE0101187049 , EL3020B IPMS105101I01 , EL3020B IPMS1091U9X01 , EL3020B IPMS1091U9Y01 , EL3020B IPMS1103ESN01 , EL3020B IPMS1103ESO01 , EL3020B IPMS1103ESQ01 , EL3020B IPMS1103EPQ01 , EL3020B IPMS1103EVN01 , EL3020B IPMS1062B2E01 , EL3020B SPE0101182799 , EL3020B XL63259 , EL3020B IPMS10922EU01 , EL3020B IPMS1093YEK01 , EL3020B XL12AA005 , EL3020B XL12AA018 , EL3020B XL12AA013 , EL3020B IPMS1093YEO01 , EL3020B IPMS10922R01

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	ADDRESSABLE FLOOD ALARM SYSTEM FOR NOPV , ADDRESSABLE FIRE DETECTION SYSTEM FOR NOPV , AFAS MAIN CONTROL PANEL , AFAS REPEATER PANEL , DC UPS , BILGE LEVEL SWITCH 4M CABLE , SOUNDER WITH FLASHER BLUE 101DB , TYPE 2 CB FOR HYDROBAR SENSOR WITH ISOLATOR , TYPE 1 CONNECTION BOX CB , MARSHALLING PANEL , PLC POWER SUPPLY , PLC CPU , 64 CHANNEL D I , 16 CHANNEL DO , MCB DP 6A , 5X20 MM CARTRIDGE GLASS FUSE 1A FB5X201A , 1 C O RELAYS , 10 4 INCH HMI DISPLAY , CONNECTOR FOR DI CARD , CONNECTOR FOR AI CARD , CONTROL PANEL T2000 , LOOP EXTENTION CARD , REPEATER PANEL , SHOCKMOUNTS AKCC 25 , CABLE GLANDS EIPG9 , AFDS BATTERY BOX , 851PH PHOTO HEAT DETECTOR MARINE , DETECTOR CONTINUITY BASE , CONDUCTION BOX FOR DETECTOR , ADRESSABLE CALL POINT WETHER PROOF , CALLPOINT HINGED COVER FOR USE ON CP200 800 AND 900 , GLASS FOR CALL POINT , CP840EX MX ADDRESSABLE CP 514 800 513 , BACK BOX FOR C POINTS SUS516W , 811F MX FLAME DETECTOR , 4B C 4 DETECTOR BASE , ADRESSABLE HEAT DETECTOR , ADRESSABLE COMBINE HEAT AND OPTICAL DETECTOR , 5BEX 5 UNIVERSAL EX BASE , DHM 5B DECKHEAD MOUNT FOR 5 BASE , HEAT DETECTOR COOL ROOM , CIM800 CONTACT INPUT MODULE , ISOLATOR TIMER MODULE , SOUNDER ROSHNI 10CM 24VDC 35MA , 4 CHANNEL RELAYS IN DROP IN PLATE , HENSEL JB MI 0300 , EXI 800 MX IS LOOP INTERFACE , ONE CHANNEL BARRIER , TERMINALS FOR PLC CARDS , M20 GLANDS PLASTIC , HENSEL LOCKNUTS FOR RAL7035 FOR M20X1 5 , TESTIFIRE SMOKE AND HEAT TESTER , TEST SMOKE CAPSULE , SOLO101 EXTENSION POLE 1 13M , PROGRAMMING TOOL , TLI800 MX NET INT CABLE , BATTERY 26AH 12V , INTERPOSING RELAY 24V DC 4 C O , SOUNDER NOTIFICATION MODULE , 2 1 5SQ MM FIRE ALARM COMMUNICATION FRHF MARIN , 1 2 0 75 SQ MM FRLS CABLE ATC , 2P 0 75 SQ MM ATC SCREENED 600V CABLE , 2C 4 SQ MM ATC SCREENED 600V CABLE , 11P 1SQ MM ATC SCREENED 600V CABLE , POWER SUPPLY CABLE AS PER LOAD REQUIREMENT FRLS , CAT 6 CABLE
	Searched String: ADDRESSABLE FLOOD ALARM SYSTEM FOR NOPV High Mast Lighting Tower for large area with LED Flood Lighting System, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification Searched String: ADDRESSABLE FIRE DETECTION SYSTEM FOR NOPV Eye Detect System for Lie Detection, Standalone Ceiling Mounted Fire Suppression System, AI Video Analytics Software for Security, Safety and Occupancy Monitoring, Automatic Fire Ball for Fire - Extinguishing (V2), Automated Mortar Fire Direction Controller (AMFDC) as per MHA QRs, Fixed Clean Agent Gas based Fire Suppression System, Bullet Recovery Box, Automatic Fire Ball for Fire - Extinguishing, Deposit Safe (Non Tool Resistant) Searched String: AFAS MAIN CONTROL PANEL

बिड विवरण / Bid Details	Power Control Center (PCC) Panel for Power Distribution, Diesel Power Generator (up to 900 KVA), Industrial Panel PC, Traffic Police Booths, Star Delta Motor Starter for Three Phase Induction Motors (V2), Submersible Pump Starters (Motor starter controls), Universal Power Flow Controller, Portable OT Light Searched String: AFAS REPEATER PANEL Digital VHF Repeater Set as per MHA QR, Interactive Panels with CPU, Static Single Frequency Repeater Station (UP State), Digital UHF Repeater Sets as per MHA QR (V2), Wooden Podium, PUF Panel, Insulated Panel, Diesel Power Generator (up to 900 KVA), Insulated Panel (V2), Hand Sanitizer Panel Searched String: DC UPS Online UPS (V2), Pin Up Notice Board (V2), Line Interactive UPS with AVR (V2), DC Anvil (OFB), DC Solar Wire, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), DC WINCH MOTOR, Online Ups Modular Type, DC Electronic Load, Online UPS (> 10 KVA) With Battery Searched String: BILGE LEVEL SWITCH 4M CABLE Multi Level Float Switch, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Telephone Cable As Per TEC Specification (V2), modular electrical enclosure switch board boxes for modular type accessories, Entry and Mid Level Desktop Computer, Computer Monitor (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: SOUNDER WITH FLASHER BLUE 101DB Conference Speakerphone with Bluetooth, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Wireless Headphones, Earphones and Communication Headsets, Weightlifting Discs, TERA Package 1 - 3D Printed Biped with Bluetooth Control (ASoSE), Lighting Box (Flasher For Police Vehicles), Conference Speakerphone without Bluetooth, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Silica Gel Breather, Low Temperature Laboratory Deep Freezer (up to -40°C Degree) Searched String: TYPE 2 CB FOR HYDROBAR SENSOR WITH ISOLATOR Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Studs-IS:1862, Eye Bolts with Collars - IS 4190, Hygiene Kit for Gujarat, RESILIENT SEATED CAST IRON AIR RELIEF VALVES FOR WATER WORKS PURPOSES Searched String: TYPE 1 CONNECTION BOX CB
-------------------------	---

बिड विवरण / Bid Details	Telecommunication Cable Connection Enclosure, Muffle Furnace, Pilling Tester - Box Type (Textile), Electrical connection Lugs or thimbles, Telephone Junction Box, Biosafety Cabinet (V2), Box type PP Bag for Postal Deptt, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Bullet Recovery Box, Correspondence Envelopes (V3) Conforming to IS 13892
	Searched String: MARSHALLING PANEL Marshalling boxes For Switchyard of 66KV Substations (PSPCL), Interactive Panels with CPU, PUF Panel, Insulated Panel, Wooden Podium, Insulated Panel (V2), Diesel Power Generator (up to 900 KVA), Hand Sanitizer Panel, Panel Air Conditioner, Newspaper Reading Stand (V2) Searched String: PLC POWER SUPPLY Portable Power Supply Unit, Ultrasonic Probe Sonicator, DC Regulated Power Supply As Per MHA QRs, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Diesel Power Generator (up to 900 KVA), Switching Power Supply for Wireless Application, SNP PLC Programming Cable, Small Angle Grinders, Programmable Logic Controller (PLC), PLC based fire alarm system Searched String: PLC CPU CPU Trolley / CPU Stand, Entry and Mid Level Desktop Computer, CPU Trolley, Laboratory Incubators, SNP PLC Programming Cable, High End Desktop Computer, Programmable Logic Controller (PLC), Interactive Panels with CPU, PLC based fire alarm system, Interactive Panels without CPU Searched String: 64 CHANNEL D I Hot Rolled Steel Beam, Column, Channel and Angle Sections (V2) conforming to IS 808, Video Recorder for CCTV System (V2), Tablet Computer (V2), Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), Analog Transceiver - Handheld, CT Scanners 128 Slice, Artificial Insemination Sheath Conforming to IS 13181, General Purpose Hand Gloves (V2) Searched String: 16 CHANNEL DO CHANNEL KNOB, Cleaning Duster (V3), Nano Urea (liquid) 16, Analog Transceiver - Handheld, CT Scanners 16 Slice, Manual Single Channel Air Displacement Pipettors Or Micropipette (V2), PET- CT 16 Slice Scanning System, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Dissolved Oxygen Meter, Electrocardiography (ECG) Machine (V2) Searched String: MCB DP 6A Chlorpyrifos 1.5% DP, File/Folder (V3), Cypermethrin 0.25% DP (Dustable Powder), Quinalphos 01.50% DP (Dustable Powder), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Chlorpyrifos 1.5% DP (Dustable Powder) (V2), Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), water baths, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032 Searched String: 5X20 MM CARTRIDGE GLASS FUSE 1A

बिड विवरण/Bid Details	FB5X201A
	Dry Erase Writing Boards (V3), File/Folder (V3), White LED (W-LED) based Solar Lantern as per MNRE Specification, Pin Up Notice Board (V2), Vitreous China Sanitary Appliances - Squatting Pans conforming to IS 2556 (Part 3), Cotton Towelling And Towels Conforming To IS 7056 (V4), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Towel Hand Cotton Turkish (IAF), Endotracheal Tube - Sterile (Single Use), Biosafety Cabinet (V2) Searched String: 1 C O RELAYS One Man Meals Ready to Eat (Therm-O-Pack) (Menu No. 1) (Defence), Muffle/Box Furnace (V2), Auramine O For Microscopy, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode, Correspondence Envelopes (V3) Conforming to IS 13892, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Line Interactive UPS with AVR (V2), Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406 Searched String: 10 4 INCH HMI DISPLAY Pera nitro Phenol, Interactive Panels with CPU, Toluidine, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Humidity Chamber, Crepe Bandage Conforming to IS 4605, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), File/Folder (V3), Digital Earth Resistance Meter, General Purpose Hand Gloves (V2) Searched String: CONNECTOR FOR DI CARD Connector Pipes for Washbasins/ Sinks/ Geyser, Male connector for arc welding machine(BHEL), HYDRO ETHYLIDENE DI PHOSPHONIC ACID (HEDP) for ONGC, Field Mountable (FM45) Connector for Telecommunication, Add on Cards and Accessories for PABX System, Consumables for PVC Card Printer, Cast Iron Detachable Joints for use with Asbestos Cement Pressure Pipes as per IS 8794, IS 12987, PVC Card Printers, Card Board Box for Bio - Medical Waste Collection, Dimethyl Disulphide (DMDS) for Bulk Supply Searched String: CONNECTOR FOR AI CARD Connector Pipes for Washbasins/ Sinks/ Geyser, Male connector for arc welding machine(BHEL), Manual Needle Cum Syringe Hub Destroyer, Field Mountable (FM45) Connector for Telecommunication, Add on Cards and Accessories for PABX System, Consumables for PVC Card Printer, Planetary Ball Mill for Laboratory, Card Board Box for Bio - Medical Waste Collection, Memory Card Reader (V2), Optical Glass Slab for Science Labs in Schools Searched String: CONTROL PANEL T2000 Power Control Center (PCC) Panel for Power Distribution, Interactive Panels with CPU, Industrial Panel PC, Diesel Power Generator (up to 900 KVA), PUF Panel, magnetic stirrers, Insulated Panel, Portable OT Light, Insulated Panel (V2), Wooden Podium

बिड विवरण/Bid Details	Searched String: LOOP EXTENTION CARD
	Inoculating Loop, Hook and loop disc, Hemodialysis Catheter Kit, Mamata Card, Tent Card, Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, FTA Card, Gel Card Centrifuge, Electric sterilizer for inoculation loop, Band saw blade Searched String: REPEATER PANEL Digital VHF Repeater Set as per MHA QR, Interactive Panels with CPU, Static Single Frequency Repeater Station (UP State), Digital UHF Repeater Sets as per MHA QR (V2), Wooden Podium, PUF Panel, Insulated Panel, Diesel Power Generator (up to 900 KVA), Insulated Panel (V2), Hand Sanitizer Panel Searched String: SHOCKMOUNTS AKCC 25 Iprodion 25% + Carbendazim 25% WP (Wettable Powder), Electronic Weighing Scales, Buprofezin 25 % SC, Wild - Life Cages, Propiconazole 25% EC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Quinalphos 25 % Gel, Two Way Valve, Thiamethoxam 25% WG, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: CABLE GLANDS EIPG9 Flamproof Cable Gland, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Weatherproof Double Compression Cable Gland As Per BHEL Specification, SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), Cables, Converters and Adapters, Antenna Cable Searched String: AFDS BATTERY BOX Battery Cover, Muffle/Box Furnace (V2), Battery Tester, Plastic Ice Box (V2), Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Inverter Battery Trolley, Plastic Jerrycans, AIIMS Neuropsychological Battery, File/Folder (V3) Searched String: 851PH PHOTO HEAT DETECTOR MARINE PLC based fire alarm system Searched String: DETECTOR CONTINUITY BASE Smoke Detector, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Dental Base Plate, Door Frame Metal Detector, Suspect Lie Detector, Fixed Computer Workstation, HydroCarbon gas detector, Mouse Pad (V2), Toxic Gas Detector, Digital pH Meter Searched String: CONDUCTION BOX FOR DETECTOR Paper Box (V2), File/Folder (V3), Electrical Junction Box for Lighting, Door Frame Metal Detector, Foreign body (metal)

बिड विवरण / Bid Details	detector for veterinary use, Hopper Tipper Dumper for Garbage, File Storage Box (V2), Storage Box for Electronic Component, E-cart for Goods, Thermocol Ice box for Medical purposes Searched String: ADRESSABLE CALL POINT WETHER PROOF Flameproof Manual Call Point-IS:2148 Searched String: CALLPOINT HINGED COVER FOR USE ON CP200 800 AND 900 Category not available on GeM for the text string uploaded by the buyer Searched String: GLASS FOR CALL POINT Flameproof Manual Call Point-IS:2148, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Safety Glass for Road Transport Marked to IS 2553 (Part 2), Pick Axe as per IS 273, Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Glass Rods and Tubing for Laboratory Glassware confirming to IS 7374 (V3), LED Well Glass Fixture (V2) (Under BIS Scheme - II), DARK GLASS FOR WELDER'S SCREEN, Phototherapy Machine for (SNCU) Searched String: CP840EX MX ADDRESSABLE CP 514 800 513 Category not available on GeM for the text string uploaded by the buyer Searched String: BACK BOX FOR C POINTS SUS516W Chair for General Purpose, Auditorium Chair (V2), Trichloroethylene, Technical as per IS 245, Auramine O For Microscopy, foot step for hospitals Searched String: 811F MX FLAME DETECTOR Gas Chromatography - Triple Quadrupole Mass Spectrometry (GC - MS - MS) Searched String: 4B C 4 DETECTOR BASE Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, Cellular USB Modem, Cotton Towelling And Towels Conforming To IS 7056 (V4), Black Lead Pencils (V3) Conforming to IS 1375, water baths, Shirts Plain Weave Polyester and Cotton Full Sleeve as per Defence Specification, File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: ADRESSABLE HEAT DETECTOR Smoke Detector, Door Frame Metal Detector, Heat resistance Gauntlet, PLC based fire alarm system, Heat Resistant Gloves, Laboratory Incubators, Heat Elbow Wrap, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Infrared Heat Lamp, Solar Water Heating System as
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण/Bid Details	per IS 12976:1990
	Searched String: ADRESSABLE COMBINE HEAT AND OPTICAL DETECTOR Category not available on GeM for the text string uploaded by the buyer Searched String: 5BEX 5 UNIVERSAL EX BASE Multi Station Gym (V3), File/Folder (V3), Agar Media, Dental Composite Kit with Etchant and Bonding Agent, Agar Media (V2), Entry and Mid Level Desktop Computer, Digital UHF Repeater Sets as per MHA QR (V2), Rubberized Weight Plates, Digital VHF Repeater Set as per MHA QR, All in One PC (V2) Searched String: DHM 5B DECKHEAD MOUNT FOR 5 BASE Digital VHF Base / Mobile Transceiver Set as per MHA QR, File/Folder (V3), Hand Dryer (V3), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Theft Proof Rifle Racks, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Diesel Power Generator (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573 Searched String: HEAT DETECTOR COOL ROOM Convection Heaters - Room Heater, Blower, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Shell & Tube Heat Exchanger, PLC based fire alarm system, Liquid Cooled Heat Sink(BHEL), Heated Display Case - Hot Case (V2), Walk in Cooler, Wick Type Kerosene Oil Heater, Occupancy sensor, Kerosene Oil Fired Bukhari with Exhaust Pipes as per MHA QRs Searched String: CIM800 CONTACT INPUT MODULE Non-Contact High Voltage Detector, Relay Module Searched String: ISOLATOR TIMER MODULE Signal Isolator, Reciprocal Shakers - Mechanical Shaker Machine with Timer, BEARING ISOLATOR, Substation Clamps / Connectors, Digital Timer, Rotary Shaker, Stopwatch (V2), Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Random Access Memory (RAM) Module Searched String: SOUNDER ROSHNI 10CM 24VDC 35MA File/Folder (V3), Multi function Calibrators, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Non Adherent Dressings (V2), Endotracheal Tube - Sterile (Single Use), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Combination Spanners (V2), Non Sparking Hammers (V2), Non Sparking Ring Slugging Spanners (V2) Searched String: 4 CHANNEL RELAYS IN DROP IN PLATE Interceptor Vehicle (4 Wheeler), Environmental Chamber,

बिड विवरण/Bid Details	Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Hydrochloric Acid as per IS 265, Fipronil 4% + Acetamiprid 4% Suspension Concentrate Conforming To Is 18390, shoes school pvc boys girls, Fipronil 4%+ Thiamethoxam 4% Suspension Concentrate Conforming To Is 18391, Herbal Pest Control Gel, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, Audio Amplifier (V3) Searched String: HENSEL JB MI 0300 Category not available on GeM for the text string uploaded by the buyer Searched String: EXI 800 MX IS LOOP INTERFACE Category not available on GeM for the text string uploaded by the buyer Searched String: ONE CHANNEL BARRIER Portable and Wireless One Channel Spectroscopy, All in One PC (V2), Barrier Blocks, ROAD BARRIER, Sofa (V3), CHANNEL KNOB, Spike Barrier (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Surgical Adhesion Barrier, Electrocardiography (ECG) Machine (V2) Searched String: TERMINALS FOR PLC CARDS Add on Cards and Accessories for PABX System, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Alphabet Flash Cards (Preschool Kit), Industrial Ethernet Switch (V2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Automatic Fully Mechanised Organic Waste Machine for Compost Non Heating Type, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419 Searched String: M20 GLANDS PLASTIC Flamproof Cable Gland, Cleaning Duster (V3), Plastic Refractory, SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL), Plastic Jerrycans, File/Folder (V3), Plastic Pouches, water baths, Plastic Fireclay, cobweb brush Searched String: HENSEL LOCKNUTS FOR RAL7035 FOR M20X1 5 Passbook for Post Office (V2), File/Folder (V3), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), Electrical Junction Box for Lighting, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Conveyor and Elevator Textile Belting (Fire Resistant Belting for Surface Application) (V2) conforming to IS 1891 (Part 5), Recycled Towel, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II) Searched String: TESTIFIRE SMOKE AND HEAT TESTER Category not available on GeM for the text string uploaded by the buyer
-----------------------	--

बिड विवरण/Bid Details	Searched String: TEST SMOKE CAPSULE
	Cement Capsule, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Resin Capsule, CEPHALEXIN, Capsule Bottle, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Miltefosine Capsule, Clindamycin Capsule, Fluoxetine Capsule, JAR TEST APPARATUS Searched String: SOLO101 EXTENSION POLE 1 13M Extension Pole Cum Monopod (Accessories for Action Camera), Lyophilizer, Mini Extension Pole Cum Tripod Cum Shooting Grip (Accessories for Action Cameras), Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Extension Bar, Biosafety Cabinet (V2), Multi Hyper Extension Machine, Add on Gateways for PABX System, shoes school pvc boys girls, Octagonal Pole (V2) Searched String: PROGRAMMING TOOL SNP PLC Programming Cable, Crimping Tools, Tool bag, Cantilever Tool Box, Twist Drill (Parallel Shank) as per IS 5102 (V2), Tool Box - BHEL, Mechanic Motor Vehicle trainee tool kit (Skill India Program), Hand Rivet Tool, Flaring tool Kit, Hand Held Brush Cutter (V2) Searched String: TLI800 MX NET INT CABLE Cable network tester, Touchless Soap Dispenser (V3), Optical Fibre Cable for Networking, Telecommunication Cable Connection Enclosure, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Ethernet Cables, Speaker cable, Network Interface Card, PRAN: Processor and Network Module (NPCIL), Intrusion Detection & Prevention Systems (IDS/IPS) Searched String: BATTERY 26AH 12V Battery Cover, Cleaning Duster (V3), Battery Tester, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Cotton Towelling And Towels Conforming To IS 7056 (V4), Inverter Battery Trolley, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, AIIMS Neuropsychological Battery, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1) Searched String: INTERPOSING RELAY 24V DC 4 C O Plug In Relay, 24V DC (BHEL-SCR), Gear Lubricants For Enclosed Industrial Gear Drives conforming to IS 8406 Searched String: SOUNDER NOTIFICATION MODULE Echo Sounder, Random Access Memory (RAM) Module, Relay Module, Interface module, Current Voltage Measuring Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Single switch IGBT Module, Air Decontamination System (Fumigation Cum Air Purification System), Disconnection Telecommunication Voice Module, Hardware Security Module (HSM) Searched String: 2 1 5SQ MM FIRE ALARM COMMUNICATION FRHF MARIN

बिड विवरण / Bid Details	PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To
	IS 694, Cricket Stumps and Bails (V2) Conforming to IS 6621, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Signal/ Triad Cable Searched String: 1 2 0 75 SQ MM FRLS CABLE ATC XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Portable Toilet Searched String: 2P 0 75 SQ MM ATC SCREENED 600V CABLE XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Signal/ Triad Cable, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Ultrasonic Thickness Gauge, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: 2C 4 SQ MM ATC SCREENED 600V CABLE XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid

बिड विवरण / Bid Details	Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 Searched String: 11P 1SQ MM ATC SCREENED 600V CABLE XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 kV up to and Including 33 kV as per IS 7098 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Electrical Cable Lugs, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: POWER SUPPLY CABLE AS PER LOAD REQUIREMENT FRLS DC Regulated Power Supply As Per MHA QRs, All Dielectric Self-Supporting (ADSS) Optical Fibre Cable As per TEC Specification (V2), Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Hand - Operated Chain Pulley Block (V2) as per IS 3832 Searched String: CAT 6 CABLE Copper Patch Cord, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 6 - Benzylaminopurine, Ethernet Cables, water baths, 6 - Mercaptopurine Tablets (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Field Telephone Cable (Telecommunication Cable), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Antenna Cable
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• PLC based fire alarm system
बीओक्यू शीर्षक / BOQ Title	26KLEC903
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	EL3020B DD907041 0
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months).	14

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी / Beneficiary :

DCDA
PERUMANOOR THEVARA KOCHI ERNAKULAM
(Aao)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement (Preference to Make-in-india) order 2017 date 16.09.2020 (as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order (as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25
---	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.

4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

EL3020B DD907041 0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B DD907042 0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B DD902358 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B DD902359 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B DD902360 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS109DZJW01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	141	365

EL3020B IPMS1103EZO01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	7	365

EL3020B DB91569

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	30	365

EL3020B DB91568

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	95	365

EL3020B DD902728 3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	7	365

EL3020B IPMS101661A01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS101660E01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS101660K01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS101661J01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B BB20060C

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS11076A601

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	10	365

EL3020B IPMS105100R01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	10	365

EL3020B IPMS11066SD01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS101660S01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS101661H01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS1103EOB01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS1103EOW01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	4	365

EL3020B IPMS1103EOF01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B SPE0101186037

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	8	365

EL3020B SPE0101146297

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	32	365

EL3020B DD902967 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS1103EOG01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	170	365

EL3020B IPMS1103EOT01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	167	365

EL3020B IPMS1103E0U01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	99	365

EL3020B IPMS1103E0N01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	53	365

EL3020B IPMS1103EOM01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	47	365

EL3020B IPMS1053EUG01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	47	365

EL3020B IPMS1103EBR01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	6	365

EL3020B IPMS1103EPE01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	47	365

EL3020B IPMS1103EOK01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	6	365

EL3020B IPMS1103EOH01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	6	365

EL3020B IPMS1103EOJ01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	10	365

EL3020B IPMS1103EPB01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	26	365

EL3020B IPMS1103EPC01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	28	365

EL3020B IPMS1103EPA01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	28	365

EL3020B IPMS1103EVP01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	5	365

EL3020B XL61182

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	5	365

EL3020B XL63258

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS110784201

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	27	365

EL3020B IPMS1108HNM01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	4	365

EL3020B IPMS10525ZC01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	10	365

EL3020B IPMS1103EOX01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	12	365

EL3020B SPE0101187049

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	12	365

EL3020B IPMS105101I01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	40	365

EL3020B IPMS1091U9X01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	10	365

EL3020B IPMS1091U9Y01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	10	365

EL3020B IPMS1103ESN01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS1103ESO01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B IPMS1103ESQ01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS1103EPQ01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS1103EVN01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS1062B2E01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B SPE0101182799

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	2	365

EL3020B XL63259

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1	365

EL3020B IPMS10922EU01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	15000	365

EL3020B IPMS1093YEK01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	4820	365

EL3020B XL12AA005

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	1500	365

EL3020B XL12AA018

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	100	365

EL3020B XL12AA013

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	800	365

EL3020B IPMS1093YEO01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	515	365

EL3020B IPMS109222R01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****ERNAKULAM CITY	300	365

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

OFFICER IN CHARGE, AREA ACCOUNTS OFFICER NAVY

Account No.

10589078085

IFSC Code

SBIN0008660

Bank Name

STATE BANK OF INDIA

Branch address

PERUMANOOR, THEVARA, ERNAKULAM

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the

Bid document, ATC and Corrigendum if any.

6. Warranty

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

7. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues

or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---