

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-09-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	01-10-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Pmo
विभाग का नाम/Department Name	Department Of Atomic Energy
संगठन का नाम/Organisation Name	Nuclear Power Corporation Of India Limited
कार्यालय का नाम/Office Name	Tamilnadu
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :ascon6948@npcil.co.in Buyer Email id: fibuyer2191@npcil.co.in
कुल मात्रा/Total Quantity	2600
वस्तु श्रेणी /Item Category	Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1) (Q2) , Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (Q2) , Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (Q2)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes

बिड विवरण/Bid Details	
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 10 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	106
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	124
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	256
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	163
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	253
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	260
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	340
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	364
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	426
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	228
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	218
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	225
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	324

Schedule 15 ईएमडी राशि/EMD Amount (In INR)	433
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	431
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	690
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	996
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	1032
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	2126
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	2472
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	1961
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	2614
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	3558
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	3592
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	2705
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	2339
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	3569
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	6880
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	7696

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	16

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Site Director

Nuclear Power Corporation of India Limited (NPCIL), Kudankulam Nuclear Power Project, Kudankulam PO, Radhapuram Taluk, Tirunelveli Dist - 627106, Tamil Nadu.
(Kudankulam Nuclear Power Project)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

S.No.	Name
1	M1XCHANGE

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued

by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

HSN Code and GST Details - [1787037670.xlsx](#)

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 2	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 3	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	200
Schedule 4	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	200
Schedule 5	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 6	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	75

Schedule 7	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	75
Schedule 8	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 9	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 10	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 11	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 12	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 13	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 14	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 15	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 16	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	50
Schedule 17	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 18	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 19	Miniature Circuit Breakers (mcb) For Ac Operation Marked To Is/iec 60898 (part 1)	100
Schedule 20	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	100
Schedule 21	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	100
Schedule 22	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	50
Schedule 23	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	100
Schedule 24	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	100
Schedule 25	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	100
Schedule 26	Residual Current Operated Circuit Breakers (rccb) Without Integral Overcurrent Protection Isi Marked To Is 12640 (part 1)	50
Schedule 27	Residual Current Operated Circuit Breakers (rcbo) With Integral Overcurrent Protection Isi Marked To Is 12640 (part 2)	50
Schedule 28	Residual Current Operated Circuit Breakers (rcbo) With Integral Overcurrent Protection Isi Marked To Is 12640 (part 2)	50
Schedule 29	Residual Current Operated Circuit Breakers (rcbo) With Integral Overcurrent Protection Isi Marked To Is 12640 (part 2)	100

Schedule 30	Residual Current Operated Circuit Breakers (rcbo) With Integral Overcurrent Protection Isi Marked To Is 12640 (part 2)	100
-------------	--	-----

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	6
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	10
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (200 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	16
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	200	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (200 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	1 P
	Rated Current (in Ampere)	20
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	200	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP
	Rated Current (in Ampere)	6
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (75

pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP
	Rated Current (in Ampere)	10
	Rated Voltage (in Volts)	240 / 415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

Additional Specification Parameters - Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (75 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Rated Voltage (in Volts)	1) 240 V, AC

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	75	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (75 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP
	Rated Current (in Ampere)	16
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	75	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Current (in Ampere)	20
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP
	Rated Current (in Ampere)	32
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP
	Rated Current (in Ampere)	40
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	2 P with 2 PP
	Rated Current (in Ampere)	63
	Rated Voltage (in Volts)	240 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	3 P with 3 PP
	Rated Current (in Ampere)	10
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	3 P with 3 PP

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Current (in Ampere)	32
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	3 P with 3 PP
	Rated Current (in Ampere)	63
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 4 PP
	Rated Current (in Ampere)	10
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 4 PP
	Rated Current (in Ampere)	25
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

प्रेषित/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 4 PP
	Rated Current (in Ampere)	32
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 4 PP

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Current (in Ampere)	40
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Miniature Circuit Breakers (MCB) For AC Operation Marked To IS/IEC 60898 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RATING	Number of Pole (Hint: "P" - Pole; "PP" - Protected Pole)	4 P with 4 PP
	Rated Current (in Ampere)	63
	Rated Voltage (in Volts)	415 V, AC
	Instantaneous Tripping Current Type	C
	Rated Short Circuit Capacity (in Ampere)	10000

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CONSTRUCTION	Provision of Steel Sheet Enclosure for MCB	Without enclosure

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Rated Voltage	240
	Number of Poles	2
	Rated Current (in Ampere)	25
	Rated Residual Operating Current (in Ampere)	0.03
	Rated Residual Making and Breaking Capacity	1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Rated Voltage	240
	Number of Poles	2
	Rated Current (in Ampere)	40
	Rated Residual Operating Current (in Ampere)	0.03
	Rated Residual Making and Breaking Capacity	1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (50 pieces)**(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)**

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Number of Poles	2
	Rated Current (in Ampere)	63
	Rated Residual Operating Current (in Ampere)	0.03
	Rated Residual Making and Breaking Capacity	1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

Additional Specification Parameters - Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Rated Voltage	1) 240 V

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Number of Poles	4
	Rated Current (in Ampere)	25
	Rated Residual Operating Current (in Ampere)	0.03
	Rated Residual Making and Breaking Capacity	1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

Additional Specification Parameters - Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Rated Voltage	1) 415 V

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Rated Voltage	415
	Number of Poles	4
	Rated Current (in Ampere)	40
	Rated Residual Operating Current (in Ampere)	0.03
	Rated Residual Making and Breaking Capacity	1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Rated Voltage	415

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Poles	4
	Rated Current (in Ampere)	63
	Rated Residual Operating Current (in Ampere)	0.03
	Rated Residual Making and Breaking Capacity	1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCCB) Without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	RCCB Type	Type AC
	Rated Voltage	415
	Number of Poles	4
	Rated Current (in Ampere)	63
	Rated Residual Operating Current (in Ampere)	0.1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Residual Making and Breaking Capacity	500 A, 630 A, 800 A, 1000 A
	Rated Conditional Short Circuit Current and Rated Conditional Residual Short Circuit Current	10000, 10000 kA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type Designation	Type AC
	Number of Poles	1 pole RCBO with one overcurrent protected pole and uninterrupted neutral, 2 pole RCBO with one overcurrent protected pole, 2 pole RCBO with two overcurrent protected poles, 3 pole RCBO with three overcurrent protected poles, 3 pole with three overcurrent protected poles and uninterrupted d neutral (four current paths), 4 pole RCBO with three overcurrent protected poles, 4 pole RCBO with four overcurrent protected poles
	Rated Current (in Amps)	25
	Rated short-circuit capacity (in Ampere)	10000

विवरण/Specification	विशिष्ट का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated residual operating current (in Ampere)	0.006, 0.01, 0.03, 0.1, 0.3, 0.5
	Range of instantaneous tripping over current	C type
CONSTRUCTION	Method of operation	Functionally independent of line voltage
	Type of installation	For fixed installation and fixed wiring;
	Possibility of adjusting the residual operating current	Single value of rated residual operating current
	Resistance type for unwanted tripping due to voltage surges	Normal resistance (for General type RCBO)
	Time delay	Without time delay for general type
	Provision of Enclosure	Without enclosure
	Method of mounting	Surface-type
	Degree of protection	IP20

Additional Specification Parameters - Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Number of Poles	1) 2 pole RCBO with two overcurrent protected poles
2) Method of connection	2) Plug in type
3) Rated voltage	3) 240 V
4) Rated residual operating current (in Ampere)	4) 0.03

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106, KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (50 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type Designation	Type AC
	Number of Poles	4 pole RCBO with three overcurrent protected poles
	Rated Voltage (in Volt)	415
	Rated Current (in Amps)	6, 8, 10, 13, 16, 20, 25, 32, 40, 50, 63, 80, 100, 125
	Rated short-circuit capacity (in Ampere)	10000
	Rated residual operating current (in Ampere)	0.03
	Range of instantaneous tripping over current	C type
CONSTRUCTION	Method of operation	Functionally independent of line voltage
	Type of installation	For fixed installation and fixed wiring;
	Possibility of adjusting the residual operating current	Single value of rated residual operating current
	Resistance type for unwanted tripping due to voltage surges	Normal resistance (for General type RCBO)
	Time delay	Without time delay for general type
	Provision of Enclosure	Without enclosure
	Method of mounting	Surface-type
	Method of connection	Plug-in type
	Degree of protection	IP20

Additional Specification Parameters - Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (50 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Rated Current (in Amps)	1) 25

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	50	60

Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type Designation	Type AC
	Number of Poles	1 pole RCBO with one overcurrent protected pole and uninterrupted neutral, 2 pole RCBO with one overcurrent protected pole, 2 pole RCBO with two overcurrent protected poles, 3 pole RCBO with three overcurrent protected poles, 3 pole with three overcurrent protected poles and uninterrupted neutral (four current paths), 4 pole RCBO with three overcurrent protected poles, 4 pole RCBO with four overcurrent protected poles
	Rated Current (in Amps)	40
	Rated short-circuit capacity (in Ampere)	10000
	Rated residual operating current (in Ampere)	0.03
	Range of instantaneous tripping over current	C type
CONSTRUCTION	Method of operation	Functionally independent of line voltage
	Type of installation	For fixed installation and fixed wiring;
	Possibility of adjusting the residual operating current	Single value of rated residual operating current
	Resistance type for unwanted tripping due to voltage surges	Normal resistance (for General type RCBO)
	Time delay	Without time delay for general type
	Provision of Enclosure	Without enclosure
	Method of mounting	Surface-type
	Method of connection	Plug-in type

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Degree of protection	IP20

Additional Specification Parameters - Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Number of Poles	1) 4 pole RCBO with three overcurrent protected poles
2) Rated voltage	2) 415

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (100 pieces)

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type Designation	Type AC
	Number of Poles	1 pole RCBO with one overcurrent protected pole and uninterrupted neutral, 2 pole RCBO with one overcurrent protected pole, 2 pole RCBO with two overcurrent protected poles, 3 pole RCBO with three overcurrent protected poles, 3 pole with three overcurrent protected poles and uninterrupted neutral (four current paths), 4 pole RCBO with three overcurrent protected poles, 4 pole RCBO with four overcurrent protected poles

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Rated Current (in Amps)	63
	Rated short-circuit capacity (in Ampere)	10000
	Rated residual operating current (in Ampere)	0.03
	Range of instantaneous tripping over current	C type
CONSTRUCTION	Method of operation	Functionally independent of line voltage
	Type of installation	For fixed installation and fixed wiring;
	Possibility of adjusting the residual operating current	Single value of rated residual operating current
	Resistance type for unwanted tripping due to voltage surges	Normal resistance (for General type RCBO)
	Time delay	Without time delay for general type
	Provision of Enclosure	Without enclosure
	Method of mounting	Surface-type
	Method of connection	Plug-in type
	Degree of protection	IP20

Additional Specification Parameters - Residual Current Operated Circuit Breakers (RCBO) With Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2) (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1) Number of Poles	1) 4 pole RCBO with three overcurrent protected poles
2) Rated voltage	2) 415

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Charles Durai	627106,KKNPP, NPCIL, KUDANKULAM, RADHAPURAM TALUK, TIRUNELVELI DIST, TAMILNADU	100	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

2.1) MSE Benefits:

Only manufacturers quoting for goods/product manufactured by them shall be eligible for availing benefits under the Public Procurement Policy for MSEs Order 2012. Dealers/ Distributors/ Sole Agents/ Resellers/ Traders/ Stockist will not be considered for benefits under the subject policy and are required to pay requisite EMD as stipulated in the bid document. **Seller declaration stating that the offered product is manufactured by them shall be submitted along with bid.**

2.2) Compliance to Clause no.29 of GeM GTC (One bid per bidder):

Bidder shall mandatorily submit a declaration as per Annexure-II (Attached in buyer added AT C) along with their offer.

2.3) Make In India Certification regarding:

1. As per MII PPP order dated 4.6.2020 only Class – I bidders are eligible to participate in the Tender. Non – Local suppliers are not eligible to participate.
2. **Bidders must upload a certificate for the offered Product from OEM (Original Equipment manufacturer) indicating the percentage of the local content and details of location at which the local value addition is made along with their bid.**
3. Bidders are required to refer to clause. 7.3.5 of Manual of Goods regarding clarification of Bid/Shortfall Documents.

2.4) Documents to be submitted along with your offer:

Sr. No.	Description	Document required/Clause reference
1	MSE - Purchase preference / MSE - EMD Exemption, if applicable	In addition to Udyam Certification, declaration that the bidder is the manufacturer of the offered item is to be provided as per clause no.-2.1 mentioned in Buyer Added Bid Specific ATC.
2	Compliance to Clause No-29 (One bid per bidder)	Declaration as per Clause no. 29 of GeM GTC towards one bid per bidder is to be provided as per clause no.-2.2 mentioned in Buyer Added Bid Specific ATC.

3	Make in India	Make in India certification indicating percentage of Local content along with location of local content addition from the Manufacturer (OEM) of the offered item is to be provided as per clause no.- 2.3 mentioned in Buyer Added Bid Specific ATC.
4	Technical Document	BIS license copy should be submitted at the time of bidding. The bidders who do not submit the BIS license shall be liable for rejection.

Note- In addition to above, any other documents which are applicable as per bid terms & conditions need to be submitted by the bidder.

2.5) Document to be submitted along with supply:

Data sheet to be submitted by the contractor along with supply of material.

2.6) Additional Specification Parameters, if any:

Additional Specification Parameters as stipulated in the Bid Document must be complied by the Bidder/Seller and supply may be made accordingly otherwise material will be liable for rejection.

2.7) Clause towards Civil Liability for Nuclear Damages: (CLND Act 2010 and Rule 2011):

Contracts with manufacturers of or vendors for the supply of systems, equipment, components, or building of structure, or provision of services to Kudankulam Nuclear Power Project Unit 3 to 6, such manufacturers or vendors or service providers, being not responsible for the plant design or integration, will not be assigned the role of "Supplier". The right of recourse under section 17(a) & 17(b) of Civil Liability for Nuclear Damages (CLND) Act 2010 will not be applicable for this contract.

2.8) Clarifications/documents submitted by the bidder:

Documents not submitted along with the bid and clarifications sought during the evaluation stage, but being submitted during representation shall not be considered, for evaluation.

2.9) Documents related to Payment (Additional Doc-1) :

The seller shall submit Original invoice clearly marked for 'Bill to' and 'Shipped to', Annexure-F (copy enclosed), Seller's Bank details, E-invoice if applicable to seller based on his turnover, Test certificate (if applicable) etc to the Paying Authority directly, immediately after dispatching material to the Consignee. As payment is to be released in a time bound manner, non-receipt of these documents in time may lead to rejection of supplies."

2.10) Details of HSN Code & GST:

Bidders may note GeM GTC clause: 3A(xvii) and do not attach any document indicating the price in the technical bid. Only the HSN code and GST percentage of the item(s) are to be indicated in the excel upload

2.11) TReDs:

MSME Ministry, GoI vide notification dtd 02.11.2018 has mandated all CPSE to get on boarded on the TReDS.

As per the above directives of MSME Ministry, NPCIL is already registered with RXIL.

TReDS is an electronic platform for facilitating the financing / discounting of trade receivables of Micro, Small and Medium Enterprises (MSMEs) through multiple financiers. These receivables can be due from corporates and other buyers, including Government Departments and Public Sector Undertakings (PSUs).

Both Buyer and the Seller must be registered on the TReDS platform for financing / factoring of trade receivables of the MSME Seller. Currently, there are four RBI-approved platforms: Receivables Exchange of India Ltd. (RXIL), A Treds Ltd. (Invoicemart), C2treds and Mynd Solutions Pvt. Ltd. (M1xchange).

NPCIL also encourages its seller to register on RXIL trades Platform.

In view of the above, you are requested to register on RXIL trades Platform at the earliest.

For registration process, bill discounting & other complete details/FAQs and correctness of above information including current interest rates, terms & condition etc., seller may visit the <https://www.rxil.in>

2.12) Warranty:

Warranty period of the supplied products shall be **1 Year** from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service.

2.13) EMD & Performance Security Clauses:

a) Buyer's Bank account details for payment of EMD / Performance Security:

Beneficiary details:

Beneficiary Name: Site Director – NPCIL, KKNPP

Nuclear Power Corporation of India Limited - Kudankulam Nuclear Power Project

IFSC Code: SBIN0004387

Bank Name: State Bank of India

Branch address: Anuvijay Township

b) EMD payment:

1) Bidders can submit EMD in any mode indicated in GeM GTC.

2) Sellers may visit SBI Collect website and follow below path:

PSU - Public Sector Undertaking --> NPCIL Kudankulam Tenders --> Payment Category --> EMD Payment.

c) Performance security Bond for execution of contract & Performance of the equipment:

- i. In case of award of contract, successful bidder shall furnish Performance Security for 5% of the Contract value in any mode indicated in GeM GTC within 15 days of placement of contract for the duration of 16 months inclusive of 2 months claim period.**
- ii.** For payment through SBI Collect, sellers may visit SBI Collect website and follow below path:
PSU - Public Sector Undertaking --> NPCIL Kudankulam Tenders --> Payment Category --> Performance Security Payment.
- iii.** Following details may be provided (along with the offer) for proper accounting and release of EMD/Performance security to the bidder as per GeM GTC.

i. GEM bid no: /GEM purchase order no:

ii. Name of the bidder:

iii. Bank and branch name

iv. Account no:

v. IFSC code of bank branch

vi. UTR no:

vii. Amount remitted in Rs:

viii. Copy of Cancelled cheque

- iv. For payments through bank guarantees/ Bankers' cheque/ Demand draft/Fixed deposit/Insurance surety bonds, Original Hard copy of EMD / PBG documents shall be sent to the following address within 5 working days from the date of bid opening / 15 days from the date of the purchase order respectively.

Head (C&MM)
Contracts & Materials Management Group
Nuclear Power Corporation of India Limited (NPCIL)

Kudankulam Nuclear Power Project,
Kudankulam PO,
Radhapuram Taluk,
Tirunelveli Dist - 627106 Tamil Nadu

v. NeSL:

For e-BG submission through NeSL portal, the following details shall be utilized:

Beneficiary PAN:	AAACN3154F
Beneficiary NAME:	Nuclear Power Corporation of India Limited
Date of Incorporation:	03/09/1987
Beneficiary Email ID:	fibuyer2191@npcil.co.in
Contact number:	04637 - 282187
Legal Constitution of the party :	Company Registered office address: 16th Floor, World Trade Centre-1, Cuffe Parade, Colaba, Mumbai
Registered office address Pin code:	400005
Communication address:	Nuclear Power Corporation of India Limited (NPCIL) Kudankulam Nuclear Power Project, Kudankulam PO, Radhapuram Taluk, Tirunelveli Dist - 627106 Tamil Nadu Communication address Pin code: 627106

2.14) EMD Exemption:

Exemption of EMD based on **Vendor Assessment Report** shall be limited to Category/Catalogue-based Bids/RA. **Vendor Assessment is not applicable for Custom / BOQ Bids**, Hence EMD exemption against Vendor Assessment Report is not permitted for Custom / BOQ Bids.

2.15) Delivery Instructions:

In case of award of contract, Supplier shall note below instructions regarding Delivery of the Items & Submission of invoice:

- a) Please instruct the transporter / delivery person to handover the GST Invoice without fail to the consignee.
- b) The contractor shall ensure that the ordered items reaches our plant site for delivery from 10:00 Hrs to 15:00 Hrs on any Working day. In case of any delay beyond the stipulated time, Vehicle will be detained at Main Gate of our Company and delivery will be taken only on the next working day.
- c) As per GeM terms & conditions, Seller/ Contractor shall send proper GST invoice as per the requirement of GST rules along with goods to the buyer/consignee without fail. Unless, the GST invoice is received from the seller along with the goods, the payment shall not be processed.
- d) GST Invoice to be sent along with the goods has to be sent in a separate envelope and the same GST Invoice has to be shown at our company's gate for entry purpose, hence don't put the Envelope contained GST Invoice inside the goods boxes / carton boxes. Along with the GST Invoice following details to be provided by the Seller / Contractor for processing the payments.

Name of the Seller:

Name of the bank:

Account Number:

IFSC Code no. (11 digits):

- e) The Seller shall submit Original invoice clearly marked for "Bill to" and "Shipped to", Annexure -F (copy enclosed), Seller's bank details, E-Invoice if applicable to seller based on his turnover, Test certificate (if applicable) etc to the Paying Authority directly, immediately after despatching material to the Consignee.

As payment is to be released in a time bound manner, non- receipt of these documents in time may lead to rejection of supplies.

2.16) Banning of business dealings by NPCIL/Buyer:

NPCIL reserves the right to initiate Banning as per NPCIL's Banning of business dealings as mentioned below and are independent of actions under GeM's IM (Incident Management) Policy.

The words banning, blacklisting, de-registered, debarred, holiday, suspension of business etc., means the same.

The words NPCIL, Corporation, Buyer etc., means the same.

The words Contractor, Bidder, Seller, Seller, Service Provider etc., means the same.

1.1 Grounds for Banning

The business dealing with the Contractor/Bidder/Seller/Service Provider shall be liable for banning, on account of the reasons attributable to them, which shall include, but not limited to the following:

- 1.1.1.** Involvement in cartel formation during bidding.
- 1.1.2.** Baseless allegations by the bidder on NPCIL/Corporation/Buyer evaluation processes or officials.
- 1.1.3.** If any of the owner, proprietor or partner of the Contractor, is convicted by a court of law, during bidding process or currency of the contract, for offences involving corrupt and fraudulent practices including misrepresentation of the facts, moral turpitude in relation to its business dealings with NPCIL.
- 1.1.4.** Malafide / unlawful acts / malpractices or improper conduct on part of Contractor based on the approved findings of the Investigation Agency.
- 1.1.5.** If the Contractor misuses the premises or facilities of the NPCIL forcefully occupies, tampers or damages the Company's properties etc. or fails to vacate the properties/land/complex within reasonable time limit as specified or even after receiving the notices from the department.
- 1.1.6.** Security concerns for the assets of the Corporation and State.
- 1.1.7.** Submission of bids that contain false information or falsified documents or the concealment of such information in the bids in order to influence the outcome of eligibility screening or / at any other stage of the public bidding and execution.
- 1.1.8.** Withdrawal of a bid or refusal to accept an award of contract with the NPCIL without justifiable cause, after being adjudged as the successful bidder.

1.1.9. Supply of Counterfeit items Breach of Code of Integrity.

1.1.10. Bidder shall not act in contravention of the codes which includes

1.1.10.1 Prohibition of

- a. Making offer, solicitation or acceptance of bribe, reward or gift or any material benefit, either directly or indirectly, in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process.
- b. Any omission or misrepresentation that may mislead or attempt to mislead so that financial or other benefit may be obtained or an obligation avoided.
- c. Any conclusion, bid rigging or anticompetitive behavior that may impair the transparency, fairness and the progress of the procurement process.
- d. Improper use of information provided by the procuring entity to the bidder with an intent to gain an unfair advantage in the procurement process or for personal gain.
- e. Any financial or business transactions between the bidder and any official of the procuring entity related to tender or execution process of contract; which can affect the decision of the procuring entity directly or indirectly.
- f. Any coercion or any threat to impair or harm, directly or indirectly, any party or its property to influence the procurement process.
- g. Obstruction of any investigation or auditing of a procurement process.
- h. Making false declaration or providing false information for participation in tender process or to secure a contract;

1.1.10.2 Disclosure of conflict of interest

1.1.10.3 Disclosure by the bidder of any previous transgression made in respect of the provisions of above 1.1.10.1 with any entity in any country during the last three years or of being debarred/ banned by any other procuring entity.

1.2 Show Cause Notice

1.2.1 NPCIL will issue Show Cause Notice to the Contractor on noticing/receipt of a complaint of any irregularities and /or misconduct and /or unethical practice as mentioned in clause no. 1.1.

1.2.2 Upon receipt of Show cause notice, the Contractor is required to submit the reply to Show Cause Notice within 30 days of its receipt and no extension shall be given without justifiable reasons. The Contractor shall also be given an opportunity for oral hearing to present the case in person to NPCIL and the date of Oral Hearing will be indicated in the Show Cause Notice. Only the regular employees of Contractor will be permitted to represent the Contractor during the Oral hearing, and no outsider shall be allowed to represent the Contractor on their behalf.

1.3 Period of Banning

The period of banning shall be for a period of not exceeding 2 (two) years and not less than 6 (six) months as considered appropriate by NPCIL.

1.4 Effect of Banning of Business Dealings by NPCIL

In case NPCIL has banned the business dealing with the bidder/contractor, the following shall be the consequences on issuance of the order of banning of business dealings with the bidder/contractor:

1.4.1 No Contract of any kind whatsoever shall be placed to such banned firms including its allied firms after the issue of Banning Order by NPCIL. The Contractor including their allied firms shall not be allowed to participate in any tender enquiry till completion of Banning period. If the Contractor has already participated in tender process and the price bids are not opened, his techno-commercial bid will be rejected and price bid will be kept unopened. In cases, where the price bids of Contractor have been opened prior to the order of banning, such bids shall be rejected. However, in case such banned Contractor is Lowest (L1), next lowest firm shall be considered as L1. Bid Security, if any, submitted by such banned Contractors shall be returned to the bidder.

1.4.2 Contractors shall not be permitted to participate in any business process in any form or entity i.e., as an Associate/Collaborator/Joint Venture Partner/Consortium Partner of the Main Contractor even if the banning order is passed subsequent to opening of Part-I bids.

- 1.4.3** Contractor shall not be allowed to participate as Sub-Vendor/sub-contractor in the tenders for contracts for works, service, supplies.
- 1.4.4** Even if, the banned Contractor is an approved Sub-vendor under any Contract for such equipment/component/service, the Main Contractor shall not be permitted to place Work order/Purchase order/Service Contract on the banned Contractor as a sub-vendor after the date of banning even though the name of the party has been approved as a sub-vendor prior to the order of banning.
- 1.4.5** The completion certificate issued to the contractor shall make a mention regarding banning during execution of the contract.
- 1.4.6** Banned bidders shall not be permitted to submit their bid. The bid submitted by the banned bidder shall be summarily rejected.
- 1.4.7** Contracts concluded before the issue of the banning order shall, not be affected by the banning order.
- 1.4.8** Banning shall automatically be extended to all Allied firms of the Contractor. In case of Joint venture/ Consortium is banned all partners will also stand debarred for the period specified in the Banning Order. The names of all partners should be clearly specified in the "Banning order".
- 1.4.9** Banning in any manner does not impact any other contractual or other legal rights of NPCIL.
- 1.4.10** Banning under the provisions of Banning of Business Dealings of NPCIL is applicable only for NPCIL.

1.5 Definition of Allied Firm:

Allied Firm means all concerns which come within the sphere of effective influence of the banned firm. In determining this, the following factors shall be taken into consideration:

- a) Whether the management is common;
- b) Majority interest in the management is held by the partners or directors of banned/suspended firm;
- c) Substantial or majority shares are owned by the banned/ suspended firm and by virtue of this it has a controlling voice;
- d) Directly or indirectly controls, or is controlled by or is under common control with another bidder;
- e) All successor firms will also be considered allied firms.

2.17) Settlement of Commercial Disputes between Central Public Sector Enterprises (CPSEs) inter se and Between CPSE(s) and Government Department(s)/Organization(s) - Administrative Mechanism for Resolution of CPSEs Disputes (AMRCD).

"In the event of any dispute or differences relating to the interpretation and application of the provisions of commercial contract(s) between Central Public Sector Enterprises (CPSEs)/Port Authorities inter-se and also between CPSEs and Government Departments/Organizations (excluding disputes relating to Railways, Income Tax, Customs & Excise Departments), such dispute or difference shall be taken up by either party for its resolutions through AMRCD as mentioned in DPE OM No. DPE-02/0001/2023-AMRCD-FTS-13578 dt. 8th December, 2025 and the decision of AMRCD on the said dispute will be binding on both the parties".

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

5. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

6. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of

buyer.

2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.

3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

7. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

8. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

9. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

10. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension

period has already expired.

4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---