

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-09-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	07-09-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Indian Coast Guard
कार्यालय का नाम/Office Name	*****
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :dhq7-lpcell@indiancoastguard.nic.in Buyer Email id: casu-pdp@indiancoastguard.nic.in
कुल मात्रा/Total Quantity	2507
वस्तु श्रेणी /Item Category	HINGES BRASS 2.5 INCH , HINGES BRASS 2 INCH , HINGES BRASS 1.5 INCH , HINGES BRASS 4 INCH , HINGES MS 3 INCH , DRAWER SLIDING CHANNEL 2 INCH X 18 INCH , SS NUT BOLT HEX 25X4MM WITH WASHER , SS NUT BOLT HEX 35X6MM WITH WASHER , SS NUT BOLT HEX 25X6MM WITH WASHER , HINGES SS 4 INCH X 1 INCH , HINGES SS 3BY4 INCH X 3 INCH , HINGES SS HALF INCH X 3 INCH , SCREW BRASS 2 AND HALF INCH , SCREW BRASS 2 INCH , SCREW BRASS 1 AND HALF INCH , SCREW BRASS 1BY4 INCH , SCREW BRASS 1 3BY4 INCH , SCREW BRASS 1 INCH , SCREW BRASS 3BY4 INCH , SCREW BRASS HALF INCH , TOWER BOLT ALUMINIUM 6 INCH , TOWER BOLT ALUMINIUM 4 INCH , HASP STAPLE SS 4 INCH , HASP STAPLE SS 3 INCH , HASP STAPLE SS 2 INCH , DRAWER LOCK MULTIPURPOSE , WELDING BLACK GLASS 13 DIN , HOSES RED AND BLUE , DRILL BIT SET 1 MM TO 10 MM , GRINDING FACE SHIELD PLANE GLASS

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	HINGES 3", HINGES BRASS 2 1/2", HINGES BRASS 2", HINGES BRASS 1 1/2", WELDING GLASS BLACK, HOSES RED AND BLUE, DRILL BIT SET 1MM TO 10MM, TOWER BOLT ALUMINIUM 6", TOWER BOLT ALUMINIUM 4", SLIDING CHANNEL 2"/18", HASP STAPLE SS 2", SCREW BRASS 2 1/2", SCREW BRASS 2", SCREW BRASS 1 1/2", SCREW BRASS 1/4", SCREW BRASS 1 3/4", SCREW BRASS 1", SCREW BRASS 3/4", SCREW BRASS 1/2", HINGES BRASS 4", SS NUT BOLT HEX 25X4MM, SS NUT BOLT HEX 35X6MM, SS NUT BOLT HEX 25X6MM, GRINDING FACE SHIELD PLANE GLASS, MULTI PURPOSE DRAWER LOCK, HINGES SS 4"X1", HINGES SS 1/2"X3", HINGES SS 3/4"X3", HASP STAPLE SS 4", HASP STAPLE SS 3"
	Searched String: HINGES 3" Steel Butt Hinges (V2) ISI marked to IS 1341, Entry and Mid Level Desktop Computer, Continuous Piano Hinges (V2) ISI marked to IS 3818, Stainless Steel Butt Hinges as per IS 12817, High End Desktop Computer, Parliament Hinges (V2) ISI marked to IS 362, Non Ferrous Metal Butt Hinges (V2) ISI marked to IS 205, Interactive Panels with CPU, (3-Aminopropyl) triethoxysilane, 1, 1, 3 - Triethoxybutane Searched String: HINGES BRASS 2 1/2" 2-2-BIPYRIDYL, Sofa (V3), 2-Chlorobenzaldehyde, 2-Naphthol, Desk and Bench Set for Classroom/Training Area, 2-Phenoxyethanol, Thermostatic expansion valve, 5-5 Dithiobis -2-2 Nitrobenzoic Acid, Parafilm (Version 2), Pillar Taps for Water Supply Purpose conforming to IS 1795 Searched String: HINGES BRASS 2" Steel Butt Hinges (V2) ISI marked to IS 1341, Sofa (V3), Continuous Piano Hinges (V2) ISI marked to IS 3818, Brass Sieve, Desk and Bench Set for Classroom/Training Area, Stainless Steel Butt Hinges as per IS 12817, Bathroom Hooks, Parliament Hinges (V2) ISI marked to IS 362, Brass Band Bugles, Pillar Taps for Water Supply Purpose conforming to IS 1795 Searched String: HINGES BRASS 1 1/2" 1, 1, 3 - Triethoxybutane, Nitrile Coated/Nitrile Hand Gloves (V2), 1-Bromohexadecane, Cypermethrin 1% Chalk, Lyophilizer, Cypermethrin 1% Dust, Thermostatic expansion valve, Temephos Granules 1%, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, 1-Naphthylacetic acid Searched String: WELDING GLASS BLACK DARK GLASS FOR WELDER'S SCREEN, Metal Beds (V3), BLACK GRAM Seeds, Welding apron, anklet synthetic black, Steel Almirah / Cabinets (V4), Black Pottery - ODOP, Office Bags (V2), Eriochrome Black T, Environmental Chamber Searched String: HOSES RED AND BLUE Conference Speakerphone with Bluetooth, Writing Pens, Conference Speakerphone without Bluetooth, Cyber Range and Cybersecurity Simulation Platform, Bird Repellent Tape

बिड विवरण/Bid Details	Searched String: DRILL BIT SET 1MM TO 10MM
	Wireline Diamond Core Bit Set, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Bunk Beds conforming to IS 17636, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Blood Administration Set (V2) Searched String: TOWER BOLT ALUMINIUM 6" Tower Bolts (Ferrous Metals) (V2) ISI marked to IS 204 (Part1), Tower Ladder (V2), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Metal Pole, ETO Sterilizer, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Platform Step Ladder (V2), Filter Regulator Lubricator, High Mast Lighting Tower for large area with LED Flood Lighting System Searched String: TOWER BOLT ALUMINIUM 4" Tower Bolts (Ferrous Metals) (V2) ISI marked to IS 204 (Part1), Portable Emergency LED Lighting Tower System with Battery Bank, Tower Bolts (Non-Ferrous Metals) V2 as per IS 204, Tower Ladder (V2), Metal Pole, Portable Emergency LED Lighting Tower System with AC Generator Set, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Non Sparking Double Ended Ring Spanner (V2) Searched String: SLIDING CHANNEL 2"/18" Writing and Printing Paper Conforming to IS 1848 (Part 2), Cable Trunking and Wiring Duct System For Electrical Installations Marked To IS 14927 (Part 2), Computer Motherboards, function generator, HIGH TEMPERATURE FURNACE WITH GAS (PROGRAMMABLE DUAL ZONE / SLIDING TUBE FURNACE) FACILITY, Motorized Sliding Gate (MHA), Analog Oscilloscope, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Blood Collection Tube, Audio Digital Signal Processor Searched String: HASP STAPLE SS 2" Hasps and Staples as per IS 363, Toxic Gas Detector, Internal Storage Device (SSD/HDD) (V2), Brushes Horse-IS:9276, Encrypted Removable Storage Devices (V2), HydroCarbon gas detector, Lockout Hasp, Towel Ring, Disc polisher machine, Clinical Storage Cabinet (V2) Searched String: SCREW BRASS 2 1/2" Karabiners Screw Type MK - 2 (Defence), Sofa (V3), 2-2-

बिड विवरण / Bid Details	BIPYRIDYL, 2-Chlorobenzaldehyde, Desk and Bench Set for Classroom/Training Area, 2-Napththol, Thermostatic expansion valve, 2-Phenoxyethanol, 5-5 Dithiobis -2-2 Nitrobenzoic Acid, Parafilm (Version 2)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: SCREW BRASS 2" Karabiners Screw Type MK - 2 (Defence), Sofa (V3), Brass Sieve, Plain Washer as per IS 2016, Compression Screw, Desk and Bench Set for Classroom/Training Area, Screw Compressor, Screw Cap Vial, Brass Band Bugles, Bathroom Hooks Searched String: SCREW BRASS 1 1/2" 1, 1, 3 - Triethoxybutane, Nitrile Coated/Nitrile Hand Gloves (V2), 1-Bromohexadecane, Cypermethrin 1% Chalk, Lyophilizer, Cypermethrin 1% Dust, Thermostatic expansion valve, Temephos Granules 1%, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, 1-Naphthylacetic acid Searched String: SCREW BRASS 1/4" Brass Sieve, water baths, Compression Screw, Screw Compressor, Nitrile Coated/Nitrile Hand Gloves (V2), Brass Band Bugles, Screw Cap Vial, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Self Drilling Screw, Cleaning Duster (V3) Searched String: SCREW BRASS 1 3/4" 1, 1, 3 - Triethoxybutane, Cotton Towelling And Towels Conforming To IS 7056 (V4), N-(1-Naphthyl)ethylenediamine, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), General Purpose Ball Valves conforming to IS 9890, Synthetic Life Jacket MK 1 (Defence), Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), Bone Screw (V2) Searched String: SCREW BRASS 1" Brass Sieve, Nitrile Coated/Nitrile Hand Gloves (V2), Compression Screw, Plain Washer as per IS 2016, Screw Compressor, Lyophilizer, Brass Band Bugles, Screw Cap Vial, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Self Drilling Screw Searched String: SCREW BRASS 3/4" Brass Sieve, Entry and Mid Level Desktop Computer, Compression Screw, Screw Compressor, High End Desktop Computer, Brass Band Bugles, General Purpose Ball Valves conforming to IS 9890, Screw Cap Vial, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Self Drilling Screw Searched String: SCREW BRASS 1/2" Karabiners Screw Type MK - 2 (Defence), Nitrile Coated/Nitrile Hand Gloves (V2), Brass Sieve, Compression Screw, Cleaning Duster (V3), Screw Compressor, Thermostatic expansion valve, Brass Band Bugles, Sofa (V3), Screw Cap Vial

बिड विवरण/Bid Details	Searched String: HINGES BRASS 4"
	Steel Butt Hinges (V2) ISI marked to IS 1341, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Continuous Piano Hinges (V2) ISI marked to IS 3818, Brass Sieve, Cotton Towelling And Towels Conforming To IS 7056 (V4), Stainless Steel Butt Hinges as per IS 12817, Parliament Hinges (V2) ISI marked to IS 362, water baths, Brass Band Bugles, File/Folder (V3) Searched String: SS NUT BOLT HEX 25X4MM Span Bolt and Nut, ETO Sterilizer, Coach Bolt, Nut and Washer (BHEL), Lock Nuts-IS:6731, Hydraulic Nut Splitter, JAR TEST APPARATUS, Allen Bolt, U Bolt, Galvanised Foundation Bolt including Nuts and Washers (BHEL), Stainless Steel Worktable With Undershelf Searched String: SS NUT BOLT HEX 35X6MM Span Bolt and Nut, JAR TEST APPARATUS, Coach Bolt, Nut and Washer (BHEL), Lock Nuts-IS:6731, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Stud with Nuts, Hydraulic Nut Splitter, Electrical connection Lugs or thimbles, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 Searched String: SS NUT BOLT HEX 25X6MM Span Bolt and Nut, JAR TEST APPARATUS, Coach Bolt, Nut and Washer (BHEL), Lock Nuts-IS:6731, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Stud with Nuts, Hydraulic Nut Splitter, Electrical Cable Lugs, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Tower Bolts (Non-Ferrous Metals) V2 as per IS 204 Searched String: GRINDING FACE SHIELD PLANE GLASS Face Shield, magnifying glass, Laboratory Glass Adapters, Laboratory Glass Adapters (V2), Trophy (V2), Book Scanners (V2) Searched String: MULTI PURPOSE DRAWER LOCK Lithium Base Multi-Purpose Grease EP-1 (BEML), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Multi Station Gym (V3), Fire Resisting (Insulating) Filing Cabinets conforming to IS 14561, Lockout Hasp, Pressure Extension Tubes for Medical Purpose, Digital UHF Base / Mobile Radio Sets as per MHA QR (V2) Searched String: HINGES SS 4"X1" Cardiopulmonary Bypass Connectors (V2), Laundrometer (Wash Fastness Tester with Standard Accessories), Bathroom Hooks, Surface Resistivity Meter (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Microwave extraction system, Chapati Plate with Puffer (V2) Searched String: HINGES SS 1/2"X3" Stainless Steel Butt Hinges as per IS 12817, JAR TEST APPARATUS, Internal Storage Device (SSD/HDD) (V2), Encrypted Removable Storage Devices (V2), Binder Clips

बिड विवरण / Bid Details	(V3) Conforming to IS 8231, Toxic Gas Detector, HydroCarbon gas detector, Lunch Box (V3), Clinical Storage Cabinet (V2), Towel Ring
	Searched String: HINGES SS 3/4"X3" Encrypted Removable Storage Devices (V2), rubber bands, Gamjee Rolls / Pads (V2), Parallel Bar - Outdoor Gym Equipment, Laundrometer (Wash Fastness Tester with Standard Accessories), Plaster of Paris Bandage Conforming to IS 4738, Surface Resistivity Meter (V2), Roller Blind (V2), Cardiopulmonary Bypass Connectors (V2), Kadhari Searched String: HASP STAPLE SS 4" Hasps and Staples as per IS 363, Laundrometer (Wash Fastness Tester with Standard Accessories), Surface Resistivity Meter (V2), Staple Pins/Staples(V3) Searched String: HASP STAPLE SS 3" Hasps and Staples as per IS 363, Encrypted Removable Storage Devices (V2), Bed Guard
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Tower Bolts (Ferrous Metals) (V2) ISI marked to IS 204 (Part1) • Self Drilling Screw • Drilling Rig Accessories
बीओक्यू शीर्षक / BOQ Title	PROCUREMENT OF 30 ITEMS OF YARD MATERIAL
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	0.5 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	3 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	2 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	DRILL BIT SET 1 MM TO 10 MM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old,

the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

HINGES BRASS 2.5 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HINGES BRASS 2 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HINGES BRASS 1.5 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HINGES BRASS 4 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HINGES MS 3 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

DRAWER SLIDING CHANNEL 2 INCH X 18 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	10	30

SS NUT BOLT HEX 25X4MM WITH WASHER**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SS NUT BOLT HEX 35X6MM WITH WASHER**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SS NUT BOLT HEX 25X6MM WITH WASHER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

HINGES SS 4 INCH X 1 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HINGES SS 3BY4 INCH X 3 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HINGES SS HALF INCH X 3 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

SCREW BRASS 2 AND HALF INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS 2 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS 1 AND HALF INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS 1BY4 INCH**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS 1 3BY4 INCH**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS 1 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS 3BY4 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

SCREW BRASS HALF INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	200	30

TOWER BOLT ALUMINIUM 6 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

TOWER BOLT ALUMINIUM 4 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HASP STAPLE SS 4 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HASP STAPLE SS 3 INCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

HASP STAPLE SS 2 INCH**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

DRAWER LOCK MULTIPURPOSE**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	20	30

WELDING BLACK GLASS 13 DIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	10	30

HOSES RED AND BLUE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	1	30

DRILL BIT SET 1 MM TO 10 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	1	30

GRINDING FACE SHIELD PLANE GLASS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Jagatsinghapur	5	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.

9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---