

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण / Bid Details                                                                                          |                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय / Bid End Date/Time                                                                    | 08-09-2026 16:00:00                                                                                                                                                                                                                                                    |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time                                                                   | 08-09-2026 16:30:00                                                                                                                                                                                                                                                    |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)                                      | 180 (Days)                                                                                                                                                                                                                                                             |
| मंत्रालय/राज्य का नाम / Ministry/State Name                                                                      | Gujarat                                                                                                                                                                                                                                                                |
| विभाग का नाम / Department Name                                                                                   | Education Department Gujarat                                                                                                                                                                                                                                           |
| संगठन का नाम / Organisation Name                                                                                 | Directorate Of Technical Education                                                                                                                                                                                                                                     |
| कार्यालय का नाम / Office Name                                                                                    | Principalkdppatan                                                                                                                                                                                                                                                      |
| शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal                                           | HOD Email id :storek-dte-patan@gujarat.gov.in<br>Buyer Email id: buycon4.dte.gnc@gembuyer.in                                                                                                                                                                           |
| कुल मात्रा / Total Quantity                                                                                      | 1                                                                                                                                                                                                                                                                      |
| वस्तु श्रेणी / Item Category                                                                                     | Radial Drilling Machine (Q3)                                                                                                                                                                                                                                           |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)  | 1.5 Lakh (s)                                                                                                                                                                                                                                                           |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)                         | 12 Lakh (s)                                                                                                                                                                                                                                                            |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service | 2 Year (s)                                                                                                                                                                                                                                                             |
| टर्नओवर पात्रता मानदंड / Turnover eligibility criteria                                                           | To be verified by the buyer at the time of technical evaluation                                                                                                                                                                                                        |
| टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover                                             | Yes   Complete                                                                                                                                                                                                                                                         |
| टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover                                     | Yes   Complete                                                                                                                                                                                                                                                         |
| विक्रेता से मांगे गए दस्तावेज़ / Document required from seller                                                   | Experience Criteria,Past Performance,Bidder Turnover,OEM Annual Turnover<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

| बिड विवरण/Bid Details                                                                                                                                                                                                    |                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)                                                                   |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension                                                                                | 1                                                                                                                                                                                                                                        |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended                                                                                                      | 3                                                                                                                                                                                                                                        |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count                                                                                                                                            | 1                                                                                                                                                                                                                                        |
| विगत प्रदर्शन /Past Performance                                                                                                                                                                                          | 80 %                                                                                                                                                                                                                                     |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled                                                                                                                                                                       | Yes                                                                                                                                                                                                                                      |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule                                                                                                                                                                         | H1-Highest Priced Bid Elimination                                                                                                                                                                                                        |
| बिड का प्रकार/Type of Bid                                                                                                                                                                                                | Two Packet Bid                                                                                                                                                                                                                           |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation                                                                                        | 2 Days                                                                                                                                                                                                                                   |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)                                     | No                                                                                                                                                                                                                                       |
| अनुमानित बिड मूल्य / Estimated Bid Value                                                                                                                                                                                 | 300000                                                                                                                                                                                                                                   |
| Payment Timelines                                                                                                                                                                                                        | Payments shall be made to the Seller within <b>45</b> days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                                                                                                       | Total value wise evaluation                                                                                                                                                                                                              |
| मध्यस्थता खंड/Arbitration Clause                                                                                                                                                                                         | No                                                                                                                                                                                                                                       |
| सुलह खंड/Mediation Clause                                                                                                                                                                                                | No                                                                                                                                                                                                                                       |

#### ईएमडी विवरण/EMD Detail

|                   |    |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

#### ईपीबीजी विवरण /ePBG Detail

|                                                                    |                     |
|--------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                        | State Bank of India |
| ईपीबीजी प्रतिशत (%) / ePBG Percentage (%)                          | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) / Duration of ePBG required (Months). | 13                  |

(a) ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

PRINCIPAL

PRINCIPALKDPPATAN, Education Department Gujarat, Directorate of Technical Education,  
(Parmar Hardik)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                           |    |
|-------------------------------------------|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|-------------------------------------------|----|

**एमआईआई खरीद वरीयता/MII Purchase Preference**

|                                            |    |
|--------------------------------------------|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--------------------------------------------|----|

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into

account for this criteria.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## Radial Drilling Machine ( 1 pieces )

### तकनीकी विशिष्टियाँ / Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification   | विशिष्टि का नाम /Specification Name                        | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------|------------------------------------------------------------|-----------------------------------------------------------------|
| Performance Parameter | Material which can be drill                                | Steel, Cast Iron, Aluminium, Copper, Nylon                      |
|                       | Nature of Duty of Operation of Drill machine               | Light Duty                                                      |
|                       | Feed Range in mm/rev                                       | 0.125 - 1.25                                                    |
|                       | Number of feed                                             | 6                                                               |
|                       | Number of Spindle speed                                    | 8                                                               |
|                       | Taper in Spindle as per IS 2582-1972 with Latest amendment | MT 3                                                            |
|                       | Range of Spindle Speed in Forward Direction in rev/min     | 8-1000                                                          |
|                       | Main Motor Power in kW                                     | 2                                                               |
|                       | Arm motor power in kW                                      | 0.75                                                            |
|                       | Type of Cooling                                            | Fluid cooling                                                   |

| विवरण/Specification   | विशिष्टि का नाम /Specification Name                                                                                                                                                                | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                       | <b>Main Spindle Bearing confirming Pre-loaded Standard make hint: Spindle Bearing High precision class Double Row taper roller bearings at Front &amp; Single Row taper roller bearing at back</b> | No                                                              |
|                       | <b>Power supply</b>                                                                                                                                                                                | Three Phase Supply (415 V, 50 Hz)                               |
|                       | <b>Warranty in years</b>                                                                                                                                                                           | 1                                                               |
|                       | <b>Coolant Pump output in kw as per IS 2161:1962 latest</b>                                                                                                                                        | 0.11                                                            |
|                       | <b>Sleeve Travel Type</b>                                                                                                                                                                          | Manual                                                          |
|                       | <b>Tapping in steel - metric fine threads</b>                                                                                                                                                      | M20                                                             |
|                       | <b>Type of Lubrication</b>                                                                                                                                                                         | Oil Mist                                                        |
|                       | <b>Taping in cast Iron</b>                                                                                                                                                                         | M30                                                             |
| Dimensional Parameter | <b>Maximum Drill Diameter for steel in mm</b>                                                                                                                                                      | 25                                                              |
|                       | <b>Maximum Drill Diameter for cast iron in mm</b>                                                                                                                                                  | 32                                                              |
|                       | <b>Maximum Drill Diameter for non ferrous material in mm</b>                                                                                                                                       | 50                                                              |
|                       | <b>Maximum Quill Traverse in mm</b>                                                                                                                                                                | 200                                                             |
|                       | <b>Column Sleeve Diameter in mm</b>                                                                                                                                                                | 200                                                             |
|                       | <b>Width of Arm Guide Ways in mm</b>                                                                                                                                                               | 175                                                             |
|                       | <b>Maximum Drilling Radius in mm with tolerance <math>\pm 10</math> mm</b>                                                                                                                         | 1200                                                            |
|                       | <b>Minimum Drilling Radius in mm</b>                                                                                                                                                               | 500                                                             |
|                       | <b>Maximum Length of Bed in mm with tolerances <math>\pm 50</math> mm</b>                                                                                                                          | 650                                                             |
|                       | <b>Maximum Width of Bed in mm with tolerance <math>\pm 50</math> mm</b>                                                                                                                            | 200                                                             |
|                       | <b>Maximum Drill head traverse in mm with tolerance <math>\pm 50</math> mm</b>                                                                                                                     | 750                                                             |
|                       | <b>Arm Traverse in mm with tolerance <math>\pm 30</math> mm</b>                                                                                                                                    | 450                                                             |

| विवरण/Specification  | विशिष्टि का नाम /Specification Name                                           | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|----------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                      | Spindle travel (drilling depth) in mm with tolerance $\pm 10$ mm              | 200                                                             |
|                      | Maximum Distance from Base plate to spindle in mm with tolerances $\pm 50$ mm | 970                                                             |
|                      | Minimum distance from Base plate to spindle in mm                             | 300                                                             |
|                      | Travel of Sleeve in mm                                                        | 250                                                             |
|                      | Lead Screw Diameter in mm                                                     | 25                                                              |
|                      | Lead Screw Pitch in mm                                                        | 6                                                               |
| Optional Accessories | Universal table for 32 mm drill capacity                                      | No                                                              |
|                      | Universal table for 40 mm drill capacity                                      | No                                                              |
|                      | Universal table for 50 mm drill capacity                                      | No                                                              |
|                      | Universal table for 60 mm drill capacity                                      | No                                                              |
|                      | Machine Vice with fixed base 80 mm clamping range 0-50 mm pull type           | Yes                                                             |
|                      | Machine Vice with fixed base 80 mm clamping range 0-50 mm push type           | Yes                                                             |
|                      | Machine Vice with fixed base 160mm clamping range 0-100 mm pull type          | No                                                              |
|                      | Machine Vice with fixed base 160 mm clamping range 0-100 mm push type         | No                                                              |
|                      | Machine Vice with fixed base 315 mm clamping range 0-200 mm pull type         | No                                                              |
|                      | Machine Vice with fixed base 315 mm clamping range 0-200 mm push type         | No                                                              |
|                      | Machine Vice with Swivel base 80 mm clamping range 0-50 mm push type          | No                                                              |
|                      | Machine Vice with Swivel base 160 mm clamping range 0-100 mm pull type        | No                                                              |
|                      | Machine Vice with Swivel base 160mm clamping range 0-100 mm push type         | No                                                              |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                                                         | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                     | Machine Vice with Swivel base 315mm clamping range 0-200 mm push type                                       | No                                                              |
|                     | Machine Vice with Swivel base 315mm clamping range 0-200 mm pull type                                       | No                                                              |
|                     | Suitable Tapping Attachment drill capacity 32 mm                                                            | No                                                              |
|                     | Suitable Tapping Attachment drill capacity 40 mm                                                            | No                                                              |
|                     | Suitable Tapping Attachment drill capacity 50 mm                                                            | No                                                              |
|                     | Suitable Tapping Attachment drill capacity 60 mm                                                            | No                                                              |
|                     | Drill chuck quick change 32 mm                                                                              | No                                                              |
|                     | Drill chuck quick change 40 mm                                                                              | Yes                                                             |
|                     | Drill chuck quick change 50 mm                                                                              | No                                                              |
|                     | Drill chuck quick change 60 mm                                                                              | No                                                              |
|                     | Boring Head 32mm                                                                                            | No                                                              |
|                     | Boring Head 40mm                                                                                            | No                                                              |
|                     | Boring Head 50mm                                                                                            | No                                                              |
|                     | Boring Head 60mm                                                                                            | No                                                              |
|                     | Co-ordinate table 32 mm                                                                                     | NO                                                              |
|                     | Co-ordinate table 40mm                                                                                      | NO                                                              |
|                     | Box Table 32 mm                                                                                             | No                                                              |
|                     | Box Table 40 mm                                                                                             | No                                                              |
|                     | Box Table 50 mm                                                                                             | No                                                              |
|                     | Drill drift 4 number                                                                                        | Yes                                                             |
|                     | Quick indexing dividing head                                                                                | NO                                                              |
| Reports             | Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove Conformity to specification | NO                                                              |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                                  | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                     | Copies of test report to be furnished to the buyer on demand at the time of supplies | No                                                              |

**प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                                                      | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|----------------------------------------------------------|----------------------------------------------------------------------------------|------------------|------------------------------|
| 1             | Parmar Hardik                                            | 384265,Principal K D Polytechnic Patan Near T B Tran Rasta Patan (North Gujarat) | 1                | 30                           |

**क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**Ø Transport installation inspection and demonstration of practical on equipment will be carry out by seller without any additional cost.**

**Ø The machine must be mounted on rubber pads with stud and bolt of appropriate strength.**

**Ø The rubber pad must be capable of which standing static as well as dynamic load and vibrations while in working.**

**Ø All accessories and consumables likely Mercury oil diesel Petrol and chemical etc. under the scope of supply seller.**

- Ø Bidder must have one order successfully execute in same category of this bid in government office or organisation and must attached proof of the same.
- Ø Bidder must supply machine bottom rubber pads instead of foundations without any additional cost.
- Ø Bidder must provide 3% emd. emd exemption for the bidders as per norms of Gujarat state Procurement policy 2024.

### अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**