

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	08-09-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	08-09-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	45 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Petroleum And Natural Gas
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Oil And Natural Gas Corporation Limited
कार्यालय का नाम/Office Name	Western Offshore Basin Mumbai
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :buyer18.ongc.agtl@gembuyer.in Buyer Email id: agarwal_hemlata@ongc.co.in
कुल मात्रा/Total Quantity	83904
वस्तु श्रेणी /Item Category	EDTA Ampule 0.1M , Hydrochloric Acid 0.1N Ampule , Iodine Ampule 0.1N , Sodium Hydroxide 0.1N Ampule , Sodium Hydroxide 1N Ampule , Sodium Thiosulphate ampule 0.1N , Sulphuric Acid Ampule 0.1N , Sulphuric Acid Ampule 1N , Hydrochloric Acid Concentrated , Hydrofluoric Acid , Nitric Acid Concentrated , Sulphuric Acid Concentrated , 10 pH Ammonium buffer , Ammonia solution , PH Buffer Solution 9.18 PH , PH Buffer Solution 4 PH , PH Buffer Solution 7 PH , 10 Phenanthroline , Aluminium Oxide for Column Chromatography , Starch , ZINC metal granulated , Alpha naphthol benzein , Bromophenolblue indicator , Bromothymol Blue indicator , Calcon Indicator , Crystal Violet Indicator , Dithizone Indicator , Murexide Indicator , Thymol Blue Indicator , Thymolphthalein Indicator , Xylenol Orange Indicator , Methylene Blue , Hydrogen Peroxide , Karl Fisher Reagent , Nessler's Reagent , Cobalt chloride hexahydrate , Mercuric oxide , Phosphomolybdic Acid , Trichloroethane

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	EDTA Ampule 0.1M, Hydrochloric Acid 0.1N Ampule, Iodine Ampule 0.1N, Sodium Hydroxide 0.1N Ampule, Sodium Hydroxide 1N Ampule, Sodium Thiosulphate ampule 0.1N, Sulphuric Acid Ampule 0.1N, Sulphuric Acid Ampule 1N, Hydrochloric Acid Concentrated, Hydrofluoric Acid (37-40%), Nitric Acid Concentrated, Sulphuric Acid Concentrated, 10 pH Ammonium buffer, Ammonia solution, PH Buffer Solution-9.18 PH, PH Buffer Solution-4 PH, PH Buffer Solution-7 PH, 1,10 Phenanthroline , Aluminium Oxide for Column Chromatography , Silica Gel (60-120 Mesh) for Column Chromatography, Silica Gel self indicating Coarse (Blue), Silver Nitrate (Powder), Starch, ZINC (metal) granulated 99.5%, ?-naphthol benzein, Bromophenolblue indicator , Bromothymol Blue indicator, Calcon Indicator, Crystal Violet Indicator, Dithizone Indicator, Murexide Indicator , Phenolphthalein, pH indicator solution, Thymol Blue Indicator, Thymolphthalein Indicator, Xylenol Orange Indicator, Methylene Blue, Hydrogen Peroxide , Karl Fisher Reagent (Pyridine Free), Nessler's Reagent, Trichloroethane
	Searched String: EDTA Ampule 0.1M Muffle/Box Furnace (V2), EDTA Solution 0.02N, Line Interactive UPS with AVR (V2), EDTA disodium salt, Electronic Weighing Scales, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Automatic Fire Ball for Fire - Extinguishing, Stereo Microscope (V1) Searched String: Hydrochloric Acid 0.1N Ampule Hydrochloric Acid as per IS 265, Line Interactive UPS with AVR (V2), Hydrochloric Acid for Well Stimulation for (ONGC), Hydrochloric Acid (V3) Conforming to IS 265, Benzoic acid, Muffle/Box Furnace (V2), Electronic Weighing Scales, Tartaric Acid - IS 880, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Chromotropic acid disodium salt dihydrate Searched String: Iodine Ampule 0.1N Line Interactive UPS with AVR (V2), Iodine, Muffle/Box Furnace (V2), Electronic Weighing Scales, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Automatic Fire Ball for Fire - Extinguishing, Stereo Microscope (V1), Online UPS (V2), digital conductivity meter Searched String: Sodium Hydroxide 0.1N Ampule Sodium Dihydrogen Orthophosphate Dihydrate (V2), Line Interactive UPS with AVR (V2), Tri Sodium Phosphate Dodecahydrate, Aluminium Hydroxide as per IS:10896, Sodium nitrite as per IS:879, Muffle/Box Furnace (V2), Sodium dihydrogen orthophosphate dihydrate, Glassy Sodium Metaphosphate or Sodium HexaMetaphosphate, Caustic Soda for Bulk Supply as per IS 252, Electronic Weighing Scales Searched String: Sodium Hydroxide 1N Ampule

बिड विवरण / Bid Details	Caustic Soda for Bulk Supply as per IS 252, Blood Collection Tube, Aluminium Hydroxide as per IS:10896, Sodium Hypochlorite Solution (V3) Conforming To Is 11673, Glassy Sodium Metaphosphate or Sodium HexaMetaphosphate, Sodium Azide Searched String: Sodium Thiosulphate ampule 0.1N Sodium Thiosulphate as per IS 14781, Line Interactive UPS with AVR (V2), Sodium Dihydrogen Orthophosphate Dihydrate (V2), Tri Sodium Phosphate Dodecahydrate, Muffle/Box Furnace (V2), Sodium nitrite as per IS:879, Electronic Weighing Scales, Sodium dihydrogen orthophosphate dihydrate, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 Searched String: Sulphuric Acid Ampule 0.1N Sulphuric Acid (V2) Conforming to IS 266, Line Interactive UPS with AVR (V2), Sulphuric acid for Bulk supply - FACTL, Benzoic acid, Muffle/Box Furnace (V2), Tartaric Acid - IS 880, Electronic Weighing Scales, Chromotropic acid disodium salt dihydrate, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Acid Slurry or Alkyl Benzene Sulphonic Acid as per IS 8401 Searched String: Sulphuric Acid Ampule 1N Sulphuric Acid (V2) Conforming to IS 266, Sulphuric acid for Bulk supply - FACTL, Hydrochloric Acid (V3) Conforming to IS 265, Acid And Alkali-Resistant Rubberized Protective Aprons- IS:4501, Hydrochloric Acid as per IS 265, GLACIAL ACETIC ACID, 1-Naphthylacetic acid Searched String: Hydrochloric Acid Concentrated Hydrochloric Acid as per IS 265, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Hydrochloric Acid for Well Stimulation for (ONGC), Sulphuric Acid (V2) Conforming to IS 266, Hydrochloric Acid (V3) Conforming to IS 265, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Concentrated Solar Thermal System, Oxygen Concentrator (V2), Imiprothrin 0.05% + Cypermethrin 1.0% CL (Concentrated Liquid), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 Searched String: Hydrofluoric Acid (37-40%) Hydrofluoric Acid, Hydrofluoric acid, Aqueous Conforming to IS 10332 (In Liter), Hydrofluoric acid, Aqueous Conforming to IS 10332 (In Kg), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Phosphonobutane Tricarboxylic Acid (PBTC), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369 Searched String: Nitric Acid Concentrated Nitric Acid (V3) Conforming to IS 264 (In Liter), Stationary
-------------------------	---

बिड विवरण / Bid Details	
	Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Nitric Acid (V3) Conforming to IS 264 (In kg), Sulphuric Acid (V2) Conforming to IS 266, Nitric Acid (V2) as per IS 264, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Concentrated Solar Thermal System, Oxygen Concentrator (V2), Imiprothrin 0.05% + Cypermethrin 1.0% CL (Concentrated Liquid), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 Searched String: Sulphuric Acid Concentrated Sulphuric Acid (V2) Conforming to IS 266, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Sulphuric acid for Bulk supply - FACTL, Concentrated Solar Thermal System, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Imiprothrin 0.05% + Cypermethrin 1.0% CL (Concentrated Liquid), Oxygen Concentrator (V2), Veratric Acid (3,4-Dimethoxybenzoic Acid), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Humic Acid and Fulvic Acid Searched String: 10 pH Ammonium buffer PH buffer solution, Digital pH Meter, Buffer Solutions, Buffer Solutions (V2) Conforming to IS 15557, Ammonium bicarbonate, Buffer Tablets, Mono Ammonium Phosphate, Ammonium ceric sulfate, DRY CHEMICAL POWDER (MONO-AMMONIUM PHOSPHATE BASE WITH MAP 90 % (TYPE 'B')), Phosphate Buffered Saline Searched String: Ammonia solution Ammonia Buffer Solution, Toner Cartridges / Ink Cartridges / Consumables for Printers, Ammonia solution 25%, Ammonia Printing Machine, foot step for hospitals, Anhydrous Ammonia Conforming to IS 662, Foldable Wheelchair (Adult), Ammonia, Liquor / Ammonium Hydroxide as per IS 799, ICU Bed (V2), Antifoam Solution Searched String: PH Buffer Solution-9.18 PH PH buffer solution, Buffer Solutions, Buffer Solutions (V2) Conforming to IS 15557, Lacto Phenol Cotton Blue Solution, DNS Security Solution (V2), N,N Dimethyl P Phenylenediamine Dihydrochloride, Software Based Solution for Mobile Phone Forensic and Photo Recognizer, Solution for conducting CHIP level analysis of mobile phones, Phosphate Buffered Saline, Phosphate Buffered Saline (V2) Searched String: PH Buffer Solution-4 PH PH buffer solution, Digital pH Meter, Buffer Solutions, Buffer Solutions (V2) Conforming to IS 15557, pH Meter, pH Paper, Water Quality Meters / Analyzers, pH Electrode, pH Paper (V2), Saline Stand (V2) Searched String: PH Buffer Solution-7 PH PH buffer solution, Digital pH Meter, Buffer Solutions, Buffer Solutions (V2) Conforming to IS 15557, pH Meter, pH Paper, Water Quality Meters / Analyzers, pH Electrode, pH Paper (V2), Ph Meter Rod Searched String: 1,10 Phenanthroline
GeMARPTS में खोजा गया परिणाम / Searched	

Result generated in GeMARPTS	बिड विवरण / Bid Details
	Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), Nitrile Coated/Nitrile Hand Gloves (V2), Chlorpyrifos 10% GR, Static Protective Relays, Imazethapyr 10% SL, water baths, Methyl isobutyl ketone, Lyophilizer, 1, 1, 3 - Triethoxybutane, Humidity Chamber Searched String: Aluminium Oxide for Column Chromatography Aluminium Oxide, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, water for chromatography, Emery Cloth Plain Weave Roll, HPLC Columns (High pressure liquid chromatography), Cryocan for Liquid Nitrogen, ALO Cloth Roll, Mounted Point Stone Wheel with Spindle, foot step for hospitals, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging- IS:16011 Searched String: Silica Gel (60-120 Mesh) for Column Chromatography Category not available on GeM for the text string uploaded by the buyer Searched String: Silica Gel self indicating Coarse (Blue) Silica Gel (V2) Conforming to IS 3401, Silica Gel Breather, Silica Gel as per IS 3401 Searched String: Silver Nitrate (Powder) Silver Nitrate as per IS 2214, Steel Almirah / Cabinets (V4), Silver Nitrate (V2) Conforming to IS 2214, Silver Coins, Garden Bench, Silver sulfate, Silver chloride, Classroom Stools, Sodium Nitrate, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 Searched String: Starch Pregelatinized Starch - ONGC, Maize Starch (Corn Flour) (मक्का स्टार्च (मकई का आटा)), Garbage Bags Searched String: ZINC (metal) granulated 99.5% Zinc Metal Dust, Rollerball Pen (V3), Metallic Zinc Powder (Zinc Dust) - IS 4611, Jars and Container Boxes-Handicraft, Tin Granules/Powder, GLACIAL ACETIC ACID, Sodium Metal- IS 8814-, ALUMINIUM METAL FINE POWDER, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1) Searched String: ?-naphthol benzein 2-Naphthol Searched String: Bromophenolblue indicator Phenolphthalein indicator, Silica Gel (V2) Conforming to IS 3401, Universal Indicator, THICKNESS MEASURING GAUGE, Phase Indicator, Silica Gel as per IS 3401, Phenolphthalein indicator (V2), Chemical Indicator for Steam Sterilization Process, Bromocresol Green Indicator, Dial test indicator Searched String: Bromothymol Blue indicator Bromothymol Blue, Steel Almirah / Cabinets (V4), Bromothymol Blue (V2), Bromothymol Blue Sodium Salt (W.S.) Acs (Ph Indicator), Curtains (V2), Bromophenol Blue, Prussian

बिड विवरण/Bid Details	Blue Cotton Towelling And Towels Conforming To IS 7056 (V4), Hydroxynaphthol Blue, Blue Pottery - ODOP
	Searched String: Calcon Indicator Phenolphthalein indicator, Silica Gel (V2) Conforming to IS 3401, Universal Indicator, THICKNESS MEASURING GAUGE, Phase Indicator, Silica Gel as per IS 3401, Phenolphthalein indicator (V2), Chemical Indicator for Steam Sterilization Process, Bromocresol Green Indicator, Dial test indicator Searched String: Crystal Violet Indicator Ultra violet torch, Professional Large Format Display (V2), Phenolphthalein indicator, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Universal Indicator, Silica Gel (V2) Conforming to IS 3401, Phase Indicator, Violet Red Bile Glucose Agar, Electronic Calculator (V2), Phenolphthalein indicator (V2) Searched String: Dithizone Indicator Phenolphthalein indicator, Silica Gel (V2) Conforming to IS 3401, Universal Indicator, THICKNESS MEASURING GAUGE, Phase Indicator, Silica Gel as per IS 3401, Phenolphthalein indicator (V2), Chemical Indicator for Steam Sterilization Process, Bromocresol Green Indicator, Dial test indicator Searched String: Murexide Indicator Murexide or Ammonium Purpurate, Silica Gel (V2) Conforming to IS 3401, Phenolphthalein indicator, Universal Indicator, Silica Gel as per IS 3401, Phase Indicator, Chemical Indicator for Steam Sterilization Process, Phenolphthalein indicator (V2), Dial test indicator, Bromocresol Green Indicator Searched String: Phenolphthalein, pH indicator solution Phenolphthalein indicator, PH buffer solution, Phenolphthalein indicator (V2), Buffer Solutions, Ferroin indicator solution, Ferroin indicator solution (V2), Bromothymol Blue Sodium Salt (W.S.) Acs (Ph Indicator), Phase Indicator, DNS Security Solution (V2), Lacto Phenol Cotton Blue Solution Searched String: Thymol Blue Indicator Thymol, Steel Almirah / Cabinets (V4), Bromothymol Blue Sodium Salt (W.S.) Acs (Ph Indicator), Autoclave (Horizontal), Bromophenol Blue, Curtains (V2), Bromothymol Blue, Laboratory Incubators, Prussian Blue, Cotton Towelling And Towels Conforming To IS 7056 (V4) Searched String: Thymolphthalein Indicator Phenolphthalein indicator, Silica Gel (V2) Conforming to IS 3401, Universal Indicator, THICKNESS MEASURING GAUGE, Phase Indicator, Silica Gel as per IS 3401, Phenolphthalein indicator (V2), Chemical Indicator for Steam Sterilization Process, Bromocresol Green Indicator, Dial test indicator Searched String: Xylenol Orange Indicator Xylenol orange tetrasodium salt, personal safety kit reflective luminous garments, Methyl Orange, Acid Orange, Cotton Towelling And Towels Conforming To IS 7056 (V4), Orange Seeds, Event Souvenirs-Handicraft, Orange from East Kameng - ODOP, Silica Gel (V2) Conforming to IS 3401,

बिड विवरण / Bid Details	Phenolphthalein indicator
	Searched String: Methylene Blue Eosin Methylene Blue Agar, Steel Almirah / Cabinets (V4), Methylthioninium Chloride (Methylene Blue) Injection, Leishman's Eosine Methylene Blue for Microscopy, Curtains (V2), New Methylene Blue Stain (Reticulocyte Stain), Bromophenol Blue, Cotton Towelling And Towels Conforming To IS 7056 (V4), Bromothymol Blue, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932 Searched String: Hydrogen Peroxide Stabilized Hydrogen Peroxide Marked to IS 2080 (In Kg), Low Temperature Hydrogen Peroxide Gas Plasma Sterilizer, Stabilized Hydrogen Peroxide Marked to IS 2080 (In Liter), Stabilized Hydrogen Peroxide (V2) as per IS 2080, Hydrogen Gas Generator, Ammonium bicarbonate, Chemical Indicator for Vaporized Hydrogen Peroxide (Plasma) Sterilization Process, Benzoyl peroxide, Di Sodium Hydrogen Phosphate-IS:567, Benzoyl Peroxide Gel (V2) Searched String: Karl Fisher Reagent (Pyridine Free) Karl Fischer Reagent, TRIzol Reagent, Immunoassay Analyzer Reagent Kit for Human Samples, Hydrofluoric acid, Aqueous Conforming to IS 10332 (In Liter) Searched String: Nessler's Reagent Barfoed's Reagent, Biochemistry Reagent Kit for Human Samples, Biuret Reagent, Molisch's Reagent, Reagent Grade Distilled water, Tollen's Reagent, Fouchet reagent, Immunoassay Analyzer Reagent Kit for Human Samples, Schiff's reagent, TRIzol Reagent Searched String: Trichloroethane Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Ammonia solution 25%
बीओक्यू शीर्षक / BOQ Title	Procurement of Lab chemical
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Sodium Hydroxide 0.1N Ampule
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 10 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1 + 15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

EDTA Ampule 0.1M**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	12	60

Hydrochloric Acid 0.1N Ampule

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	8	60

Iodine Ampule 0.1N

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	10	60

Sodium Hydroxide 0.1N Ampule

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	24	60

Sodium Hydroxide 1N Ampule

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	12	60

Sodium Thiosulphate Ampule 0.1N

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	18	60

Sulphuric Acid Ampule 0.1N

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	6	60

Sulphuric Acid Ampule 1N

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	6	60

Hydrochloric Acid Concentrated

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	20	60

Hydrofluoric Acid

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	500	60

Nitric Acid Concentrated

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	500	60

Sulphuric Acid Concentrated

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	500	60

10 PH Ammonium Buffer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	500	60

Ammonia Solution

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	3	60

PH Buffer Solution 9.18 PH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	1000	60

PH Buffer Solution 4 PH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	1000	60

PH Buffer Solution 7 PH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	1000	60

1 10 Phenanthrolene

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	10	60

Aluminium Oxide For Column Chromatography

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	2000	60

Starch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	100	60

ZINC Metal Granulated

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	500	60

Alpha Napthol Benzein

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Bromophenolblue Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	250	60

Bromothymol Blue Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	30	60

Calcon Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Crystal Violet Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Dithizone Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Murexide Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Thymol Blue Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Thymolphthalein Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Xylenol Orange Indicator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Methylene Blue

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	5	60

Hydrogen Peroxide

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	72000	60

Karl Fisher Reagent

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	3000	60

Nesslers Reagent

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	200	60

Cobalt Chloride Hexahydrate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	100	60

Mercuric Oxide

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	25	60

Phosphomolybdic Acid

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	25	60

Trichloroethane

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ashish Kumar	410206,Nhava Supply Base, ONGC Nhava, Raigad, Taluka Panvel, Maharashtra-410206	500	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Bid Matrix

Sl. No.	Parameter	Compliance/ Remarks by Bidder
Buyer Added Bid Specific Terms and Conditions		
1	Delivery Schedule: F.O.R Destination. Bidder should supply the material at at RGL, ONGC, Phase-1, ONGC colony, Panvel, Maharashtra -410221 within 60 days from the date of placement of GeM Contract.	
2	Material is to be offered for inspection at destination i.e. at at RGL, ONGC , Phase-1, ONGC colony, Panvel, Maharashtra -410221 (with intimation to this office) within 60 days from the date of placement of GeM Contract. Any delay beyond 60 days shall attract L.D. Date of offering the material for Inspection at destination shall be treated as date of delivery for the purpose of calculating L.D, provided the material is accepted by ONGC. In case the material is rejected by inspection team, rejected material shall be replaced by the supplier free of cost. Supplier shall re-offer/replaced the material within 3 weeks of such rejection. Date of re-offering/replacement of material for inspection will be considered as revised date of delivery for the purpose of calculation of LD.	
3	Actual delivery is to be done at RGL, ONGC, Phase-1, ONGC colony, Panvel, Maharashtra -410221.	

4	All the items supplied under the order shall be new and of first quality according to the specifications. The items supplied shall in no case be of a date of manufacture older than one year from the date of its dispatch and a confirmation /an undertaking to this effect is/are to be submitted along with the bid.	
5	The materials should have a shelf-life of minimum 18 months from the date of supply and a confirmation /an undertaking to this effect is/are to be submitted along with the bid.	
6	The testing laboratory of the manufacturer must be accredited by NABL, and a valid certification to this effect shall be submitted along with the bid.	
7	Purity, Packing and grade should be strictly as per tender specifications.	
8	Bidder's offer is liable to be rejected if they do not upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.	
9	Bidder has to submit duly signed and stamped filled in Bid Matrix.	
10	Dealing officer mobile: 9490492491 Mail id: agarwal_hemlata@ongc.co.in	

***Unit of measure may be Litre or millilitre/Gram.**

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---ધન્યવાદ/Thank You---
