

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	28-08-2026 12:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	28-08-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Power
विभाग का नाम / Department Name	Contracts And Materials
संगठन का नाम / Organisation Name	Damodar Valley Corporation
कार्यालय का नाम / Office Name	Damodar Valley Corporation
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : nripendranath.mondal@dvc.gov.in Buyer Email id: ranjitdas.dvc@nic.in
कुल मात्रा / Total Quantity	46
वस्तु श्रेणी / Item Category	Sealing Cap ASV_22 1333_32 DN 200_350 , 100657 Bot ring spindle Dia32 PNO.2 ASV_22 , Coupling for valve ASV_22 , Expansion Bolt Position_25 Valve ASV_22 , Piston Ring ASV_22 1333_32 DN 200_350 , Stem Packing ASV_22 1333_32 DN 200_350 , Gasket PartNo_7 ID No_103545 for CDV_87 , 103560 Sealing ring Dia27_32x2mm CDV_87 , 100652 BOTTOM RING SNR_000.064.583 , Stem packing PartNo_11.4 for CDV_87 , Coupling valve APRDS Spray control vlv , Gasket for valve CDV_90 , 103560 Sealing ring Dia27_32x2mm CDV_90 , 100652 BOTTOM RING SNR_000.064.584 , Stem packing_4 rings for valve CDV_90 , O Ring CEP MIN RECR CONT VV 1312_16 HORA , Piston Ring CEP MINI REC_1312_16 DN 8 IN , Gasket CEP min recircula vv 1312_16 HORA , 100657 Bot ring spnd Dia32 PNO.21 CEP REC , 104402 Pac ring Dia32_48x8 mm ZPos_22.1 , 103569 Pac ring Dia32 mm_48x8mm ZPos_22.2 , Packing_4 Rings Part No. 24 , Coupling CEP MIN RE CONTROL VLV

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Sealing Cap for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1,Make- HORA, 100657, BOTTOM RING SPINDLE Ø32, PART NO. 28, SNR:000.064.582, Coupling for valve of Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1, Expansion Bolt, Position-25 for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1, Piston Ring for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1,Make- HORA, Stem Packing(a 4 rings) for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1,Make- HORA, Gasket ø73,0/87x1 A1, Mat pos: 7,SNR: 000.267.547 for APRDS Spray control valve, Fab No.- 08206200-3.30, TAG No.-CDV-87, Type: 1313-01, Pos. 3, DN- 1-1/2" Make- HORA, 103560 Sealing ring ø27 mm/32 mmx2 mm A1 ZPos: 11.1 (AS PER OEM BO), 100652, BOTTOM RING, PART NO.-11.3, SNR:000.064.583, Stem packing (a 4 rings) ,PartNo-11.4,ID No-111771 Drawing no.- Ø12x20x16 Material - Graph/K80S for CDV-87, Coupling for valve of APRDS Spray control valve, Fab No.- 08206200-3.30, TAG No.-CDV-87, Type: 1313-01, Pos. 3, DN- 1-1/2", Gasket, PartNo-7,ID No-103545Drawing no.- Ø73x87x1 Material -Graph/1.4401, for valve CDV-90, 103560 Sealing ring ø27 mm/32 mmx2 mm A1 ZPos: 11.1, 100652, BOTTOM RING, PART NO.-11.3, SNR:000.064.584, Stem packing (a 4 rings), PartNo-11.4,ID No-111771Drawing no.- Ø12x20x16Material - Graph/K80S, for valve CDV-90, Coupling for valve of APRDS Spray control valve Fab No.- 08206200-3.50, TAG No.-CDV-90, Type:1313-01, Pos.5, DN- 1-1/2", O-Ring for CEP MINIMUM RECIRCULATION CONTROL VALVE TYPE:- 1312-16, DN 8", Pos. 1,Make- HORA, Piston Ring, PartNo-13,ID No-105517Drawing no.- Ø130/121,X4X4,0Material code- 1.4923 ,for CDV#10/CDV#12/CDV#14), Gasket for CEP minimum recirculation valve, Type: 1312-16, DN 8 inch, Pos.1, Make- HORA, 100657 Bottom ring Spindle ø32 mm,ZPos: 21 (AS PER OEM BO), Ring PartNo-22.1,ID No-104402 Material - Graph/1.4401 ,for Packing(3 rings) Drawing no.- Ø 48/32 mm of (CDV#10/CDV#12/CDV#14), Ring PartNo,-22.2,ID No-103 569Material - Graphit ,for Packing(3 rings)Drawing no.- Ø 48/32 mm of (CDV#10/CDV#12/CDV#14), Stem packing (a 4 rings) for APRDS Spray control valve, Type: 1313-01, Pos. 5, Make- HORA, Coupling for valve of CEP MINIMUM RECIRCULATION CONTROL VALVE TYPE:- 1312-16, DN 8", Pos. 1
	Searched String: Sealing Cap for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1,Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: 100657, BOTTOM RING SPINDLE Ø32, PART NO. 28, SNR:000.064.582 Category not available on GeM for the text string uploaded by the buyer Searched String: Coupling for valve of Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:-

बिड विवरण/Bid Details	1333-32, DN 200/350, Pos. 1
	Category not available on GeM for the text string uploaded by the buyer Searched String: Expansion Bolt, Position-25 for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1 Category not available on GeM for the text string uploaded by the buyer Searched String: Piston Ring for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1,Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: Stem Packing(a 4 rings) for Auxl steam from main steam to PRDS Control valve, Tag No.ASV-22, TYPE:- 1333-32, DN 200/350, Pos. 1,Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: Gasket ø73,0/87x1 A1, Mat pos: 7,SNR: 000.267.547 for APRDS Spray control valve, Fab No.- 08206200-3.30, TAG No.-CDV-87, Type: 1313-01, Pos. 3, DN- 1-1/2" Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: 103560 Sealing ring ø27 mm/32 mmx2 mm A1 ZPos: 11.1 (AS PER OEM BO) PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 Searched String: 100652, BOTTOM RING, PART NO.-11.3, SNR:000.064.583 Category not available on GeM for the text string uploaded by the buyer Searched String: Stem packing (a 4 rings) ,PartNo-11.4,ID No-111771 Drawing no.- Φ12x20x16 Material - Graph/K80S for CDV-87 DC Anvil (OFB) Searched String: Coupling for valve of APRDS Spray control valve, Fab No.- 08206200-3.30, TAG No.-CDV-87, Type: 1313-01, Pos. 3, DN- 1-1/2" Category not available on GeM for the text string uploaded by the buyer Searched String: Gasket, PartNo-7,ID No-103545Drawing no.- Ø73x87x1 Material -Graph/1.4401, for valve CDV-90 Body Seat Ring For Non Return Valve-IS:5312, Snow Goggles (Defence), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Shaft and Shaft Assembly as per Drawing

बिड विवरण/Bid Details	(RCE), Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: 103560 Sealing ring ø27 mm/32 mmx2 mm A1 ZPos: 11.1 PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Writing Pens, Portable Toilet, Ultrasonic Thickness Gauge Searched String: 100652, BOTTOM RING, PART NO.-11.3, SNR:000.064.584 Category not available on GeM for the text string uploaded by the buyer Searched String: Stem packing (a 4 rings), PartNo-11.4,ID No-111771Drawing no.- Ö12x20x16Material - Graph/K80S, for valve CDV-90 Category not available on GeM for the text string uploaded by the buyer Searched String: Coupling for valve of APRDS Spray control valve Fab No.-08206200-3.50, TAG No.-CDV-90, Type:1313-01, Pos.5, DN- 1-1/2" Category not available on GeM for the text string uploaded by the buyer Searched String: O-Ring for CEP MINIMUM RECIRCULATION CONTROL VALVE TYPE:- 1312-16, DN 8", Pos. 1,Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: Piston Ring, PartNo-13,ID No-105517Drawing no.- Ö130/121,X4X4,0Material code- 1.4923 ,for CDV#10/CDV#12/CDV#14) shoes school pvc boys girls, Heavy Vehicle Driving Simulator (MHA) Searched String: Gasket for CEP minimum recirculation valve, Type: 1312-16, DN 8 inch, Pos.1, Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: 100657 Bottom ring Spindle ø32 mm,ZPos: 21 (AS PER OEM BO) Category not available on GeM for the text string uploaded by the buyer Searched String: Ring PartNo-22.1,ID No-104402 Material -Graph/1.4401 ,for Packing(3 rings) Drawing no.- Ö 48/32

	mm of (CDV#10/CDV#12/CDV#14) बिड विवरण / Bid Details
	Bag Calico- OFB, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Ring Slugging Spanners (V2) Searched String: Ring PartNo,-22.2,ID No-103 569Material - Graphit ,for Packing(3 rings)Drawing no.- Ö 48/32 mm of (CDV#10/CDV#12/CDV#14) Bag Calico- OFB Searched String: Stem packing (a 4 rings) for APRDS Spray control valve, Type: 1313-01, Pos. 5, Make- HORA Category not available on GeM for the text string uploaded by the buyer Searched String: Coupling for valve of CEP MINIMUM RECIRCULATION CONTROL VALVE TYPE:- 1312-16, DN 8", Pos. 1 Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Control Valve Pneumatic • Directional Control Valve
बीओक्यू शीर्षक / BOQ Title	Procurement of HORA make Valves spares for TG and Aux of DVC BTPS
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Coupling valve APRDS Spray control vlv
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20

मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	No, got exemption from competent authority as defined in Department of expenditure OM No. F.12/17/2019-PPD dated 29.10.2020, since the procurement is of spares parts of the equipment / Plant & Machinery etc. on nomination basis from Original Equipment Manufacturer (OEM)/ Original Equipment Supplier (OES) or Original Part Manufacturer (OPM)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

Single Tender

Single Tender Applicable	Yes
Reason	The sources of supply are definitely known and possibility of fresh source(s) beyond those being tapped is remote.
List of Seller Organization for participation	HI-TECH SYSTEMS & SERVICES LTD.

1. Preference to Make In India products (For bids > 200 Crore) (can also be used in Bids < 200 Crore but only after exemption by competent authority as defined in Deptt of Expenditure OM dated 28.5.2020): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor

or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Sealing Cap ASV_22 1333_32 DN 200_350

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
---------------	---	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

100657 Bot Ring Spindle Dia32 PNO.2 ASV_22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Coupling For Valve ASV_22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Expansion Bolt Position_25 Valve ASV_22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Piston Ring ASV_22 1333_32 DN 200_350

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Stem Packing ASV_22 1333_32 DN 200_350

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Gasket PartNo_7 ID No_103545 For CDV_87

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

103560 Sealing Ring Dia27_32x2mm CDV_87

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

100652 BOTTOM RING SNR_000.064.583

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	2	252

Stem Packing PartNo_11.4 For CDV_87

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Coupling Valve APRDS Spray Control Vlv

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Gasket For Valve CDV_90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

103560 Sealing Ring Dia27_32x2mm CDV_90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

100652 BOTTOM RING SNR_000.064.584

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	2	252

Stem Packing _4 Rings For Valve CDV_90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

Coupling Valve APRDS Spray Control Vlv

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

O Ring CEP MIN RECR CONT VV 1312_16 HORA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	6	252

Piston Ring_CEP MINI REC_1312_16_DN 8 IN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	3	252

Gasket CEP Min Recircula Vv 1312_16 HORA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	3	252

100657 Bot Ring Spnd Dia32 PNO.21 CEP REC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	3	252

104402 Pac Ring Dia32_48x8 Mm ZPos_22.1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	6	252

103569 Pac Ring Dia32 Mm_48x8mm ZPos_22.2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	3	252

Packing _4 Rings Part No. 24

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	3	252

Coupling CEP MIN RE CONTROL VLV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mantu Kumar	829107,DVC, Bokaro Thermal Power Stations, Dist- Bokaro, Jharkhand, Bokaro, 829107	1	252

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

ADDITIONAL TERMS & CONDITIONS: - (ATC)

Subject: Procurement of HORA make Valves spares for TG & Aux. area of 1X500 MW, BTPS, DVC.

Mode of Tendering: THROUGH SINGLE TENDER ENQUIRY on OEM BASIS.

This tender is being processed on **Single Tender (OEM)** basis with approval of competent authority. The bid will be considered only if it has been submitted by the OEM vendor i.e

M/s. HORA Holter Regelarmaturen GmbH & Co. KG Hellefortstraße 58-60 33758 Schloß Holte-Stukenbrock Germany or their Bid specific single authorised vendor.

Bid submitted by bidder other than the OEM or their Bid specific authorised vendor will outrightly be rejected.

1.0 PRICE BASIS:

The rates quoted by the bidder must be Firm till execution of the contract and on FOR-Destination Basis and inclusive of applicable Taxes & duties. However, specific quantum of Taxes, F&I charges (if any) to be spelt out clearly.

2.0 DELIVERY PERIOD:

Materials are to be delivered at respective consignee store on Freight Paid basis within delivery period from the issuance of Purchase Order. The details of delivery of materials are as follows.

Delivery Schedule (in days): 252 days from the date of issuance of GeM Contract.

The date of delivery to be reckoned as the date of receipt of the material at site by the consignee.

3.0 DESPATCH OF MATERIAL: The materials are to be delivered to the consignee's store(mentioned in the GeM BID/Contract) at the own cost & arrangement of the supplier.

4.0 CONSIGNEE: As per GeM BID/Contract. (Address & Contact details are also mentioned under Buyer uploaded ATC document).

5.0 REQUIRED DOCUMENTS AT THE TIME OF SUPPLY OF MATERIALS:

- i. Guarantee / Warranty certificate.

ii. 1:1 interchangeability & fitment certificate are to be furnished during supply of finished product.

6.0 SCOPE OF SUPPLY/ TECHNICAL SPECIFICATION OF SUPPLY:

Materials are to be supplied as per the Material Specification Sheet attached in GEM Bid.

7.0 GUARANTEE / WARRANTY:

The Vendor shall warrant that all material supplied under the Order shall be new, unused and conform to the Purchasers / owners requirements and specifications as mentioned in the NIT.

The Vendor shall guarantee the material under the Order for 18 months from the date of delivery or 12 months from the date of commissioning whichever is earlier.

The date of delivery to be reckoned as the date of receipt of the material at site by the consignee. The vendor shall agree to replace any material, which has been proved defective or fails to conform to the desired specifications free of cost to the purchaser within the Guarantee/Warranty period. The guarantee period for such replaced part shall be the same as that of materials specified earlier.

Inspection and acceptance of material by DVC at DVC Site shall not in any way relieve the vendor from the responsibility for proper performance during the guarantee period.

8.0 PACKING & MARKING:

All goods shall be securely packed in cases, bundles, threads etc. suitable for Rail/Road/Air/Sea transport. All exposed services/connections, protrusions shall be properly protected. All unexposed parts shall be packed with due care and the packages should bear the words "HANDLE WITH CARE". The packing of the goods to be transported by Rail/Road/Airs/Sea shall be as per the conditions laid down by the appropriate authorities and the vendor shall obtain clean railway/goods receipts without any qualifying remarks. All packages and unpacked materials shall be marked on at least 2 (Two) places indicating the name of the purchaser/consignee, PO No., Gross and Net Weight and Dimensions with indelible paints in English. In case of bundles, metallic plates marked with the above details shall be tagged. All goods should be dispatched as per the relevant terms of the PO. In case of any mode of transport as to be resorted to other than that mentioned in the PO, the same should be done only after obtaining prior approval in writing from the purchaser. All movements sanction, loading permissions etc. from Railway or other authorities shall be obtained by the vendor. The vendor shall communicate the relevant dispatch particulars immediately on dispatch by telex/telegram/fax to the consignee as specified in the PO. The vendor shall also forward original and copies of dispatch documents to the concerned authorities as required in the PO within 2 days from the date of dispatch, failing which the vendor shall be responsible for any delay in payment of consignment for wants of documents and consequent demurrage, detention charges etc.

The supplier will be held responsible for the stores not being sufficiently and properly packed at his expense for transport by Road; to ensure them being free from loss or injury at their destination.

In accepting the order, you are understood to accept all responsibilities for any infringement in registered design, trademark, patent rights etc.

9.0 INSPECTION AND ACCEPTANCE OF MATERIAL: Goods supplied will always be subject to our inspection on arrival at the destination. Supplies must be strictly in accordance with specifications etc. furnished by the DVC. Suppliers will be responsible for deviation in respect of technical specifications and commercial terms and conditions whatsoever. The supplier will be held responsible for the stores not being sufficiently and properly packed at his expenses for transport by Road; so as to ensure them being free from loss or injury at their destination.

In accepting the order, you are understood to accept to all responsibilities for any infringement in registered design, trademark, patent rights etc.

10.0 REMOVAL OF REJECTED GOODS AND REPLACEMENT: If upon delivery to consignee's go-down, whether inspected and approved earlier or otherwise, the material / equipment is not found in conformity with the Specifications, the same shall be rejected by the Purchaser or his duly authorized representative and notification

n to this effect will be issued to the Vendor normally within 30 days from the date of Receipt of the material at the Works / Site / consignee's end. The Vendor on receipt of notification shall arrange removal of the rejected items within 15 days from the date of notification at his own cost. In the event the Vendor fails to lift the materials within the said 15 days, the consignee or his authorized representatives without any further notice or information to the vendor, shall be at liberty to dispose of such rejected items in any manner as he may think fit. All expenses shall be recoverable from the Vendor.

In the event, the equipment and materials or any portion thereof are damaged or lost during transit, the consignee or his authorized representatives shall give notice to the Supplier/vendor detailing the particulars of such equipment & materials damaged or lost during transit. The replacement of such equipment and materials to be effected by the supplier / vendor free of costs including handling and transportation charges upto site, within a reasonable time.

11.0 OTHER TERMS & CONDITIONS:

1. **Part Delivery:** Part Supply-Part Payment against part supply is acceptable.
2. **Guarantee & Warranty Certificate:** Guarantee & Warranty Certificate is to be submitted along with supply.
3. **Fitment certificate:** Fitment cum interchangeability certificate for 1:1 interchangeability of the indented spares with the existing spares is to be submitted along with supply.

12.0 PAYMENT TERMS: 100% payment along with full taxes duties will be released within ten (10) days on receipt of materials in good condition and after inspection & acceptance at consignee's address and issuance of CRAC, subject to submission and acceptance of SDBG/ePBG (if applicable).

Note:

- No Payment will be made without acceptance of SDBG (if applicable).
- Statutory taxes, whichever is applicable, will be deducted from the bills.
- GST will be applicable as GOI rule.
- Materials to be received at the respective consignee's end and Bill & Payment has to be processed from respective Accounts of consignee station.
- **Part payment Part Supply**-Part payment against part supply is acceptable.
- For DVC Stations at West Bengal (DTPS, MTPS, DSTPS & RTPS) GST No. is **19AABCD0541M1ZO** and for DVC Jharkhand (BTPS, CTPS, KTPS) GST No. is **20AABCD0541M1Z5**.

13.0 SDBG CLAUSE: Performance security should be for an amount equivalent to 3% of the Letter of Award (LOA)/ Work Order (WO)/Purchase Order value. For procurement up-to Rs. 1 Cr, security deposit shall be recovered as Pro-rata deduction @ 3% from the RA bills, and it will be released after Performance Guarantee period +2 months.

14.0 PAYING AUTHORITY: Respective Accounts of the consignee's station. i.e.

Sr. Manager (Finance), BTPS, DVC, Bokaro Thermal, Bokaro, Pin-829107, (Jharkhand.)

N.B.: Tender Details and BID Specific all Terms & Conditions, Information for Bidder (IFB), Instruction to the Bidder (ITB) and All BID forms are available under 'Buyer uploaded ATC document' on 'Click here view' hyperlink.

निविदा विवरण और बोली विशिष्ट सभी नियम और शर्तें, बोली लगाने वाले (आईएफबी) के लिए जानकारी, बोली लगाने वाले (आईटीबी) के लिए निर्देश और सभी बोली फॉर्म 'खरीदार द्वारा अपलोड किए गए एटीसी दस्तावेज़' के तहत 'यहां क्लिक करें देखें' हाइपरलिंक पर उपलब्ध हैं।

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly

and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा। In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---