

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	28-09-2026 10:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	29-09-2026 10:00:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Defence
विभाग का नाम / Department Name	Department Of Military Affairs
संगठन का नाम / Organisation Name	Indian Army
कार्यालय का नाम / Office Name	*****
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :tonyjose.606f@gov.in Buyer Email id: praveenyadav.243k@gov.in
कुल मात्रा / Total Quantity	2254

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

Expanded PTFE patch 0.4mm thick 2 x 9cms , Titanium haemostatic clips size small LT 100 with two applicators and 500 clips for open surgery, Each cartridge containing 6 clips, Each Box contains 36 cartridges , Haemostatic clips Titanium haemostatic clips small , Polytetrafluorethylene PTFE CV4 90-95 cms half circle round body double needle 12-25mm , Polytetrafluorethylene PTFE CV5 90-95 cms half circle round body double needle 12-25 mm , PTEE Graft Stretch 6mmX40cm , PTEE Graft Stretch 7mmX40cm , PTEE Graft Ringed 6mmX40cm , PTEE Graft Ringed 6mmX50cm , PTEE Graft Ringed Axilo-femoral 8mmX90cm , Covered Stents Various Sizes , Self expandable nitinol hybrid stent various sizes dia 14-20 mm dia , Self expandable nitinol stent 6 or 7 or 8 mm diameter x 30mm or more length , Drug eluting balloon assorted sizes paclitaxel or everolimus or zotarolimus or sirolimus , Closurefast rfa catheter 7 fr,code cf7-7-100 makes , Mediven harmony arms sleeve class i , Mediven harmony arms sleeve class ii , Graduated compression stocking class iii ak for cvi fabric content 14percent cotton, 52percent polyamide, 34percent elastane it contain a foot slip and one pair stocking in a box ral certified , Graduated compression stocking class iii bk for cvi fabric content 14percent cotton, 52percent polyamide, 34percent elastane it contain a foot slip and one pair stocking , Cl-ii compression stocking ak for cvi 52percent polyamide, 34percent elastane 14percent baumwolle cotton large , Cl-ii compression stocking ak for cvi 52percent polyamide, 34percent elastane 14percent baumwolle cotton medium , Cl-ii compression stocking ak for cvi 52percent polyamide, 34percent elastane 14percent baumwolle cotton small , Angiography diagnostic catheter Picard 5Fr, permitting 0.038 inch guidewire at least 100 cm long , Canister Free Portable negative Pressure Wound Therapy Device 10 X 20 cm , Canister Free Portable negative Pressure Wound Therapy Device 12 x 20 cm , Pigtail Catheter - assorted Sizes , Super stiff Teflon coated guide wire with metallic core having J shaped flexible distal tip , PTCA Guide Catheter - Judkins - assorted Sizes , Medical grade adhesive cyanoacrylate with 5 fr catheter and dispensation for precise allocation of adhesive , Surgicel fibrillar, 2 inch x 4inch Box of 10 , Disposable bulldog clamps, Large straight Set of 2 , Disposable bulldog clamps, Medium angled Set of 2 , Disposable bulldog clamps, medium straight Set of 2 , Disposable bulldog clamps, mini straight Set of 2 , Ssi control collagen implant 5x5 cm bioabsorbable with 0.1percent w per w gentamycin sulphate , Hydrogel base non ionic detergent 0.01percent w per w sterile distilled water slough remover, size 20gm , Triple hydrocolloid skin barrier nanocrystalline silver 0.002 percent in water soluble base and type 1 collagen nan-cola gel-20gm , Sterile porous collagen with non adherent backing cola border 10 x 10 cms , Eluvia drug eluting stent vascular , Eptfe reinforced bifurcated vascular graft 12mmx6mm , Mesenchymal Stomal Cell 200 million 15 ml , Eptfe av access walled stretch vascular graft 4-6mmx45cm , Cl-ii compression stocking bk for cvi 52percent polyamide, 34percent elastane 14percent baumwolle cotton large , Angiography Guide wire 0.032 inch X 150cm , Hydrophilic coated guide wires suitable for negotiating tortuous vascular anatomy with J curve tip of 0.018 inch diameter and 150 cms , Peripheral Balloon Expandable Stent System- assorted sizes

विड विवरण / Video Details	Expanded Details
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Expanded PTFE patch 0.4mm thick 2 x 9cms, Titanium haemostatic clips size small LT 100 with two applicators , Haemostatic clips Titanium haemostatic clips small, Polytetrafluorethylene PTFE CV4 90-95 cms Half circle round body double needle , Polytetrafluorethylene PTFE CV5 90-95 cms half circle round body double needle , PTEE Graft Stretch 6mmX40cm, PTEE Graft Stretch 7mmX40cm, PTEE Graft Ringed 6mmX40cm, PTEE Graft Ringed 6mmX50cm, PTEE Graft Ringed Axilo-femoral 8mmX90cm, Covered Stents Various Sizes , Self expandable nitinol hybrid stent various sizes dia 14-20 mm dia, Self expandable nitinol stent 6 or 7 or 8 mm diameter x 30mm or more length, Drug eluting balloon assorted sizes paclitexal or evorolimus or zotorolimus , Closurefast rfa catheter 7 fr,code cf7-7-100 makes , Mediven harmony arms sleeve class i, Mediven harmony arms sleeve class ii, Graduated compression stocking class iii ak for cvi fabric content 14 Percent , Graduated compression stocking class iii bk for cvi fabric content 14 Percent , Cl-ii compression stocking ak for cvi 52 Percent polyamide, 34 Percent large , Cl-ii compression stocking ak for cvi 52 Percent polyamide, 34 Percent medium , Cl-ii compression stocking ak for cvi 52 Percent polyamide, 34 Percent small , Angiography diagnostic catheter Picard 5Fr permitting 0 point 038 inch guidewire, Canister Free Portable negative Pressure Wound Therapy Device 10 X 20 cm, Canister Free Portable negative Pressure Wound Therapy Device 12 x 20 cm, Pigtail Catheter - assorted Sizes, Super stiff Teflon coated guide wire with metallic core , PTCA Guide Catherer - Judkins - assorted Sizes, Medical grade adhesive cyanoacrylate with 5 fr catheter , Surgicel fibrillar, 2 inch x 4inch Box of 10 , Disposable bulldog clamps, Large straight Set of 2 , Disposable bulldog clamps, Medium angled Set of 2 , Disposable bulldog clamps, medium straight Set of 2 , Disposable bulldog clamps, mini straight Set of 2 , Ssi control collagen implant 5x5 cm bioabsorbable with 0.1 Percent , Hydrogel base non ionic detergent 0.01 Percent w or w sterile , Triple hydrocolloid skin barrier nanocrystalline silver 0.002 Percent, Sterile porous collagen with non adherent backing cola border 10 x 10 cms, Eluvia drug eluting stent vascular, Eptfe reinforced bifurcated vascular graft 12mmx6mm, Mesenchymal Stomal Cell 200 million 15 ml, Eptfe av access walled stretch vascular graft 4-6mmx45cm, Cl-ii compression stocking bk for cvi 52 Percent polyamide, 34 Percent elastane , Angiography Guide wire 0.032 inch X 150cm, Hydrophilic coated guide wires suitable for negotiating tortuous vascular , Peripheral Balloon Expandable Stent System- assorted sizes
	Searched String: Expanded PTFE patch 0.4mm thick 2 x 9cms Pillow for Head and Knee For Panchakarma, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, SEWAGE TREATMENT PLANT, Lapi Patra (Putty Applicator), Sterile Hypodermic Needles for Single use (V2) Searched String: Titanium haemostatic clips size small LT 100 with two applicators Category not available on GeM for the text string uploaded by the buyer Searched String: Haemostatic clips Titanium haemostatic

विड विवरण/Bid Details	clips small
	Ligation Clips, Paper Clips (V2) Conforming to IS 5650 Searched String: Polytetrafluorethylene PTFE CV4 90-95 cms Half circle round body double needle Category not available on GeM for the text string uploaded by the buyer Searched String: Polytetrafluorethylene PTFE CV5 90-95 cms half circle round body double needle Category not available on GeM for the text string uploaded by the buyer Searched String: PTEE Graft Stretch 6mmX40cm Category not available on GeM for the text string uploaded by the buyer Searched String: PTEE Graft Stretch 7mmX40cm Category not available on GeM for the text string uploaded by the buyer Searched String: PTEE Graft Ringed 6mmX40cm File/Folder (V3), Ring Wrenches (Spanners) as per IS 2029, Power cage, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Ring Slugging Spanners (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: PTEE Graft Ringed 6mmX50cm File/Folder (V3), Ring Wrenches (Spanners) as per IS 2029, Power cage, Non Sparking Double Ended Ring Spanner (V2), Electrical connection Lugs or thimbles, Non Sparking Ring Slugging Spanners (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: PTEE Graft Ringed Axilo-femoral 8mmX90cm Category not available on GeM for the text string uploaded by the buyer Searched String: Covered Stents Various Sizes File/Folder (V3), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Handloom Cotton Pillow Covers (V3), Grooved gasket, Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Examination Answer Books for Higher and Competitive Examinations (V4), Cover Paper (V2) Conforming to IS 6956, Pillow Covers-Handicraft Searched String: Self expandable nitinol hybrid stent various sizes dia 14-20 mm dia Category not available on GeM for the text string uploaded by the buyer Searched String: Self expandable nitinol stent 6 or 7 or 8 mm diameter x 30mm or more length Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as

बिड विवरण / Bid Details	per IS 16014
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Drug eluting balloon assorted sizes paclitexal or evarolimus or zotorolimus Category not available on GeM for the text string uploaded by the buyer Searched String: Closurefast rfa catheter 7 fr,code cf7-7-100 makes Hemodialysis Catheter Kit, Central Venous Catheter Conforming to IS 10555 (Part 3) Searched String: Mediven harmony arms sleeve class i Category not available on GeM for the text string uploaded by the buyer Searched String: Mediven harmony arms sleeve class ii Category not available on GeM for the text string uploaded by the buyer Searched String: Graduated compression stocking class iii ak for cvi fabric content 14 Percent Category not available on GeM for the text string uploaded by the buyer Searched String: Graduated compression stocking class iii bk for cvi fabric content 14 Percent Category not available on GeM for the text string uploaded by the buyer Searched String: CI-ii compression stocking ak for cvi 52 Percent polyamide, 34 Percent large Category not available on GeM for the text string uploaded by the buyer Searched String: CI-ii compression stocking ak for cvi 52 Percent polyamide, 34 Percent medium Category not available on GeM for the text string uploaded by the buyer Searched String: CI-ii compression stocking ak for cvi 52 Percent polyamide, 34 Percent small Category not available on GeM for the text string uploaded by the buyer Searched String: Angiography diagnostic catheter Picard 5Fr permitting 0 point 038 inch guidewire Category not available on GeM for the text string uploaded by the buyer Searched String: Canister Free Portable negative Pressure Wound Therapy Device 10 X 20 cm Dressing for Reusable NPWT System Searched String: Canister Free Portable negative Pressure Wound Therapy Device 12 x 20 cm Dressing for Reusable NPWT System

बिड विवरण/Bid Details	Searched String: Pigtail Catheter - assorted Sizes
	Pigtail Drainage Catheter (V2), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, shoes school pvc boys girls, coat combat disruptive detachable lining, Shoes Leather Oxford DMS as per Defence Specification, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Abdominal Drainage Kit (V2), Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Thermal Gloves as per Defence specification Searched String: Super stiff Teflon coated guide wire with metallic core Category not available on GeM for the text string uploaded by the buyer Searched String: PTCA Guide Catherer - Judkins - assorted Sizes Category not available on GeM for the text string uploaded by the buyer Searched String: Medical grade adhesive cyanoacrylate with 5 fr catheter Pigtail Drainage Catheter (V2), Suction Catheters (V2), Hemodialysis Catheter Kit, Locking Compression Plates (V2) Searched String: Surgicel fibrillar, 2 inch x 4inch Box of 10 Plaster of Paris Bandage Conforming to IS 4738, File Storage Box (V2), Shuttlecocks (V2) Conforming to IS 415, Medals (V3), Bond Paper (V3) Conforming to IS 1848 (Part 1), General Purpose Ball Valves conforming to IS 9890, PVC gitti, Non Sparking Double Ended Ring Spanner (V2), Facial Tissue Papers(V3), Non Sparking Double Open Ended Spanner (V2) Searched String: Disposable bulldog clamps, Large straight Set of 2 Category not available on GeM for the text string uploaded by the buyer Searched String: Disposable bulldog clamps, Medium angled Set of 2 Category not available on GeM for the text string uploaded by the buyer Searched String: Disposable bulldog clamps, medium straight Set of 2 Category not available on GeM for the text string uploaded by the buyer Searched String: Disposable bulldog clamps, mini straight Set of 2 Category not available on GeM for the text string uploaded by the buyer Searched String: Ssi control collagen implant 5x5 cm bioabsorbable with 0.1 Percent

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Hydrogel base non ionic detergent 0.01 Percent w or w sterile Category not available on GeM for the text string uploaded by the buyer Searched String: Triple hydrocolloid skin barrier nanocrystalline silver 0.002 Percent Category not available on GeM for the text string uploaded by the buyer Searched String: Sterile porous collagen with non adherent backing cola border 10 x 10 cms Hydrocolloid Dressing Searched String: Eluvia drug eluting stent vascular Category not available on GeM for the text string uploaded by the buyer Searched String: Eptfe reinforced bifurcated vascular graft 12mmx6mm Category not available on GeM for the text string uploaded by the buyer Searched String: Mesenchymal Stomal Cell 200 million 15 ml Lactulose Oral Liquid Searched String: Eptfe av access walled stretch vascular graft 4-6mmx45cm Category not available on GeM for the text string uploaded by the buyer Searched String: Cl-ii compression stocking bk for cvi 52 Percent polyamide, 34 Percent elastane Category not available on GeM for the text string uploaded by the buyer Searched String: Angiography Guide wire 0.032 inch X 150cm Guidewires (V2) Searched String: Hydrophilic coated guide wires suitable for negotiating tortuous vascular Category not available on GeM for the text string uploaded by the buyer Searched String: Peripheral Balloon Expandable Stent System- assorted sizes Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Cardiovascular Patch (V2)

बिड विवरण/Bid Details	
बीओक्यू शीर्षक /BOQ Title	BOQ BID
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	69 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	69 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	GeM verified turnover
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid

बिड विवरण/Bid Details	
प्राथमिक उत्पाद श्रेणी/Primary product category	Expanded PTFE patch 0.4mm thick 2 x 9cms
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	7912
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	5947
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	526
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	2344
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	2373
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	3745
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	3745
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	3393
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	3393
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	4590
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	5331
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	7442
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	10206
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	2394
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	15300
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	3351

Schedule 17 ईएमडी राशि/EMD Amount (In INR)	3710
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	17833
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	8245
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	31388
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	31388
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	31388
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	1495
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	23286
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	23318
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	6983
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	4905
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	667
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	11813
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	22914
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	278
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	641
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	338
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	338
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	5565
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	3527
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	11439
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	9944
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	14618
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	13343
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	15333
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	7694
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	10252
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	1123
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	1345

Schedule 46 ईएमडी राशि/EMD Amount (In INR)	19845
--	-------

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Commandant

Command Hospital Eastern Command Kolkata, Department of Military Affairs, Indian Army, Ministry of Defence
(Maj Gen D Mukherjee)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity

during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.

- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Expanded Ptfе Patch 0.4mm Thick 2 X 9cms	12
Schedule 2	Titanium Haemostatic Clips Size Small Lt 100 With Two Applicators And 500 Clips For Open Surgery, Each Cartridge Containing 6 Clips, Each Box Contains 36 Cartridges	6
Schedule 3	Haemostatic Clips Titanium Haemostatic Clips Small	6
Schedule 4	Polytetrafluorethylene Ptfе Cv4 90-95 Cms Half Circle Round Body Double Needle 12-25mm	24
Schedule 5	Polytetrafluorethylene Ptfе Cv5 90-95 Cms Half Circle Round Body Double Needle 12-25 Mm	24
Schedule 6	Ptee Graft Stretch 6mmx40cm	2
Schedule 7	Ptee Graft Stretch 7mmx40cm	2
Schedule 8	Ptee Graft Ringed 6mmx40cm	2
Schedule 9	Ptee Graft Ringed 6mmx50cm	2
Schedule 10	Ptee Graft Ringed Axilo-femoral 8mmx90cm	2
Schedule 11	Covered Stents Various Sizes	20
Schedule 12	Self Expandable Nitinol Hybrid Stent Various Sizes Dia 14-20 Mm Dia	3
Schedule 13	Self Expandable Nitinol Stent 6 Or 7 Or 8 Mm Diameter X 30mm Or More Length	3
Schedule 14	Drug Eluting Balloon Assorted Sizes Paclitexal Or Evarolimus Or Zotorolimus Or Sirolimus	2
Schedule 15	Closurefast Rfa Catheter 7 Fr,code Cf7-7-100 Makes	12
Schedule 16	Mediven Harmony Arms Sleeve Class I	30
Schedule 17	Mediven Harmony Arms Sleeve Class Ii	30
Schedule 18	Graduated Compression Stocking Class Iii Ak For Cvi Fabric Content 14percent Cotton, 52percent Polyamide, 34percent Elastane It Contain A Foot Slip And One Pair Stocking In A Box Ral Certified	90
Schedule 19	Graduated Compression Stocking Class Iii Bk For Cvi Fabric Content 14percent Cotton, 52percent Polyamide, 34percent Elastane It Contain A Foot Slip And One Pair Stocking	60
Schedule 20	CI-ii Compression Stocking Ak For Cvi 52percent Polyamide, 34percent Elastane 14percent Baumwolle Cotton Large	180
Schedule 21	CI-ii Compression Stocking Ak For Cvi 52percent Polyamide, 34percent Elastane 14percent Baumwolle Cotton Medium	180

Schedule 22	Cl-ii Compression Stocking Ak For Cvi 52percent Polyamide, 34percent Elastane 14percent Baumwolle Cotton Small	180
Schedule 23	Angiography Diagnostic Catheter Picard 5fr, Permitting 0.038 Inch Guidewire At Least 100 Cm Long	30
Schedule 24	Canister Free Portable Negative Pressure Wound Therapy Device 10 X 20 Cm	60
Schedule 25	Canister Free Portable Negative Pressure Wound Therapy Device 12 X 20 Cm	60
Schedule 26	Pigtail Catheter - Assorted Sizes	115
Schedule 27	Super Stiff Teflon Coated Guide Wire With Metallic Core Having J Shaped Flexible Distal Tip	30
Schedule 28	Ptca Guide Catherer - Judkins - Assorted Sizes	6
Schedule 29	Medical Grade Adhesive Cyanoacrylate With 5 Fr Catheter And Dispensation For Precise Allocation Of Adhesive	6
Schedule 30	Surgicel Fibrillar, 2 Inch X 4inch Box Of 10	20
Schedule 31	Disposable Bulldog Clamps, Large Straight Set Of 2	12
Schedule 32	Disposable Bulldog Clamps, Medium Angled Set Of 2	12
Schedule 33	Disposable Bulldog Clamps, Medium Straight Set Of 2	10
Schedule 34	Disposable Bulldog Clamps, Mini Straight Set Of 2	10
Schedule 35	Ssi Control Collagen Implant 5x5 Cm Bioabsorbable With 0.1percent W Per W Gentamycin Sulphate	120
Schedule 36	Hydrogel Base Non Ionic Detergent 0.01percent W Per W Sterile Distillid Water Slough Remover, Size 20gm	120
Schedule 37	Triple Hydrocolloid Skin Barrier Nanocrystalline Silver 0.002 Percent In Water Soluble Base And Type 1 Collagen Nan-cola Gel-20gm	300
Schedule 38	Sterile Porous Collagen With Non Adherent Backing Cola Border 10 X 10 Cms	300
Schedule 39	Eluvia Drug Eluting Stent Vascular	3
Schedule 40	Eptfe Reinforced Bifurcated Vascular Graft 12mmx6mm	3
Schedule 41	Mesenchymal Stomal Cell 200 Million 15 Ml	3
Schedule 42	Eptfe Av Access Walled Stretch Vascular Graft 4-6mmx45cm	6
Schedule 43	Cl-ii Compression Stocking Bk For Cvi 52percent Polyamide, 34percent Elastane 14percent Baumwolle Cotton Large	90
Schedule 44	Angiography Guide Wire 0.032 Inch X 150cm	30
Schedule 45	Hydrophilic Coated Guide Wires Suitable For Negotiating Tortuous Vascular Anatomy With J Curve Tip Of 0.018 Inch Diameter And 150 Cms	30
Schedule 46	Peripheral Balloon Expandable Stent System- Assorted Sizes	6

Expanded PTFE Patch 0.4mm Thick 2 X 9cms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	12	30

Titanium Haemostatic Clips Size Small LT 100 With Two Applicators And 500 Clips For Open Surgery, Each Cartridge Containing 6 Clips, Each Box Contains 36 Cartridges

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	6	30

Haemostatic Clips Titanium Haemostatic Clips Small

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	6	30

Polytetrafluorethylene PTFE CV4 90-95 Cms Half Circle Round Body Double Needle 12-25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	24	30

Polytetrafluorethylene PTFE CV5 90-95 Cms Half Circle Round Body Double Needle 12-25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	24	30

PTEE Graft Stretch 6mmX40cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	2	30

PTEE Graft Stretch 7mmX40cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	2	30

PTEE Graft Ringed 6mmX40cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	2	30

PTEE Graft Ringed 6mmX50cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	2	30

PTEE Graft Ringed Axilo-femoral 8mmX90cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	2	30

Covered Stents Various Sizes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	20	30

Self Expandable Nitinol Hybrid Stent Various Sizes Dia 14-20 Mm Dia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	3	30

Self Expandable Nitinol Stent 6 Or 7 Or 8 Mm Diameter X 30mm Or More Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	3	30

Drug Eluting Balloon Assorted Sizes Paclitaxel Or Evarolimus Or Zotorolimus Or Sirolimus

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	2	30

Closurefast Rfa Catheter 7 Fr,code Cf7-7-100 Makes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	12	30

Mediven Harmony Arms Sleeve Class I

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	30	30

Mediven Harmony Arms Sleeve Class Ii

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	30	30

Graduated Compression Stocking Class Iii Ak For Cvi Fabric Content 14percent Cotton, 52percent Polyamide, 34percent Elastane It Contain A Foot Slip And One Pair Stocking In A Box Ral Certified

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	90	30

Graduated Compression Stocking Class Iii Bk For Cvi Fabric Content 14percent Cotton, 52percent Polyamide, 34percent Elastane It Contain A Foot Slip And One Pair Stocking

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	60	30

**CI-ii Compression Stocking Ak For Cvi 52percent Polyamide, 34percent Elastane
14percent Baumwolle Cotton Large**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	180	30

**CI-ii Compression Stocking Ak For Cvi 52percent Polyamide, 34percent Elastane
14percent Baumwolle Cotton Medium**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	180	30

CI-ii Compression Stocking Ak For Cvi 52percent Polyamide, 34percent Elastane 14percent Baumwolle Cotton Small

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	180	30

Angiography Diagnostic Catheter Picard 5Fr, Permitting 0.038 Inch Guidewire At Least 100 Cm Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	30	30

Canister Free Portable Negative Pressure Wound Therapy Device 10 X 20 Cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	60	30

Canister Free Portable Negative Pressure Wound Therapy Device 12 X 20 Cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	60	30

Pigtail Catheter - Assorted Sizes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	115	30

Super Stiff Teflon Coated Guide Wire With Metallic Core Having J Shaped Flexible Distal Tip

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	30	30

PTCA Guide Catherer - Judkins - Assorted Sizes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	6	30

Medical Grade Adhesive Cyanoacrylate With 5 Fr Catheter And Dispensation For Precise Allocation Of Adhesive

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	6	30

Surgical Fibrillar, 2 Inch X 4inch Box Of 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	20	30

Disposable Bulldog Clamps, Large Straight Set Of 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	12	30

Disposable Bulldog Clamps, Medium Angled Set Of 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	12	30

Disposable Bulldog Clamps, Medium Straight Set Of 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	10	30

Disposable Bulldog Clamps, Mini Straight Set Of 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	10	30

Ssi Control Collagen Implant 5x5 Cm Bioabsorbable With 0.1percent W Per W Gentamycin Sulphate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	120	30

Hydrogel Base Non Ionic Detergent 0.01percent W Per W Sterile Distillid Water Slough Remover, Size 20gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	120	30

Triple Hydrocolloid Skin Barrier Nanocrystalline Silver 0.002 Percent In Water Soluble Base And Type 1 Collagen Nan-cola Gel-20gm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	300	30

Sterile Porous Collagen With Non Adherent Backing Cola Border 10 X 10 Cms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	300	30

Eluvia Drug Eluting Stent Vascular

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	3	30

Eptfe Reinforced Bifurcated Vascular Graft 12mmx6mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	3	30

Mesenchymal Stomal Cell 200 Million 15 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	3	30

Eptfe Av Access Walled Stretch Vascular Graft 4-6mmx45cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	6	30

Cl-ii Compression Stocking Bk For Cvi 52percent Polyamide, 34percent Elastane 14percent Baumwolle Cotton Large

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	90	30

Angiography Guide Wire 0.032 Inch X 150cm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	30	30

Hydrophilic Coated Guide Wires Suitable For Negotiating Tortuous Vascular Anatomy With J Curve Tip Of 0.018 Inch Diameter And 150 Cms

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	30	30

Peripheral Balloon Expandable Stent System- Assorted Sizes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Kolkata	6	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional Terms & Conditions

Consumables

1. BBQR of all the schedules is attached in “Buyer added Bid Specification ATC” in the Bid document.

2. A brochure containing all the quoted schedules and compliance with BBQR specifications must be uploaded exclusively under “Compliance of BBQR specification and supporting documents” Any incorrect quotation/ mismatch might result in bid rejection.

3. All required seller documents, such as MII Documents, Experience Criteria, Past Performance, Bidder Turnover, OEM Authorization Certificate, OEM Annual Turnover, Compliance of BoQ specification and supporting documents must be uploaded with due diligence. Any discrepancy must lead to Bid rejection.

4. Brochure if any, to be provided before the bid opening date for the Technical Evaluation Committee to the following address:-

**OIC GeM (Med),
Command Hospital (EC),
Alipore, Kolkata, PIN - 700027**

5. The decision of the Technical Evaluation Committee will be final and binding on all the vendors. No offline representation will be entertained.

6. Indigenous drugs will have 5/6 of shelf life and foreign products will have 2/3 of shelf life remaining at the time of supply. However, the acceptance of any item with shelf life shorter than the quoted remains entirely at the discretion of CFA/ as per terms and condition endorsed in BBQR.

7. Supplier will undertake to replace unconsumed stock before 3 Months of the expiry date of the items.

8. The dealer will replace any stock found defective during shelf life.

9. Quoting health supplement in- lieu of drugs/medicines strictly prohibited unless specifically asked in tender.

10. Info: Fund Code Head: 421/01.

11. Items required strictly in accordance with BBQR Specification, with full compliance mandatory.

12. Food Supplements should not be quoted in lieu of medicines.

13. File No: RE/DGLP/228/IFA/2026-2027 (Vas Surg)

.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its

outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---