

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	25-09-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	26-09-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Coal
विभाग का नाम/Department Name	Nlc India Limited
संगठन का नाम/Organisation Name	Nlc India Limited
कार्यालय का नाम/Office Name	Centralised Thermal Contracts Nntps Campus
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :conts.thermal@nlcindia.in Buyer Email id: prabakaran77@nlcindia.in
वस्तु श्रेणी /Item Category	Repair and Overhauling Service - Erection of LTC A&B conveyor capacity enhancement work in unit-2 in TPS-II Expn; As per scope of work; Yes; Buyer Premises
अनुबंध अवधि /Contract Period	1 Year(s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	4
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of service delivery acceptance certificate (SDAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मूल्य दर्शाने वाला वित्तीय दस्तावेज ब्रेकअप आवश्यक है / Financial Document Indicating Price Breakup Required	Yes
मध्यस्थता खंड/Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	330000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	18

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

NLCIL

Centralised Thermal Contracts NNTPS Campus, NLC India Limited, NLC India Limited, Ministry of Coal (Nlc India Limited)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई अनुपालन/MII Compliance

एमआईआई अनुपालन/MII Compliance	Yes
-------------------------------	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service

provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

3. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

अतिरिक्त योग्यता /आवश्यक डेटा/Additional Qualification/Data Required

Scope of Work:[1787810362.pdf](#)

Terms and Conditions pertaining to the Bid/Contract:[1787810364.pdf](#)

Financial Break up Format:[1787810367.pdf](#)

Product Details:[1788516728.pdf](#)

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
14-09-2026 11:00:00	Central Contracts/Thermal, First Floor, AO Building, NNTPS Campus, NLC India Ltd., Neyveli.

Repair And Overhauling Service - Erection Of LTC A&B Conveyor Capacity Enhancement Work In Unit-2 In TPS-II Expn; As Per Scope Of Work; Yes; Buyer Premises (1)

तकनीकी विशिष्टियाँ /Technical Specifications

विवरण/ Specification	मूल्य/ Values
कोर / Core	
Product Category	Erection of LTC A&B conveyor capacity enhancement work in unit-2 in TPS-II Expn

विवरण/ Specification	मूल्य/ Values
Product Brand	As per scope of work
Spares Required	Yes
Place of Repair/Maintenance	Buyer Premises
एडऑन /Addon(s)	
अतिरिक्त विवरण /Additional Details	
Product Details	Erection of LTC A&B conveyor capacity enhancement work in unit-2 in TPS-II Expn.

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer

क्रेता द्वारा निर्धारित न्यूनतम मूल्य/Minimum Floor Price defined by Buyer	No
--	----

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

प्रेषिती/रिपोर्टिंग अधिकारी /Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	संसाधनों की मात्रा / Number of Products to be Repaired	अतिरिक्त आवश्यकता /Additional Requirement
1	Elango Duraisamy	607807,TPS-II Expansion, NLC India Ltd., Neyveli - 607 807	1	N/A

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Buyer Added Bid Specific Scope Of Work(SOW)

Text Clause(s)

SCOPE OF WORK

1.0 **LTC A&B conveyor capacity enhancement work:**

Implementation of Straight Inclined LTC A&B conveyor of Unit 2, TPS 2 expansion - erection of Lignite transport conveyor LTC - A&B for handling Lignite.

2.0 **Details of LTC A&B conveyor capacity enhancement work to be carried out:**

2.1 **Mechanical:**

2.1.1 Existing conveyor is to be dismantled completely along with conveying chain inlet chutes, outlet chute, short supports, drive assembly and transmission chain. Existing long supports to be retained.

2.1.2 New conveyor to be installed along with drive end assembly, tensioning

on end assembly, newly supplied inlet & outlet chutes, short support s, chain assembly, drive assembly & transmission chain.

- 2.1.3 Existing long supports to be modified as per new layout.
- 2.1.4 Existing structure to be modified as per new layout.
- 2.1.5 Additional structure/supports to be provided where ever necessary as per the site condition.

Sl. No	Details of equipment's	Existing system in Tons	Proposed system in Tons
1	For One LTC A/B,	40	65
2	For structure & platform work	14	10
3	For one stream A/B	54	75
	Approximately	60	75
4	For Both Streams A&B	120	150
	Approximately, in Tons	120	150*

Note: Approximately, 150 Tons are proposed for above work and +/- 10% may be expected during erection.

3.0 **SCOPE OF WORK:**

- 3.1 The Existing Lignite Transport Conveyor A&B (Two numbers of conveyors) have to be dismantled fully as per the direction of NLCIL. The dismantling is to be done carefully and the entire reusable dismantled spare material have to be stored as guided by the NLCIL. The Scrap material have to be transported to the scrap yard/other location as directed by NLCIL.
- 3.2 The new conveyor materials have to be transported from the storage location to the site. The Erection of the New modified LTC A&B have to be carried out as per the drawing and guide line under the supervision of the OEM M/s Schenk process solutions P Ltd site Engineer. The New conveyors have to be provided with side work platform where ever required. The necessary duct modifications to be carried out at the bunker end and discharge end as per the direction of the NLCIL. The associated Equipments of LTC namely Lignite air lock feeders, Main fuel trip valve in the discharge end have to be realigned/relocated as per the requirement of NLCIL.
- 3.3 Commissioning of the newly erected Conveyors under the supervision of OEM, All the necessary corrections to be done for smooth running of the conveyors.

4.0 **DETAILS ABOUT THE WORK FOR QUOTING PURPOSE**

- 4.1 Contractor has to carry out the allotted portion of modification work as mentioned in the details of modification work specified for one boiler as instructed by NLC India Ltd.
- 4.2 Work has to be carried out in all 3 shifts continuously including Sundays and PH.
- 4.3 Contractor needs to specify methodology and sequence of work to be carried out in minimum possible period.
- 4.4 Contractor has to employ sufficient fitters, helpers, riggers & electricians

- for the above work.
- 4.5 Transportation of materials i.e., Drive end & tail end shaft assembly, Casing & its top doors set, complete drag link chains, Motor, VFD panel and all the other materials required for LTC A&B conveyor capacity enhancement work from the storage place of NLCIL inside the TPS2 Expn, to the erection site is under the scope of the contractor.
 - 4.6 Dismantling of existing lignite transport conveyors A&B, lowering it to ground level and stacking it properly as specified by the NLCIL engineers is in the scope of the contractor.
 - 4.7 New conveyor to be installed along with drive end assembly, tension end assembly, newly supplied inlet & outlet chutes, short supports, chain assembly, drive assembly & transmission chain.
 - 4.8 Existing long supports to be modified as per new layout.
 - 4.9 Existing structure to be modified as per new layout.
 - 4.10 Any structures removed /additional structure erected during the course of the work has to be normalized
 - 4.11 Existing working platform for conveyors & LRALFs if removed. Same additional structure to be erected and welded.
 - 4.12 Removal of all scraps and material from the erection site.
 - 4.13 Any other works not mentioned above, but required to complete the work of modification in full have to be carried out without any extra cost.
 - 4.14 Any defects during commissioning of conveyors, the Rectification of the defect is in the scope of the contractor no extra payment will be given by NLCIL.
 - 4.15 All the required Motors, coupling, drive end shaft, bearings & its plumber blocks, drive sprockets, flywheel, drive chains, gear box along with its pinion, gear box cooling hoses removed carefully such that it is to be reused.
 - 4.16 Erection works to be carried out are:
 - 4.16.1 Casing of conveyors erected as per the drawing provided.
 - 4.16.2 Bottom plate as Harddiox equivalent plates leveling and welding.
 - 4.16.3 Return & support liners erection.
 - 4.16.4 Assembly of Drag link chain & erection over the conveyor.
 - 4.16.5 Motor & gearbox over basement blue matching.
 - 4.16.6 Drive end shaft along with sprockets, bearings & its plumber blocks and flywheel.
 - 4.16.7 Tail end shaft with trailing wheel along with bearings & its plumber blocks.
 - 4.16.8 Alignment of motor to gearbox, coupling, drive end shaft, bearings & its plumber blocks, drive sprockets, flywheel, drive chains, gear box along with its pinion.
 - 4.17 All erection arrangements for conveyors, required tools, lifting crane & winch, chain blocks, pull lifts, slings, scaffolding, channels and accessories etc are in the scope of the contractor.
 - 4.18 All supporting arrangements ie clamps, required tools, sufficient number of 10T, 5T chain blocks with chain length 10 m or, respective capacity loading slings, Scaffolding platform materials, Channels and accessories etc. are in the scope of the contractor.
 - 4.19 All welding machines, grinding machines, accessories for welding, cutting, grinding tools, consumables like LPG, O₂, Acetylene, cutting wheels, grinding wheels and welding rods (contractor has to use only mentioned brand of electrodes) etc. are in the scope of the contractor.
 - 4.20 All the required LTC A & B conveyor modification works has to be carried out as per the work details given above. No additional spare will be given f

or erection failure. Contractor to take care of spares supplied during erection.

5.0 SCOPE OF THE CONTRACTOR REGARDING MATERIALS:

The following are in the scope of the Contractor regarding the materials required to carry out the modification work.

- 5.1 The work shall conform to dimensions and tolerances given in various drawings and documents that will be provided during modification. If any portion of works is found to be defective in workmanship and not conforming to drawings / documents or other stipulations, the contractor shall dismantle and re-do the work duly replacing the defective materials at their own cost, failing which recoveries, as determined by NLCIL, shall be effected from contractor's bills.
- 5.2 Following points shall be the minimum responsibility of contractor and have to be provided within finally accepted rates / prices
 - 5.2.1 Engaging as required for all types of labor, supervisors, engineers, provision of tools & tackles, as specified and otherwise, required for the work, consumables for modification including material handling.
 - 5.2.2 Completion of work as per NLCIL Schedule.
 - 5.2.3 Good quality workmanship for proper performance of the equipment.
 - 5.2.4 All the lifting tools and tackles should be certified by the inspection agency approved by the competent authority of Directorate of Industrial Safety & Health department of state government
- 5.3 Deployment of all tools & tackles, welding machines, cutting sets, grinding machines, Winches, Hydraulic jack, Lifting Tools like Chain pulley blocks, slings, construction machinery, transportation vehicles and all other implements in adequate number and size, appropriate for the modification work to be handled under scope of this specification except otherwise specified.
- 5.4 It shall be the responsibility of the contractor to obtain prior approval of NLCIL, regarding suppliers, type of electrodes etc before procurement of welding electrodes. On receipt of electrodes at site these shall be subjected to inspection and approval by NLCIL. The contractor shall inform NLCIL details regarding type of electrodes, batch number, date of expiry etc and produce test certificate for each lot / batch with correlation of batch / lot number with respective test certificate. No electrode without a valid test certificate will be used.
- 5.5 All the tools and tackles required namely winches, Welding machines, cutting set, blow torch, hoses, welding accessories, air hoses, cutting machines, Grinding Machines, Mother oven, Normal oven, Flask, slings, Chain & Pulley blocks, D-shackles, Wire ropes, temporary supports, wooden planks, Temporary platform grills, scaffolding pipe, clamps, fasteners, any other items construction machinery, transportation vehicles and all other implements in adequate number and size, appropriate for the erection work to be handled under scope of this specification except otherwise specified required for the LTC A & B erection work.
- 5.6 All the lifting tools and tackles should be certified by the inspection agency approved by the competent authority of Directorate of Industrial Safety & Health department of state government.
- 5.7 Consumables such as Gas cylinders (cutting gases - acetylene, LPG, oxygen etc), cleaning agents and others consumables (cotton waste, emery sheets, paint markers, buffing wheels, die penetrant kits, kerosene, grinding wheels, cutting wheels, hacksaw blades, etc) required for the works.

- 5.8 Materials required for temporary supports, wooden planks, scaffolding materials hardware items like bolt, nuts & washer etc Electrical switch boxes and light fittings, water & air hoses in sufficient Nos. for execution of work shall be brought by the contractor.
- 5.9 Personal Protection Equipments (PPEs) such as Safety shoes, nose mask, Helmet, Hand Gloves, Goggles, safety belts, ladders, crawling boards, safety net, full body safety belt, and any other material required to ensure the safety.
- 5.10 Arrangement of electrical supply distribution for their electrical utilities along with necessary electrical distribution panels, cables, protection, safety relays, earthing etc.
- 5.11 Arrangement for lighting at the work spot along with lighting equipment such as power cable, transformers, hand lamps 24 Volt of sufficient quantity & 230Volts flood lights.
- 5.12 NLCIL reserves the right to reject the use of any consumable including electrodes, gases, lubricants / special consumables if it is not found to be of the required standard / make / purity or when shelf life has expired. Contractor shall ensure display of shelf life on consumable wherever required and records maintained.
- 5.13 All suitable cranes, winch, lifting and transport equipments for material handling at stores/yard /Site are included in contractors' scope
- 5.14 Timely deployment of adequate T&Ps is the responsibility of the contractor. The contractor shall be prepared to augment the T&P at short notice to match the planned Programme and to achieve the milestones.
- 5.15 Contractor shall maintain and operate his tools and plants in such a way that major breakdowns are avoided. The T&P to be arranged by the contractor shall be in proper working condition and their operation shall not lead to unsafe condition. The movements of cranes, and other equipment should be such that no damage / breakage occurs to foundations, other equipments, material & men.
- 5.16 Deployment of sufficient skilled and unskilled manpower required for erection, supervision of erection, and other services to be rendered under this specification
- 5.17 The contractor should engage sufficient numbers of workmen and supervisor round the clock till the completion of work. A separate supervisor should be available in all the three shifts to supervise the work
- 5.18 The contractor shall submit the daily labour report to the concern NLCIL engineer in the beginning of each shift.
- 5.19 On completion of each work, the balance materials should be conveyed to site-shed and suitably accounted and the area to be cleaned of scraps/debris immediately.
- 5.20 Necessary labour license to be obtained from the competent authority before start up the work.
- 5.21 Contractor shall deploy only qualified and experienced engineers/ supervisors. They shall have professional approach in executing the work. They shall be responsible to ensure that the assembly and workmanship conform to dimensions and tolerances given in the drawings/instructions given by NLCIL engineer from time to time
- 5.22 The Contractor is required to provide proper safety net systems (IS- 11057) wherever the hazard of fall from height is present as per instruction of NLCIL Engineer. The safety nets shall be fire resistant, duly tested and shall be of ISI Mark and the nets shall be located as per site requirements to arrest or to reduce the consequences of a possible fall of persons working at

different heights.

- 5.23 The contractor should take utmost care of men and materials and should provide safety appliances like safety belt, safety shoes, goggles, helmets, gloves etc. The contractor shall be fully responsible for accidents caused due to him or his agents or workmen's negligence or carelessness with regard to the observance of the safety requirements and shall be liable to pay compensation for injuries/death.
- 5.24 It will be the responsibility of the contractor to ensure safe lifting of the equipment, taking due precaution to avoid any accident and damage to other equipment and personnel. All requisite tests and inspection of handling equipment, tools & tackle shall be periodically done by the contractor by engaging only the COMPETENT PERSONS as per law. Defective equipment or uncertified shall be removed from service. Any equipment shall not be loaded in excess of its recommended safe working load.
- 5.25 All safety precautions shall be taken for welding and cutting operations as per IS-818.
- 5.26 All gas cylinders shall be stored in upright position. Suitable trolley shall be used. There shall be flash-back arrestors conforming to IS-11006 at both cylinder and burner ends. Damaged tube and regulators must be immediately replaced. No of cylinders shall not exceed the specified quantity as per OCP.

6.0 **FACILITIES TO BE PROVIDED BY NLCIL:**

- 6.1 NLCIL will provide Power supply and water source. Electricity at nearest available one point near site. Further distribution to be done by contractor at their cost.
- 6.2 Complete Lignite transport conveyor system of enhanced capacity for replacement.
- 6.3 Structural steel items like, I beam, Channel, Angles, MS Plates required for the restoration work.
- 6.4 Removing of cable & connections from motor & sensors is NLCIL Scope but safety approach has to be made ready by contractor.
- 6.5 Area for setting up the site office in side shall be provided at free of cost.
- 6.6 Apart from the above, no other facilities shall be provided by NLCIL. The Contractor should arrange any other facilities including food and accommodation of their labour at their own cost.

Note:

- a) The contractor should visit in person the site at TPS2 Expansion, Neyveli, Tamilnadu before bidding to assess the quantum of work, site conditions and for technical clarifications. Any technical clarification and details enquiry through phone / mail will not be entertained.
- b) Contractor should mobilize men and material to execute the above contract immediately on receipt of (Letter of Indication) LOI.
- c) The contractor should carefully go through the scope of work, scope of the contractor, special and general conditions before bidding.

2. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

SPECIAL CONDITIONS

Part-I

- 1.0 The contractor should carefully go through the scope of work, scope of the contractor, special and general conditions before bidding. Weight of erection in Tons are given in the schedule of items are only approximate and can vary to any extent. Some of the items may not be operated at all.
- 2.0 All the works indicated are only operational to be carried out if warranted. Otherwise, will have to be left unexecuted. The rate quoted shall be firm for the entire duration of contract and nothing extra shall be payable on any account. In addition to that any structures/platforms are cut removed / same to be normalized after carrying out the work, due to site conditions are also to be taken in to account.
- 3.0 Work has to be carried out in all 3 shifts continuously including Sundays and PH.
- 4.0 Contractor needs to specify methodology and sequence of work to be carried out in minimum possible period and to obtain approval from NLCIL engineers.
- 5.0 Contractor has to employ sufficient number of sufficient fitters, welders, grinders, riggers and attachment helpers for the above work in order to complete the LTC A & B erection work within the stipulated time for LTC A&B conveyor capacity enhancement work in unit-2.
- 6.0 The preparatory work shall be carried out before handing over of site for the modification works as declared by NLCIL. For the preparatory work's period PRC clause is not applicable.
- 7.0 The work execution period starts from handing over of site as declared by NLCIL and to the work completion in all respects as per the scope of work.
- 8.0 Contractor shall deploy only qualified and experienced engineers/ supervisors. They shall have professional approach in executing the work. They shall be responsible to ensure that the assembly and workmanship conform to dimensions and tolerances given in the drawings/instructions given by NLCIL engineer from time to time.
- 9.0 Contractor should mobilize men and material to execute the above contract within one week from the date of intimation.
- 10.0 Work has to be carried out for all the items of the schedule as per the conditions mentioned in
 - 10.1 Details of LTC A&B erection work to be carried out and Facilities to be provided by NLCIL.
 - 10.2 Scope of work and Scope of the Contractor.
 - 10.3 Special conditions and General condition.
- 11.0 The bidder has to quote item wise. The bidder has to quote for all the items. Rate offered should be firm and inclusive of labor charges, tax & duties, ESI/Insurance, EPF & Safety PPE for the labour engaged, consumables, machines, tools, transport, boarding & lodging and all other incidental expenses for their crew. Evaluation of the tender will be carried out on total package basis.
- 12.0 The works listed in the scope of work are only indicative and not exhaustive. The work should be completed in all respects. The norms and limits prescribed by the NLCIL engineers then and there are to be kept up.
- 13.0 The contractor shall be allowed inside the campus to mobilize the materials, machineries, tools & tackles and other preparatory works.
- 14.0 The contractor shall be allotted a space inside TPS2 Expansion campus on request to establish a temporary site office and space for any preparatory work before commencement of work and it has to be removed and normalized after completion of work.
- 15.0 The contractor should furnish electrical power requirement to carry out the works on award of the contract. Accordingly Electric power supply shall be given at free of cost. Further distribution for his utilities is to be done by contractor at his own cost. The distribution should be equipped with necessary protection and safety as per the standards.
- 16.0 Contractor should designate qualified (Mech. Engg. degree / diploma) senior experienced person who is on the rolls of the contractor's firm, as site in charge for this work to co-ordinate with NLC engineer and should bear overall responsibility of contract. Such person shall function from site office of contractor at NLC1L. Contractor has to submit the documentary proof for the same. He will be responsible for co-ordination with NLCIL engineers regarding obtaining gate passes, for obtaining permission for erection / removal in existing structure, submitting daily labour report, daily progress reports, and participating in the review meeting and for other getting permission / communications / consultation with NLCIL.

- 17.0 The contractor shall submit the daily labour report at the beginning of the shifts and Daily progress reports at end of each shift to the concerned NLCIL executive daily.
- 18.0 When the departmental / contractor's electrical equipments are used by the contractor for NLCIL works, the contractor should engage sufficient qualified and experienced wiremen/electrician.
- 19.0 Contractor has to deploy sufficient number of qualified supervisors in all three shifts for supervising the daily job and for ensuring the safety aspects at site. They will be in charge for execution of work and for any safety measures during modification work. They have to ensure all the workmen working at site are equipped with essential PPE's and proper safety arrangement at working at site.
- 20.0 The Head of Department executing the contract or Head of the Safety department upon the confirmation that the contractor is not conforming to the safety requirements may direct stoppage of work.
- 21.0 The contractor shall be fully responsible for accidents caused due to him or his agents or workmen's negligence or carelessness in regard to the observance of the safety requirements and shall be liable to pay compensation for injuries.
- 22.0 The Contractor should make available all material at the site on his own cost as mentioned in the "scope of the contractor for materials" for carrying out the work without any delay.
- 23.0 After mobilization of any tools & tackles to site, which includes chain pulley blocks, D- shackles, wire ropes, winch machines, etc shall be offered for inspection if required with all above statutory test certificate before using at site for any work.
- 24.0 The contractor has to take care of their material inside the TPS2 Exp campus and NLCIL will not be responsible for any damage/theft/loss of any material.
- 25.0 All the generated scrap, cotton waste, waste oil, tools and tackles are to be removed from the site immediately and ensure cleaning of the site. Also, scrap should be disposed off to the scrap yard or any other designated place as instructed by NLCIL Engineer In Charge.
- 26.0 D&H SECHERON / ESAB / ADOR / BOHLER / METRODE - MAKE welding rods are to be used for welding. It shall be the responsibility of the contractor to obtain prior approval of NLCIL, regarding suppliers, type of electrodes etc before procurement of welding electrodes. On receipt of electrodes at site these shall be subjected to inspection and approval by NLCIL. The contractor shall inform NLCIL details regarding type of electrodes, batch number, date of expiry etc and produce test certificate for each lot / batch with correlation of batch / lot number with respective test certificate. No electrode without a valid test certificate will be used.

Part-II

1.0 SUPERVISOR CHARGES - PENALTY CLAUSE

- 1.1 In case the specified site supervisor is not engaged by the contractor for the days as per site requirement, then a penalty of **1.5 times of the supervisory charges** shall be deducted from the bills of the contractor on pro-rata attendance basis.
- 1.2 The attendance details of the supervisors shall be maintained with the signature of the supervisor, countersigned by the Contractor as well as the NLCIL official concerned.
- 1.3 Payment of wages to the supervisor and PF and other statutory remittance, if applicable, will be in the scope of the Contractor.
- 2.0 Tools & tackles, lifting machines & Safety appliances that are used for the work or by the workmen should possess ISI mark and valid test certificate from the competent authority.
- 3.0 The Contractor should observe all safety rules and regulations in force and ensure that all necessary safety precautions are followed up strictly for the safety of workers engaged in the work.
- 4.0 The Contractor should engage adequate man power having appropriate skills with the approval of the NLCIL officials to carryout and complete the works. Any extra time / over time engagement of the man power shall be the contractor's responsibility.

5.0 RATE OF WAGES

The present rates of wages payable to various categories of contract workers and Supervisor are as below:

TABLE

Category	Wages to be paid		Total wages (Rs. per day)
	Rate of wages (Rs. per day)	Dearness allowance-(D A) w.e.f 01.04.2026 (Rs. per day)	
USK	350.00	206	556
SSK / Supervisor	410.00	240	650
SK	494.00	287	781
HSK	579.00	339	918

6.0 **RATE OF WAGES / DA PAYABLE TO THE WORKMEN**

The contractor has to pay the rates of wages / DA as per Table above as announced by NLCIL and any revision of rates of wages / DA from time to time. However, in case of any revision of rates of wages / DA notified during contract period, the contractor shall pay the same along with P.F. & ESI component for the various categories of labour component.

7.0 **RATE REVISION**

(NOT APPLICABLE).

8.0 **CONTRACT WORKMEN DEATH RELIEF FUND (CWDF)**

8.1 An amount equivalent to 0.2% (zero point two percent) of gross value of every bill payable (before statutory, non statutory deductions) shall be deducted towards "Contract Workmen Death Relief Fund" (CWDF) from the contractors for the works carried out by the contractor. No provision has been made in the estimate towards the above deduction.

8.2 Based on the modified DRF scheme, monthly contributions to the death relief fund of Contract Workmen / Supervisors shall be deducted by the Contractor Employers concerned @ Rs.25/- from every contract workman / Supervisors engaged by Contractor Employer for the works in NLCIL from their salary /wages payable. In order to facilitate this, necessary deduction will be made from the bills of the Contractor employers based on Form - D (Attendance Register) & Form -B (Wage Register) Equal monthly contribution to the fund @ Rs.25/- per contract workman / Supervisors will be made by the Principal Employer NLCIL i.e. the Concerned Unit Head / Unit Accounts Centre.

9.0 **CONTRACT WORKMAN AGE**

The contractor shall not engage workmen beyond 60 years and the Contractor shall also produce the required age proof for the workmen engaged by him, while applying for entry permit for first time.

10.0 **ESI & EPF**

The Contractor Employers shall be required to undertake the responsibility of remitting the contribution/ subscription etc., of the contract workman engaged by them towards EPF, ESI etc., (as applicable) and NLCIL as the principal employer, will ensure compliance under the relevant applicable statutes by verifying the remittance made by the Contractor Employers before releasing part / final bills.

11.0 **BONUS**

The contractor shall ensure payment of minimum bonus of 8.33% of the annual wages to the contract workmen engaged by them for more than 30 days subject to the wages ceiling as provided under Payment of Bonus Act, 1965 and failure in this regard will be treated as violation of the terms of the contract.

12.0 **SAFETY**

Personal protective equipments (PPE)ie like Helmet, Safety shoe, Goggles etc by to be provided by the contractor and it is in the scope of the contractor.

13.0 **PRICE REDUCTION CLAUSE**

13.1 Time is the essence of the contract. In case the contractor fails to complete the works within the stipulated period, then, unless such a failure is due to Force Majeure or due to Purchaser's defaults, the total contract price shall be reduced by ½% (half percent) of the total contract price per week of delay or part thereof subject to a maximum of 5% of the total contract price, by way of reduction in price for delay and not as penalty.

13.2 Period of work will be accounted from the date of Handing over of site by NLCIL. The bidder will have to complete his portion of the **work in 60 days**, beyond which Price reduction Clause will be applicable. NLCIL's decision will be final in this regard. The preparatory work shall be carried out before handing over of site for the modification works as declared by NLCIL. For the preparatory work's period PRC clause is not applicable. However the total Price reduction levied shall not exceed 5% of the total contract value.

14.0 **GUARANTEE FOR WARRANTY**

Not Applicable

15.0 **CONTRACT PERFORMANCE GUARANTEE**

Not Applicable

16.0 **PERIOD OF CONTRACT**

16.1 One year from the service start date as per GeM contract.

Note:

Lead days of 1 day are provided to the Service Provider for necessary mobilization for offering service. Thus the service start date will commence from minimum 1 day after contract generation date.

However, modification works in Unit-2 should be completed within stipulated time of 60 days working period during available opportunity/shutdown during the contract period.

16.2 **WORK PERIOD:**

The period of work is 60 days from the date of handing over the site. The works has to be carried out in all three shifts. The contractor should be able to provide quicker delivery in case of any emergency requirement to NLCIL. However, the contractor will be permitted to carry out preparatory work before handover of site.

17.0 **PAYMENT TERMS**

The payment is allowed against each item executed as decided by NLCIL and to the satisfaction of the NLCIL engineers. Full payment will be made after completion work, check measurement and acceptance by NLCIL engineers. The contract or will have to get HR clearance from Unit HR division after submitting all required Statutory & non-statutory documents.

17.1 70% of contract value after dismantling & erection of 2nos lignite feeding system - LTC A/B conveyors & LRALF.

17.2 20% of contract value after Commissioning of 2nos lignite feeding system - LTC A/B conveyors & LRALF.

17.3 10% of contract value will be paid:

17.3.1 After completion of workmanship defect liability period of 3 months from the date taken into service.

17.3.2 After submission of report for erection of LTC A&B conveyor for capacity enhancement work.

17.3.3 Issue of letter for finalization of contract.

18.0 **GST (Goods and Service Tax)**

Contractor has to furnish the **GST Registration number** with relevant documentary evidence.

Contractor has to comply with the GST Act/ Rules.

19.0 NLCIL reserves the **right to short close / extend the contract** due to special circumstances.

.

3. **Buyer Added Bid Specific SLA**

File Attachment [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues

or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

This Bid is governed by the [सामान्य नियम और शर्तें/General Terms and Conditions](#), conditions stipulated in Bid and [Service Level Agreement](#) specific to this Service as provided in the Marketplace. However in case if any condition specified in सामान्य नियम और शर्तें/General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement, then it will over ride the conditions in the General Terms and Conditions.

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---