

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	15-09-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-09-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Railways
विभाग का नाम/Department Name	Indian Railways
संगठन का नाम/Organisation Name	Eastern Railway
कार्यालय का नाम/Office Name	Eastern Railway Hq
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :alok.shakti@gov.in Buyer Email id: mukesh.030181@gov.in
कुल मात्रा/Total Quantity	23
वस्तु श्रेणी /Item Category	Mobile Storage Compactors (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	20 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Mobile Storage Compactors
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Pre Dispatch
Name of the Empanelled Inspection Agency/ Authority	RITES
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	550330

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	27

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई

केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

FA & CAO/ER

Eastern Railway HQ, Indian Railways, Eastern Railway, Ministry of Railways

(Fa And Cao/er/kkk)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes
---	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and

Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

4. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer. If so requested and accepted by the seller, initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer. For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

Mobile Storage Compactors (2 pieces)**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****तकनीकी विशिष्टियाँ /Technical Specifications**[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	3-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	5

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almira / Body of the single faced fixed / static bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almira / Body of the double faced movable bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almira / Body of the single faced movable bodies	5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	2000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	N.A
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	3
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	2
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	Separate door lock for each section	NO
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ± 2(mm)	75 mm
	Height of track and moving clearance ± 2(mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	2350 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10(mm)	400 mm
	Depth of the single faced movable bodies Cabinet ± 10(mm)	400 mm
	Depth of the movable bodies Cabinet ± 10(mm)	375 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	Paint	Powder Coating
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kartik Singh	711101,DRM Building Eastern Railway Howrah	2	149

Mobile Storage Compactors (12 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	1-Bay
	Type of Drive	Push Pull Type

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	5
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	2000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	4

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Minimum number of pairs of Bearings in Every Base frame	8
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	3
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	2
DOORS and LOCKING	Separate door lock for each section	YES
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ± 2(mm)	75 mm
	Height of track and moving clearance ± 2(mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	1725 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10(mm)	400 mm
	Depth of the single faced movable bodies Cabinet ± 10(mm)	400 mm
	Depth of the movable bodies Cabinet ± 10(mm)	760 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	Paint	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kartik Singh	711101,DRM Building Eastern Railway Howrah	12	150

Mobile Storage Compactors (1 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	3-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	6
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	5 Shelves/6 Compartments

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almira / Body of the single faced movable bodies	5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	2000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	N.A
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	3
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	2
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	Separate door lock for each section	NO
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ± 2 (mm)	75 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of track and moving clearance ± 2 (mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	2350 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10 (mm)	375 mm
	Depth of the single faced movable bodies Cabinet ± 10 (mm)	375 mm
	Depth of the movable bodies Cabinet ± 10 (mm)	760 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	Paint	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kartik Singh	711101,DRM Building Eastern Railway Howrah	1	150

Mobile Storage Compactors (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	3-Bay
	Type of Drive	Mechanized Drive Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	6
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	N.A
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	2

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of 915 mm Rail Pieces per Rail Row	2
	Number of 1830 mm Rails Pieces per Rail Row	2
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	Separate door lock for each section	YES
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ± 2 (mm)	75 mm
	Height of track and moving clearance ± 2 (mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	2350 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10 (mm)	450 mm
	Depth of the single faced movable bodies Cabinet ± 10 (mm)	450 mm
	Depth of the movable bodies Cabinet ± 10 (mm)	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	Paint	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kartik Singh	711101,DRM Building Eastern Railway Howrah	3	150

Mobile Storage Compactors (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
---------------------	-------------------------------------	---

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	2-Bay
	Type of Drive	Mechanized Drive Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	4
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	5 Shelves/6 Compartments

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almira / Body of the single faced movable bodies	5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	N.A
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	2
	Number of 1830 mm Rails Pieces per Rail Row	1
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	Separate door lock for each section	NO
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ± 2 (mm)	75 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of track and moving clearance ± 2 (mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	2350 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10 (mm)	450 mm
	Depth of the single faced movable bodies Cabinet ± 10 (mm)	450 mm
	Depth of the movable bodies Cabinet ± 10 (mm)	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	Paint	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View
-----------------------------	----------------------

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kartik Singh	711101,DRM Building Eastern Railway Howrah	5	148

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2. Generic

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

3. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

5. Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

RITES

Post Receipt Inspection at consignee site before acceptance of stores:
CONSIGNEE

6. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

7. Past Project Experience

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any

one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc. Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. b. Execution certificate by client with contract value. c. Any other document in support of contract execution like Third Party Inspection release note, etc.

8. **Warranty**

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

9. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

10. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

(a.) The bidder /OEM should have registered office and local service centre in State of West Bengal.

(b.) The Bidder/OEM must have Dedicated/toll Free Telephone No. for Service Support.

(c.) The bidder or their OEM should not be black listed from any Govt. establishment in last 15 years.

(d.) The product must have in house test certificate.

(e.) The manufacturer (OEM/Bidder) should have: ISO 9001:2015, ISO 45001:2018, ISO 14001:2015, ISO 50001:2018, ISO 13485:2016 (All ISO certificates must be from IAF/NABCB recognized accreditation body) certified companies which manufacture various products certified with IDM (Indian Design Mark) BIFMA Level 2 conforms to the ANSI/BIFMA e3-2019 Furniture Sustainability Standard (attach screen from www.bifma.org website) & BIFMA Membership Certificate. Green Guard Gold (UL), Green Pro approved by CII, IAQ conforming to indoor advantage gold, AIOTA, & IGBC Membership Certificate & IGBC Platinum, GRIHA V.2019: 30 and whose Factory is certified with Certificate of Zero waste land fill by Green co & approved by CII

अस्वीकरण/**Disclaimer**

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such

suspension period has already expired.

4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it

will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---