

**बिड दस्तावेज़ / Bid Document**

| बिड विवरण / Bid Details                                                                                                      |                                                                                      |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय / Bid End Date/Time                                                                                | 28-09-2026 13:00:00                                                                  |
| बिड खुलने की तारीख/समय / Bid Opening Date/Time                                                                               | 29-09-2026 13:00:00                                                                  |
| बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)                                                  | 180 (Days)                                                                           |
| मंत्रालय/राज्य का नाम / Ministry/State Name                                                                                  | Uttar Pradesh                                                                        |
| विभाग का नाम / Department Name                                                                                               | Medical Education Department Uttar Pradesh                                           |
| संगठन का नाम / Organisation Name                                                                                             | Sanjay Gandhi Post Graduate Institute Of Medical Sciences Lucknow                    |
| कार्यालय का नाम / Office Name                                                                                                | Sgpgims Raibareilly Road Lucknow                                                     |
| शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal                                                       | HOD Email id :prashant.sgpgi@sgpgims.org.in<br>Buyer Email id: pradeep6079@gmail.com |
| कुल मात्रा / Total Quantity                                                                                                  | 1                                                                                    |
| वस्तु श्रेणी / Item Category                                                                                                 | Online Ups Modular Type (Q3)                                                         |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)              | 15 Lakh (s)                                                                          |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)                                     | 120 Lakh (s)                                                                         |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service             | 3 Year (s)                                                                           |
| टर्नओवर पात्रता मानदंड / Turnover eligibility criteria                                                                       | To be verified by the buyer at the time of technical evaluation                      |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / MSE Relaxation for Years of Experience and Turnover       | No                                                                                   |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover | No                                                                                   |

| बिड विवरण/Bid Details                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller                                                                                                                                                             | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)                                                                                                                                                                                                                      |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension                                                                                | 3                                                                                                                                                                                                                                                                                                                                                                                           |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended                                                                                                      | 7                                                                                                                                                                                                                                                                                                                                                                                           |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count                                                                                                                                            | 1                                                                                                                                                                                                                                                                                                                                                                                           |
| विगत प्रदर्शन /Past Performance                                                                                                                                                                                          | 20 %                                                                                                                                                                                                                                                                                                                                                                                        |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled                                                                                                                                                                       | Yes                                                                                                                                                                                                                                                                                                                                                                                         |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule                                                                                                                                                                         | H1-Highest Priced Bid Elimination                                                                                                                                                                                                                                                                                                                                                           |
| व्यापक रखरखाव शुल्क आवश्यक / Comprehensive Maintenance Charges Required                                                                                                                                                  | Yes                                                                                                                                                                                                                                                                                                                                                                                         |
| बिड का प्रकार/Type of Bid                                                                                                                                                                                                | Two Packet Bid                                                                                                                                                                                                                                                                                                                                                                              |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation                                                                                        | 2 Days                                                                                                                                                                                                                                                                                                                                                                                      |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)                                     | No                                                                                                                                                                                                                                                                                                                                                                                          |
| अनुमानित बिड मूल्य / Estimated Bid Value                                                                                                                                                                                 | 3000000                                                                                                                                                                                                                                                                                                                                                                                     |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                                                                                                       | Total value wise evaluation                                                                                                                                                                                                                                                                                                                                                                 |
| वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required                                                                                                                                                            | Yes                                                                                                                                                                                                                                                                                                                                                                                         |
| मध्यस्थता खंड/Arbitration Clause                                                                                                                                                                                         | No                                                                                                                                                                                                                                                                                                                                                                                          |
| सुलह खंड/Mediation Clause                                                                                                                                                                                                | No                                                                                                                                                                                                                                                                                                                                                                                          |

**ईएमडी विवरण/EMD Detail**

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount       | 30000               |

**ईपीबीजी विवरण /ePBG Detail**

|                                                                   |                     |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 62                  |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

**लाभार्थी /Beneficiary :**

Director, SGPGIMS  
Sgpgims Raibareilly Road Lucknow, Medical Education Department Uttar Pradesh, Sanjay Gandhi Post Graduate Institute of Medical Sciences Lucknow,  
(Prof. R.k. Dhiman)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                           |    |
|-------------------------------------------|----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |
|-------------------------------------------|----|

**एमआईआई खरीद वरीयता/MII Purchase Preference**

|                                            |    |
|--------------------------------------------|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--------------------------------------------|----|

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## Online Ups Modular Type ( 1 pieces )

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------|-----------------------------------------------------------------|
|                     |                                     |                                                                 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                                                                                                                                                                            | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GENERIC             | <b>Output power capacity including redundancy/Expandable (Rack facility) upto/Minimum backuptime (including redundancy) /Minimum VAH (VAH shall be calculated Battery voltage x Battery Ah x No. of batteries = Total VAH)</b> | 150 KVA/240KVA/15 Minutes/61500 VAH, 150 KVA/240KVA/30 Minutes/123000 VAH, 150 KVA/240KVA/45 Minutes/184500 VAH, 150 KVA/250KVA/15 Minutes/61500 VAH, 150 KVA/250KVA/30 Minutes/123000 VAH, 150 KVA/250KVA/45 Minutes/184500 VAH, 160 KVA/240KVA/15 Minutes/65600 VAH, 160 KVA/240KVA/30 Minutes/131200 VAH, 160 KVA/240KVA/45 Minutes/196800 VAH, 160 KVA/250KVA/15 Minutes/61500 VAH, 160 KVA/250KVA/30 Minutes/123000 VAH, 160 KVA/250KVA/45 Minutes/184500 VAH, 60 KVA/120KVA/15 Minutes/24600 VAH, 60 KVA/120KVA/30 Minutes/49200 VAH, 60 KVA/120KVA/45 Minutes/73800 VAH, 4KVA/8KVA/6 minutes/1080 VAH, 8KVA/16KVA/6 minutes/2160 VAH, 16KVA/32KVA/6 minutes/4320 VAH, 100 KVA/200 KVA/15 Minutes/72000 VAH, 100 KVA / 150 KVA / 30 Minutes / 82000 VAH, 120 KVA / 125 KVA / 30 Minutes / 76800 VAH, 160 KVA / 240 KVA / 60 Minutes / 262400 VAH, 120 KVA / 240 KVA / 30 Minutes / 100800 VAH, 40KVA with 15/ 30 min backup 50KVA with 15/ 30 min backup 80KVA with 15/ 30 min backup, 60 KVA / 240 KVA / 30 Minutes / 50400 VAH, 60 KVA / 150 KVA / 60 Minutes / 103680 VAH, 10 KVA / 20 KVA / 30 Minutes / 15600 VAH, 15 KVA/ 30 KVA/ 30 Minutes/ 24000 VAH, 40 KVA/ 100 KVA/ 30 Minutes/ 20160 VAH, 500 KVA/ 500 KVA/ 30 Minutes/ 360000 VAH, 300 KVA/300 KVA/15 Minutes/ 163200 VAH |
|                     | <b>Noise level</b>                                                                                                                                                                                                             | <= 55 dB, <= 65 dB, <= 70 dB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| INPUT               | <b>In put Voltage Range</b>                                                                                                                                                                                                    | 320 V to AC to 470 V AC 3 Phase, 340 V to AC to 470 V AC 3 Phase                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                     | <b>Input frequency range</b>                                                                                                                                                                                                   | 50 +/-6% Hz, 50 +/-10% Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                     | <b>Distortion (current)</b>                                                                                                                                                                                                    | < / = 3%, < / = 5%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| OUTPUT              | <b>Output powr factor</b>                                                                                                                                                                                                      | >= 0.90, >=0.99                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| CONSTRUCTION        | <b>Minimum thickness (in mm) of Rack Enclosure for Modular UPS duly powder coated</b>                                                                                                                                          | 2.0, 1.2, others                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                     | <b>UPS enclosure's degree of protection as per IS:13947 (Part 1)/1993 latest</b>                                                                                                                                               | IP21, IP20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                     | <b>Total Harmonic Distrotion (THD) for 100% linear load</b>                                                                                                                                                                    | < 3%, < 2%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                     | <b>Total Harmonic Distrotion (THD) for 100% non-linear load</b>                                                                                                                                                                | < 5%, < 4%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                     | <b>Over all efficiency on rated full load of 0.8 PF (min.) AC output</b>                                                                                                                                                       | >=90%, >=92%, >=94%, >=96%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| विवरण/Specification   | विशिष्टि का नाम /Specification Name                                                                                                         | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | <b>Inverter efficiency on rated full load of 0.8 PF (min.) AC output</b>                                                                    | >/=95%, >/=96%                                                                                                                                 |
|                       | <b>UPS shall withstand Over load capacity - 125% (Output with mains AC-AC)</b>                                                              | for 5 Minutes (Minimum), for 10 Minutes (Minimum)                                                                                              |
|                       | <b>UPS shall withstand Over load capacity - 125% (Output in battery run DC-AC)</b>                                                          | for 2 Minutes (Minimum), for 30 Seconds (Minimum)                                                                                              |
| BATTERY               | <b>Battery type</b>                                                                                                                         | SMF VRLA, SMF VRLA, Modular Hot swappable Battery modules, Lithium Ion Battery [ as per IS 16046 (part 2)/ IEC 62133-2 and as per IEC 62485-5] |
|                       | <b>Battery recharge time (after complete discharge to 90% charge) and charge rating: Battery recharge time to 90% charge after 100% DoD</b> | 8 to 10 hours, 4 to 8 hours                                                                                                                    |
|                       | <b>Batteries shall supply with</b>                                                                                                          | With metal rack, With Modular cabinet having hot swappable battery                                                                             |
| WARRANTY AND SERVICES | <b>Warranty for Modular UPS (on site comprehensive warranty) (in years)</b>                                                                 | 3, 5, others                                                                                                                                   |
|                       | <b>Warranty for battery (replacement warranty) (in years)</b>                                                                               | 2, 3, 5, others                                                                                                                                |
|                       | <b>After sales and complaint service</b>                                                                                                    | within 24 hours, within 48 hours, Within 7 days                                                                                                |
|                       | <b>PAN India service support on 24 x 7 basis</b>                                                                                            | Yes, No                                                                                                                                        |
|                       | <b>AMC support available after 3 year warranty</b>                                                                                          | Yes, No                                                                                                                                        |
|                       | <b>Quarterly preventive maintenance</b>                                                                                                     | Yes, No                                                                                                                                        |
|                       | <b>Manufacturer shall provide and support for installation, commissioning, spares, technical support all over India</b>                     | Yes, No                                                                                                                                        |
|                       | <b>Availability of spares in close proximity (Spares should be easily available close to the site)</b>                                      | Yes, No                                                                                                                                        |
| CERTIFICATIONS        | <b>CE Certification and marking</b>                                                                                                         | Yes, No                                                                                                                                        |

| विवरण/Specification | विशिष्टि का नाम /Specification Name                                                                                                       | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                     | <b>Damp Heat Test : in accordance with IS:9000(part 5/sec.2)1981 at Temperature of 40 degree C,two cycles of (12+12) hours each 2007)</b> | Yes, No                                                         |
|                     | <b>Dry Heat Test : in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs</b>                          | Yes, No                                                         |
|                     | <b>Cold Test : in accordance with IS:9000 (Part 2/Sec.4)1977 (Reaffirmed 2007) at -10 degree C for 4 hrs.</b>                             | Yes, No                                                         |

| व्यापक रखरखाव / Comprehensive Maintenance          |        |
|----------------------------------------------------|--------|
| Comprehensive Maintenance ( Minimum Percentage )   | 3 %    |
| Comprehensive Maintenance ( Maximum Percentage )   | 25 %   |
| Warranty of required product                       | 5 Year |
| Comprehensive Maintenance Duration (Post Warranty) | 5 Year |

\*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

#### Additional Specification Parameters - Online Ups Modular Type ( 1 pieces )

| Specification Parameter Name    | Bid Requirement (Allowed Values)                      |
|---------------------------------|-------------------------------------------------------|
| Name of Equipmet and department | 160 KVA UPS System with Buy back for Nuclear Medicine |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N<br>o. | परेषिती/रिपोर्टिंग<br>अधिकारी /Consignee<br>Reporting/Officer | पता/Address                                                                              | मात्रा /Quantity | डिलीवरी के दिन/Delivery<br>Days |
|-------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1                 | Jamal Khalil                                                  | 226014, SANJAY GANDHI<br>POSTGRADUATE INSTITUTE OF<br>MEDICAL SCIENCES LUCKNOW<br>226014 | 1                | 90                              |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

**Note:** The specification mentioned here as additional technical specification shall prevail over any other technical parameter mentioned in the GeM- bid. The specification and tender terms & condition will supersede the standard GeM bid documents.

The equipment is to be installed in Nuclear Medicine department under Institute budget

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of

Single Bid / Proprietary Article Certificate (PAC) Buying.

3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

## **Additional Clause For Comprehensive Maintenance Charges**

- 1.CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months or as per user requirement. Cost of consumables shall not be included in CMC.Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- 2.CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period.
- 3.GST shall be included in the CMC Charges quoted.
- 4.Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula.A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on Net Present Value.
- 5.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user.
- 6.While creating a bid or RA, buyers shall indicate whether CMC is required against Yes/No" options. If CMC Charges are included, an option for number of years for CMC required after the warranty period shall be available.Under this option up to 15 years can be chosen for CMC charges beyond warranty period.
- 7.In case the bid has a provision for CMC, the warranty of the product will also be deemed to have been converted into Comprehensive warranty including preventive maintenance and calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, during the Warranty Period also. Sellers are therefore advised to include the cost of Comprehensive Warranty including spares (excluding consumables) also in product Cost.

8.The CMC functionality shall be available in bid only and no direct RA shall be applicable.In case of bid to R/A decrement rules shall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating bids with CMC charges.

8.1.Buyer shall indicate number of years of warranty by selecting different options available in the field depending on warranty parameter applicable in category parameters for the equipment. No. of years of warranty indicated here shall supersede the warranty period indicated elsewhere in bid or product specifications. The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer. The following shall be applicable, if 5 year CMC selected:

- CMC charges for 1st year after warranty period- Percentage to be indicated- A1
- CMC charges for 2nd year after warranty period- Percentage to be indicated- A2
- CMC charges for 3rd year after warranty period - Percentage to be indicated- A3
- CMC charges for 4th year after warranty period - Percentage to be indicated- A4
- CMC charges for 5th year after warranty period - Percentage to be indicated- A5

Similarly, A6 to A15 are to be indicated for 6th to 15th year of CMC if applicable.

8.2.The calculation of CMC Charges shall take into account the number of years of warranty and duration of CMC as specified while creating bid.

8.3.In the price evaluation, the system shall provide function to calculate the cost of each equipment by formula indicated below including CMC and then show the inter-se-ranking of the bidders. The following are the variables

- (i) Number of years for which CMC required.
- (ii) Number of years of product warranty

The formula for calculating total cost including CMC charges shall be as under:

Total Cost for evaluation=

$C + C * \{ (A1/100)/(1.10^n) + (A2/100)/(1.10^{n+1}) + (A3/100)/(1.10^{n+2}) + (A4/100)/(1.10^{n+3}) + (A5/100)/(1.10^{n+4}) \}$  and so on

C - Cost for equipment quoted and n shall be number of years of product warranty specified.

If 2 year warranty specified, n shall be 2 and if 5 year warranty specified, n shall be 5. A1,A2, A3, A4& A5 shall depend on how many years CMC selected. For 3 year CMC, only A1,A2 and A3 factors are to be taken into account and A4 and A5 will not be applicable.

8.4.CMC charges offered for each subsequent year should be same or higher than preceding year.

8.5.The CMC charges shall be offered within range of 3 to up to 50% of cost of equipment as defined by buyer.

9.Since CMC charges are to be paid only later for each year during CMC period,applicable performance guarantee amount after placement of contract shall be based on the cost of equipment excluding the cost of CMC Charges.

10.Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable between 2.5% to 10% as specified in bid on total CMC Charges.The PBG submitted after award of contract shall be released only after new PBG for the CMC period is submitted and accepted by buyer/consignee after due verification.Bank guarantee for CMC is to remain valid till completion of CMC period plus one year. The bank guarantee for CMC shall be submitted to buyer directly. In case, seller fails to submit the PBG or does not provide services for the CMC contract after expiry of warranty period then PBG of equipment shall be forfeited.

11.In case of splitting of order quantity, equipment cost and CMC charges offered by L1 bidder shall be matched by higher quoting eligible bidders on one-to-one basis.The equipment cost and CMC charges (year to year) shall be matched individually.

12.The CMC Contract shall be an offline contract to be handled by buyer.The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above.

13.CMC Charges are inclusive of all the charges for Transportation, Lodging, Boarding, all insurances including third party insurance and all other incidental charges. The same shall include GST. The prices also include cost of spares and damaged parts. Purchaser does not have any liability, whatsoever, over and above the cost of CMC. It also includes for arranging hand tools & tackles, special tools etc. required to carry out the work.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules)**

shall continue to remain applicable.

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**