

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	25-09-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	26-09-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	45 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Telangana
विभाग का नाम / Department Name	Animal Husbandry And Fisheries Department Telangana
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Directorate Of Veterinary & Animal Husbandry
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : dir_ahd@telangana.gov.in Buyer Email id: jt-dir-vbri-ahd@telangana.gov.in
कुल मात्रा / Total Quantity	12
वस्तु श्रेणी / Item Category	Biosafety Cabinet , Power cord , Hepa filter , Stand , Arm rest , Stabiliser
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	biosafety cabinet
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Biosafety Cabinet (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Laminar air flow cabinets or stations (V2)
बीओक्यू शीर्षक / BOQ Title	BIOSAFETY CABINET CLASS II A2
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	8 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	70 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation

बिड विवरण/Bid Details	
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Biosafety Cabinet
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1800000
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)

बिड विवरण/Bid Details	
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	76000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	0.01
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Joint Director (V&AH)
Directorate Of Veterinary & Animal Husbandry, Animal Husbandry and Fisheries Department Telangana, N/A,
(Sunitha Gollamudi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Biosafety Cabinet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUNITHA GOLLAMUDI	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	2	30

Power Cord

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUNITHA GOLLAMUDI	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	2	30

Hepa Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUNITHA GOLLAMUDI	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	2	30

Stand

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUNITHA GOLLAMUDI	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	2	30

Arm Rest

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUNITHA GOLLAMUDI	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	2	30

Stabiliser

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SUNITHA GOLLAMUDI	500028,Pashu Samskhema Bhavan, Road No. 4 Shantinagar, HYDERABAD	2	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Technical and performance Specifications for Class II Bio Safety Cabinet

Cabinet Dimensions and Construction

The proposed Class II Biological Safety Cabinet should meet the following dimensions, construction, and operational requirements:

- External Dimensions: Approximately 1300 mm (W) × 805 mm (D) × 1568 mm (H).
- Internal Working Area: 1200 mm (W) × 630 mm (D) × 780 mm (H).
- Adjustable Height Stand: An adjustable-height stand is required, with the working height adjustable from 800 mm to 950 mm in 50 mm increments.

- Ergonomic Front Design: The front of the cabinet should be inclined at approximately 10° to reduce glare and provide a comfortable working position for the operator.
- Working Sash: The cabinet should be available with either a 254 mm (10-inch) or 203 mm (8-inch) working sash opening.
- External Housing: The external housing should be constructed from 18- or 20-gauge powder-coated cold-rolled steel.
- Internal Chamber: The internal side and rear walls should be made of cold-rolled steel with a Smart Coat protective coating, providing resistance to chemicals, abrasion, and UV exposure.
- Work Tray: The work tray should be made of 1.5 mm thick Type 304 stainless steel, in a one-piece flat or indented design for ease of cleaning.
- Double-Wall Construction: The cabinet should have double side and rear walls with a negatively pressurized interstitial space to provide additional protection to the operator and surrounding environment.
- Access Ports: 3-inch access ports should be provided on both sides of the cabinet, with inner and outer solid rubber grommets for routing cables, tubing, and other services.
- Service Connections: Provision should be made for three service valves on each side wall.
- Plenum Construction: The cabinet should have metal plenums designed for easy removal during filter replacement and servicing.
- Chamber Illumination: LED lighting should be provided, with an average illumination level of 950–1300 lux (90–120 fc).
- Sash Window: The sash should be constructed from 7.5 mm multi-layer safety glass with integrated UV-C protection, in accordance with DIN EN 356.
- Maximum Sash Opening: The sash should be capable of opening up to 432 mm to facilitate loading of samples and equipment.
- Sash Position Mechanism: A tactile sash-position mechanism should be provided to give the operator a clear tactile indication when the sash reaches the correct operating position.

Airflow Control and Filtration

- **The cabinet should be equipped with one exhaust HEPA filter and one down flow H14 HEPA filter, compliant with EN 1822.**
- **The HEPA filters should have an overall filtration efficiency of 99.995% at the Most Penetrating Particle Size (MPPS).**
- **Local penetration of the HEPA filters should not exceed 0.025%.**
- **The filters should be tested in the BSC at the time of manufacture to ensure compliance with NSF/ANSI 49, including the applicable filter leak requirements.**

- The filter testing should demonstrate that there are no leaks greater than 0.01%, as required by NSF/ANSI 49.
- Individual HEPA filter test certificates should be provided along with the BSC factory test report.
- The cabinet should be equipped with separate brushless DC motors for airflow control.
- The motors should continuously monitor and control the fan speed in real time.
- The airflow system should not require a mechanical damper for adjustment of exhaust airflow.
- An energy-saving standby mode should be provided. When the front sash is closed, the motor speed should automatically reduce to minimize energy consumption.

Airflow Monitoring and Alarm System

- The cabinet should be provided with three pressure sensors for monitoring pressure changes across the exhaust and down flow plenums.
- The system should provide both audible and visual alarms when the inflow velocity reaches 95 fpm or below.
- The system should provide both audible and visual alarms when the down flow velocity falls 20% below the nominal value.

User Interface and Monitoring

- A 7-inch colour touch screen Graphical User Interface (GUI) should be provided.
- The GUI should display real-time down flow and inflow air velocities.
- The user interface should provide language selection in English
- The cabinet should display the health/status condition using different colours:
 - o Green - Normal
 - o Amber - Warning
 - o Red - Error/critical condition
- The system should display error messages (ER), warning alerts (WA), and explanatory text to assist in identifying the possible cause of the issue.
- The system should display the following operating and service information:
 - o Total operating hours
 - o UV operating hours
 - o HEPA filter running time

- o UV bulb installation date
- o HEPA filter installation date
- o UV lamp service/replacement status
- o HEPA filter service/replacement status
- The system should provide an indication when the UV lamp or HEPA filter requires replacement or when routine service is due.
- A health-status alert should be provided when the annual field certification is approaching expiry.
- An alert should be provided when the UV lamp has 5% or less remaining service life.

Cleaning and Disinfection Features

- A stainless-steel drain pan with angled sides should be provided below the work tray.
- The drain pan should have a smooth surface to facilitate easy cleaning.
- There should be no obstructions/horizontal metal support bar underneath the work tray that obstructs cleaning.
- A 254 nm UV light should be provided for cabinet disinfection.
- The UV disinfection cycle should be user programmable from 0 to 23 hours in 15-minute increments.
- The user should be able to select both the start time and duration of the UV disinfection cycle.
- The front sash should be capable of being lowered beyond the normal closing position to create a gap at the upper edge of the window.
- This feature should permit cleaning of the upper portion of the sash and BSC working area while maintaining operator protection through the cabinet's inflow airflow.
- An optional rear cover kit should be available to cover the counterweight mechanism at the rear panel and improve ease of cleaning.

Electrical Requirements and Energy Consumption

- The cabinet should be provided with either: Two single 230 V receptacles, or Two GFI-protected duplex 120 V receptacles.
- The receptacles should be located on the rear wall, with one receptacle on each side.
- Approximate energy consumption should be: 180 W for the 8-inch sash opening model, 190 W for the 10-inch sash opening model and 70 W in standby mode

- **The cabinet should be suitable for operation at: 120 V, 50/60 Hz, or 230 V, 50/60 Hz.**
- **The system should be covered by a minimum 3-year comprehensive warranty.**

Certification and Compliance

- **The Class II Biological Safety Cabinet should be tested and certified in accordance with NSF/ANSI 49.**
- **The equipment should be supplied with the applicable UL/CE certification.**
- **The supplier should provide the relevant factory test reports and certification documents along with the equipment.**
- **HEPA filter test certificates should be provided as part of the BSC factory test documentation.**

Vendor Compliance

- **The vendor should provide relevant technical literature, brochures, certificates, and supporting documents wherever applicable.**
- **Any deviation from the specified requirements should be clearly mentioned separately in the technical offer.**

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be

determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a

land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---