

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	21-09-2026 19:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	22-09-2026 19:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	30 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Chandigarh
विभाग का नाम/Department Name	Punjab And Haryana High Court
संगठन का नाम/Organisation Name	Punjab And Haryana High Court
कार्यालय का नाम/Office Name	Court Officer Purchase
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :sanjeev-kumar3778@phhc.gov.in Buyer Email id: vikas.4670@phhc.gov.in
कुल मात्रा/Total Quantity	276
वस्तु श्रेणी /Item Category	Executive Table (V4) (Q2) , Revolving Chair (V5) (Q2) , Modular Extendable Conference Table (V2) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Modular Work Stations (V3) (Q2) , Chair for General Purpose (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	40 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	322 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Revolving Chair (V5)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No
---	----

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Executive Table (V4) (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	36 mm
	Length of Table Top (Tolerance ± 50 mm)	2400 mm
	Depth of Table Top (Tolerance ± 20 mm)	1050 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	1500 mm
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	600 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Additional Specification Parameters - Executive Table (V4) (5 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	5	30

Executive Table (V4) (8 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	25 mm
	Length of Table Top (Tolerance ± 50 mm)	2100 mm
	Depth of Table Top (Tolerance ± 20 mm)	1050 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	1200 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	450 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Additional Specification Parameters - Executive Table (V4) (8 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	8	30

Revolving Chair (V5) (13 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Leatherette

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	High-back
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (13 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	13	30

Revolving Chair (V5) (32 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Leatherette

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	High-back
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	No
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (32 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	32	30

Modular Extendable Conference Table (V2) (8 per seat)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Modular Ex Con Table Understructure	Understructure Material Type	Wooden/Engineer Wood Understructure

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Understructure legs/gable Material	Prelam Particle Board (both sides), Prelam Particle Board with Laminate on one side, Postlam Particle Board with Laminate on both side, Prelam Particle Board with Veneer on one side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Postlam Particle Board with Veneer on both sides, Prelam MDF Board, Prelam MDF Board with Laminate on one side, Postlam MDF Board with Laminate on both side, Prelam MDF Board with Veneer on one side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Postlam MDF Board with Veneer on both sides, Prelam Marine Ply, Prelam Marine Ply with Laminate on one side, Postlam Marine Ply with Laminate on both side, Prelam Marine Ply with Veneer on one side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on both sides, Prelam MR Ply, Prelam MR Ply with Laminate on one side, Postlam MR Ply with Laminate on both side, Prelam MR Ply with Veneer on one side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam MR Ply with Veneer on both sides, Prelam BWP Ply, Prelam BWP Ply with Laminate on one side, Postlam BWP Ply with Laminate on both side, Prelam BWP Ply with Veneer on one side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Veneer on both sides Or higher
	Table Understructure Modesty Panel Material Type	Wooden/Engineer Wood Understructure
	Table Understructure Modesty Panel Material	Prelam Particle Board (both sides), Postlam Particle Board with Laminate on both side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Postlam Particle Board with Veneer on both sides, Prelam MDF Board, Postlam MDF Board with Laminate on both side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Postlam MDF Board with Veneer on both sides, Prelam Marine Ply, Postlam Marine Ply with Laminate on both side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on both sides, Prelam MR Ply, Postlam MR Ply with Laminate on both side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam MR Ply with Veneer on both sides, Prelam BWP Ply, Postlam BWP Ply with Laminate on both side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Veneer on both sides Or higher
	Modesty Panel Thickness	18 mm +/- 2 mm (wooden)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material	Prelam Particle Board (both sides), Prelam Particle Board with Laminate on one side, Postlam Particle Board with Laminate on both side, Prelam Particle Board with Veneer on one side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Prelam MDF Board, Prelam MDF Board with Laminate on one side, Postlam MDF Board with Laminate on both side, Prelam MDF Board with Veneer on one side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Prelam MDF with PVC Membrane on one side, Postlam MDF with PVC Membrane on one side, Postlam Marine Ply with Laminate on one side, Postlam Marine Ply with Laminate on both side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on one side, Postlam MR Ply with Laminate on one side, Postlam MR Ply with Laminate on both side, Postlam MR Ply with Veneer on one side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Laminate on both side, Postlam BWP Ply with Veneer on one side, Postlam BWP Ply with Laminate on one side and Veneer on the other side Or higher
	Table Top Thickness (Tolerance ± 5 mm)	25 mm
	Availability of Table Top Edge	Yes
	Material of table top Edge (Hint: Here "Edge" indicates boundary of table top)	PVC Edge Banding
Colour and Warranty	Warranty period (number of months)	12, 24, 36, 48, 60 Or higher (month)

Additional Specification Parameters - Modular Extendable Conference Table (V2) (8 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
----------------	---	-------------	------------------	------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	8	30

Modular Table / Meeting Table / Centre Table (V2) (3 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ± 50 mm)	2250 mm
	Depth of Table Top (Tolerance ± 50 mm)	1050 mm
	Height of Table Top Adjustable	No
Table Understructure	Material Type in Table Understructure	Wooden/Engineer Wood Understructure
	Support Type in Table Understructure	Gable
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	25 mm
	Availability of modesty panel	No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	3	30

Modular Extendable Conference Table (V2) (1 per seat)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Modular Ex Con Table Understructure	Understructure Material Type	Wooden/Engineer Wood Understructure

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Understructure legs/gable Material	Prelam Particle Board (both sides), Prelam Particle Board with Laminate on one side, Postlam Particle Board with Laminate on both side, Prelam Particle Board with Veneer on one side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Postlam Particle Board with Veneer on both sides, Prelam MDF Board, Prelam MDF Board with Laminate on one side, Postlam MDF Board with Laminate on both side, Prelam MDF Board with Veneer on one side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Postlam MDF Board with Veneer on both sides, Prelam Marine Ply, Prelam Marine Ply with Laminate on one side, Postlam Marine Ply with Laminate on both side, Prelam Marine Ply with Veneer on one side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on both sides, Prelam MR Ply, Prelam MR Ply with Laminate on one side, Postlam MR Ply with Laminate on both side, Prelam MR Ply with Veneer on one side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam MR Ply with Veneer on both sides, Prelam BWP Ply, Prelam BWP Ply with Laminate on one side, Postlam BWP Ply with Laminate on both side, Prelam BWP Ply with Veneer on one side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Veneer on both sides Or higher
	Table Understructure Modesty Panel Material Type	Wooden/Engineer Wood Understructure
	Table Understructure Modesty Panel Material	Prelam Particle Board (both sides), Postlam Particle Board with Laminate on both side, Postlam Particle Board with Laminate on one side and Veneer on the other side, Postlam Particle Board with Veneer on both sides, Prelam MDF Board, Postlam MDF Board with Laminate on both side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Postlam MDF Board with Veneer on both sides, Prelam Marine Ply, Postlam Marine Ply with Laminate on both side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on both sides, Prelam MR Ply, Postlam MR Ply with Laminate on both side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam MR Ply with Veneer on both sides, Prelam BWP Ply, Postlam BWP Ply with Laminate on both side, Postlam BWP Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Veneer on both sides Or higher
	Modesty Panel Thickness	18 mm +/- 2 mm (wooden)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material	Prelam MDF Board with Laminate on one side, Postlam MDF Board with Laminate on both side, Prelam MDF Board with Veneer on one side, Postlam MDF Board with Laminate on one side and Veneer on the other side, Prelam MDF with PVC Membrane on one side, Postlam MDF with PVC Membrane on one side, Postlam Marine Ply with Laminate on one side, Postlam Marine Ply with Laminate on both side, Postlam Marine Ply with Laminate on one side and Veneer on the other side, Postlam Marine Ply with Veneer on one side, Postlam MR Ply with Laminate on one side, Postlam MR Ply with Laminate on both side, Postlam MR Ply with Veneer on one side, Postlam MR Ply with Laminate on one side and Veneer on the other side, Postlam BWP Ply with Laminate on both side, Postlam BWP Ply with Veneer on one side, Postlam BWP Ply with Laminate on one side and Veneer on the other side Or higher
	Table Top Thickness (Tolerance ± 5 mm)	36 mm
	Availability of Table Top Edge	Yes
	Material of table top Edge (Hint: Here "Edge" indicates boundary of table top)	PVC Edge Banding
Colour and Warranty	Warranty period (number of months)	12, 24, 36, 48, 60 Or higher (month)

Additional Specification Parameters - Modular Extendable Conference Table (V2) (1 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	1	30

Revolving Chair (V5) (149 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Leatherette
	Colour Family of Seat	Black, Grey
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	High-back
	Locking available while tilting backrest	Yes
	Colour Family of Backrest	Black, Grey
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	No
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (149 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	149	30

Revolving Chair (V5) (4 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Leatherette
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	High-back
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	No
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	4	30

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square
	Width of Table Top (Tolerance ± 50 mm)	900 mm
	Depth of Table Top (Tolerance ± 50 mm)	900 mm
	Height of Table Top Adjustable	No
Table Understructure	Material Type in Table Understructure	Metal Understructure
	Support Type in Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	1.2 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	NA
	Availability of modesty panel	No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	1	30

Modular Work Stations (V3) (22 per seat)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS	Type of system	Panel based system
WIRE MANAGEMENT	Provision of Wire Management in Work Station	Below table top
MATERIAL	Frame material for work station	Aluminium
	Material of table top	Particle Board

Additional Specification Parameters - Modular Work Stations (V3) (22 per seat)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	22	30

Revolving Chair (V5) (22 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Polyester fabric
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Mid-back
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	No
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (22 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	22	30

Executive Table (V4) (2 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Executive Table	Executive Table, Executive Table with Pedestal / Side Storage Unit, Executive Table with Keyboard Tray, Executive Table with Keyboard Tray and Pedestal / Side Storage Unit
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	25 mm
	Length of Table Top (Tolerance ± 50 mm)	2100 mm
	Depth of Table Top (Tolerance ± 20 mm)	900 mm
Table Understructure	Type of Material in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Support Type in Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
Extendable Returnable Unit (ERU) Characteristics	ERU Position wrt to Table Top	Left Aligned
	Width of ERU (Extended Return Unit) (Tolerance ± 20 mm)	1800 mm
	Depth of ERU (Extended Return Unit) (Tolerance ± 20 mm)	450 mm
	Type of ERU (Extended Return Unit)	With Storage, Without Storage
Pedestal Characteristics	Availability of Pedestal Unit	Yes, No
Keyboard Tray	Availability of Keyboard Tray	Yes, No

Additional Specification Parameters - Executive Table (V4) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	2	30

Chair For General Purpose (4 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Mid-back
	Lumbar Support available in Seat Backrest	Yes
CHAIR ARMREST	Armrest Available in the Chair	Yes
	Type of Armrest in Chair	Fixed armrest without cushion and padding

Additional Specification Parameters - Chair For General Purpose (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	4	30

Revolving Chair (V5) (2 pieces)

Bis Required	Yes
--------------	-----

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	High-back
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes
CHAIR ARMREST	Armrest Available in the Chair	Yes

Additional Specification Parameters - Revolving Chair (V5) (2 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
As Per Attached ATC	As Per Attached ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	160001,Punjab and Haryana High Court, Sector-1, Chandigarh	2	30

Special terms and conditions-Version:1 effective from 22-11-2024 for category Modular Extendable Conference Table (V2)

1. Note to buyer and Sellers:

1. "Color family" is indicative in nature and to be considered for representative purposes. Seller to select the closest representative color from the given options.
2. Buyer to include details such as number of switches, count of electrical/electronic ports, type of ports, wiring requirements, wire access materials etc during procurement process.
3. Selling unit is per seat. Seller to offer prices in terms of price per seat. During procurement process, buyer to order for quantity of seats required in the product.
4. Buyer to indicate the mode of supply of modular table (Assembled ready to use, knocked kit - assembled at consignee site by seller, knocked down kit - assembled at consignee site by consignee itself) during bid creation.
5. Warranty t&c

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

3. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

4. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product

during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

7. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

8. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

9. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

10. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

11. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted

within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.

5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---