

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	25-09-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	26-09-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	*****
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :srijos.42180@nic.in Buyer Email id: arunshukla.787n@gov.in
कुल मात्रा/Total Quantity	85
वस्तु श्रेणी /Item Category	Turning tool holder LH WNMG 32 into 32 , Turning tool holder LH WNMG 20 into 20 , Turning tool holder LH TNMG 20 into 20 , Turning tool holder LH VNMG 20 into 20 , U Drill 20 mm , U Drill 25 mm , U Drill 40 mm , Turning tool holder LH TNMG 32 into 32 , Turning tool holder LH VNMG 32 into 32 , Boring Bar LH WNMG 32 into 32 , Boring Bar LH TNMG 32 into 32 , Boring Bar LH VNMG 32 into 32 , Boring Bar LH WNMG 40 into 40 , Boring Bar LH TNMG 40 into 40 , Boring Bar LH VNMG 40 into 40 , Boring Bar Sleeve 50 100 32 , Boring Bar Sleeve 50 100 25 , Boring Bar Sleeve 50 100 20 , Boring Bar Sleeve 50 100 16 , Boring Bar Sleeve 50 100 12 , Threading tool holder RH 16 into 16 , Threading tool holder RH 20 into 20 , Grooving tool holder external turning 32 into 32 into 4 , Grooving tool holder external turning 20 into 20 into 3 , Grooving tool holder external turning 12 into 12 into 2 , Grooving tool holder internal turning 20 into 20 into 4 , Grooving tool holder internal turning 16 into 16 into 3 , Grooving tool holder internal turning 12 into 12 into 2 , CCMT Boring bar 12 into 12 , Drill chuck ER32 with key , Drill collet ER32 12 mm , Jaw chuck 12 16 60 L-type 150 length , V type jaw 12 16 60 , MT 5 centre , Insert WNMG 0 point 8 , Insert WNMG 1 point 2 , Insert TNMG 1 point 2 , Insert TNMG 0 point 8 , Insert VNMG 0 point 8 , Insert VNMG 0 point 4 , Insert CCMT 0 point 8 , Grooving Insert 4 mm , Grooving Insert 3 mm , Grooving Insert 2 mm

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Turning Tool Holder LH WNMG 32 x 32, Turning Tool Holder LH WNMG 20 x 20, Turning Tool Holder LH TNMG 20 x 20, Turning Tool Holder LH VNMG 20 x 20, U-Drill 20 mm, U-Drill 25 mm, U-Drill 40 mm, Turning Tool Holder LH TNMG 32 x 32, Turning Tool Holder LH VNMG 32 x 32, Boring Bar LH WNMG 32 x 32, Boring Bar LH TNMG 32 x 32, Boring Bar LH VNMG 32 x 32, Boring Bar LH WNMG 40 x 40, Boring Bar LH TNMG 40 x 40, Boring Bar LH VNMG 40 X 40, Boring Bar Sleeve 50-100-32, Boring Bar Sleeve 50-100-25, Boring Bar Sleeve 50-100-20, Boring Bar Sleeve 50-100-16, Boring Bar Sleeve 50-100-12, Threading Tool Holder RH 16 x 16, Threading Tool Holder RH 20 x 20, Grooving Tool Holder External Turning 32 x 32 x 4, Grooving Tool Holder External Turning 20 x 20 x 3, Grooving Tool Holder External Turning 12 x 12 x 2, Grooving Tool Holder Internal Turning 20 x 20 x 4, Grooving Tool Holder Internal Turning 16 x 16 x 3, Grooving Tool Holder Internal Turning 12 x 12 x 2, CCMT Boring Bar 12 x 12, Drill Chuck ER32 with Key, Drill collet ER32 12 mm, Jaw chuck 12-16-60 (L-Type) 150 Length, V-Type Jaw 12-16-60, MT-5 Centre, Insert WNMG 8.0, Insert WNMG 1.2, Insert TNMG 1.2, Insert TNMG 0.8, Insert VNMG 0.8, Insert VNMG 0.4, Insert CCMT 0.8, Grooving Insert 4 mm, Grooving Insert 3 mm, Grooving Insert 2 mm
	Searched String: Turning Tool Holder LH WNMG 32 x 32 Category not available on GeM for the text string uploaded by the buyer Searched String: Turning Tool Holder LH WNMG 20 x 20 Category not available on GeM for the text string uploaded by the buyer Searched String: Turning Tool Holder LH TNMG 20 x 20 Category not available on GeM for the text string uploaded by the buyer Searched String: Turning Tool Holder LH VNMG 20 x 20 Category not available on GeM for the text string uploaded by the buyer Searched String: U-Drill 20 mm Mild Steel Sheet, Drilling Machine Bench Type / Pillar Type as per IS 2425, Memory Card Reader (V2), Cleaning Duster (V3), Endotracheal Tube - Sterile (Single Use), LED Batten, Theft Proof Rifle Racks, Centrifuge Tubes (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Markers and Highlighters Searched String: U-Drill 25 mm Internal Storage Device (SSD/HDD) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wild - Life Cages, Cast Iron Bench, Parallel Bar - Outdoor Gym Equipment, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Drilling Machine Bench Type / Pillar Type as per IS 2425, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI

बिड विवरण / Bid Details	Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)
	Searched String: U-Drill 40 mm Drilling Machine Bench Type / Pillar Type as per IS 2425, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Hot Rolled Round Steel Bars as per IS 1732, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Kidney Trays Conforming to IS 3992, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 Searched String: Turning Tool Holder LH TNMG 32 x 32 Category not available on GeM for the text string uploaded by the buyer Searched String: Turning Tool Holder LH VNMG 32 x 32 Category not available on GeM for the text string uploaded by the buyer Searched String: Boring Bar LH WNMG 32 x 32 Precipitated Barium Carbonate - IS 3205, rubber bands, Video Recorder for CCTV System (V2), Reciprocal Shakers - Mechanical Shaker Machine with Timer, General Purpose Ball Valves conforming to IS 9890, Medical Centrifuge, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel components (Deepwell Hand Pumps Components) as per IS 15500 (Part 4), P.F. Huts with PUF Panel (MHA), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2 Searched String: Boring Bar LH TNMG 32 x 32 Precipitated Barium Carbonate - IS 3205, rubber bands, Video Recorder for CCTV System (V2), Reciprocal Shakers - Mechanical Shaker Machine with Timer, General Purpose Ball Valves conforming to IS 9890, Medical Centrifuge, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel components (Deepwell Hand Pumps Components) as per IS 15500 (Part 4), P.F. Huts with PUF Panel (MHA), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2 Searched String: Boring Bar LH VNMG 32 x 32 Precipitated Barium Carbonate - IS 3205, rubber bands, Video Recorder for CCTV System (V2), Reciprocal Shakers - Mechanical Shaker Machine with Timer, General Purpose Ball Valves conforming to IS 9890, Medical Centrifuge, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel components (Deepwell Hand Pumps Components) as per IS 15500 (Part 4), P.F. Huts with PUF Panel (MHA), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2 Searched String: Boring Bar LH WNMG 40 x 40

बिड विवरण/Bid Details	Cotton Towelling And Towels Conforming To IS 7056 (V4), Recycled Towel, High Pressure Breathing Air Compressor Petrol Engine Driven, Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Hydraulic Hose, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Adhesive Incise Drape Conforming to IS 17348, Plain Gauze Swab, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950 Searched String: Boring Bar LH TNMG 40 x 40 Cotton Towelling And Towels Conforming To IS 7056 (V4), Recycled Towel, High Pressure Breathing Air Compressor Petrol Engine Driven, Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Hydraulic Hose, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Adhesive Incise Drape Conforming to IS 17348, Plain Gauze Swab, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950 Searched String: Boring Bar LH VNMG 40 X 40 Cotton Towelling And Towels Conforming To IS 7056 (V4), Recycled Towel, High Pressure Breathing Air Compressor Petrol Engine Driven, Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Hydraulic Hose, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Adhesive Incise Drape Conforming to IS 17348, Plain Gauze Swab, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950 Searched String: Boring Bar Sleeve 50-100-32 Air Hoses as per IS 446:1987, Rubber Hoses and Hose Assemblies for Water Suction and Discharge Conforming to IS 3549, Steel Tubes used for Water Wells (V2) as per IS 4270 Searched String: Boring Bar Sleeve 50-100-25 Air Hoses as per IS 446:1987, Labels Stickers (V3), High Pressure Breathing Air Compressor Petrol Engine Driven, Rubber Hoses and Hose Assemblies for Water Suction and Discharge Conforming to IS 3549, Copper Bus Bar (Bhel)-IS:1897, IS:8130, Rubber Steam Hose (V2) as per IS 10655 Searched String: Boring Bar Sleeve 50-100-20 Sheet Barrack (Polyester Cotton) and Sheet Hospital (100% Cotton) (IAF), Air Hoses as per IS 446:1987, Metallurgical Microscope, Polyethylene Pipes for Water Supply conforming to IS 4984, Multi function Calibrators, Laboratory Deep Freezer (Upto -20°C Degree) Searched String: Boring Bar Sleeve 50-100-16 Air Hoses as per IS 446:1987, Polyurethane Tube (V2), Multi function Calibrators, Polyethylene Pipes for Water Supply conforming to IS 4984, Rubber Hoses and Hose Assemblies for Water Suction and Discharge Conforming to IS 3549, Steel Tubes used for Water Wells (V2) as per IS 4270 Searched String: Boring Bar Sleeve 50-100-12
-----------------------	--

बिड विवरण / Bid Details	Polyurethane Tube (V2), Air Hoses as per IS 446:1987, Polyethylene Pipes for Water Supply conforming to IS 4984
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Threading Tool Holder RH 16 x 16 X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Cleaning Duster (V3), Ratchet Pipe Threader for Taper Pipe Threads as per IS 16176, Net Camouflage Shrimp Type as per Defence Specifications, Medical Centrifuge, Solid Cushion Tyres (V2), Video Recorder for CCTV System (V2), binocular, Polyethylene Bags for General Purposes, Equipment Camouflage Nets (Jute) as per Defence Specification Searched String: Threading Tool Holder RH 20 x 20 Potassium Thiocyanate, Cleaning Duster (V3), X Ray Machine (200 mA), Business Card Holder (V2), SHIRO VASTI CAP, Theft Proof Rifle Racks, Non Sparking Adjustable Wrench (V2), Caution / Crime Scene Tape (V2), Non Sparking Ring Slugging Spanners (V2), Facial Tissue Papers(V3) Searched String: Grooving Tool Holder External Turning 32 x 32 x 4 General Purpose Ball Valves conforming to IS 9890, Non Sparking Double Ended Ring Spanner (V2), Minifuge, Non Sparking Double Open Ended Spanner (V2), Random Access Memory (RAM) Module Searched String: Grooving Tool Holder External Turning 20 x 20 x 3 Facial Tissue Papers(V3), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, ECG Recording Paper(V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Gamjee Rolls / Pads (V2), Non Woven Bandage Roll Conforming to IS 16660 Searched String: Grooving Tool Holder External Turning 12 x 12 x 2 Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Sterile Hypodermic Needles for Single use (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Weld Mesh Febric as per IS 4948, Polyurethane Tube (V2), Minifuge, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Big Crash Mattresses - Gymnastic, Compostable Nursery Bags Searched String: Grooving Tool Holder Internal Turning 20 x 20 x 4 Compostable Carry Bags, Wild - Life Cages, Gamjee Rolls / Pads (V2), Non Woven Bandage Roll Conforming to IS 16660, Tuberculosis (TB) Drug Envelope, Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Non Adherent Dressings (V2), Open Weave Bandage Conforming to IS 16469

बिड विवरण/Bid Details	Searched String: Grooving Tool Holder Internal Turning 16 x 16 x 3
	Cardiopulmonary Bypass Connectors (V2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Domestic Tongs(Chimta), Non Sparking Double Open Ended Spanner (V2), USB Type External Hard Disk Drive (V3), Non Sparking Double Ended Ring Spanner (V2), Open Jaw Wrenches (Spanners) (V2) As Per Is 2028 Searched String: Grooving Tool Holder Internal Turning 12 x 12 x 2 Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Sterile Hypodermic Needles for Single use (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Weld Mesh Febric as per IS 4948, Polyurethane Tube (V2), Minifuge, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Big Crash Mattresses - Gymnastic, Compostable Nursery Bags Searched String: CCMT Boring Bar 12 x 12 Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), Cleaning Duster (V3), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Shaker Incubator, Polyurethane Tube (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Medical Centrifuge, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Video Recorder for CCTV System (V2), Cloth Dryer Stand Searched String: Drill Chuck ER32 with Key Drill Chucks - IS 2243, Video Recorder for CCTV System (V2), Slot Drill with Parallel Shank - IS 6352, Line Interactive UPS with AVR (V2), Machine Chucking Reamers with Parallel Shanks - IS 5446, Pad Lock Various (As Per Defence Specification), Machine Chucking Reamers With Morse Taper Shanks - IS 5447, Key Hole Test Board, Machine Chucking Reamers With Morse Taper Shanks (V2) as per IS 5447, Drilling Machine Bench Type / Pillar Type as per IS 2425 Searched String: Drill collet ER32 12 mm Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Drilling Machine Bench Type / Pillar Type as per IS 2425, Twist Drill - Extra Long Parallel Shank - IS 7823, rubber bands, Auditorium Chair (V2), Waste Fittings for Washbasin and Sinks as per IS 2963, Polyethylene Pipes for Water Supply conforming to IS 4984, traffic signs - bilinker light, Writing Pens, Ultrasonic Thickness Gauge Searched String: Jaw chuck 12-16-60 (L-Type) 150 Length Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063 Searched String: V- Type Jaw 12-16-60 Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Porcelain

विड विवरण/Bid Details	Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Binder Clips (V3) Conforming to IS 8231, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Frequency meter - Analog (Panel Meter), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification
	Searched String: MT-5 Centre 5 Axis CNC Horizontal Machining Centre, Modular Table / Meeting Table / Centre Table (V2), 5 Axis CNC Turn-Mill Centre Machine, Alumino - Ferric (V2) Conforming to IS 299, 5 Axis CNC Double Column Vertical Machining Centre / Gantry Type Machining Centre, File/Folder (V3), GI Grating (in MT), Agricultural Trailer Complying to AIS 112, Automatic Centre Punch, Entry and Mid Level Desktop Computer Searched String: Insert WNMG 8.0 Automatic Fire Ball for Fire - Extinguishing, Lock Nuts- IS:6731, PCR Tubes, Prevailing Torque Hexagonal Nut- IS:1367, Minifuge, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Interface module, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, SEWAGE TREATMENT PLANT, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097 Searched String: Insert WNMG 1.2 BCAA 2:1:1 Powder, Electronic Weighing Scales, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Static Protective Relays, Isoprothiolane, Pneumatic impact wrenches, Combination Board (V2), Line Interactive UPS with AVR (V2), Test Sieves as per IS 460 (Part 1 and Part 2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV) Searched String: Insert TNMG 1.2 BCAA 2:1:1 Powder, Electronic Weighing Scales, Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Static Protective Relays, Isoprothiolane, Pneumatic impact wrenches, Combination Board (V2), Line Interactive UPS with AVR (V2), Test Sieves as per IS 460 (Part 1 and Part 2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV) Searched String: Insert TNMG 0.8 Automatic Fire Ball for Fire - Extinguishing, Lock Nuts- IS:6731, PCR Tubes, Prevailing Torque Hexagonal Nut- IS:1367, Minifuge, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Interface module, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, SEWAGE TREATMENT PLANT, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097 Searched String: Insert VNMG 0.8 Automatic Fire Ball for Fire - Extinguishing, Lock Nuts- IS:6731, PCR Tubes, Prevailing Torque Hexagonal Nut- IS:1367, Minifuge, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Interface module,

बिड विवरण / Bid Details	Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, SEWAGE TREATMENT PLANT, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097
	Searched String: Insert VNMG 0.4 Toluidine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Jumbo Process Indicator, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Resectoscope, Micro/Semi-Micro/Analytical weighing balance, Plotter Printers (V2), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 Searched String: Insert CCMT 0.8 Automatic Fire Ball for Fire - Extinguishing, Lock Nuts- IS:6731, PCR Tubes, Prevailing Torque Hexagonal Nut- IS:1367, Minifuge, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Interface module, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, SEWAGE TREATMENT PLANT, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097 Searched String: Grooving Insert 4 mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Wild - Life Cages, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Shredding Machine/Paper Shredder, Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Bone Screw (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 Searched String: Grooving Insert 3 mm MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Polyurethane Tube (V2), Locking Compression Plates (V2), Cricket Stumps and Bails (V2) Conforming to IS 6621, Endotracheal Tube - Sterile (Single Use), FRP Urinal Cabin (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Bone Screw (V2) Searched String: Grooving Insert 2 mm Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Polyurethane Tube (V2), Biosafety Cabinet (V2), Cricket Stumps and Bails (V2) Conforming to IS 6621, Bunk Beds conforming to IS 17636, Tress Name Plate (V2), Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, PVC

बिड विवरण / Bid Details	Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694,
	Bed Mattress Conforming to IS 13489 (V3)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Cleaning Duster (V3) • Cast Iron Bench • Markers and Highlighters
बीओक्यू शीर्षक / BOQ Title	MISC ITEMS
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	0.77 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	6 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड / Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1

बिड विवरण/Bid Details	
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Turning tool holder LH WNMG 32 into 32
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25
---	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated

on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Turning Tool Holder LH WNMG 32 Into 32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Turning Tool Holder LH WNMG 20 Into 20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Turning Tool Holder LH TNMG 20 Into 20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Turning Tool Holder LH VNMG 20 Into 20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

U Drill 20 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

U Drill 25 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

U Drill 40 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Turning Tool Holder LH TNMG 32 Into 32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Turning Tool Holder LH VNMG 32 Into 32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar LH WNMG 32 Into 32**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar LH TNMG 32 Into 32**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar LH VNMG 32 Into 32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar LH WNMG 40 Into 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar LH TNMG 40 Into 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar LH VNMG 40 Into 40

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar Sleeve 50 100 32

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar Sleeve 50 100 25

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar Sleeve 50 100 20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar Sleeve 50 100 16**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Boring Bar Sleeve 50 100 12**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Threading Tool Holder RH 16 Into 16

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Threading Tool Holder RH 20 Into 20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Tool Holder External Turning 32 Into 32 Into 4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Tool Holder External Turning 20 Into 20 Into 3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Tool Holder External Turning 12 Into 12 Into 2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Tool Holder Internal Turning 20 Into 20 Into 4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Tool Holder Internal Turning 16 Into 16 Into 3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Tool Holder Internal Turning 12 Into 12 Into 2**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेशिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेशिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

CCMT Boring Bar 12 Into 12**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Drill Chuck ER32 With Key

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Drill Collet ER32 12 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Jaw Chuck 12 16 60 L-type 150 Length

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

V Type Jaw 12 16 60

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

MT 5 Centre

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert WNMG 0 Point 8

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert WNMG 1 Point 2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert TNMG 1 Point 2**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert TNMG 0 Point 8**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert VNMG 0 Point 8

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert VNMG 0 Point 4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Insert CCMT 0 Point 8

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	2	30

Grooving Insert 4 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	1	30

Grooving Insert 3 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	1	30

Grooving Insert 2 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	*****	*****Allahabad	1	30

क्रता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Generic**

NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:

1. I M/s.

M/s Firm Name

hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

5. **Generic**

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

2

Shelf Life. On the date of supply, minimum

2

usable shelf life should be available / balance.

6. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

8. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

9. **Warranty**

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

10. **Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

11. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be

determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a

land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---