

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	28-09-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	29-09-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Delhi
विभाग का नाम/Department Name	Public Works Department Delhi
संगठन का नाम/Organisation Name	Personnel Information And Management System Central Public Works Department
कार्यालय का नाम/Office Name	Education Projects
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :navin.32@gov.in Buyer Email id: chirag.sharma@gov.in
कुल मात्रा/Total Quantity	180
वस्तु श्रेणी /Item Category	Chair for General Purpose (Q2) , Revolving Chair (V5) (Q2) , Metal Storage Cabinet (Q2) , Composite Office Tables conforming to IS 8126 (V2) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Steel Almirah / Cabinets (V4) (Q2) , Classroom Stools (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	4 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	53 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Metal Storage Cabinet
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1331483
Payment Timelines	Payments shall be made to the Seller within 45 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No

बिड विवरण/Bid Details**सुलह खंड/Mediation Clause**

No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	26630

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	13

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

EXECUTIVE ENGINEER

EE M-433(C&ND EDU. M. DIVISION) PWD (GNCTD) RAJGHAT NEWDELHI Education Projects, Public Works Department Delhi, Personnel Information and Management System Central Public Works Department, (Ee M-433 Pwd Gnctd)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	5

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25
---	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 5% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public

Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

11. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

Chair For General Purpose (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back
	Lumbar Support available in Seat Backrest	Yes
CHAIR ARMREST	Armrest Available in the Chair	Yes
	Type of Armrest in Chair	Fixed armrest with Cushion

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
----------------	--	-------------	------------------	------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi- 110002	2	15

Revolving Chair (V5) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	Type of Chair	Revolving Chair of Adjustable height with Wheels
CHAIR SEAT	Seat upholstery material	Mesh fabrics, Polyester fabric, Leatherette, Leather
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid- back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)	Low-back, Mid-back, High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes, No
	Headrest available in Chair	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi- 110002	2	15

Metal Storage Cabinet (26 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Product	Storage Unit With door, Storage Unit Without door
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Number of shelves	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11
	Material of Shelves	Stainless Steel, Mild Steel, Aluminium
	Availability of Drawers	Yes, No
	Availability of Locks in the Drawer	Yes, No
	Type of lock in the Drawer	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Finish of exterior	Painted, Powder Coating
Supporting Frame Structure within Storage Cabinet	Material of Frame	Mild Steel, Stainless Steel, Aluminium, NA
Top Section Sheet	Material of Top Section Sheet	Mild Steel, Stainless Steel, Aluminium, Wood
Bottom Section Sheet	Material of Bottom Section Sheet	Mild Steel, Stainless Steel, Aluminium
Back Section Sheet	Availability of Back Section Sheet	Yes, No
	Material of Back Section Sheet	Mild Steel, Stainless Steel, Aluminium, NA
Door	Availability of Door	Yes, No
	Primary Material Type of door (Seller to select and state "primary" door in case of hybrid options)	Mild Steel, Stainless Steel, Aluminium, Wooden, Plastic, Glass, NA

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	26	20

Composite Office Tables Conforming To IS 8126 (V2) (10 pieces)**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standards and Certifications	Conformity to specification	IS 8126
Generic	Type of Composite Office Table	Table with single storage unit, Table with double storage unit
	Type of Storage Units	Three-drawer unit, Locker unit, Drawer and filing unit, Three-drawer Unit with Locker Unit, Locker Unit with Drawer and Filing Unit, Three-drawer unit with Drawer and filing unit
	Type of Tubular Pedestal	Mild Steel Tubular Pedestal, Aluminium Tubular Pedestal
Material	Material of Table Top	Particle Boards, Block Boards, Medium Density Fibreboards or Plywood
Dimension	Table Top Length (mm) X Width (mm) X Thickness (mm) (Tolerance as per clause 5)	1200 X 600 X 20, 1350 X 750 X 20, 1500 X 900 X 20, 1800 X 900 X 20
Colour	Color Family of Painted Section	Black, Brown, Red, White, Yellow, Green, Blue, Grey (Silver)
Warranty	Warranty (year)	1, 2, 3, 4, 5 Or higher

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	10	15

Composite Office Tables Conforming To IS 8126 (V2) (2 pieces)**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Standards and Certifications	Conformity to specification	IS 8126
Generic	Type of Composite Office Table	Table with single storage unit, Table with double storage unit
	Type of Storage Units	Three-drawer unit, Locker unit, Drawer and filing unit, Three-drawer Unit with Locker Unit, Locker Unit with Drawer and Filing Unit, Three-drawer unit with Drawer and filing unit
	Type of Tubular Pedestal	Mild Steel Tubular Pedestal, Aluminium Tubular Pedestal
Material	Material of Table Top	Particle Boards, Block Boards, Medium Density Fibreboards or Plywood
Dimension	Table Top Length (mm) X Width (mm) X Thickness (mm) (Tolerance as per clause 5)	1200 X 600 X 20, 1350 X 750 X 20, 1500 X 900 X 20, 1800 X 900 X 20
Colour	Color Family of Painted Section	Black, Brown, Red, White, Yellow, Green, Blue, Grey (Silver)
Warranty	Warranty (year)	1, 2, 3, 4, 5 Or higher

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	2	15

Modular Table / Meeting Table / Centre Table (V2) (6 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ± 50 mm)	750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	No
Table Understructure	Material Type in Table Understructure	Metal Understructure
	Support Type in Table Understructure	Leg
	Material of Table Understructure	Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	0.8 mm, 1.6 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	NA
	Availability of modesty panel	No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	No

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	6	15

Modular Table / Meeting Table / Centre Table (V2) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ± 50 mm)	1200 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	No
Table Understructure	Material Type in Table Understructure	Metal Understructure
	Support Type in Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm
	Thickness of Metal Legs Cross Section	0.8 mm, 1.6 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	NA
Pedestal / Storage Unit in Table	Availability of modesty panel	No
	Availability of Pedestal / Storage Unit	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	3	15

Steel Almirah / Cabinets (V4) (5 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312
GENERIC	Types of Almirah (Dimensions are without pedestal height)	Large (1855 mm X 910 mm X 480 mm)
	Availability of Drawers	No
	Availability of Lockers	Yes

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	5	15

Metal Storage Cabinet (24 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Product	Storage Unit With door, Storage Unit Without door
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Number of shelves	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11
	Material of Shelves	Stainless Steel, Mild Steel, Aluminium
	Availability of Drawers	Yes, No
	Availability of Locks in the Drawer	Yes, No
	Type of lock in the Drawer	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish of exterior	Painted, Powder Coating
Supporting Frame Structure within Storage Cabinet	Material of Frame	Mild Steel, Stainless Steel, Aluminium, NA
Top Section Sheet	Material of Top Section Sheet	Mild Steel, Stainless Steel, Aluminium, Wood
Bottom Section Sheet	Material of Bottom Section Sheet	Mild Steel, Stainless Steel, Aluminium
Back Section Sheet	Availability of Back Section Sheet	Yes, No
	Material of Back Section Sheet	Mild Steel, Stainless Steel, Aluminium, NA
Door	Availability of Door	Yes, No
	Primary Material Type of door (Seller to select and state "primary" door in case of hybrid options)	Mild Steel, Stainless Steel, Aluminium, Wooden, Plastic, Glass, NA

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	24	15

Classroom Stools (100 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Assembled ready to use, Knocked down to be assembled at Consigning site by the seller, knocked down to be assembled at consignee site by consignee himself

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Style of Stools	Supported by set of Legs, Supported by pillars, Trestle type (with a plank top & vertical planks on the side), Fixed stool supported by single column, Fixed stool supported by pedestal
	Design of Stool	With four legs only, With four legs and cross leg members, With four legs and Foot rest ring, With four legs and Foot rest in square shape, With four legs and Foot rest in rectangular shape
	Approval of Advance sample (in respect of design)	Yes, No
	Stools stand a load of	50 Kg, 75 Kg, 100 Kg, N.A
MATERIAL	Top material	Medium Density Fiberboard, Marble, Lucite, Arcylic, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Ply wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Solid wood, Granite, MS sheet, SS 304, CRC sheet Top (fitted with non-skid rubber sheet), Seasoned Sheesham wood
	Frame material	Teak wood, Carved Teak wood, Stainless steel SS 304, Other wood, No frames, Granite, Marble, MS pipe heavy duty, MS square pipe, Seasoned Sheesham wood
	Leg material	Teak wood, Teak carved wood, Other wood, Steel flat SS 304, Steel pipe SS 304, 25 mm MS pipe heavy duty, No leg - supported by external sides, Seasoned Sheesham wood
	Material of Understructure supporting the top	Flat single layer MDF board of grade SBG II of IS 12406/Latest, Three layer prelaminate particles board(Wood product) of grade II type II of IS 12823/Latest, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Other wood, Steel flat SS 304, MS square section of 25 mm x 25 mm with 2 mm wall thickness, No understructure support, MS square section of 25 mm x 25 mm with 1.02 mm (18 gauge) wall thickness, Seasoned Sheesham wood, OTHER WOOD, SS 304, SIZES OF MS SECTIONS
DIMENSION & THICKNESS	Dimension of Top (length X Breadth) ±10mm	250 mm x 250 mm, 300 mm x 300 mm, 350 mm x 350 mm, 400 mm x 400 mm, 250 mm (Dia), 300 mm (Dia), 350 mm (Dia), 400 mm (Dia), 300 mm x 225 mm, 460 mm X 300 mm
	Height of Stool ±10 mm	400 mm, 450 mm, 500 mm, 550 mm, 600 mm, 650 mm, 700 mm, 760 mm
	Thickness of top material (+/-1 mm)	1.2 mm, 1.6 mm, 2 mm, 3 mm, 5 mm, 7 mm, 10 mm, 13 mm, 15 mm, 19 mm, 25 mm, 36 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of frame material (+/- 1 mm)	2 mm, 3 mm, 5 mm, 7 mm, 9 mm, 13 mm, 19 mm, 25 mm, 1.02 mm, NA
	Cross / Round /Square / Rectangular leg member size	13 mm, 18 mm, 25 mm, N.A
MISCELLANEOUS	Beeding	Top all side to be 5 mm thick teak wood beeding, N.A
COLOUR & FINISH	Paint / Polish	Powder coated, Pre treated and Epoxy powder coated finish, All iron parts to be Primer coated and Painted, Lacquered polish
WARRANTY	Warranty period in number of years	1, 2, 3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Chirag Sharma	110002,O/O CE, Education (Projects) Zone, 1st Floor, MSO Building, I.P. Estate, New Delhi-110002	100	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

- Provisions for workmen compensation, insurance, public liability, property damage, insurance etc. to be ensured by the contractor. Also, safety measures prescribed for working in Extra High Voltage & use of personnel protective equipment must be adhered to.

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Providing, placing/installing of Lab Stools manufactured to the specification provided below - With SS Round Top. Overall size is 480mm(L) x 480mm(W) x 560mm(H). Understructure of the stool consists of 4 Legs, circular Foot Step welded at 150mm above from ground and Top Frame. Complete understructure shall be made up of MS ERW Tube of 22mm Dia having a thickness of 1.6mm with duly powder coated 40-45microns. A Round Top of size 300+/-5mm Dia shall be fixed on the top frame made of 1mm Thick Stainless Steel (SS) with buffed Glossy finish. PVC Shoes shall be provided at the bottom of all legs to avoid direct contact of metal parts with floor. Stool shall be safe upto 120Kgs Load.

2. Providing, placing/installing of Classroom Almirah manufactured to the specification provided below - Overall size 1000mm(W) x 500mm(D) x 2025mm(H) including levellers. The storage unit shall be divided into 2 parts of 500mm(W) each by a vertical partition of 1980mm(H). The storage units shall be stacked widthwise to form a row of storage having a common side panel. The construction of the storage units shall be aesthetically appealing and knock down or welded. Legs shall be fitted in the floor units with screw type leveller and material shall be from combination of CRCA sheet of 0.8mm thick. The storage units shall be provided with height wise adjustable 4 shelves mounting with slots of pitch 25.4mm from top to bottom at all internal corners in classroom almirah, each shelf shall have a load capacity of 40 kg Uniformly Distributed Load. The storage will have steel 2 Nos Hinged Door with knuckle hinges and individual lock for each door. Each door shall be provided with a handle Ergonomically designed with Aesthetically appealing made from Aluminium. The complete floor units shall be provided with 3 way locking and thickness of rod shall not be less than 8mm and Finished with Epoxy Powder coated to the thickness of 50 microns(+/-10).

3. Providing, placing/installing of work bench Storage Cabinets manufactured to the specification provided below - The storage cabinet shall be Welded body with load bearing members such as top, bottom and stiffeners made of 0.8mm thick CRCA Sheet. A drawer separator shall be provided made of 1.2mm thick CRCA sheet. The storage unit shall be provided with a shelf made of 0.8mm thick CRCA sheet which is adjustable to 6 slots of 40-60mm. Each shelf shall have load carrying capacity of 40 kgs. Shutter provided is over-closing with 270 degree opening. It has a sandwich construction with profile as a sound dampener.

The drawer shall be provided as per the manufacturers specifications and direction of Engineer -in-Charge. The complete storage unit shall be powder coated with thickness of 40-60 microns and is suspended from tubular understructure, with an overlay shutter. The cabinet has a corrosion resistance magnetic strip as shutter catch, shutter and drawer are equipped with 180 degree cam lock. Semi recessed handle and five knuckle overlay hinge(SS-304) with 270 degree opening. Drawer and Shutter shall be provided with a lock 180 Degree cam with 4mm thick lever. Cabinet fixing brackets shall be of 2mm thickness. Storage unit of Size 600mm(W) x 450mm(D) x 600mm(H) with 1 Drawer and 2 Shutters

4. Providing, placing/installing of work bench Storage Cabinets manufactured to the specification provided below - The storage cabinet shall be Welded body with load bearing members such as top, bottom and stiffeners made of 0.8mm thick CRCA Sheet. A drawer separator shall be provided made of 1.2mm thick CRCA sheet. The storage unit shall be provided with a shelf made of 0.8mm thick CRCA sheet which is adjustable to 6 slots of 40-60mm. Each shelf shall have load carrying capacity of 40 kgs. Shutter provided is over-closing with 270 degree opening. It has a sandwich construction with profile as a sound dampener.

The drawer shall be provided as per the manufacturers specifications and direction of Engineer -in-Charge. The complete storage unit shall be powder coated with thickness of 40-60 microns and is suspended from tubular understructure, with an overlay shutter. The cabinet has a corrosion resistance magnetic strip as shutter catch, shutter and drawer are equipped with 180 degree cam lock. Semi recessed handle and five knuckle overlay hinge(SS-304) with 270 degree opening. Drawer and Shutter shall be provided with a lock 180 Degree cam with 4mm thick lever. Cabinet fixing brackets shall be of 2mm thickness. Storage unit of Size 450mm(W) x 450mm(D) x 600mm(H) with 1 Drawer and 1 Shutter

5. Providing, placing/installing of Laboratory Tables Reagent Racks manufactured to the specification provided below - size 1200mm(L) x 300mm(W) x 680mm(H):-

Reagent Racks shall be complete modular design consisting of 2 stage horizontal storage shelves made of 1.6 mm thick frame. Shelf : Fixed-Type reagent shelves have 1.6mm thickness consisting of 2 stage horizontal storage shelves made of 1.6 mm thick frame of CRCA MS sheet with epoxy powder coating and shall have 4 nos. plates (containing 03 module each) for electrical switches and sockets including necessary wiring etc. It shall have provision for placing Granite pieces. Cutout for 3 module plate to be provided. All the members are knock down and can be restructured. The metal part cutout shall be of 1.00mm thickness. The finish shall be coating of 40-60micron thickness. Load carrying capacity of 70kg for Island table. Teacher Table manufactured to the specification provided below - Size 1200mm(L) x 600mm(D) x 725mm(H). Work surface of the table shall be made from 18mm thick Pre Laminated wooden Ply (Lami Ply, MR grade as per IS:303) with decorative lamination(0.8mm thick) on both sides for top. All work surface edges are duly se

aled with 2mm thick PVC edging of matching colour with hot melt glue at 200°C. Understructure of the table comprises Rectangular Frames Fabricated from 1.2mm thick Cold Rolled Close Annealed (IS:513), Finish of metal parts - Powder coat (Epoxy polyester). Leg and one foot rest between the base and vertical wire carrier should be Fabricated component from 38mm x 25mm x 1.2mm thick MS ERW Tube (IS:7138) with Powder coat (Epoxy polyester). Modesty panel shall be 0.8mm Thick CRCA Sheet duly powder coated. One Side Panel made from 0.8mm thick CRCA (IS:513). Wire Carrier shall be provided, Vertical Wire Carrier along with Drawer made of 0.8mm Thick CRCA Grade D as per IS:513 and Horizontal Wire carrier under the worktop made of 0.8mm thick CRCA Grade D as per IS:513 complete powder coated. Finish: Powder coat (Epoxy polyester), Plastic Cap for Cable travel should be Injection Moulded Polypropylene. Leveler glide for Leg of Nylon 6 & MS Bolt. Drawer Unit with 3 Drawers shall be provided of size 670mm(H) X 550mm(D) X 350mm(W), Shell, drawer tray, Drawer Front, Frame Assembly of the drawer unit shall be made of 0.8mm thick CRCA (IS:513) with Powder coat (Epoxy polyester). 10 lever cam Lock shall be provided for locking. Handle shall be made from Injection Moulded Polypropylene & Leveler of Nylon6 & MS Bolt.

7. Providing, placing/installing of Teacher Chair manufactured to the specification provided below - The Seat and Back Assembly shall be made up of 1.2cm thick hot-pressed plywood, upholstered with fabric upholstery covers and moulded Polyurethane foam. The Seat is provided with a pre-moulded inserts at the bottom for fixing Armrests. The back foam is designed with contoured lumbar support for extra comfort. The seat has extra thick foam on front edge to give comfort to popliteal area. BACK SIZE : 47.5cm(W) x 58.0cm(H) and SEAT SIZE : 47.0cm(W) x 48.0cm(D). The Polyurethane foam is moulded with density = 45 +/-2 kg/m³ and Hardness = 20 +/- 2 at 25% compression. ARMRESTS: The one-piece armrests are injection moulded from black Co-polymer Polypropylene. TUBULAR FRAME : The powder coated tubular frame is cantilever type & made of dia 25.4mm x 2mm thick M.S. ER.W. Tube as per sketch for item.

8. Providing, placing/installing of Support Staff Room Chair manufactured to the specification provided below - Seat/Back Assembly : The seat and back are made up of 1.2+/- .2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam with PVC lipping all around. The back foam is designed with contoured lumbar support for extra comfort. back size: 49.0cm.(W) x 47.0cm.(H) Seat Size: 49.0cm(W) x 44.0cm(D) POLYURETHANE FOAM: The polyurethane foam is moulded with density = 45 +/-2 kg/m³ and Hardness = 20 +/- 2 on Hampden machine at 25% compression. TUBULAR FRAME : The tubular frame is cantilever type & made of Dia 2.54cm(1") x 14 BG M.S. E.R.W. tube and black powder coated.

9. Providing and fixing laboratory grade 2 Way LPG Gas Valve made from high quality brass forging grade as per IS 8737 2007 and machining grade as per IS:319 to avoid porosity and leakage. Taps are powder coated with glossy epoxy fusion bond. Pneumatic test at 250psi, hydraulic test at 125 psi, bursting test at 500psi. Valves should be identified with service indexes in the color coding as per DIN 12920. 10. Providing and fixing laboratory grade 1 Way LPG Gas Valve made from high quality brass forging grade as per IS 8737 2007 and machining grade as per IS:319 to avoid porosity and leakage. Taps are powder coated with glossy epoxy fusion bond. Pneumatic test at 250psi, hydraulic test at 125 psi, bursting test at 500psi. Valves should be identified with service indexes in the color coding as per DIN 12920. All the above items should be as per photo, sketch specifications & direction of engineer-in-charge.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.

5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions.](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---