बिड संख्या/Bid Number: GEM/2026/B/8097391

दिनांक /Dated: 28-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	18-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-det-kwnt@gujarat.gov.in
कुल मात्रा/Total Quantity	4127

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	2 POLE MCB , ALUMINIUM JOINT SLEEVE , ALUMINIUM LUG , ARMED CABLE GLAND , BARE CONDUCTORE , BARE COPPER WIRE , BATTEN PATTI , BATTERY ELECTROLYTE , BELL SWITCH , BINDING WIRE , BOARD INDICATOR , BOARD TYPE FUSE , BUTANE GAS CAN WITH SINGLE NOZZLE , CAPACITOR , CARBON RESISTOR , CERAMIC CAPACITOR , CFL LAMP , CHOKE , CLEANING CLOTH BULF , COPPER COATED PLATE , COPPER LUGS , COPPER TUBE CHOKE , COPPER WIRE , COTTON WASTE , CTS OR THINNER , CUTTING DISK , DIE PENETRANT TESTING KIT , DIESEL , DIODE , EARHT CLAMP , EARTHING MATERIAL , ELECTRILITE CAPACITOR , ELECTROLITE CAPACITOR , ELECTROLYTE NON POLARISED CAPACITOR , EMC GLAND , FAN REGULATOR SWITCH TYPE ELECTRONICS , FIBER SLEEVE , FLOROCENT TUBE , G.I NUT , G.I PIPE , GANG BOX FOR INTERMIDEATE SWITCH , GI PIPE , GI SHEET , HELOGEN TUBE , INCANDESCENT LAMP , INDICATOR FLUSH TYPE , KIT KAT FLUSH TYPE FUSE , LAMP HOLDER , LEAD ACID BATTERY , LED GREEN RED YELLOW , LED LAMP , MEGNATIC CONTACTOR , MERCURY VAPOUR CHOKE , MERCURY VAPOUR LAMP , METAL CLAD THREE PIN SOCKET , MICA CAPACITOR , MS FILLER ROD , MS FLAT , MS PIPE , MS ROUND BAR , MS SHEET , MS SQUARE BAR , NEON SIGN TUBE , ON OFF SWITCH PUSH BUTTON , OVERLOAD RELAY , PAPER CAPACITOR , PHOTO COPY PAPER A4 , PIANO TYPES INTERMIDEATE SWITCH , PLASTIC CAPACITOR , PVC BOARD 3 SOCKET 5 SWITCH , PVC CASING CAPING CROSS , PVC CASING CAPING PIPE , PVC INSULATED COPPER WIRE , PVC INSULATING TAPE , REDUCING SOCKET OR REDUCER , RESISTANCE , CAPACITOR , DIODE , TRANSISTOR , RJ45 PIN , SCR TYN 604 , SOAP , SODIUM CHOKE TRANSFORMER , SODIUM IGNITOR , SODIUM LAMP HHOLDER , SOLAR CELL , SOLDERING WIRE , STARTER , STP CABLE , TERMINAL CONNECTOR , THERMISTOR , TICKWOOD BOARD , TRANSFORMER , TRANSISTOR , TUBE PATTI WITH ROTARY HOLDER , UG CABLE MULTICORE CU OR AI , UTP CABLE , VARIABLE RESISITOR POT , WELDING SUIT , XLPE INSULATED ALUMINIUM CABLE , SCREW TYPE HOLDER , ROUND AABHALA , TRAILOR SQUARE , TRINGULAR AABHALA , THREAD RILL , NIDDLE THREAD , NIDDLE BOARD , PAIPING , PRINCESS BLOUSE KNIFE , PLASTIC MOTI , BITHEBAL CABLE GLAND , BLOUSE THREAD , BLOUSE HOOK , BHARAT DORA NI ANTI , WHITE SHEET , SHOW BUTTON , SPONGE , SPRIAL FLEXIBLE CABLE GLAND , HOOK KADI AAI
	2 POLE MCB 40 AMP, ALUMINIUM JOINT SLEEVE 4 SQ MM, ALUMINIUM JOINT SLEEVE 6 SQ MM, ALUMINIUM JOINT SLEEVE 2.5 SQ MM, ALUMINIUM JOINT SLEEVE 10 SQ MM, ALUMINIUM LUG, ALUMINIUM LUG, ARMED CABLE GLAND 25 SQMM, BARE CONDUCTORE 8 SWG, BARE COPPER WIRE 4 SQ MM, BARE COPPER WIRE 8 SWG, BARE COPPER WIRE 1 SQ MM, BATTEN PATTI, BATTERY ELECTROLYTE, BELL SWITCH, BINDING WIRE 16 SWG, BOARD INDICATOR, BOARD TYPE FUSE, BUTANE GAS CAN WITH SINGLE NOZZLE, CAPACITOR 42 MICRO FARAD , 250V, CAPACITOR 2.5 MICROF FOR FAN, CAPACITOR 1000 MICROF , 25V, CAPACITOR 22 MICROF , 25 V, CAPACITOR 10 MICROF , 25 V, CAPACITOR 470 MICROF , 50V, CAPACITOR 47 MICROF , 25V, CAPACITOR 4 MICRO FARAD , 380 V, CARBON RESISTOR 100 OHMS, CARBON RESISTOR 10 OHMS, CARBON RESISTOR 470 OHMS, CARBON RESISTOR 10 KOHMS , 0.25 WATT, CARBON RESISTOR 2 KOHMS , 0.25

बिड विवरण / Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	WATT, CARBON RESISTOR 3 KOHMS , 0.25 WATT, CARBON RESISTOR 303E , 0.25 WATT, CARBON RESISTOR 180 E , 0.25 WATT, CARBON RESISTOR 820E , 0.25 WATT, CARBON RESISTOR 51 KOHMS , 0.25 WATT, CARBON RESISTOR 12 KOHMS , 0.25 WATT, CARBON RESISTOR 3K9 , 0.25 WATT, CARBON RESISTOR 1 KOHMS , 0.25 WATT, CARBON RESISTOR 470 OHMS , 0.25 WATT, CARBON RESISTOR 1KOHM , 1 WATT, CERAMIC CAPACITOR 0.3 PF ,6 V, CERAMIC CAPACITOR 0.7 PF , 6 V , CERAMIC CAPACITOR 0.2 PF , 6 V, CFL LAMP 18 WATT, CHOKE COLOUR / WHITE, CLEANING CLOTH BULF, COPPER COATED PLATE, COPPER LUGS 4 SQMM, COPPER LUGS 2.5 SQMM, COPPER LUGS 1.5 SQMM, COPPER TUBE CHOKE 40 WATT, COPPER WIRE 36 SWG, COTTON WASTE, CTS / THINNER, CUTTING DISK 355MM DIA * 25.4MM BORE DIA, DIE PENETRANT TESTING KIT, DIESEL, DIODE IN 4007, DIODE N4001, DIODE IN5408, EARHT CLAMP 600 AMP, EARTHING MATERIAL, ELECTROLYTE CAPACITOR 1000 MICTOFARAD , 25V, ELECTROLYTE CAPACITOR 0.5 MICRO F , 600 V, ELECTROLYTE NON POLARISED CAPACITOR 2.5 Uf, 400 V, ELECTROLYTE NON POLARISED CAPACITOR 4 uF, 400 V, ELECTROLYTE NON POLARISED CAPACITOR 8 uF, 400 V, ELECTROLYTE NON POLARISED CAPACITOR 20 uF, 250 V, EMC GLAND 25 SQ MM, FAN REGULATOR SWITCH TYPE 5A,250V ELECTRONICS, FIBER SLEEVE 2MM , 4MM, FLOROCENT TUBE40WATT 230V, G.I NUT 19 MM, G.I PIPE 38 MM DIA, G.I PIPE 19 MM DIA, GANG BOX FOR INTERMIDEATE SWITCH 5A,250V, GI PIPE DIA 0.5 INCH, GI SHEET 0.5MM, GI SHEET 0.3 MM THICKNESS, HELOGEN TUBE 1000 WATT, INCANDESCENT LAMP 40W, INCANDESCENT LAMP 200 W, INCANDESCENT LAMP 100W, INCANDESCENT LAMP 60 W, INDICATOR FLUSH TYPE 5A,250V, KIT KAT FLUSH TYPE FUSE5A,250V, LAMP HOLDER BETTEN, LAMP HOLDER PENDENT, LEAD ACID BATTERY 12 V, 10 AH, LED GREEN / RED / YELLOW 5 MM, LED LAMP 8 WATT, LED LAMP 24 WATT, MEGNATIC CONTACTOR 16 AMP , 440 V, MERCURY VAPOUR CHOKE 80 WATT , 220V, MERCURY VAPOUR LAMP 80 WATT, 220V, METAL CLAD THREE PIN SOCKET 16 A, 250V, MICA CAPACITOR, MS FILLER ROD DIA 1.6 MM, MS FLAT 50 * 12 MM, MS FLAT 75 * 6 MM, MS FLAT 75 * 10 MM, MS FLAT 65 * 10 MM, MS FLAT 65 * 6 MM, MS PIPE DIA 50 MM * 3 MM, MS ROUND BAR 30 MM DIA, MS ROUND BAR 25 MM DIA, MS SHEET 1 MM, MS SQUARE BAR 30 MM DIA, MS SQUARE BAR 32 MM, NEON SIGN TUBE, ON OFF SWITCH PUSH BUTTON WITH BOX, OVERLOAD RELAY WITH BOX, PAPER CAPACITOR 1 MICRO F , 600V, PHOTO COPY PAPER A4, PIANO TYPES INTERMIDEATE SWITCH 5A,250V, PLASTIC CAPACITOR0.006 MICRO F , 500 V, PVC BOARD (3 SOCKET ,5 SWITCH) 10"*12", PVC CASING CAPING CROSS, PVC CASING CAPING PIPE 30 *12 MM, PVC INSULATED COPPER WIRE 0.5 SQ MM, PVC INSULATED COPPER WIRE 1\18, PVC INSULATED COPPER WIRE 3/20 MM, PVC INSULATED COPPER WIRE 7/20 MM, PVC INSULATING TAPE, REDUCING SOCKET /REDUCER 38 MM TO 19 MM, RESISTANCE , CAPACITOR , DIODE , TRANSISTOR, RJ45 PIN, SCR TYN 604, SOAP, SODIUM CHOKE TRANSFORMER 400 WATT , 230 V, SODIUM IGNITOR 150 WATT - 400WATT, SODIUM LAMP HHOLDER, SOLAR CELL 3 V, 150 Ma, SOLDERING WIRE, STARTER 40 WATT TUBLIGHT, STP CABLE, TERMINAL CONNECTOR PCB, THERMISTOR T 320 CEL, TICKWOOD BOARD 8"*10", TRANSFORMER 12V 500MA, TRANSFORMER 230V /6V, TRANSFORMER 6-0-6 V, TRANSISTOR BC 547 , TRANSISTOR BC337, TRANSISTOR BC 107, TUBE PATTI WITH ROTARY HOLDER, UG CABLE MULTICORE CU/AI 30 SQ MM, UTP CABLE, VARIABLE

	RESISITOR POT 570 OHMS, WELDING SUIT, XLPE INSULATED ALUMINIUM CABLE 35 SQ MM, SCREW TYPE HOLDER,
	ROUND AABHALA, TRAILOR SQUARE, TRINGULAR AABHALA, THREAD RILL, NIDDLE THREAD, NIDDLE BOARD, PAIPING , PRINCESS BLOUSE KNIFE, PLASTIC MOTI, BITHEBAL CABLE GLAND, BLOUSE THREAD, BLOUSE HOOK, BHARAT DORA NI ANTI, WHITE SHEET, SHOW BUTTON, SPONGE, SPRIAL
	FLEXIBLE CABLE GLAND, HOOK KADI AAI **Searched String**: 2 POLE MCB 40 AMP Lead Sheets And Strips For Other Than Chemical Purposes-IS:405 (Part 2), Pole Mounted Stainless Steel Dustbin (V2), Radio Frequency Coaxial Cable, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), HDMI Splitter, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Circuit Breakers for DC Operation, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 **Searched String**: ALUMINIUM JOINT SLEEVE 4 SQ MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: ALUMINIUM JOINT SLEEVE 6 SQ MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: ALUMINIUM JOINT SLEEVE 2.5 SQ MM Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC Insulated Copper Cord Single Core and

बिड विवरण/Bid Details	Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Endotracheal Tube - Sterile (Single Use), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: ALUMINIUM JOINT SLEEVE 10 SQ MM Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: ALUMINIUM LUG Tubular Lug-BHEL, magnetic stirrers, Electrical Cable Lugs, Cable Lug for PZU-7 without surface treatment (Defence), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Platform Step Ladder (V2), Aluminium nitrate, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Aluminium Oxide, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL) **Searched String**: ALUMINIUM LUG Tubular Lug-BHEL, magnetic stirrers, Electrical Cable Lugs, Cable Lug for PZU-7 without surface treatment (Defence), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Platform Step Ladder (V2), Aluminium nitrate, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Aluminium Oxide, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL) **Searched String**: ARMED CABLE GLAND 25 SQMM Flamproof Cable Gland, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flameproof Cable Gland (BHEL) (EM), Weatherproof Double Compression Cable Gland As Per BHEL Specification, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, Brass Glands for PVC cables of Voltage Grade up to

	and including 3.3 kV as per IS:12943, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: BARE CONDUCTORE 8 SWG Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: BARE COPPER WIRE 4 SQ MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Non Sparking Ring Slugging Spanners (V2) **Searched String**: BARE COPPER WIRE 8 SWG Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Endotracheal Tube - Sterile (Single Use), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Zinc Coated EDM Wire (V2), Non Sparking Double Ended Ring Spanner (V2), Copper (in the form of refinery shapes) Conforming to IS 191, Non Sparking Double Open Ended Spanner (V2) **Searched String**: BARE COPPER WIRE 1 SQ MM Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and

बिड विवरण/Bid Details	Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694
	Searched String: BATTEN PATTI LED Batten, LED Batten Light (LED Tube Light) (V2), Tat Patti (V3), Wooden Beading Patti, LED Batten with Battery / Invertor, Medicinal Plant Saplings, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Cable Nail Clip (V2) **Searched String**: BATTERY ELECTROLYTE Electrolyte Analyzer, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Electrolyte Intense Powder, Electrolyte Analyzers (V2), Online UPS (V2), Consumables for Electrolyte Analyzer, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Electrolyte Analyzer Reagents for Human Samples, Online UPS (>10 KVA) With Battery, Battery Cover **Searched String**: BELL SWITCH Bell Metal Craft from Bajali - ODOP, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Limit Switch, Bell Metal Products from Bastar - ODOP, Reed Switch, modular electrical enclosure switch board boxes for modular type accessories, Time Switch, Industrial Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, SAN Switch **Searched String**: BINDING WIRE 16 SWG Stitching Wire for Book Binding, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Spiral Binding / Wiro Binding (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, KITCHEN STORAGE RACKS (various type), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Tapered Bearings as per IS 12102, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266 **Searched String**: BOARD INDICATOR Trackside Indicator Boards and Signages as per IRICEN Manual, Modular Table / Meeting Table / Centre Table (V2), Phenolphthalein indicator, Universal Indicator, Computer Table (V3), Phase Indicator, Dry Erase Writing Boards (V3), Phenolphthalein indicator (V2), File/Folder (V3), Bromocresol Green Indicator **Searched String**: BOARD TYPE FUSE Carriers and bases in rewirable type electric fuses conforming to IS 2086, Modular Table / Meeting Table / Centre Table (V2), HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Drop Out Fuses, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Glass Fuse, Cylindrical Fuses, Computer Table (V3), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), HT Motor

बिड विवरण/Bid Details	Protection Fuse (BHEL) **Searched String**: BUTANE GAS CAN WITH SINGLE NOZZLE High Temperature Furnace with Gas - Programmable Single / Multi Zone / Sliding Tube Furnace (V2) **Searched String**: CAPACITOR 42 MICRO FARAD , 250V Drone or Unmanned Aerial Vehicle with Customized Payload (Defence Forces - Navy, Army and Air Force), High Alumina bricks (RINL), Surveying or Mapping Drone or Unmanned Aerial Vehicle (Defence Forces - Navy, Army and Air Force), Micro - Nutrient Mixture For Agricultural Use (V2), Surveillance Drone / Unmanned Aerial Vehicle (V2) (Defence Forces - Navy, Army and Air Force) **Searched String**: CAPACITOR 2.5 MICROF FOR FAN Capacitors for Electric Fan Motors as per IS 1709 (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electric Ceiling Fan (V4) ISI Marked to IS 374, File/Folder (V3), Electric Axial Flow Fans (V2) Conforming To IS 3588, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Theft Proof Rifle Racks, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470 **Searched String**: CAPACITOR 1000 MICROF , 25V Insulation Tester, Capacitors for Electric Fan Motors as per IS 1709 (V2), Electronic Weighing Scales, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Dough Kneader (V1), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Labels Stickers (V3), Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2) **Searched String**: CAPACITOR 22 MICROF , 25 V Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Fenobucarb 22.5% + Buprofezin 11.25% + Acephate 2.5% ME (Microemulsion), General Purpose Ball Valves (V2), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Capacitors for Electric Fan Motors as per IS 1709 (V2), General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Antimicrobial Dressing (V2) **Searched String**: CAPACITOR 10 MICROF , 25 V Rubberised Fabrics and Ground Sheet - JSS Standard - MK XII, Digital pH Meter, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Porcelain Insulators For Overhead Power Lines with Nominal Voltage

बिड विवरण/Bid Details	up to and Including 1000 V Conforming To IS 1445, function generator, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, Non Adherent Dressings (V2), Transfluthrin 1.0% + Cypermethrin 0.25% Spray, Electronic Weighing Scales **Searched String**: CAPACITOR 470 MICROF , 50V Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: CAPACITOR 47 MICROF , 25V Capacitors for Electric Fan Motors as per IS 1709 (V2), Tapered Bearings as per IS 12102 **Searched String**: CAPACITOR 4 MICRO FARAD , 380 V Online Ups Modular Type **Searched String**: CARBON RESISTOR 100 OHMS Polycarbonate Lathi, Resistors (V2), Allen Bolt, Carbon Papers (V2) **Searched String**: CARBON RESISTOR 10 OHMS Carbon Monoxide (Co) Detector (V1), Non Carbonated Beverage Dispenser (V2), Mild Steel Sheet, Resistors (V2), Ammonium bicarbonate **Searched String**: CARBON RESISTOR 470 OHMS Resistors (V2) **Searched String**: CARBON RESISTOR 10 KOHMS , 0.25 WATT Electronic Weighing Scales, Resistors (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Detachable Surgical Blades (Bard Parker Type) [V2], Laboratory Glassware - Burettes (V2) as per IS 1997, Respirable Dust Sampler as per IS 5182 **Searched String**: CARBON RESISTOR 2 KOHMS , 0.25 WATT Multimedia Projector (MMP), Flying Insect Control Traps - Fly Catcher, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Detachable Surgical Blades (Bard Parker Type) [V2], Electronic Weighing Scales, Ultra violet torch, Respirable Dust Sampler as per IS 5182, Resistors (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: CARBON RESISTOR 3 KOHMS , 0.25 WATT Electronic Weighing Scales, Detachable Surgical Blades (Bard Parker Type) [V2], Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Ultra violet torch, Resistors (V2), PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2) **Searched String**: CARBON RESISTOR 303E , 0.25 WATT Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2], Ultra violet torch

बिड विवरण/Bid Details	
	Searched String: CARBON RESISTOR 180 E , 0.25 WATT Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2], Ultra violet torch **Searched String**: CARBON RESISTOR 820E , 0.25 WATT Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2], Ultra violet torch **Searched String**: CARBON RESISTOR 51 KOHMS , 0.25 WATT Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2], Ultra violet torch **Searched String**: CARBON RESISTOR 12 KOHMS , 0.25 WATT Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2], Ultra violet torch, Hydrocollator Machine **Searched String**: CARBON RESISTOR 3K9 , 0.25 WATT Electronic Weighing Scales, Muffle/Box Furnace (V2), Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2], Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Ultra violet torch **Searched String**: CARBON RESISTOR 1 KOHMS , 0.25 WATT Calcined Magnesia Carbon Grog - SAIL, Electronic Weighing Scales, Detachable Surgical Blades (Bard Parker Type) [V2], Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Ultra violet torch, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Resistors (V2) **Searched String**: CARBON RESISTOR 470 OHMS , 0.25 WATT Resistors (V2), Detachable Surgical Blades (Bard Parker Type) [V2] **Searched String**: CARBON RESISTOR 1KOHM , 1 WATT Calcined Magnesia Carbon Grog - SAIL, Nitrile Coated/Nitrile Hand Gloves (V2), Cold Reduced carbon steel sheet and strip IS 513(Part 1)(UNIT -Quantity), Carbon brushes for motor and generator, Mild Steel Sheet, Lyophilizer, Resistors (V2), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Carbon brush, Towel Hand Cotton Turkish (IAF) **Searched String**: CERAMIC CAPACITOR 0.3 PF ,6 V Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Desk and Bench Set for Classroom/Training Area, Line Interactive UPS with AVR (V2), Crepe Bandage Conforming to IS 4605, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Hydrochloric Acid (V3) Conforming to IS 265, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor

बिड विवरण/Bid Details	(V2) ISI Marked To IS 694 **Searched String**: CERAMIC CAPACITOR 0.7 PF , 6 V Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Jumbo Process Indicator, Non Adherent Dressings (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: CERAMIC CAPACITOR 0.2 PF , 6 V Jersey Woolen 'V" NECK DYED (Uttar Pradesh - Gram Prahri), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Desk and Bench Set for Classroom/Training Area, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Line Interactive UPS with AVR (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: CFL LAMP 18 WATT Blow Lamp - IS 1899, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Handset Charging Adapter, Hand Lamp, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Inspection Lamp, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Flying Insect Control Traps - Fly Catcher, LED Batten Light (LED Tube Light) (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: CHOKE COLOUR / WHITE Colour Pencil (V2), Curtains (V2), Colour Matching Cabinet (Textile), Register (V2), Leaf Colour Chart (V2), Dry Erase Writing Boards (V3), White Yam Seeds, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Calcofluor white stain, Desk Pads - Writing (V2) **Searched String**: CLEANING CLOTH BULF Cleaning Duster (V3), Cotton Stockinette (V2) Conforming to IS 3326, Laboratory Glassware Cleaning Solutions, Cleaning scrapers, industrial vacuum cleaner, Strobel Cloth, Scrubber Dryer Floor Cleaning Machine (V2), Filter Cloth, Cotton Bandage Cloth Conforming to IS 863, Emery Cloth **Searched String**: COPPER COATED PLATE Earthing Plate, Garden Bench, Zinc Coated EDM Wire (V2), Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Copper bearing structural Plate as per IS 2062 (Steel Plate)(UNIT - QUANTITY), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyurethane Coated Gloves, Coated Paper and Board (Art and Chromo) (V3) Conforming to IS 4658, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Jumper **Searched String**: COPPER LUGS 4 SQMM Electrical Cable Lugs, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Electrical connection

बिड विवरण/Bid Details	Lugs or thimbles, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Non Sparking Combination Spanners (V2), Non Sparking Ring Slugging Spanners (V2) **Searched String**: COPPER LUGS 2.5 SQMM 5-5 Dithiobis -2-2 Nitrobenzoic Acid, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Electrical Cable Lugs, Electrical connection Lugs or thimbles, 5-Sulfosalicylic acid, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 **Searched String**: COPPER LUGS 1.5 SQMM Electrical Cable Lugs, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Electrical connection Lugs or thimbles, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: COPPER TUBE CHOKE 40 WATT Copper Tube-BHEL, LED Batten Light (LED Tube Light) (V2), Copper Tube 104.9mm-OFB, Copper Tube 35 mm-OFB, LED Tube Light (Retrofit Type), Cast Copper Alloy Traps, Gypsy horn - loud speakers, Solid Drawn Copper Tubes for General Engineering Purpose - IS 2501, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode **Searched String**: COPPER WIRE 36 SWG Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Binder Clips (V3) Conforming to IS

बिड विवरण/Bid Details	8231, Zinc Coated EDM Wire (V2), Copper (in the form of refinery shapes) Conforming to IS 191, Wired Router, Welding Cable ISI Marked To IS 9857 (V2) **Searched String**: COTTON WASTE Cotton Yarn Waste (V2) as per IS 5485, Cleaning Duster (V3), Waste Container (V3), Medical Waste Incinerator, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cotton Saree, Markin Cloth (V2), Cotton Mattresses, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Cotton Pillow **Searched String**: CTS / THINNER Thinner for Synthetic Paint and Varnishes Conforming to IS 14314, THINNER FOR CELLULOSE NITRATE BASED PAINTS AND LACQUERS, Thinner For Epoxy Paints (BHEL), Bitumen Emulsion for Roads - Cationic Type (V2) as per IS 8887, Conformal Coating Compound and Thinner, Thinner for Cellulose Nitrate Based Paints and Lacquers(V2) conforming to IS 5667, NQ Synthetic Diamond Impregnated Diamond Core Bit - 65 CTS (CMPDI), Cheque Scanner with MICR Reader **Searched String**: CUTTING DISK 355MM DIA * 25.4MM BORE DIA Commercial PPR Pipes Fittings as per IS 15801, Shirodhara Vessel For Panchakarma, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cut - off Wheel, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Swing (Preschool Kit), Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, Air Hoses as per IS 446:1987 **Searched String**: DIE PENETRANT TESTING KIT Relay Testing Educational Kit, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), SARS-CoV-2 IgG (COV2G) Testing Kit, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Water poison detection kit, Dielectric Constant Kit for Solids, Transformer Oil BDV Test Kit, Cold Start Pilot Kit, Rapid Pregnancy Test Kit **Searched String**: DIESEL Diesel Bowser, Diesel Power Generator (up to 900 KVA), Diesel Exhaust Fluid, Portable Power Generators, Diesel Lubricity Additive (DLA), Diesel Power Generator (V2), Diesel driven welding generator, Diesel Exhaust Fluid ISI marked to IS 17042, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Diesel Generator Set as per JSS 6115-27-2022 **Searched String**: DIODE IN 4007 Rectifier diode, All in One PC (V2), Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Dry Erase Writing Boards (V3), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Environmental Chamber, Soft Tissue Diode Dental Laser, Biochemistry Reagent Kit for Human Samples **Searched String**: DIODE N4001

बिड विवरण/Bid Details	Rectifier diode, Professional Large Format Display (V2), Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Twist Drill (Parallel Shank) as per IS 5102 (V2), Soft Tissue Diode Dental Laser, LED Flash Light, Bridge Rectifiers **Searched String**: DIODE IN5408 Rectifier diode, All in One PC (V2), Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Dry Erase Writing Boards (V3), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Soft Tissue Diode Dental Laser, Environmental Chamber, Bridge Rectifiers **Searched String**: EARHT CLAMP 600 AMP Single switch IGBT Module, Industrial Gouging Electrode Holder, Magnetic Earth Clamp **Searched String**: EARTHING MATERIAL Earthing Rod, Wooden Podium, Earthing Plate, Earthing Electrode, Pin Up Notice Board (V2), Earthing Powder, Cotton Dress Material, Digital Earth Resistance Meter, Ground Enhancement Material, Whiteboard Duster (V2) **Searched String**: ELECTROLYTE CAPACITOR 1000 MICTOFARAD , 25V Insulation Tester, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Electronic Weighing Scales, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Capacitors for Electric Fan Motors as per IS 1709 (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Dough Kneader (V1), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Labels Stickers (V3) **Searched String**: ELECTROLYTE CAPACITOR 0.5 MICRO F , 600 V Polypropylene (PP) Sheet (V2) **Searched String**: ELECTROLYTE NON POLARISED CAPACITOR 2.5 Uf, 400 V Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: ELECTROLYTE NON POLARISED CAPACITOR 4 uF, 400 V Category not available on GeM for the text string uploaded by the buyer **Searched String**: ELECTROLYTE NON POLARISED CAPACITOR 8 uF, 400 V Category not available on GeM for the text string uploaded by the buyer **Searched String**: ELECTROLYTE NON POLARISED CAPACITOR 20 uF, 250 V Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: EMC GLAND 25 SQ MM
	Vitreous China Sanitary Appliances – Squatting Pans conforming to IS 2556 (Part 3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Cast Iron Bench, Parallel Bar - Outdoor Gym Equipment, Endotracheal Tube - Sterile (Single Use), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: FAN REGULATOR SWITCH TYPE 5A,250V ELECTRONICS Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electric Pedestal Type Fan and Regulator Conforming To IS 1169, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Correspondence Envelopes (V3) Conforming to IS 13892 **Searched String**: FIBER SLEEVE 2MM , 4MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, Dry Erase Writing Boards (V3), Biosafety Cabinet (V2), Pin Up Notice Board (V2), Endotracheal Tube - Sterile (Single Use), Speed Breaker (V2), Roti Making Machine, water baths, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 **Searched String**: FLOROCENT TUBE40WATT 230V Cotton Towelling And Towels Conforming To IS 7056 (V4), Solenoid Valve (V3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Endotracheal Tube - Sterile (Single Use), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Air Curtain, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Sheeting, Tickings and Bedsheets (V2) as per IS 175, Roti Making Machine **Searched String**: G.I NUT 19 MM Carbon Tape 19 MM(OFB-DEFENCE), Biosafety Cabinet (V2), Mild Steel Sheet, Buses (V2), Dry Erase Writing Boards (V3), Binder Clips (V3) Conforming to IS 8231, Pin Up Notice Board (V2), Nipples, Hexagon, Equal confirming to IS 1239 (Part 2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Plug confirming to IS 1239 (Part 2)

बिड विवरण/Bid Details	
	Searched String: G.I PIPE 38 MM DIA Commercial PPR Pipes Fittings as per IS 15801, Multipurpose or General Test Tubes (V2) as per IS 2618, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Glass Honey Jars Conforming to IS 11369, Rigid GI Pipe (BHEL), General Purpose Pipe Wrench as per IS 4003, IS 1570, IS 14329, FRP Bench, Swing (Preschool Kit) **Searched String**: G.I PIPE 19 MM DIA Commercial PPR Pipes Fittings as per IS 15801, Auditorium Chair (V2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Rigid GI Pipe (BHEL), FRP Bench, Swing (Preschool Kit) **Searched String**: GANG BOX FOR INTERMIDEATE SWITCH 5A,250V modular electrical enclosure switch board boxes for modular type accessories, File/Folder (V3), Marshalling boxes For Switchyard of 66KV Substations (PSPCL), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Portable UV Disinfection Box for smart phone and accessories, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3) **Searched String**: GI PIPE DIA 0.5 INCH Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Butt-Weld Pipe Fittings, Needle Valve, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Drill Pipes (Petroleum Industry), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Non Sparking Pipe Wrench (V2) **Searched String**: GI SHEET 0.5MM dust pans, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Dedicated Wide Format Document Scanner, Insect Killer, Parallel Bar - Outdoor Gym Equipment, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Muffle/Box Furnace (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Writing Pens, Computer Paper (V3) Conforming to IS 12766 (In Packet) **Searched String**: GI SHEET 0.3 MM THICKNESS Aluminium Composite Panel (V2) as per IS 17682, Microscopes Slide Coverslips as per IS 3099, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Ultrasonic Thickness Gauge, Vertical Blinds (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2)

बिड विवरण/Bid Details	
	ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Polymethyl Methacrylate (PMMA) (Acrylic) Sheets (V2) as per IS 14753 (Latest), Parallel Bar - Outdoor Gym Equipment **Searched String**: HELOGEN TUBE 1000 WATT LED Batten Light (LED Tube Light) (V2), LED Tube Light (Retrofit Type), Roti Making Machine, Heater Elements, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), Convection Heaters - Room Heater, Blower, Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Ultrasonic Probe Sonicator, Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636 **Searched String**: INCANDESCENT LAMP 40W Hand Lamp, Nitrile Coated/Nitrile Hand Gloves (V2), Inspection Lamp, Tubular Fluorescent Lamps Conforming To IS 2418, Slit Lamp, Cotton Towelling And Towels Conforming To IS 7056 (V4), Infrared Heat Lamp, Lamp Shades-Handicraft, Recycled Towel, Slit Lamp (V2) **Searched String**: INCANDESCENT LAMP 200 W White LED Based Solar Study Lamp as per MNRE Specifications, Ballasts For Discharge Lamps Conforming To IS 15882, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Rechargeable LED Bulb (V2), Tubular Fluorescent Lamps Conforming To IS 2418, SMD Rework Station
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: INCANDESCENT LAMP 100W Hand Lamp, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Inspection Lamp, Slit Lamp, Cotton Towelling And Towels Conforming To IS 7056 (V4), Infrared Heat Lamp, Lamp Shades-Handicraft, Laboratory Hot Air Oven (V2), Slit Lamp (V2), Hand Held Slit Lamp - RBSK **Searched String**: INCANDESCENT LAMP 60 W White LED Based Solar Study Lamp as per MNRE Specifications, Ballasts For Discharge Lamps Conforming To IS 15882, LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Rechargeable LED Bulb (V2), LED Based Indicating Lamp for Panel Cut Outs, Tubular Fluorescent Lamps Conforming To IS 2418 **Searched String**: INDICATOR FLUSH TYPE 5A,250V WOODEN FLUSH DOOR SHUTTERS (SOLID CORE TYPE), Biosafety Cabinet (V2), Temperature Indicator for Transformers - Analog type, Flushing Cistern, Wooden Flush Door Shutters (Cellular and Hollow Core Type) Particle Board and Hardboard Face Panels, Muffle Furnace, LED Semaphore Indicators (BHEL), Cotton Towelling And Towels Conforming To IS 7056 (V4), Modular Piano Type Domestic

	Electrical Switches ISI Marked To IS 3854, Portable Fire Extinguishers (V3) ISI Marked to IS 15683
	Searched String: KIT KAT FLUSH TYPE FUSE5A,250V Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Flushing Cistern, Correspondence Envelopes (V3) Conforming to IS 13892, Laboratory Desiccator (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Toggle Switches, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), WOODEN FLUSH DOOR SHUTTERS (SOLID CORE TYPE), Temperature Indicator for Transformers - Analog type **Searched String**: LAMP HOLDER BETTEN Hand Lamp, Surgical Needle Holders, Inspection Lamp, Business Card Holder (V2), Slit Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Soldering Clamp Holder, Ryder Needle Holder, Dumbbell Rack, Tooth brush Holder **Searched String**: LAMP HOLDER PENDENT Hand Lamp, Surgical Needle Holders, Inspection Lamp, Business Card Holder (V2), Slit Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Soldering Clamp Holder, Ryder Needle Holder, Dumbbell Rack, Tooth brush Holder **Searched String**: LEAD ACID BATTERY 12 V, 10 AH Lead Acid Tubular Tbs Battery(Oil India Limited)-IS:1651, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Stationary Lead-Acid Cells and Batteries with Plante Positive Plates Conforming To IS 1652, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, General Purpose Lead-Acid Batteries (Valve Regulated Types) Conforming To IS 16220 (Part 1), Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369 **Searched String**: LED GREEN / RED / YELLOW 5 MM Emergency Light Unit (V2), Bone Screw (V2), Pull, Stack and Link, Equipment Camouflage Scrim Garnishing Dyed (Defence), Tennis ball (V2), Pedicle Screw (V2), Digital Temperature Indicator, Locking Compression Plates (V2), Non-Locking Bone Plate, Markers and Highlighters **Searched String**: LED LAMP 8 WATT Hand Lamp, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Machine Work Lamp, Inspection Lamp, LED PL-L (Plug-in Long) Lamp (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), White LED Based Solar Study Lamp as per MNRE Specifications, LED Portable Miner's Cordless Cap Lamp (V2), LED Luminaire (Recessed

बिड विवरण/Bid Details	Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Rechargeable LED Head Torch (Head Lamp) **Searched String**: LED LAMP 24 WATT Hand Lamp, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Machine Work Lamp, Inspection Lamp, LED PL-L (Plug-in Long) Lamp (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), White LED Based Solar Study Lamp as per MNRE Specifications, LED Portable Miner's Cordless Cap Lamp (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Rechargeable LED Head Torch (Head Lamp) **Searched String**: MEGNATIC CONTACTOR 16 AMP , 440 V Category not available on GeM for the text string uploaded by the buyer **Searched String**: MERCURY VAPOUR CHOKE 80 WATT , 220V Category not available on GeM for the text string uploaded by the buyer **Searched String**: MERCURY VAPOUR LAMP 80 WATT, 220V High Pressure Mercury Vapour Lamps Conforming To IS 9900 **Searched String**: METAL CLAD THREE PIN SOCKET 16 A, 250V Category not available on GeM for the text string uploaded by the buyer **Searched String**: MICA CAPACITOR Capacitor Banks For Use On 11 KV System (PSPCL)), Electric Ceiling Fan (V4) ISI Marked to IS 374, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Glass Mica Tape-IS :7809, Mica Flakes (ONGC), Capacitors for Electric Fan Motors as per IS 1709 (V2), Natural Mica Sheets/Plates-IS:9044, IS:13357, Electric Strip Heater, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1) **Searched String**: MS FILLER ROD DIA 1.6 MM Steel Rod 30.1mm Diameter (OFB (Defence)), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Correspondence Envelopes (V3) Conforming to IS 13892, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Auditorium Chair (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Endotracheal Tube - Sterile (Single Use), Unplsticized PVC Pipes for Water Supply conforming to IS 4985

बिड विवरण/Bid Details	**Searched String**: MS FLAT 50 * 12 MM
	Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, modular electrical enclosure switch board boxes for modular type accessories, Atrazine 50% Wettable Powder (V3) Conforming To IS 12931, Wild - Life Cages, Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Cast Iron Bench, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Vacuum Oven **Searched String**: MS FLAT 75 * 6 MM Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Endotracheal Tube - Sterile (Single Use), Mild Steel Sheet, Wild - Life Cages, modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, Parallel Bar - Outdoor Gym Equipment, Speed Breaker (V3), patient care mattresses, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: MS FLAT 75 * 10 MM MS Sheet as per IS 1079, Endotracheal Tube - Sterile (Single Use), NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Wild - Life Cages, Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Copper Tube 104.9mm-OFB, Flat Bed Knitting Machines, modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench **Searched String**: MS FLAT 65 * 10 MM Tebuconazole 10% + Sulphur 65% WG (Wettable Granule), Endotracheal Tube - Sterile (Single Use), MS Sheet as per IS 1079, Wild - Life Cages, NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mild Steel Sheet, Flat Bed Knitting Machines, FTTH Drop Optical Fibre Cable, Cast Iron Bench **Searched String**: MS FLAT 65 * 6 MM FTTH Drop Optical Fibre Cable, Cast Iron Bench, Stainless Steel Wire Conforming To IS 6528, Wild - Life Cages, Mild Steel Sheet, Parallel Bar - Outdoor Gym Equipment, Endotracheal Tube - Sterile (Single Use), patient care mattresses, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Endodontic Files (V2) **Searched String**: MS PIPE DIA 50 MM * 3 MM MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Wild - Life Cages, Steel Rod 30.1mm Diameter (OFB (Defence)), modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, Parallel Bar - Outdoor Gym Equipment, Locking Compression Plates (V2), Polyethylene Pipes for Water

बिड विवरण/Bid Details	Supply conforming to IS 4984 **Searched String**: MS ROUND BAR 30 MM DIA Steel Rod 30.1mm Diameter (OFB (Defence)), Parallel Bar - Outdoor Gym Equipment, Hot Rolled Round Steel Bars as per IS 1732, Towel Rail, Self Inking Rubber Stamp (V2) **Searched String**: MS ROUND BAR 25 MM DIA Cast Iron Bench, Wild - Life Cages, Parallel Bar - Outdoor Gym Equipment, Towel Rail, Commercial PPR Pipes Fittings as per IS 15801, Grain Storage Bin (V2), Hot Rolled Round Steel Bars as per IS 1732, Medals (V3), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Swing (Preschool Kit) **Searched String**: MS SHEET 1 MM MS Sheet as per IS 1079, Biosafety Cabinet (V2), Mild Steel Sheet, Wild - Life Cages, Office Suite Software (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cold Reduced carbon steel sheet and strip IS 513(Part 1) (UNIT -Quantity), Calcined Magnesia Carbon Grog - SAIL, Correspondence Envelopes (V3) Conforming to IS 13892, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: MS SQUARE BAR 30 MM DIA Steel Rod 30.1mm Diameter (OFB (Defence)), Cast Iron Bench, Parallel Bar - Outdoor Gym Equipment, Self Inking Rubber Stamp (V2), Hot Rolled Square Steel Bar (V2) as per IS 1732, Corrugated Boxes **Searched String**: MS SQUARE BAR 32 MM Hot Rolled Square Steel Bar (V2) as per IS 1732, Cast Iron Bench, M.S Stopper for Traffic Control (Portable Barrier), Parallel Bar - Outdoor Gym Equipment, Precipitated Barium Carbonate - IS 3205, Grain Storage Bin (V2), Wrought Aluminium Utensils (V2) as per IS 1660, Bathroom Water Shower (V2), rubber bands, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786 **Searched String**: NEON SIGN TUBE Sign holders / Sign stands, Endotracheal Tube - Sterile (Single Use), Sign holders or stands, E - Sign with Embedded CA Software, Blood Collection Tube, Polyurethane Tube, Nasal Cannula, Fusion Tube, LED Batten Light (LED Tube Light) (V2), Suction Tube **Searched String**: ON OFF SWITCH PUSH BUTTON WITH BOX Emergency Push Button Switch, Auditorium Chair (V2), Pull Cord Switch with Terminal Box & Lamp, Arterial Line Catheters and Cannula (V2), telephone instrument single push button one plus one and one plus, modular electrical enclosure switch board boxes for modular type accessories, HDMI Switcher, Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Line Interactive UPS with AVR (V2), Photocopier/Printer Trolley

बिड विवरण/Bid Details	**Searched String**: OVERLOAD RELAY WITH BOX Overload Relay, Hopper Tipper Dumper for Garbage, Pull Cord Switch with Terminal Box & Lamp, KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Box Strapping Machine, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Lighting Box (Flasher For Police Vehicles), Corrugated Fibreboard Cartons [for packing Soluble Coffee With 30% Chicory Powder (Polyester pouches) - DEFENCE], Bamboo Products from Harda - ODOP, Box type PP Bag for Postal Deptt **Searched String**: PAPER CAPACITOR 1 MICRO F , 600V Shredding Machine/Paper Shredder, Magnetic Stand, Online Ups Modular Type **Searched String**: PHOTO COPY PAPER A4 Plain Copier Paper (V3) ISI Marked to IS 14490, Multifunction Printer (Print, Scan, Copy), Scanner (V3), Photography paper Conforming to IS 6139, Shredding Machine/Paper Shredder, Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1), Facial Tissue Papers(V3), Writing and Printing Papers Conforming to IS 1848 (Part 1), Bond Paper (V3) Conforming to IS 1848 (Part 1), Punching and Binding Machine (V2) **Searched String**: PIANO TYPES INTERMIDEATE SWITCH 5A,250V Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Correspondence Envelopes (V3) Conforming to IS 13892, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Laboratory Desiccator (V2), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Toggle Switches, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2) **Searched String**: PLASTIC CAPACITOR0.006 MICRO F , 500 V Light emitting diode driver, Micro/Semi-Micro/Analytical weighing balance, AC Voltage Transducer (V2), Ultrasonic Thickness Gauge, Writing Pens **Searched String**: PVC BOARD (3 SOCKET ,5 SWITCH) 10"*12" Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, shoes school pvc boys girls, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Shoes-Handicraft, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: PVC CASING CAPING CROSS Cross Over For Premium Casing (Petroleum Industry), Cross - Over Pipe for Line Pipe Casing Pipe (Petroleum Industry), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818 **Searched String**: PVC CASING CAPING PIPE 30 *12 MM

	Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Pipes for Gardening Purposes (V2), Connector Pipes for Washbasins/ Sinks/ Geyser, Pipe for Gardening Purpose, Polyethylene Pipes for Water Supply conforming to IS 4984, gabion revet mattresses and rock fall netting **Searched String**: PVC INSULATED COPPER WIRE 0.5 SQ MM PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: PVC INSULATED COPPER WIRE 1\18 Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: PVC INSULATED COPPER WIRE 3/20 MM Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled

बिड विवरण/Bid Details	Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3) **Searched String**: PVC INSULATED COPPER WIRE 7/20 MM PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694 **Searched String**: PVC INSULATING TAPE HT Tape, Environmental Chamber, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1), Electrical Insulating Paint, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Tape Cartridge / Tape Media, Insulation Tester, Electrical Insulating Kraft Paper, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti **Searched String**: REDUCING SOCKET /REDUCER 38 MM TO 19 MM Mild Steel Sheet, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Socket Reducing confirming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Elbows Reducing confirming to IS 1239 (Part 2), Foot Rest, Commercial PPR Pipes Fittings as per IS 15801, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Laboratory Glass Adapters (V2), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 **Searched String**: RESISTANCE , CAPACITOR , DIODE , TRANSISTOR Category not available on GeM for the text string uploaded by the buyer **Searched String**: RJ45 PIN RJ45 Port Locking Blocker, Pin Up Notice Board (V2), pin cushions, Cables, Converters and Adapters, Dowel Pin,

बिड विवरण/Bid Details	Household Insecticides (V2), Steinmann Pin, Knowles Pin, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Piston Pin **Searched String**: SCR TYN 604 BRASS NUT (BHEL-SCR), HIT BOX (MHA), Plug In Relay, 24V DC (BHEL-SCR), Books (V2), Cultivator, Liquified Petroleum Gas (Lpg) Cylinder For Bhel-IS 6044, Gypsum For Agricultural Use (V2) Conforming to IS 6046, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Scouring Products for Utensil Cleaning- Dishwash (V3) Conforming to IS 6047, Vacuum Contactor Conforming To IS/IEC 60470 **Searched String**: SOAP Toilet Soap Conforming to IS 2888 (V3), Toilet Soap, Liquid (V3) Conforming to IS 4199, Soap Dish - Case, Soap Dish/ Case (V2), Shaving Soap-IS 5784, Touchless Soap Dispenser (V3), Soft Soap as per IS 7532 (Lubricating Soap), Touchless Soap Dispenser (Version 2), Liquid Soap Dispenser (V2), Soft Soap (V2) Conforming to IS 7532 **Searched String**: SODIUM CHOKE TRANSFORMER 400 WATT , 230 V Transformer Oil BDV Test Set **Searched String**: SODIUM IGNITOR 150 WATT - 400WATT Infrared Heat Lamp, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), Ultrasonic Probe Sonicator, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Roti Making Machine, Hand Held Search Light, LED Batten Light (LED Tube Light) (V2), Flying Insect Control Traps - Fly Catcher **Searched String**: SODIUM LAMP HHOLDER High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Blood Collection Tube, Ballasts For Discharge Lamps Conforming To IS 15882, Glassy Sodium Metaphosphate or Sodium HexaMetaphosphate, Hand Lamp, Flame Photometer, Inspection Lamp, Slit Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Infrared Heat Lamp **Searched String**: SOLAR CELL 3 V, 150 Ma General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: SOLDERING WIRE Electric Soldering Iron, Muffle Furnace, Soldering Clamp Holder, Soldering and Desoldering Station with digital display, SMD Rework Station, Tapered Bearings as per IS 12102, Temperature controlled soldering station, Molybdenum Wire, XLPE Cable for Working Voltage up to

बिड विवरण/Bid Details	and Including 1.1 KV Marked To IS 7098 (Part 1), Wire Rope For Wire Rope Barrier
	Searched String: STARTER 40 WATT TUBLIGHT LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), DOL starter, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Starters For Fluorescent Lamps Conforming To IS 2215, Gypsy horn - loud speakers, LED Batten Light (LED Tube Light) (V2), Hand Held Search Light, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: STP CABLE Field Telephone Cable (Telecommunication Cable), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Antenna Cable, Bitumen Felts for Water - Proofing and Damp - Proofing, Control Cable, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Speaker cable, PTFE (Polytetrafluoroethylene) Rods, Cable Tie (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: TERMINAL CONNECTOR PCB Terminal Strip Connectors, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), PCB Platting, Electrical Power Connector, Printed Circuit Board, Battery Link Terminal, Substation Clamps / Connectors, PCB Prototype Machine, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Hose connector **Searched String**: THERMISTOR T 320 CEL LED Based Information Display System, T-Handle-IS:7975 **Searched String**: TICKWOOD BOARD 8"*10" Trackside Indicator Boards and Signages as per IRICEN Manual, water baths, Barium Nitrate, Static Protective Relays, 1,10 Phenanthroline monohydrate, File/Folder (V3), Lead nitrate, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Endotracheal Tube - Sterile (Single Use), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 **Searched String**: TRANSFORMER 12V 500MA Control Transformer, Cleaning Duster (V3), Isolation Transformer, 500 mA X - Ray Machine (V2), Transformer Oil Pump, Cotton Towelling And Towels Conforming To IS 7056 (V4), 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), Surgical Sutures, Capacitive Voltage Transformer (DTL), Vacuum Oven **Searched String**: TRANSFORMER 230V /6V Control Transformer, Cotton Towelling And Towels Conforming To IS 7056 (V4), Isolation Transformer, Transformer Oil Pump, Air Curtain, 15 kV Neutral Current

बिड विवरण/Bid Details	Transformer for Sub-stations / Power Houses (PSPCL), Solenoid Valve (V3), Capacitive Voltage Transformer (DTL), Sheeting, Tickings and Bedsheets (V2) as per IS 175, Transformer Winding Resistance Meter **Searched String**: TRANSFORMER 6-0-6 V 6-Benzylaminopurine, water baths, 6 - Mercaptopurine Tablets (V2), Desk and Bench Set for Classroom/Training Area, Protective PX- 6 -Defence (V2), Muffle/Box Furnace (V2), 6 Part Automated Hematology Analyzer, Jumbo Process Indicator, Bensulfuronmethyl 0.6% + Pretilachlor 6% GR (Granular), Electrical Extension Box (V4) **Searched String**: TRANSISTOR BC 547 Sesame Oil-IS 547, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Books (V2), Insulated Gate Bipolar Transistor Modules (BHEL), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Methyl Orange (V2), Viscometer, Methyl Orange, Manual Metal Arc Welding (MMA) Machine (V3) **Searched String**: TRANSISTOR BC337 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Gas Metal Arc Welding (GMAW) Machine (V2), Manual Metal Arc Welding (MMA) Machine (V3), Gas Tungsten Arc Welding (GTAW) Machine (V2) **Searched String**: TRANSISTOR BC 107 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulated Gate Bipolar Transistor Modules (BHEL), Non-Sparking Allen Key-IS:4595, BCG Vaccine under Universal Immunization Programme of MoHFW, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Handloom Cotton Durries as per IS 1450, BCAA 2:1:1 Powder, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, BCAA 8:1:1 Powder **Searched String**: TUBE PATTI WITH ROTARY HOLDER Catheters and Cannulas Securement Holder, Rotary Microtome, Culture Tube With Screw Cap (V2), Cervical Cum Lumbar Traction Machine as per IS 13485, Needle Free Connector with Extension Tube, Blood Collection Tube, High Temperature Furnace with Gas - Programmable Single / Multi Zone / Sliding Tube Furnace (V2), Rotary Evaporator, HIGH TEMPERATURE FURNACE WITH GAS (PROGRAMMABLE DUAL ZONE / SLIDING TUBE FURNACE) FACILITY, Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636 **Searched String**: UG CABLE MULTICORE CU/AI 30 SQ MM Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 **Searched String**: UTP CABLE Field Telephone Cable (Telecommunication Cable), XLPE

बिड विवरण/Bid Details	Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Antenna Cable, Control Cable, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Speaker cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cable Tie (V2), Cables, Converters and Adapters, Cable Sealing Kit **Searched String**: VARIABLE RESISITOR POT 570 OHMS Resistors (V2) **Searched String**: WELDING SUIT Swimming suit (Neoprene Suit), Rain Suit, Scrub Suit, Tracksuit, Welding Cap, Tracksuit (V2), Welding apron, Track Suits (IAF), WELDING FLUX, Weld Mesh Febric as per IS 4948 **Searched String**: XLPE INSULATED ALUMINIUM CABLE 35 SQ MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), XLPE Cable, Working Voltage from 66 kV up to and including 220 kV (V2) ISI Marked to IS 7098 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper/Aluminium Conductors For Insulated Electric Cables and Flexible Cords Conforming To IS 8130, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: SCREW TYPE HOLDER Stationery Holder/Pen Stand(V3), Electrode Holder as per IS 2641, Karabiners Screw Type MK - 2 (Defence), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Screw Compressor, Towel Rail / Ring / Rack / Hooks for Bathroom, Compression Screw, Muffle Furnace, Soldering Clamp Holder, Electrode Holder (V2) as per IS 2641 **Searched String**: ROUND AABHALA Round Baler, cobweb brush, Polyester Round Slings, Domestic Mugs - Bathroom, Polyester Round Slings (V2), Play Ground Merry Go Round (V2), Open Top Round Plastic Container, Alloy Steel Round Bars (BHEL), Bathroom Water Shower (V2), Steel Round as per IS 2062 **Searched String**: TRAILOR SQUARE Square Baler, Classroom Stools, Try Square, Agricultural Trailer Complying to AIS 112, Square Head Bolts, Cast Iron Bench, Square Washer(BHEL), Try Square (V2), Wooden Lab Stools, Stainless Steel Rectangular / Square Tube **Searched String**: TRINGULAR AABHALA

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: THREAD RILL Thread sealant, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Nylon Thread, Twine Thread, Silk Thread, Allen Bolt, Thread Plug Gauge, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Thread Locking Adhesive, Stainless Steel Threaded Fasteners as per IS 1367(Part 14) **Searched String**: NIDDLE THREAD Thread sealant, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Nylon Thread, Twine Thread, Silk Thread, Allen Bolt, Thread Plug Gauge, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Thread Locking Adhesive, Stainless Steel Threaded Fasteners as per IS 1367(Part 14) **Searched String**: NIDDLE BOARD Impression Board, Modular Table / Meeting Table / Centre Table (V2), Combination Board, Drawing Trussels / Drawing Board Stand, Basketball Board, Computer Table (V3), Flameproof Extension Board, Printed Circuit Board, Dry Erase Writing Boards (V3), Calcium Silicate Board **Searched String**: PAIPING Category not available on GeM for the text string uploaded by the buyer **Searched String**: PRINCESS BLOUSE KNIFE Blouse (JSS) - Military Hospital Clothing, Brain Knife, Brain Knife Conforming to IS 6990, Multipurpose Knife / Tool, Knife Edge Gate Valve, Sterile Keratome (Ophthalmic) Micro Surgical Knife, Knives and Knife Sets-Handicraft, Knives And Knife Sets-Handicraft (Bamboo), Budding & Grafting Knife - as per IS 3122, Domestic Cutlery Set (V2) **Searched String**: PLASTIC MOTI Plastic Chain, File/Folder (V3), Plastic Refractory, Plastic Jerrycans, cobweb brush, Plastic Fireclay, Funnel Plastic, Plastic Pouches, Flower Pots Or Planters (V3), Plastic Caps for General purpose **Searched String**: BITHEBAL CABLE GLAND Flamproof Cable Gland, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flameproof Cable Gland (BHEL) (EM), Weatherproof Double Compression Cable Gland As Per BHEL Specification, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Gland Packaging, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Antenna Cable, Cables, Converters and Adapters **Searched String**: BLOUSE THREAD Blouse (JSS) - Military Hospital Clothing, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Thread

बिड विवरण/Bid Details	sealant, Nylon Thread, Allen Bolt, Silk Thread, Twine Thread, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Thread Plug Gauge, Thread Locking Adhesive **Searched String**: BLOUSE HOOK Blouse (JSS) - Military Hospital Clothing, Vertical Hanging Garden Pots, Hook wrench, Hook Wrench (V2), Surgical Hooks, Lifting Hook (V2) as per IS 12162, Hook and loop disc, Bill Hook as per IS 3094, Conveyer Belt Fastening Hook, traffic signs - bilinker light **Searched String**: BHARAT DORA NI ANTI Weld Mesh Febric as per IS 4948 **Searched String**: WHITE SHEET White Yam Seeds, Dry Erase Writing Boards (V3), Calcofluor white stain, Automative Vehicle - Retroreflective Sheets and Tape (V2) conforming to IS 14221, WHITE CLOVER (SHAFTAL) Seeds, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Polyproylene Sheet, Low Temperature Thermoplastic Sheet, Polystyrene sheet, Register (V2) **Searched String**: SHOW BUTTON Show Case, Horse Show Jumping Fences, Horse Show Jumping Whips, Flushing Cistern, Emergency Push Button Switch, telephone instrument single push button, Button Bits for DTH Hammer, Sealed Nickel Cadmium Button Type Rechargeable Single Cells Conforming to IS 10893, Telephone Instrument - Corded and Cordless, Badges (V2) **Searched String**: SPONGE Sponge Holding Forcep, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Sponge Gourd Seeds (V2), Surgical Forceps, Absorbable Gelatin, Moisteners (V2), Handloom Cotton Sponge Cloth as per IS 860, Domestic Wiper/Wiper Mopper (V3), scouring pads **Searched String**: SPRIAL FLEXIBLE CABLE GLAND Flamproof Cable Gland, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flameproof Cable Gland (BHEL) (EM), Weatherproof Double Compression Cable Gland As Per BHEL Specification, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Cables for Miners' Cap-Lamps (V2) ISI Marked To IS 2593, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1) **Searched String**: HOOK KADI AAI Hook wrench, Vertical Hanging Garden Pots, Hook Wrench (V2), Fastener for Consumer Goods - Synthetic Hook and Loop Tape as per IS 8156, Lifting Hook (V2) as per IS 12162, Surgical Hooks, Hook and loop disc, Bathroom Hooks,

	Conveyer Belt Fastening Hook, Bill Hook as per IS 3094
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Electrical Cable Lugs • Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2) • MS Sheet as per IS 1079
बीओक्यू शीर्षक /**BOQ Title**	RAW MATERIAL
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	0.8 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	4 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	50 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	Yes

बिड विवरण/Bid Details	
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	COPPER WIRE
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	162560
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL
ITI CHHOTAUDEPUR
(Principal Iti Chhotaudepur)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+

15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

2 POLE MCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

ALUMINIUM JOINT SLEEVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

ALUMINIUM JOINT SLEEVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

ALUMINIUM JOINT SLEEVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

ALUMINIUM JOINT SLEEVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

ALUMINIUM LUG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	6	15

ALUMINIUM LUG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	6	15

ARMED CABLE GLAND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

BARE CONDUCTORE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	16	15

BARE COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	12	15

BARE COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

BARE COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

BATTEN PATTI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	25	15

BATTERY ELECTROLYTE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

BELL SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

BINDING WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

BOARD INDICATOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

BOARD TYPE FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

BUTANE GAS CAN WITH SINGLE NOZZLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CARBON RESISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

CERAMIC CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CERAMIC CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CERAMIC CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CFL LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

CHOKE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	11	15

CLEANING CLOTH BULF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	25	15

COPPER COATED PLATE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

COPPER LUGS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

COPPER LUGS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

COPPER LUGS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

COPPER TUBE CHOKE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

COTTON WASTE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

CTS OR THINNER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

CUTTING DISK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

DIE PENETRANT TESTING KIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

DIESEL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

DIODE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

DIODE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

DIODE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

EARHT CLAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

EARTHING MATERIAL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

ELECTRILITE CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

ELECTROLITE CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

ELECTROLYTE NON POLARISED CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

ELECTROLYTE NON POLARISED CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

ELECTROLYTE NON POLARISED CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

ELECTROLYTE NON POLARISED CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	3	15

EMC GLAND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

FAN REGULATOR SWITCH TYPE ELECTRONICS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

FIBER SLEEVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

FLOROCENT TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

G.I NUT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	3	15

G.I PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

G.I PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

GANG BOX FOR INTERMIDEATE SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

GI PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	4	15

GI SHEET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

GI SHEET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

HELOGEN TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

INCANDESCENT LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	12	15

INCANDESCENT LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	22	15

INCANDESCENT LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	22	15

INCANDESCENT LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	22	15

INDICATOR FLUSH TYPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

KIT KAT FLUSH TYPE FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	24	15

LAMP HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	80	15

LAMP HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

LEAD ACID BATTERY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

LED GREEN RED YELLOW

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	50	15

LED LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

LED LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

MEGNATIC CONTACTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	3	15

MERCURY VAPOUR CHOKE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

MERCURY VAPOUR LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

METAL CLAD THREE PIN SOCKET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	3	15

MICA CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

MS FILLER ROD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

MS FLAT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	93	15

MS FLAT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	18	15

MS FLAT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	131	15

MS FLAT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	118	15

MS FLAT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	104	15

MS PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	15	15

MS ROUND BAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	36	15

MS ROUND BAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	17	15

MS SHEET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

MS SQUARE BAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	18	15

MS SQUARE BAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	12	15

NEON SIGN TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

ON OFF SWITCH PUSH BUTTON

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

OVERLOAD RELAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	4	15

PAPER CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

PHOTO COPY PAPER A4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

PIANO TYPES INTERMIDEATE SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

PLASTIC CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

PVC BOARD 3 SOCKET 5 SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

PVC CASING CAPING CROSS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

PVC CASING CAPING PIPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

PVC INSULATED COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

PVC INSULATED COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	70	15

PVC INSULATED COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	26	15

PVC INSULATED COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

PVC INSULATING TAPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

REDUCING SOCKET OR REDUCER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

RESISTANCE , CAPACITOR , DIODE , TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	15	15

RJ45 PIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	40	15

SCR TYN 604

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

SOAP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	60	15

SODIUM CHOKE TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

SODIUM IGNITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

SODIUM LAMP HHOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

SOLAR CELL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	6	15

SOLDERING WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	3	15

STARTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

STP CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	15	15

TERMINAL CONNECTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

THERMISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

TICKWOOD BOARD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	20	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	3	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

TUBE PATTI WITH ROTARY HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

UG CABLE MULTICORE CU OR AI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

UTP CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	15	15

VARIABLE RESISITOR POT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

WELDING SUIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

XLPE INSULATED ALUMINIUM CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

SCREW TYPE HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

ROUND AABHALA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	400	15

TRAILOR SQUARE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	50	15

TRINGULAR AABHALA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	400	15

THREAD RILL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	500	15

NIDDLE THREAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

NIDDLE BOARD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

PAIPING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	2	15

PRINCESS BLOUSE KNIFE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

PLASTIC MOTI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	5	15

BITHEBAL CABLE GLAND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

BLOUSE THREAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	50	15

BLOUSE HOOK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	30	15

BHARAT DORA NI ANTI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	600	15

WHITE SHEET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	50	15

SHOW BUTTON

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

SPONGE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	10	15

SPRIAL FLEXIBLE CABLE GLAND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	1	15

HOOK KADI AAI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vasava Divyesh	391170,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAWANT, B/H. GAYATRI MANDIR, SEDIVASAN ROAD, AT-JHULVANIYA, TA - KAWANT, DI - CHHOTA UDEPUR	30	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1) AS PER GUJARAT STATE PROCUREMENT POLICY 2024 REQUIRE MINIMUM 3 YEARS AVERAGE ANNUAL TU RNOVER OF BIDDER IS RS. 3,26,000/-

   2) AS PER GUJARAT STATE PROCUREMENT POLICY 2024 REQUIRE EMD RS 4,877/- (3% OF ESTIMATED BID VALUE RS. 1,62,560)

   .

3. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel

the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-

compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---