बिड संख्या/Bid Number: GEM/2026/B/8099063
दिनांक /Dated: 29-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-11-2026 21:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	20-11-2026 21:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Revenue Department Gujarat
संगठन का नाम/Organisation Name	Settlement Commissioner And Director Of Land Records
कार्यालय का नाम/Office Name	Superintendent Of Land Records Sabarkantha
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :buyer21.scdlr.gj@gembuyer.in Buyer Email id: slr-sab@gujarat.gov.in
कुल मात्रा/Total Quantity	58
वस्तु श्रेणी /Item Category	Receiver for Global Navigation Satellite System (GNSS) (V1) (Q2) , Controller for Global Navigation Satellite System (GNSS) (Q3)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Receiver for Global Navigation Satellite System (GNSS) (V1)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	17400000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	522000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India

ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	64

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

SUPERINTENDENT OF LAND RECORDS CUM CONSOLIDATION OFFICER
SURVEY BHAVAN, BAHUMALI CAMPUS, HIMATNAGAR, DIST. SABARKANTHA, PIN : 383001
(Superintendent Of Land Records Cum Consolidation Officer)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
3. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting

bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Receiver For Global Navigation Satellite System (GNSS) (V1) (29 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RECEIVER POSITIONING PERFORMANCE & ACCURACY (RMS)	**Differential GPS (DGPS) Accuracy - (Horizontal)**	25 cm + 1 ppm, 30 cm + 1 ppm, 35 cm + 1 ppm, 40 cm + 1 ppm, 45 cm + 1 ppm, 50 cm + 1 ppm, 60 cm + 1 ppm, NA
	Differential GPS (DGPS) Accuracy - (Vertical)	40 cm + 1 ppm, 45 cm + 1 ppm, 50 cm + 1 ppm, 60 cm + 1 ppm, 70 cm + 1 ppm, 80 cm + 1 ppm, 90 cm + 1 ppm, 100 cm + 1 ppm, NA
	High Precision / Long Observation Static Accuracy - (Horizontal)	3 mm + 0.1 ppm, 3 mm + 0.5 ppm, NA
	High Precision / Long Observation Static Accuracy - (Vertical)	3.5 mm + 0.4 ppm, 6 mm + 0.5 ppm, NA
	Static and Fast Static Accuracy - (Horizontal)	3 mm + 0.1 ppm, 3 mm + 0.5 ppm, 3 mm + 1 ppm, 5 mm + 0.5 ppm, 5 mm + 1 ppm, 8 mm + 1 ppm, 10 mm + 1 ppm, NA
	Static and Fast Static Accuracy -(Vertical)	2.5 mm + 0.5 ppm, 2.5 mm + 1 ppm, 3.5 mm + 0.4 ppm, 5 mm + 0.5 ppm, 10 mm + 0.5 ppm, 15 mm + 1 ppm, NA
	Real-Time Kinematic (RTK) Accuracy - (Horizontal)	5 mm + 0.5 ppm, 6 mm + 0.5 ppm, 8 mm + 0.5 ppm, 8 mm + 1 ppm, 10 mm + 0.5 ppm, 10 mm + 1 ppm, NA
	Real-Time Kinematic (RTK) Accuracy - (Vertical)	10 mm + 0.8 ppm, 10 mm + 1 ppm, 15 mm + 0.5 ppm,, 15 mm + 1 ppm, 20 mm + 1 ppm, NA
	Stand alone L-band Accuracy via satellite based correction (95%) - (Horizontal)	Less than 5 cm, 5 cm, 7 cm, 10 cm, 12 cm, 14 cm, 16 cm, NA
	Stand alone L-band Accuracy via satellite based correction (95%) - (Vertical)	Less than 10 cm, 10 cm, 12 cm, 14 cm, 16 cm, 20 cm, NA
RECEIVER FEATURES & FUNCTIONS	**Receiver Type**	Base, Rover, Base compatible to other makes of Base/Rover, Rover compatible to other makes of Base/Rover
	Mode of Processing	Static & Fast Static, RTK with Single Base RTK Correction, RTK with Network RTK Correction

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Receiver salient Features - inclusive in the scope of supply	Interchangeable / Configurable as Base or Rover, Base Station able to serve multiple Rovers, Provision to Indicate the Connectivity with Base Station, RTK processing, Built-in stand alone L-band facility and satellite based correction, Integrated receiver Antenna, External receiver Antenna, Multi-path Mitigation for Receiver Antenna, All Control functions available with receiver, Compatible to Electronic Total Station (ETS) of Other Makes
RECEIVER TRACKING CAPABILITIES	**Base Line Processing Range (Static) (Kilometer)**	50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800, 900, 1000, 0 **(kilometer)**
	Number of Channels	45, 110, 120, 126, 132, 136, 165, 216, 220, 226, 240, 275, 330, 372, 385, 440, 448, 452, 495, 555, 672, 0 Or higher
	Maximum Position Update Rate (Hertz)	1, 2, 5, 10, 20, 25, 50, 100 **(Hertz)**
	Tilt Sensor	Yes, No
GNSS TRACKING SIGNALS (RECEIVER)	**NAVIC Tracking Signals**	L5, S Band, NA, Upgradable to IRNSS L5 and S band
	Galileo Tracking Signals	E1, E5 a, E5 b, E5 ab, E6, NA
	BeiDou Tracking Signals	B1, B2, B3, NA
	L-band tracking Signals	Omnistar, Terrastar, Starfire, Atlas, RTX, NA
	SBAS Support	GAGAN, WAAS, EGNOS, MSAS, QZSS, NA
SOFTWARES	**Subscription license for satellite based correction - inclusive in the scope of supply**	Yes, NA
	If Yes, Validity of License period (Subscription license for satellite based correction) (Year)	0, 1, 2, 3, 4, 5, 6, 7, 8 **(year)**
	Post Processing Software with free updates upto Warranty period - inclusive in the scope of supply	Yes, NA
	If Yes, Validity of License period (Post Processing Software with free updates upto Warranty period) (Year)	0, 1, 2, 3, 4, 5, 6, 7, 8 **(year)**
COMMUNICATIONS	**Phone Modem Antenna**	Internal Antenna, External Antenna, NA
	Radio Modem Antenna	Internal Antenna, External Antenna, NA
RAM / STORAGE	**Data Storage Medium**	Internal, External / Removable
	Internal Storage Capacity	11 MB, 16 MB, 32 MB, 48 MB, 56 MB, 64 MB, 128 MB, 256 MB, 512 MB, 1 GB, 2 GB, 4 GB, 6 GB, 8 GB, 16 GB, NA for External / Removable Storage

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	External / Removable Storage Slot	SD, Mini SD, Micro SD, SDHC, Memory stick, NA for standalone receiver
	External / Removable Storage Card Capacity supplied with Receiver (GB) - inclusive in the scope of supply	0, 2, 4, 8, 16, 32 Or higher **(gigabyte)**
BATTERY	**Power Source**	Internal - Rechargeable Battery, Internal - Alkaline (non-rechargeable) Battery
	Supports 12 V External Battery	Yes, No
	Chemistry of Battery	Li-ion, Ni-MH, Alkaline
	Battery Back Up Time (Hour)	4, 5, 6, 7, 8, 10, 12, 16 Or higher **(hour)**
	Number of Batteries required for operation	1, 2, 3, 4
	Number of Batteries Supplied	1, 2, 4, 6, 8 Or higher
	Battery Chargers for Rechargeable Batteries (inclusive in the scope of supply)	Yes, NA
	12 V Vehicle Charging Kit inclusive in the scope of supply	Yes, No
	Hot - Swappable b/w External and Internal Power Sources without affecting Data Recording	Yes, No, NA
ENVIRONMENTAL PARAMETERS	**Minimum Operating Temperature**	-10, -15, -20, -25, -30, -40 Or higher **(degree Celsius)**
	Maximum Operating Temperature	50, 55, 60, 65, 70, 75 Or higher **(degree Celsius)**
	Non Condensing Humidity, Rh	75, 80, 85, 90, 95, 100 Or higher **(percent)**
ACCESSORIES	**Accessories (inclusive in the scope of supply)**	Tribrach with Optical Plummet and Adopter, Tribrach with Laser Plummet and Adopter, Tribach tester, Telescopic Tripod (Wooden), Telescopic Tripod (Aluminum), Telescopic Tripod (Polycarbonate), Stop and Go Pole, Clamp for Controller, USB Data Transfer Cable, Power Cable, Connectors and Cables for Connecting to Car Batteries, Light Weight carrycase / Roll Over Trolley for Transporting Equipment and Accessories
WARRANTY / TRAINING	**Warranty (year)**	1, 2, 3 Or higher **(year)**
	Training Type	At Buyer's Premises, At Seller's Premises
	Training Period (day)	3, 5, 7, 10, 15 Or higher **(day)**

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Viral Kachrabhai Patel	383001,Suprintendent of Land Records Sabarkantha Office, Survey bhavan, Himatnagar, Dist-Sabarkantha.	29	15

Controller For Global Navigation Satellite System (GNSS) (29 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
COMPATIBLE MAKE / MODEL	**Compatible MAKE of GNSS Receiver (Hint:- Sellers may send a request along with product brocure / URL and Datasheets to GeM to add Other makes)**	Leica, GeoMax, Topcon, Altus, Sokkia, Spectra Precision, Trimble, Stonex, Carlson, Hemisphere, Novatel, JAVAD, Septentrio, Ashtech, Navcom Technology, PENTAX, Magellan Navigation, Satlab, CHCNAV, Geozone, Naudiz, FOIF
CONTROLLER SOFTWARE AND FEATURES	**Field Software with free updates upto warranty period inclusive in the scope of supply Controller**	Yes
	Allow Configurable Survey Style for Static Mode	Yes, No
	Allow Configurable Survey Style for Post - Processed Kinematic (PPK) Mode	Yes, No
	Allow Configurable Survey Style for Real - Time Kinematic (RTK) Mode	Yes, No
	Allow Configurable Survey Style for Stand alone L-band Processing mode and and satellite based correction	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Capable of Multi-tasking so that Multiple Operations can be Opened at a time, eg, COGO, Stakeout, Point Manager etc	Yes, No
	Datum and Projection Support and Support Grid Coordinates	Yes, No
	Graphical Support to Visualize Work while Working	Yes, No
	"Support Feature Coding with Attributes for GIS Data Collection, 3D Control coding possible for automatic plot creation "	Yes, No
	Support COGO Functionality and Able to Key in Lines, Sub Divide Lines and Creating Parallel Lines for Staking out Purpose	Yes, No
	User Friendly and Menu Driven for Easy Field Operation	Yes, No
	Able to Store GNSS Data Collected by the RTK System	Yes, No
	Able to email Data Collected in the Field in case Facility is Available and Able to Import & Export User Configurable Files for Effective GIS Support	Yes, No
	"Support Graphical Stakeout, for Points, Lines and DTM as well and Able to Perform Real Time"	Yes, No
	Able to Accept Background Maps in CAD Format	Yes, No
	Ability to Convert Grid to Ground and Vice Versa Conversion Onboard	Yes, No
INTEGRATED PERIPHERALS/ CONNECTIVITY	**Camera**	With, Without
	Flash	Yes, No
	Integrated GPS	Yes, No
	Integrated Compass	Yes, No
	Integrated Accelerometer	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Integrated Cellular Modem	Yes, No
	SBAS Support	Yes, No
	Audio Jack	Yes, No
RAM / STORAGE	**Memory - RAM**	128 MB, 256 MB, 512 MB, 1 GB, 2 GB, 4 GB, 8 GB, 16 GB
	Internal Storage Capacity	128 MB, 256 MB, 512 MB, 1 Gb, 2 GB, 4 GB, 8 GB, 16 GB, 32 GB
DISPLAY / KEYPAD	**Type of Display**	LED, LCD, TFT
	Colour Display	Yes, No
	Touch Screen Display	Yes, No
	Sunlight-readable Display	Yes, No
	Diplay Resolution	QVGA, VGA,, WVGA, SVGA, XGA, WXGA, WUXGA
	Display Size(in inch)	3.0 to 3.4, 3.5 to 3.9, 4.0 to 4.4, 4.5 to 4.9, 5.0 to 5.4, 5.5 to 5.9, 6.0 to 6.4, 6.5 to 6.9, 7.0 to 7.4, 7.5 to 7.9, 8.0 to 8.4, 8.5 to 8.9, 9.0 to 9.4, 9.5 to 9.9, 10.0 and above
	Alha-Numeric full QWERTY Hard Keypad	Yes, No
BATTERY	**Power Source**	Internal - Rechargeable Battery, Internal - Alkaline (non-rechargeable) Battery
	Controller Supports 12 V External Battery	Yes, No
	Chemistry of Battery	Li-ion, Ni-MH, Alkaline
	Battery Back Up Time	8, 10, 12, 15, 16, 20, 24, 30, 34, 36 Or higher **(hour)**
	Number of Batteries required for operation	1, 2, 3, 4
	Number of Batteries Supplied	1, 2, 4, 6, 8 Or higher
	Battery Charger for Rechargeable Batteries inclusive in the scope of supply	Yes, NA
	12 V Vehicle Charging Kit inclusive in the scope of supply	Yes, No
	Hot - Swappable b/w External and Internal Power Sources without affecting Data Recording	Yes, No, NA
OPERATING CONDITIONS	**Minimum Operating Temperature**	-10, -15, -20, -25, -30, -40 Or lower **(centidegree Celsius)**
	Maximum Operating Temperature	50, 55, 60, 65, 70, 75 Or higher **(centidegree Celsius)**

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Non Condensing Humidity, Rh	75, 80, 85, 90, 95, 100 Or higher **(percent)**
WARRANTY / TRAINING	**Warranty**	1, 2, 3 Or higher **(year)**
	Training Type	At Buyer's Premises, At Seller's Premises
	Training Period	1, 3, 5, 7, 10, 15 **(day)**
TEST REPORTS	**Compliance to Dust test**	MIL-STD-810 F, MILSTD-810 G, IEC-60529 or Equivalent Specn
	Compliance to Water Intrusion test	MIL-STD-810 F, MILSTD-810 G, IEC-60529 or Equivalent Specn
	Compliance to Vibration / Shock test	MIL-STD-810 F, MILSTD-810 G
	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	Yes, No

Additional Specification Parameters - Controller For Global Navigation Satellite System (GNSS) (29 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
(1) Battery and charger For GNSS Rover Receiver	Total 29 Nos.
(2) Charger and required cables For Controller & Pre-Installed Field data collection Software :	Total 29 Nos.
(3) Carbon telescopic Pole Qty : 1, Controller Bracket Qty : 01, Bipod Qty : 01	Total 29 Kit.
(4) Field Data Processing Software with Perpetual License :	Total 9 Nos.
Additional Specification :	Kindly Refer Buyer Uploaded ATC for Product Specification

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Viral Kachrabhai Patel	383001,Suprintendent of Land Records Sabarkantha Office, Survey bhavan, Himatnagar, Dist-Sabarkantha.	29	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in

accordance with the laws.

---धन्यवाद/Thank You---