बिड संख्या/Bid Number: GEM/2026/B/8105933

दिनांक /Dated: 21-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Education Department Gujarat
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Sardar Patel University
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :hod.spu.gj@gembuyer.in Buyer Email id: buycon293.edg.gj@gembuyer.in
कुल मात्रा/Total Quantity	17727
वस्तु श्रेणी /Item Category	SC-LC Single Mode duplex fiber Patch Cord 10 Mtrs , SC-SC Single Mode duplex fiber Patch Cord 2 Mtrs , SC-LC Single Mode duplex fiber Patch Cord 3 Mtrs , 1G SFP Module , L3 12 x10g Multi GIG 12XSFP Managed LAN Equipment , Stack cable 1 Meter , Cat6 UTP patch cord 10 Meter , Cat6 UTP patch cord 2 Meter , 24 -port Gigabit PoE Managed LAN Equipment Power Bugdget 380W , Insight Cloud Controller Pro 5 YEAR Subcription , 2 x 2 Dual Band Wireless-WiFi-6 Project , 9U 550W X 600D MM Wall mount closed rack Wall mount closed rack , 6U 550W X 600D MM Wall mount closed rack Wall mount closed rack , 24 Port unloaded patch panel , Information Outlets , CAT6 0.5 Mtr. Patch Cord , 6 Core SM Fiber , 6U Port LIU Fully Loaded , 12U Port LIU Fully Loaded , 24U Port LIU Fully Loaded , CAT6 UTP CABLE , RJ45 Connector , 1 KVA Line Interactive , 2 KVA Line online for LAN Equipment , 2.5 Sq mm 3 Core Flexible Copper Cable , 15 AMP Switch Socket plus Backbox with plate , Installation

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	SC-LC Single Mode duplex fiber Patch Cord (10 Mtrs) , SC-SC Single Mode duplex fiber Patch Cord (2 Mtrs), SC-LC Single Mode duplex fiber Patch Cord (3 Mtrs), 1G SFP Module , 12-Ports 10G/Multi-Gig and 12-Ports SFP+ Managed LAN Equipment, Stack cable 1 Meter , Cat6 UTP patch cord 10 Meter, Cat6 UTP patch cord 2 Meter, 24 -port 10/100/1000 Base Base-T Gigabit Poe 380w 1 sfp lan device, Insight Cloud Controller Pro 5 YEAR Subcription, 2 x 2 Dual Band Wireless-WiFi-6 Project, Network Rack Model 09 U Wall Mount Dual Section , Network Rack Model 06 U Wall Mount Dual Section , 24 Port unloaded patch panel , Information Outlets , CAT6 0.5 Mtr. Patch Cord, 6 Core SM Fiber, 6U Port LIU Fully Loaded , 12U Port LIU Fully Loaded , 24U Port LIU Fully Loaded , UTP 4 pair CAT 6 LAN Cable , RJ45 Connector, 1 KVA Line Interactive, 2 KVA Line online for LAN Equipment, 2.5 Sq mm 3 Core Flexible Copper Cable, 15 AMP Switch Socket, Backbox with plate, Installation
	Searched String: SC-LC Single Mode duplex fiber Patch Cord (10 Mtrs) Ruggedised and Armoured Fibre Optic Patch Cord, Fiber Optic Pigtails **Searched String**: SC-SC Single Mode duplex fiber Patch Cord (2 Mtrs) Ruggedised and Armoured Fibre Optic Patch Cord, Fiber Optic Pigtails **Searched String**: SC-LC Single Mode duplex fiber Patch Cord (3 Mtrs) Ruggedised and Armoured Fibre Optic Patch Cord, Fiber Optic Pigtails **Searched String**: 1G SFP Module Small Form - Factor Pluggable Transceiver, Nitrile Coated/Nitrile Hand Gloves (V2), Relay Module, Interface module, Lyophilizer, Industrial Automation Communication Interface Module, Current Voltage Measuring Module, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Single switch IGBT Module, Towel Hand Cotton Turkish (IAF) **Searched String**: 12-Ports 10G/Multi-Gig and 12-Ports SFP+ Managed LAN Equipment Category not available on GeM for the text string uploaded by the buyer **Searched String**: Stack cable 1 Meter XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Stack Monitoring Kit, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Untarred Sisal Rope (V2) Conforming To IS 1321 (Part 1), digital conductivity meter, Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Unsheathed Cable with Flexible Conductor ISI

बिड विवरण/Bid Details	Marked To IS 694, Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1)
	Searched String: Cat6 UTP patch cord 10 Meter Ruggedised and Armoured Fibre Optic Patch Cord, Copper Patch Cord, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Zinc Oxide Elastic Self - Adhesive Bandage (V2), Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2) **Searched String**: Cat6 UTP patch cord 2 Meter Ruggedised and Armoured Fibre Optic Patch Cord, Copper Patch Cord, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Power Cord For Computer (V2), Telephone Line Cord **Searched String**: 24 -port 10/100/1000 Base Base-T Gigabit Poe 380w 1 sfp lan device Category not available on GeM for the text string uploaded by the buyer **Searched String**: Insight Cloud Controller Pro 5 YEAR Subcription Enterprise Remote Access and Support Software, High End Desktop Computer, Truck mounted Fog Cannon system (Coal India), Entry and Mid Level Desktop Computer **Searched String**: 2 x 2 Dual Band Wireless-WiFi-6 Project Wi-Fi/Wireless Router (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Polyurethane Tube (V2), Compostable Carry Bags **Searched String**: Network Rack Model 09 U Wall Mount Dual Section Server or Network Rack (V2) **Searched String**: Network Rack Model 06 U Wall Mount Dual Section Server or Network Rack (V2) **Searched String**: 24 Port unloaded patch panel Fibre Patch Panel, Copper (Ethernet) Patch Panel, USB Type External Hard Disk Drive (V3), Add on Gateways for PABX System **Searched String**: Information Outlets Ethernet Information Outlet, Kiosk Displays, Information Record - Card/Booklet (V2), LED Based Information Display System, D-ATIS: Digital Automatic Terminal Information system (AAI), Information Boards or Illustration Board (V2), Mobile Containers For Solid Waste Conforming to IS 12402, Geographic Information System (GIS) Software (V3), Oxygen Concentrator (V2), Utility Customer Information & Billing Management Software **Searched String**: CAT6 0.5 Mtr. Patch Cord

बिड विवरण/Bid Details	Copper Patch Cord, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774,
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Ruggedised and Armoured Fibre Optic Patch Cord, Line Interactive UPS with AVR (V2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: 6 Core SM Fiber Optical Fibre Cable for Networking, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cellulose Powder, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Shirt Polyestera and Cotton Half Sleeve for IAF Personnel, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: 6U Port LIU Fully Loaded Cloth Dryer Stand, Chemo Port, E - Tourist Vehicle / Golf Cart, Stacker (V2), Micro/Semi-Micro/Analytical weighing balance, Polyester Round Slings, Add on Gateways for PABX System, Forged Shackles for General Lifting Purpose (V2) Conforming to IS/ISO 2415, Polyester Webbing Slings, Hematology Analyzer (Fully-Automated) **Searched String**: 12U Port LIU Fully Loaded Cloth Dryer Stand, Stacker (V2), Polyester Round Slings, SAN Switch, Add on Gateways for PABX System **Searched String**: 24U Port LIU Fully Loaded Stacker (V2), Unmanaged L2 Ethernet Switch (Non-PoE), Add on Gateways for PABX System, SAN Switch, Automatic Fully Mechanised Organic Waste Machine for Compost **Searched String**: UTP 4 pair CAT 6 LAN Cable Ethernet Cables, Cellular USB Modem, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: RJ45 Connector Ethernet Information Outlet, Household Insecticides (V2), RJ45 Port Locking Blocker, Cables, Converters and Adapters, Hose connector, SMA connector, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Electrical Power Connector, Rotary Evaporator, RJ45 Network Surge Protection Device (SPD) **Searched String**: 1 KVA Line Interactive Line Interactive UPS with AVR (V2), Servo Motor Operated

बिड विवरण/Bid Details	Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Online UPS (V2), Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Interactive Panels with CPU, Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, Distribution Transformer, 3 Phase, 6.6 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1) **Searched String**: 2 KVA Line online for LAN Equipment Industrial Ethernet Switch (V2), Line Interactive UPS with AVR (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, Online UPS (V2), Retro-Fit Emission Control Equipment For Diesel Generators (V2), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: 2.5 Sq mm 3 Core Flexible Copper Cable PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Copper/Aluminium Conductors For Insulated Electric Cables and Flexible Cords Conforming To IS 8130, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: 15 AMP Switch Socket, Backbox with plate Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), modular electrical enclosure switch board boxes for modular type accessories, Switching Power Supply for Wireless Application **Searched String**: Installation AR/VR Application Development Including Hardware Installation, Design Installation and Maintenance of Educational Lab/Centre, Repair, Maintenance and Installation of Plant/ Systems/Equipments, Repair, Maintenance, and Installation of Plant/ Systems/Equipments (Version 2), Plantation Service, Office Productivity Suite,

बिड विवरण/**Bid Details**	Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Roof Top Solar Power Plant Service, Hiring of Vehicle Tracking Services, Electric Cabling Service, Internet Bandwidth and Replication Service
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Fiber Optic Patch Cord (V2) • Layer 3 Managed Network Switches (Core/Distribution Grade) • Wireless LAN Access Point (V3)
बीओक्यू शीर्षक /**BOQ Title**	Wifi BOQ
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	70 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /**Startup Relaxation for Years of Experience and Turnover**	No
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	20 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No

बिड विवरण/Bid Details	
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	2 x 2 Dual Band Wireless-WiFi-6 Project
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	14000000
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	Bank Of Baroda
ईएमडी राशि/EMD Amount	420000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Registrar
Sardar Patel University, University Road, Vallabh Vidyanagar, Anand, Gujarat- 388120
(The Registrar, Sardar Patel University)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
2. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

WIFIBOQ - 1790832558.xlsx

SC-LC Single Mode Duplex Fiber Patch Cord 10 Mtrs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	6	90

SC-SC Single Mode Duplex Fiber Patch Cord 2 Mtrs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	14	90

SC-LC Single Mode Duplex Fiber Patch Cord 3 Mtrs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	30	90

1G SFP Module

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	34	90

L3 12 X10g Multi GIG 12XSFP Managed LAN Equipment

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	1	90

Stack Cable 1 Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	2	90

Cat6 UTP Patch Cord 10 Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	3	90

Cat6 UTP Patch Cord 2 Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	16	90

24 -port Gigabit PoE Managed LAN Equipment Power Bugdget 380W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	29	90

Insight Cloud Controller Pro 5 YEAR Subcription

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	195	90

2 X 2 Dual Band Wireless-WiFi-6 Project

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	195	90

9U 550W X 600D MM Wall Mount Closed Rack Wall Mount Closed Rack

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	27	90

6U 550W X 600D MM Wall Mount Closed Rack Wall Mount Closed Rack

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	2	90

24 Port Unloaded Patch Panel

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	29	90

Information Outlets

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	245	90

CAT6 0.5 Mtr. Patch Cord

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	245	90

6 Core SM Fiber

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	7500	90

6U Port LIU Fully Loaded

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	7	90

12U Port LIU Fully Loaded

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	5	90

24U Port LIU Fully Loaded

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	2	90

CAT6 UTP CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	8540	90

RJ45 Connector

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	250	90

1 KVA Line Interactive

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	38	90

2 KVA Line Online For LAN Equipment

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	1	90

2.5 Sq Mm 3 Core Flexible Copper Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	280	90

15 AMP Switch Socket Plus Backbox With Plate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	30	90

Installation

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Hasamukhbhai	388120,G H Patel Computer Centre Near Physics Department SARDAR PATEL UNIVERSITY UNIVERSITY NEAR SHAHID CHOWK VALLABH VIDYANAGAR	1	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3. **Generic**

   Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. **Turnover**

   OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

6. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---