बिड संख्या/Bid Number: GEM/2026/B/8130513

दिनांक /Dated: 23-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	14-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Energy And Petro Chemicals Department Gujarat
संगठन का नाम/Organisation Name	Gujarat State Electricity Corporation Limited (gsecl) Vadodara
कार्यालय का नाम/Office Name	Gsecl Corpotate Office
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :sepc1.gsecl@gebmail.com Buyer Email id: eespl.pncutps@gebmail.com
कुल मात्रा/Total Quantity	1010
वस्तु श्रेणी /Item Category	SS Shim 003mm , SS Shim 005mm , SS Shim 008mm , SS Shim 010mm , SS Shim 015mm , SS Shim 020mm , SS Shim 030mm , SS Shim 040mm , SS Shim 100mm , SS Shim 200mm , SS304 Shim Sheet 1m x 10m 025mm , SS304 Shim Sheet 1m x 10m 05mm , SS304 Shim Sheet 1m x 10m 15mm , SS304 Shim Sheet 14in x 10m 005mm , SS304 Shim Sheet 14in x 10m 008mm , SS304 Shim Sheet 1m x 10m 010mm , SS304 Shim Sheet 1m x 10m 015mm , SS304 Shim Sheet 1m x 10m 03mm , SS304 Cut Shim 005mm 190x128mm , SS304 Cut Shim 007mm 190x128mm , SS304 Cut Shim 010mm 190x128mm , SS304 Cut Shim 015mm 190x128mm , SS304 Cut Shim 020mm 190x128mm , SS304 Cut Shim 025mm 190x128mm , SS304 Cut Shim 030mm 190x128mm , SS304 Cut Shim 040mm 190x128mm , SS304 Cut Shim 050mm 190x128mm , SS304 Cut Shim 060mm 190x128mm , SS304 Cut Shim 070mm 190x128mm , SS304 Cut Shim 080mm 190x128mm , SS304 Cut Shim 100mm 190x128mm , SS304 Cut Shim 150mm 190x128mm , SS304 Cut Shim 200mm 190x128mm , SS304 Cut Shim 300mm 190x128mm

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	SS Shim 003mm, SS Shim 005mm, SS Shim 008mm, SS Shim 010mm, SS Shim 015mm, SS Shim 020mm, SS Shim 030mm, SS Shim 040mm, SS Shim 100mm, SS Shim 200mm, SS304 Shim Sheet 1m x 10m 025mm, SS304 Shim Sheet 1m x 10m 05mm, SS304 Shim Sheet 1m x 10m 15mm, SS304 Shim Sheet 14in x 10m 005mm, SS304 Shim Sheet 14in x 10m 008mm, SS304 Shim Sheet 1m x 10m 010mm, SS304 Shim Sheet 1m x 10m 015mm, SS304 Shim Sheet 1m x 10m 03mm, SS304 Cut Shim 005mm 190x128mm, SS304 Cut Shim 007mm 190x128mm, SS304 Cut Shim 010mm 190x128mm, SS304 Cut Shim 015mm 190x128mm, SS304 Cut Shim 020mm 190x128mm, SS304 Cut Shim 025mm 190x128mm, SS304 Cut Shim 030mm 190x128mm, SS304 Cut Shim 040mm 190x128mm, SS304 Cut Shim 050mm 190x128mm, SS304 Cut Shim 060mm 190x128mm, SS304 Cut Shim 070mm 190x128mm, SS304 Cut Shim 080mm 190x128mm, SS304 Cut Shim 100mm 190x128mm, SS304 Cut Shim 150mm 190x128mm, SS304 Cut Shim 200mm 190x128mm, SS304 Cut Shim 300mm 190x128mm
	Searched String: SS Shim 003mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 005mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 008mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 010mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock

बिड विवरण/Bid Details	
	Washer - Bhel-IS:3063 **Searched String**: SS Shim 015mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 020mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 030mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 040mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Laundrometer (Wash Fastness Tester with Standard Accessories), SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3), Stainless Steel Spring Lock Washer - Bhel-IS:3063 **Searched String**: SS Shim 100mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), Digital Ultrasonic Non-Contact Flowmeter with Totalizer, pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Modular Toilet, SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3) **Searched String**: SS Shim 200mm Stainless steel shim(NHPC), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Thermos SS (Defence), Bathroom Water Shower (V2), pona ss (cqa specification), Biosafety Cabinet (V2), masala box ss to cqa secification, Digital Ultrasonic Non-Contact Flowmeter with Totalizer, SS Compartmental Tray (V2) as per IS 14756, Dry Erase Writing Boards (V3) **Searched String**: SS304 Shim Sheet 1m x 10m 025mm

बिड विवरण/Bid Details	Biosafety Cabinet (V2), Chlorhexidine Gauze Dressings, Correspondence Envelopes (V3) Conforming to IS 13892, M S Sheet as per IS 1079 (Unit - Mass), Shaker Incubator, Corrugated Boxes, Cleaning Duster (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Computer Paper (V3) Conforming to IS 12766 (In Packet), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: SS304 Shim Sheet 1m x 10m 05mm Biosafety Cabinet (V2), Chlorhexidine Gauze Dressings, Correspondence Envelopes (V3) Conforming to IS 13892, M S Sheet as per IS 1079 (Unit - Mass), Shaker Incubator, Corrugated Boxes, Cleaning Duster (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Computer Paper (V3) Conforming to IS 12766 (In Packet), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: SS304 Shim Sheet 1m x 10m 15mm Biosafety Cabinet (V2), Chlorhexidine Gauze Dressings, Correspondence Envelopes (V3) Conforming to IS 13892, M S Sheet as per IS 1079 (Unit - Mass), Shaker Incubator, Corrugated Boxes, Cleaning Duster (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Computer Paper (V3) Conforming to IS 12766 (In Packet), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: SS304 Shim Sheet 14in x 10m 005mm Dry Erase Writing Boards (V3), Corrugated Boxes, Shaker Incubator, Cast Iron Bench, Computer Paper (V3) Conforming to IS 12766 (In Packet), Parallel Bar - Outdoor Gym Equipment, Labels Stickers (V3), Note Sheet Pad (Azure Laid) (V3), Correspondence Envelopes (V3), Computer Paper (V3) Conforming to IS 12766 **Searched String**: SS304 Shim Sheet 14in x 10m 008mm Dry Erase Writing Boards (V3), Corrugated Boxes, Shaker Incubator, Cast Iron Bench, Computer Paper (V3) Conforming to IS 12766 (In Packet), Parallel Bar - Outdoor Gym Equipment, Labels Stickers (V3), Note Sheet Pad (Azure Laid) (V3), Correspondence Envelopes (V3), Computer Paper (V3) Conforming to IS 12766 **Searched String**: SS304 Shim Sheet 1m x 10m 010mm Biosafety Cabinet (V2), Chlorhexidine Gauze Dressings, Correspondence Envelopes (V3) Conforming to IS 13892, M S Sheet as per IS 1079 (Unit - Mass), Shaker Incubator, Corrugated Boxes, Cleaning Duster (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Computer Paper (V3) Conforming to IS 12766 (In Packet), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: SS304 Shim Sheet 1m x 10m 015mm Biosafety Cabinet (V2), Chlorhexidine Gauze Dressings, Correspondence Envelopes (V3) Conforming to IS 13892, M S Sheet as per IS 1079 (Unit - Mass), Shaker Incubator, Corrugated Boxes, Cleaning Duster (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778,

बिड विवरण/Bid Details	Computer Paper (V3) Conforming to IS 12766 (In Packet), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: SS304 Shim Sheet 1m x 10m 03mm Biosafety Cabinet (V2), Chlorhexidine Gauze Dressings, Correspondence Envelopes (V3) Conforming to IS 13892, M S Sheet as per IS 1079 (Unit - Mass), Shaker Incubator, Corrugated Boxes, Cleaning Duster (V3), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Computer Paper (V3) Conforming to IS 12766 (In Packet), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: SS304 Cut Shim 005mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 007mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 010mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 015mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 020mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core

बिड विवरण/Bid Details	and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
	Searched String: SS304 Cut Shim 025mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 030mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 040mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 050mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Towel Hand Cotton Turkish (IAF), Shaker Incubator, Roti Making Machine **Searched String**: SS304 Cut Shim 060mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 070mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

बिड विवरण/Bid Details	**Searched String**: SS304 Cut Shim 080mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 100mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Ultrasonic Non-Contact Flowmeter with Totalizer, Biosafety Cabinet (V2), Shredding Machine/Paper Shredder, Dry Erase Writing Boards (V3), Cotton Towelling And Towels Conforming To IS 7056 (V4), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator **Searched String**: SS304 Cut Shim 150mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Shredding Machine/Paper Shredder, Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: SS304 Cut Shim 200mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Labels Stickers (V3), Biosafety Cabinet (V2), Shredding Machine/Paper Shredder, Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine **Searched String**: SS304 Cut Shim 300mm 190x128mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Bathroom Water Shower (V2), Biosafety Cabinet (V2), Dry Erase Writing Boards (V3), Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Shaker Incubator, Roti Making Machine, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Stainless steel shim(NHPC) • Titanium Sheet • Compressed non-asbestos jointing sheet
बीओक्यू शीर्षक /BOQ Title	ET 6395 SS Shims of various sizes for BMDII TMDII
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	SS Shim 003mm
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	Yes (Arbitration clause document) as per DoE OM No.F.1/2/2024-PPD dated 03.06.2024 Arbitration should not be routinely included in contracts
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Bank Of Baroda
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	5

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
CHIEF ENGINEER
Gsecl Ukai Thermal Power Station, Ukai Dam, Taluka: Ukai, Dist.- Tapi, Gujarat – 394680.
(Gsecl)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

ET-6395 Price Break-up Should be attached in Financial Document - 1791453780.xlsx

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	Ss Shim 003mm	10
Schedule 2	Ss Shim 005mm	10
Schedule 3	Ss Shim 008mm	10

Schedule 4	Ss Shim 010mm	10
Schedule 5	Ss Shim 015mm	10
Schedule 6	Ss Shim 020mm	10
Schedule 7	Ss Shim 030mm	10
Schedule 8	Ss Shim 040mm	10
Schedule 9	Ss Shim 100mm	20
Schedule 10	Ss Shim 200mm	20
Schedule 11	Ss304 Shim Sheet 1m X 10m 025mm	10
Schedule 12	Ss304 Shim Sheet 1m X 10m 05mm	6
Schedule 13	Ss304 Shim Sheet 1m X 10m 15mm	4
Schedule 14	Ss304 Shim Sheet 14in X 10m 005mm	20
Schedule 15	Ss304 Shim Sheet 14in X 10m 008mm	10
Schedule 16	Ss304 Shim Sheet 1m X 10m 010mm	10
Schedule 17	Ss304 Shim Sheet 1m X 10m 015mm	10
Schedule 18	Ss304 Shim Sheet 1m X 10m 03mm	10
Schedule 19	Ss304 Cut Shim 005mm 190x128mm	100
Schedule 20	Ss304 Cut Shim 007mm 190x128mm	50
Schedule 21	Ss304 Cut Shim 010mm 190x128mm	100
Schedule 22	Ss304 Cut Shim 015mm 190x128mm	50
Schedule 23	Ss304 Cut Shim 020mm 190x128mm	100
Schedule 24	Ss304 Cut Shim 025mm 190x128mm	50
Schedule 25	Ss304 Cut Shim 030mm 190x128mm	50
Schedule 26	Ss304 Cut Shim 040mm 190x128mm	50
Schedule 27	Ss304 Cut Shim 050mm 190x128mm	50
Schedule 28	Ss304 Cut Shim 060mm 190x128mm	30
Schedule 29	Ss304 Cut Shim 070mm 190x128mm	30
Schedule 30	Ss304 Cut Shim 080mm 190x128mm	30
Schedule 31	Ss304 Cut Shim 100mm 190x128mm	50
Schedule 32	Ss304 Cut Shim 150mm 190x128mm	30
Schedule 33	Ss304 Cut Shim 200mm 190x128mm	20
Schedule 34	Ss304 Cut Shim 300mm 190x128mm	20

SS Shim 003mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 005mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 008mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 010mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 015mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 020mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 030mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 040mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS Shim 100mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

SS Shim 200mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

SS304 Shim Sheet 1m X 10m 025mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS304 Shim Sheet 1m X 10m 05mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	6	90

SS304 Shim Sheet 1m X 10m 15mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	4	90

SS304 Shim Sheet 14in X 10m 005mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

SS304 Shim Sheet 14in X 10m 008mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS304 Shim Sheet 1m X 10m 010mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS304 Shim Sheet 1m X 10m 015mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS304 Shim Sheet 1m X 10m 03mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	10	90

SS304 Cut Shim 005mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	100	90

SS304 Cut Shim 007mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 010mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	100	90

SS304 Cut Shim 015mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 020mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	100	90

SS304 Cut Shim 025mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 030mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 040mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 050mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 060mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

SS304 Cut Shim 070mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

SS304 Cut Shim 080mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

SS304 Cut Shim 100mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	50	90

SS304 Cut Shim 150mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	30	90

SS304 Cut Shim 200mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

SS304 Cut Shim 300mm 190x128mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pallavkumar Maganbhai Solanki	394680,GSECL UKAI TPS, UKAI DAM, DIST: TAPI	20	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

3. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

Material must be supply as per Schedule-B and Technical specification mentioned in buyer added ATC, furt her Buyer (GSECL) Added ATC shall be final in all Tender Terms & condition.

.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working

Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---