बिड संख्या/Bid Number: GEM/2026/B/8142116

दिनांक /Dated: 14-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	24-10-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	25-10-2026 13:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Uttar Pradesh
विभाग का नाम/Department Name	Energy Department Uttar Pradesh
संगठन का नाम/Organisation Name	Uttar Pradesh Rajya Vidyut Utpadan Nigam Limited (uprvunl) Lucknow
कार्यालय का नाम/Office Name	Lucknow
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :hod.dt.gem@uprvunl.org Buyer Email id: ee.pd1.jtps@uprvunl.org
कुल मात्रा/Total Quantity	36
वस्तु श्रेणी /Item Category	COMPRESSOR CMSCA605K3101 , COMPRESSOR CMSCA900K3103 , COMPRESSOR CMSCQ120L3302 , CONTROLLER SET CDCO-D83700 , CONTROLLER SET CDCO-D83800 , COMPRESSOR CMSCA475K1101 , COMP OIL HEATER HTOT-T001-00 , COMPRESSOR OIL B.S CZOT-1058 , DISCHARGE PRES.TRANSDUCER B.S , DISPLAY BLUE STAR MCS-MAGNUM , EXV DRIVER B.S ELVF-W007-02 , MAIN CNTRLR B.S CDCO-W039-01 , OIL FILTER. B.S 3105-1143B , SOLENOID COIL RCSC0000001-00 , SOLENOID VALVE RCSC0000001 , SUCTION PRES. TRANSDUCER B.S , TEMP. SENSOR B.S MCS-T100-20 , OIL PRES. TRANSD. B.S MCS-T1200F-20
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	COMPRESSOR CMSCA605K3101, COMPRESSOR CMSCA900K3103, COMPRESSOR CMSCQ120L3302, CONTROLLER SET CDCO-D83700, CONTROLLER SET CDCO-D83800, COMPRESSOR CMSCA475K1101, COMP OIL HEATER HTOT-T001-00 , COMPRESSOR OIL B.S CZOT-1058, DISCHARGE PRES.TRANSDUCER B.S, DISPLAY BLUE STAR MCS-MAGNUM, EXV DRIVER B.S ELVF-W007-02, MAIN CNTRLR B.S CDCO-W039-01 , OIL FILTER. B.S 3105-1143B, SOLENOID COIL RCSC0000001-00, SOLENOID VALVE RCSC0000001, SUCTION PRES. TRANSDUCER B.S, TEMP. SENSOR B.S MCS-T100-20, OIL PRES. TRANSD. B.S MCS-T1200F-20
	Searched String: COMPRESSOR CMSCA605K3101 Screw Compressor, Muffle Furnace, Compressor oils, Dental Air Compressor, water baths, CNG Compressor (HPCL), High

बिड विवरण/Bid Details	Pressure Breathing Air Compressor Motor Driven as per IS 15879, Element Filter Compressor, Biosafety Cabinet (V2), Synthetic Compressor Oil **Searched String**: COMPRESSOR CMSCA900K3103 Screw Compressor, Muffle Furnace, Compressor oils, Dental Air Compressor, Dry Erase Writing Boards (V3), CNG Compressor (HPCL), High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Element Filter Compressor, water baths, Synthetic Compressor Oil **Searched String**: COMPRESSOR CMSCQ120L3302 Screw Compressor, Ultra low temperature laboratory deep freezer, Compressor oils, Dental Air Compressor, Muffle/Box Furnace (V2), CNG Compressor (HPCL), High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Element Filter Compressor, Laboratory Hot Air Oven (V2), Synthetic Compressor Oil **Searched String**: CONTROLLER SET CDCO-D83700 Digital VHF Base / Mobile Transceiver Set as per MHA QR, Diesel Power Generator (up to 900 KVA), Data Wall Controller **Searched String**: CONTROLLER SET CDCO-D83800 Digital VHF Base / Mobile Transceiver Set as per MHA QR, Diesel Power Generator (up to 900 KVA), Data Wall Controller **Searched String**: COMPRESSOR CMSCA475K1101 Screw Compressor, Muffle Furnace, Compressor oils, Dental Air Compressor, water baths, CNG Compressor (HPCL), High Pressure Breathing Air Compressor Motor Driven as per IS 15879, Element Filter Compressor, Biosafety Cabinet (V2), Synthetic Compressor Oil **Searched String**: COMP OIL HEATER HTOT-T001-00 Kerosene Oil Fired Bukhari with Exhaust Pipes as per MHA QRs **Searched String**: COMPRESSOR OIL B.S CZOT-1058 Category not available on GeM for the text string uploaded by the buyer **Searched String**: DISCHARGE PRES.TRANSDUCER B.S Disposable Pressure Transducer Kit, Horizontal Autoclave, Disposable Pressure Transducer Kits, anti set off spray powder, Pressure Transducers, Steam Sterlizer (V2), Ballasts For Discharge Lamps Conforming To IS 15882, Anaesthesia Workstation (V2), (Vitreous China) - Washdown Water Closets as per IS 2556, Integral Waterproofing Compounds for Cement Mortar and Concrete as per IS 2645 **Searched String**: DISPLAY BLUE STAR MCS-MAGNUM
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Television (V3), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Hot / Cold Water Dispenser (V2), Ultra low temperature laboratory deep freezer, Steel Almirah / Cabinets (V4), Microscopes Slide Coverslips as per IS 3099, Rotary Microtome, Split Air Conditioner, Wall Mount

बिड विवरण/**Bid Details**	Type (V3) ISI Marked to IS 1391 (Part 2), Deep Freezer Marked to IS 7872 (Under BIS Scheme 1) (V2) **Searched String**: EXV DRIVER B.S ELVF-W007-02 PET Preform For Disposable Water Bottle, RCC Guard stone Type B (Cement or concrete posts) **Searched String**: MAIN CNTRLR B.S CDCO-W039-01 RCC Guard stone Type B (Cement or concrete posts) **Searched String**: OIL FILTER. B.S 3105-1143B Horizontal Autoclave, Anaesthesia Workstation (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), anti set off spray powder, Steam Sterlizer (V2), Integral Waterproofing Compounds for Cement Mortar and Concrete as per IS 2645, (Vitreous China) - Washdown Water Closets as per IS 2556, Neem Kernel Oil-IS:4765, Punching and Binding Machine (V2), Neem Kernel Oil and Depulped Neem Seed Oil (V2) Conforming to IS 4765 **Searched String**: SOLENOID COIL RCSC0000001-00 Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator **Searched String**: SOLENOID VALVE RCSC0000001 Solenoid Valve (V3), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Solenoid Valve (V2), Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Electric Solenoid Operated Actuators (V2), Electric Solenoid Operated Actuators-IS:8935, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Needle Valve, Sequence valve **Searched String**: SUCTION PRES. TRANSDUCER B.S Disposable Pressure Transducer Kit, Suction Catheters (V2), Disposable Pressure Transducer Kits, Truck Mounted Suction Machine (V2), Pressure Transducers, Horizontal Autoclave, Rubber Sucker for Printing, anti set off spray powder, Steam Sterlizer (V2), Anaesthesia Workstation (V2) **Searched String**: TEMP. SENSOR B.S MCS-T100-20 Laboratory Glassware - Burettes (V2) as per IS 1997, Integral Waterproofing Compounds for Cement Mortar and Concrete as per IS 2645, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, RCC Guard stone Type B (Cement or concrete posts), Water Container, 20 Litres Aluminium Alloy as per Defence specification, Urine Culture Bottle (V2) **Searched String**: OIL PRES. TRANSD. B.S MCS-T1200F-20 Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Spares For Coal Mills Of Thermal Power Stations (GSECL)

बिड विवरण/Bid Details	
बीओक्यू शीर्षक /BOQ Title	BOQ Items Bluestar
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	COMPRESSOR CMSCA605K3101
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1348318.74
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)

बिड विवरण/Bid Details	
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

2. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	68440	Compressor Cmsca605k3101	1
Schedule 2	104682.52	Compressor Cmsca900k3103	1
Schedule 3	115747.38	Compressor Cmscq120l3302	1
Schedule 4	45191.64	Controller Set Cdco-d83700	3
Schedule 5	11176.96	Controller Set Cdco-d83800	1
Schedule 6	52590.24	Compressor Cmsca475k1101	1
Schedule 7	40120	Comp Oil Heater Htot-t001-00	4
Schedule 8	122720	Compressor Oil B.s Czot-1058	2
Schedule 9	49560	Discharge Pres.transducer B.s	2
Schedule 10	93220	Display Blue Star Mcs-magnum	1
Schedule 11	33630	Exv Driver B.s Elvf-w007-02	1
Schedule 12	330400	Main Cntrlr B.s Cdco-w039-01	1
Schedule 13	42480	Oil Filter. B.s 3105-1143b	4
Schedule 14	28320	Solenoid Coil Rcsc0000001-00	2
Schedule 15	40120	Solenoid Valve Rcsc0000001	2
Schedule 16	49560	Suction Pres. Transducer B.s	2
Schedule 17	70800	Temp. Sensor B.s Mcs-t100-20	5
Schedule 18	49560	Oil Pres. Transd. B.s Mcs-t1200f-20	2

COMPRESSOR CMSCA605K3101

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

COMPRESSOR CMSCA900K3103

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

COMPRESSOR CMSCQ120L3302

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

CONTROLLER SET CDCO-D83700

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	3	60

CONTROLLER SET CDCO-D83800

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

COMPRESSOR CMSCA475K1101

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

COMP OIL HEATER HTOT-T001-00

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	4	60

COMPRESSOR OIL B.S CZOT-1058

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	2	60

DISCHARGE PRES.TRANSDUCER B.S

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	2	60

DISPLAY BLUE STAR MCS-MAGNUM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

EXV DRIVER B.S ELVF-W007-02

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

MAIN CNTRLR B.S CDCO-W039-01

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	1	60

OIL FILTER. B.S 3105-1143B

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	4	60

SOLENOID COIL RCSC0000001-00

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	2	60

SOLENOID VALVE RCSC0000001

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	2	60

SUCTION PRES. TRANSDUCER B.S

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	2	60

TEMP. SENSOR B.S MCS-T100-20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	5	60

OIL PRES. TRANSD. B.S MCS-T1200F-20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Abhinav Pandya	207001,Jawaharpur Thermal Power Plant	2	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

4. **Generic**

   Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

5. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

6. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Generic**

   Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

   EXECUTIVE ENGINEER
   STORE DIVISION
   2X660MW JAWAHARPUR THERMAL POWER PROJECT
   MALAWAN
   ETAH
   .

8. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in

accordance with the laws.

---धन्यवाद/Thank You---