बिड संख्या/Bid Number: GEM/2026/B/8146672

दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-11-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-11-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Military Affairs
संगठन का नाम/Organisation Name	Indian Army
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :mann.amit@gov.in Buyer Email id: kavitabhatt.246f@gov.in
कुल मात्रा/Total Quantity	1183
वस्तु श्रेणी /Item Category	Towel Rail (Q3) , Waste Fittings for Washbasin and Sinks as per IS 2963 (Q3) , Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 (Q3) , Bathroom or Toilet Mirror (V3) (Q4) , Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 (Q3) , Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701 (Q3) , Floor Drain Traps (V2) (Q3) , Connector Pipes for Washbasins/ Sinks/ Geyser (Q3) , Flexible Drain Hoses for Wash Basins/ Sinks (Q3) , PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 (Q3) , Bathroom Water Shower (V2) (Q3) , Metal Alloy Casting Water Tap with Aerator (V2) (Q3) , Stainless Steel Shelf Rack (Q3) , Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846 (Q3)
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	20 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	121 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)

बिड विवरण/Bid Details	
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Towel Rail
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No

बिड विवरण/Bid Details	
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
Maint item for GE Central ईएमडी राशि/EMD Amount (In INR)	27373
Maint item for GE MH & RH ईएमडी राशि/EMD Amount (In INR)	69476
Maint item for GE CME ईएमडी राशि/EMD Amount (In INR)	24493

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
SBSO
Cwe Kirkee/chief Engineer Pune Zone, Department of Military Affairs, Indian Army, Ministry of Defence
(Kavita Bhatt)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in

the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of

cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.
12. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

13. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/ Reporting Officer	Consignee Address	Quantity
Maint item for GE	Towel Rail	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	4
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	27
	Towel Rail	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	16
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	2
	Copper Alloy Gate Valve For Waterworks Purpose (v2) Conforming To Is 778	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	42
	Bathroom Or Toilet Mirror (v3)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	26
	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	12
	Bathroom Or Toilet Mirror (v3)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	35
	Bathroom Or Toilet Mirror (v3)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	31

for GE Central	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	20
	Bathroom Or Toilet Mirror (v3)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	26
	Bathroom Or Toilet Mirror (v3)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	31
	Rotational Moulded Polyethylene Water Storage Tanks (v3) Conforming To Is 12701	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	2
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	5
	Floor Drain Traps (v2)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	9
	Floor Drain Traps (v2)	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	12
	Copper Alloy Gate Valve For Waterworks Purpose (v2) Conforming To Is 778	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	14
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	6
	Towel Rail	Mahesh Thombare	GE Central, Range Hill road, Near CWE Kirkee Complex, Kirkee 411003	71
	Copper Alloy Gate Valve For Waterworks Purpose (v2) Conforming To Is 778	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	15
	Floor Drain Traps (v2)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	212
	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	5
	Bathroom Or Toilet Mirror (v3)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	7
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	7
	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	1
	Plastic Bib Taps, Pillar Taps, Angle Valves & Stop Valves For Hot & Cold Water Services Conforming To Is 9763	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	9

Maint item for GE MH & RH	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	3
	Bathroom Or Toilet Mirror (v3)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	2
	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	1
	Bathroom Water Shower (v2)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	11
	Plastic Bib Taps, Pillar Taps, Angle Valves & Stop Valves For Hot & Cold Water Services Conforming To Is 9763	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	3
	Bathroom Water Shower (v2)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	1
	Bathroom Or Toilet Mirror (v3)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	1
	Bathroom Or Toilet Mirror (v3)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	1
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	2
	Metal Alloy Casting Water Tap With Aerator (v2)	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	34
	Waste Fittings For Washbasin And Sinks As Per Is 2963	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	54
	Towel Rail	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	142
	Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (v2) As Per Is 14846	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	9
	Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (v2) As Per Is 14846	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	7
	Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (v2) As Per Is 14846	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	3
	Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (v2) As Per Is 14846	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	3
	Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (v2) As Per Is 14846	Chetan Harish Wahane	GE MHRH, CWE Kirkee Complex, Range Hill Road, Kirkee 411003	1

Maint item for GE CME	Connector Pipes For Washbasins/ Sinks/ Geyser	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	31
	Flexible Drain Hoses For Wash Basins/ Sinks	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	43
	Floor Drain Traps (v2)	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	58
	Stainless Steel Shelf Rack	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	53
	Copper Alloy Gate Valve For Waterworks Purpose (v2) Conforming To Is 778	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	2
	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	63
	Copper Alloy Taps/stop Valves (v2) Conforming To Is 8931	Lokesh Meena	GE CME, Phugewadi, Dapodi, Pune-411012 411012	8

Towel Rail (4 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	**Rail Material**	Stainless Steel (SS 304)
	Mounting Bracket Material	Stainless Steel (SS 304)
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	19 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	**Towel Rail Type**	Folding Rail
	Edge Design	Seamless Edge
	Bar Shape of Rail	Round
	Mounting Plate Shape	Round
Surface Finish/ Color	Surface Finish/ Color	Chrome Plated
Load & Performance	**Recommended Load Capacity (in kg)**	Up to 3 kg
	Suitable for Wet Areas	Yes
Fixing & Accessories	**Fixing Hardware Included**	Yes
	Fasteners Material	Stainless Steel

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	4	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (27 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	**Material of Waste Fitting**	Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	**Nominal Size**	32 mm for washbasin
WARANTEE	**WARANTEE PERIOD IN NUMBER OF YEARS**	4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	27	15

Towel Rail (16 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	**Rail Material**	PVC Plastic
	Mounting Bracket Material	PVC Plastic
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	450 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	16 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	**Towel Rail Type**	Single Bar
	Edge Design	Rounded Edge
	Bar Shape of Rail	Round
	Mounting Plate Shape	Round
Surface Finish/ Color	Surface Finish/ Color	White
Load & Performance	**Recommended Load Capacity (in kg)**	Up to 3 kg
	Suitable for Wet Areas	Yes
Fixing & Accessories	**Fixing Hardware Included**	No
	Fasteners Material	Plastic

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	16	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	**Material of Waste Fitting**	Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	**Nominal Size**	32 mm for washbasin
WARANTEE	**WARANTEE PERIOD IN NUMBER OF YEARS**	5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	2	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (42 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Conformity to IS 778**	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	15 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Split Wedge Type
Material & Manufacture	**Bonnet Type/ Design**	Screwed - in bonnet integral seats
	Design and Manufacture	As per Clause 7 of IS 778
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Brass (conforming to DCB 2 of IS 1264)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Brass (conforming to DCB 2 of IS 1264)
	Material of Stem, hinge pin and plug	Forged Brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
	Materials for Components Parts	As per Table 1 of IS 778
Dimensions	**Minimum Length of Threaded Portion at the end (in mm)**	9.5 mm
	Minimum Wall Thickness of Body and Bonnet (in mm)	As per Table 4 of IS 776
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	3.7 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	11.5 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	8 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	26 mm
	Dimensions of Stuffing box (in mm)	As per Table 8 of IS 778
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves
Preparation	Preparation	As per Clause 12 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	42	15

Bathroom Or Toilet Mirror (V3) (26 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>7.5 to ?10
	Height/Diameter of Mirror (inch)	>5.1 to ?7.5
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	26	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Type 3 wall mounted combination tap assembly
	Dimension	As per table 6 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Forged brass
Generic	**Aerating device fitted with tap**	Yes
	Flow straightening device fitted with tap	Yes
Warranty	**Warranty (in months)**	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	12	15

Bathroom Or Toilet Mirror (V3) (35 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>15 to ?20
	Height/Diameter of Mirror (inch)	>20 to ?25
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	35	15

Bathroom Or Toilet Mirror (V3) (31 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>10 to ?12.5
	Height/Diameter of Mirror (inch)	>15 to ?20
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	31	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (20 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	One hole pillar mounted combination tap assembly
	Dimension	As per table 7 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	**Aerating device fitted with tap**	Yes
	Flow straightening device fitted with tap	Yes
Warranty	**Warranty (in months)**	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	20	15

Bathroom Or Toilet Mirror (V3) (26 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>20 to ?25
	Height/Diameter of Mirror (inch)	>25 to ?30
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	26	15

Bathroom Or Toilet Mirror (V3) (31 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>20 to ?25
	Height/Diameter of Mirror (inch)	>25 to ?30
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	31	15

Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming To IS 12701 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Requirement	**Type (Based on Shape of Tank)**	Cylindrical Vertical Tank with Lid

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Layer of Tank	Double Layered
Dimensions	**Minimum Net Capacity (In Liter)**	300 Liter

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	2	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	**Material of Waste Fitting**	Leaded Tin Bronze conforming to Grade 2 of IS 318/1962
DIMENSION	**Nominal Size**	50 mm for sink
WARANTEE	**WARANTEE PERIOD IN NUMBER OF YEARS**	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	5	15

Floor Drain Traps (V2) (9 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Material**	Stainless Steel
Design & Construction	**Trap Seal Depth (in mm)**	25 mm
	Removable Grating	No
	Anti-Insect Feature	Yes
	Anti-Odor Feature	No
	Corrosion Resistance	Yes
Dimensions	**Overall Size (Length x Breadth x Height) in mm**	150 mm x 150 mm x 100 mm
Performance	**Flow Rate Capacity**	Heavy Duty
Finish & Appearance	Surface Finish and Color	Chrome Plated

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	9	15

Floor Drain Traps (V2) (12 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Material**	Stainless Steel
Design & Construction	Shape	Square
	Trap Seal Depth (in mm)	25 mm
	Removable Grating	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Anti-Insect Feature	Yes
	Anti-Odor Feature	Yes
	Corrosion Resistance	No
Dimensions	**Overall Size (Length x Breadth x Height) in mm**	150 mm x 150 mm x 100 mm
Performance	**Flow Rate Capacity**	Medium Duty
Finish & Appearance	Surface Finish and Color	Silver

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	12	15

Connector Pipes For Washbasins/ Sinks/ Geyser (31 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Construction	**Inner Pipe Material**	Silicone Rubber, PVC
	Cover Material	PVC Outer Cover
	Colour	White
Dimensions	**Nominal Bore Size (in mm)**	10 mm
	End Connection Size (in inch)	½ inch,, ¾ inch, ? inch
	Pipe Length (Tolerance: ±10 mm)	600 mm
End Connections & Fittings	**End Connection Type (Material to be supplied alonwith)**	Nut–Nut
	End Fitting Material	PTMT (Polytetra Methylene Terephthalate)
	Surface Finish	None

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Washer / Gasket Included	Yes
Performance & Usage	**Maximum Working Pressure (in bar)**	10–20 bar
	Operating Temperature Range (in °C)	Up to 40°C
	Durability Grade	Medium Duty

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	31	15

Flexible Drain Hoses For Wash Basins/ Sinks (43 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Installation Type**	Threaded
Material & Construction	**Hose Material**	PVC
	Reinforcement Type	Fabric Reinforced
	Flexibility Type	Smooth Bore
	Colour	Off-White
Dimensions	**Nominal Bore of Hose (in mm)**	32 mm
	Hose Length in meter (Tolerance : ± 10 mm)	1 meter
	Wall Thickness (in mm)	1 mm
Performance & Usage	Operating Temperature Range (in °C)	40–70°C
	Leakage Protection	Yes
	Durability Grade	Heavy Duty

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Basin / Sink Connection Fitting (Waste Coupling)	**Connection Fitting Included**	Yes
	Type of Connection Fitting	Threaded Adapter
	Fitting Material	PVC
	Washer / Gasket Material	Silicone

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	43	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (29 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Conformity to IS 778**	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	20 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	**Bonnet Type/ Design**	Screwed - in bonnet renewable seats
	Design and Manufacture	As per Clause 7 of IS 778
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Leaded tin bronze (conforming to LTB 2 of IS 318)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
	Materials for Components Parts	As per Table 1 of IS 778
Dimensions	**Minimum Length of Threaded Portion at the end (in mm)**	10.5 mm
	Minimum Wall Thickness of Body and Bonnet (in mm)	As per Table 4 of IS 776
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	4.1 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	13.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	9 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	32 mm
	Dimensions of Stuffing box (in mm)	As per Table 8 of IS 778
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves
Preparation	Preparation	As per Clause 12 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	14	15
2	**********	**********PUNE CITY	15	15

Floor Drain Traps (V2) (270 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Material**	Stainless Steel
Design & Construction	Shape	Square
	Trap Seal Depth (in mm)	40 mm
	Removable Grating	No
	Anti-Insect Feature	No
	Anti-Odor Feature	Yes
	Corrosion Resistance	Yes
Dimensions	**Overall Size (Length x Breadth x Height) in mm**	100 mm x 100 mm x 100 mm
Performance	**Flow Rate Capacity**	Light Duty
Finish & Appearance	Surface Finish and Color	Silver

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	212	15
2	**********	**********PUNE CITY	58	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (5 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Concealed stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Cast brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Phosphor bronze wire
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Brass rods
Generic	**Aerating device fitted with tap**	Yes
	Flow straightening device fitted with tap	No
Warranty	**Warranty (in months)**	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	5	15

Bathroom Or Toilet Mirror (V3) (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Round
	Type of Mirror Coating	Silver Coated
	Frame	With
	Frame Material	Plastic
	Frame Color	White
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>15 to ?20
	Height/Diameter of Mirror (inch)	>15 to ?20
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	7	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (13 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	**Material of Waste Fitting**	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	**Nominal Size**	50 mm for sink
WARANTEE	**WARANTEE PERIOD IN NUMBER OF YEARS**	4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	6	15
2	**********	**********PUNE CITY	7	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Pillar tap
	Dimension	As per table 3 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Forged brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Brass sheet
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Brass rods
Generic	**Aerating device fitted with tap**	Yes
	Flow straightening device fitted with tap	No
Warranty	**Warranty (in months)**	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	1	15

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (9 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Conformity to IS 9763**	Yes
	Product Type	Pillar Tap
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
	Recommended Limit for Correct Operations	As per Table 2 of IS 9763
Materials	**Material of Body of Tap/ Valve**	PP Copolymer (conforming to IS 10910)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Bonnet of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Spindle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Handle of Tap/ Valve	PP Copolymer (conforming to IS 10910)
	Material of Seal of Tap/ Valve	Rubber
Dimensions & Construction	**Dimensions (in mm)**	Pillar Taps (As per Table 4 of IS 9763)
Finish, Construction & Workmanship	Construction, Workmanship and Finish	As per Clause 8 of IS 9763

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	9	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Stop valve with internal thread
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	20
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Cast brass
	Material of inlet tubes	Copper tubes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic butadiene rubber (SBR)
	Material of Knob and knob components	Cast brass
Generic	**Aerating device fitted with tap**	No
	Flow straightening device fitted with tap	No
Warranty	**Warranty (in months)**	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	3	15

Bathroom Or Toilet Mirror (V3) (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Decorative Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated
	Frame	With

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Frame Material	Plastic
	Frame Color	White
	Mirror Mounting / Fixing System	Wall Hanging System (Hook/Hanger)
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>35 to ?40
	Height/Diameter of Mirror (inch)	>40 to ?45
	Thickness of Mirror (mm)	>4.5 to ?5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	2	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Type 2 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Cast brass

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of inlet tubes	Brass tubes
	Material of flanges	Cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Forged brass
	Material of circlip, wire locks	Phosphor bronze sheet
	Material of 'O' ring , gasket, and seat washer	Neoprene rubber
	Material of Knob and knob components	Cast brass
Generic	**Aerating device fitted with tap**	No
	Flow straightening device fitted with tap	No
Warranty	**Warranty (in months)**	12

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	1	15

Bathroom Water Shower (V2) (11 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	**Type of shower**	Shower Panel

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of body/face plate	Stainless Steel
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Massage, Cascade, Mist, Whirl, Monorail, Rainflow, Rainstream
	Shape of Shower	Rectangular
Dimensions	**Size of Shower**	65x 95 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	NA
Warranty	**Warranty (in Years)**	2

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	11	15

PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming To IS 9763 (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Conformity to IS 9763**	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Product Type	Stop Valve
	Nominal Size (in mm)	15 mm (1/2")
	Hot/Cold Identification of Control Devices	Blue Color or Letter C for Cold Water
	Recommended Limit for Correct Operations	As per Table 2 of IS 9763
Materials	**Material of Body of Tap/ Valve**	PVC (conforming to 9766)
	Material of Bonnet of Tap/ Valve	ABS
	Material of Spindle of Tap/ Valve	ABS
	Material of Handle of Tap/ Valve	ABS
	Material of Seal of Tap/ Valve	Nitrile PVC
Dimensions & Construction	**Dimensions (in mm)**	Stop Valves (As per Table 5 of IS 9763)
Finish, Construction & Workmanship	Construction, Workmanship and Finish	As per Clause 8 of IS 9763

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	3	15

Bathroom Water Shower (V2) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Type	**Type of shower**	Overhead shower (Ceiling mount with shower arm)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of body/face plate	Brass
	Finish of face plate	Chrome plated
	Type of Water Flow	Rainfall and Multiple flow
	Type of Multiple flow	Rainflow, Rainstream
	Shape of Shower	Square
Dimensions	**Size of Shower**	180 mm
	Overall length of Hand Shower (in mm)	NA
	Length of Hand Shower Tube (in mt)	NA
	Diameter of Hand Shower Tube (in mm)	NA
	Material of Hand Shower Tube	NA
	Overall length of Shower Arm (in mm)	120
Warranty	**Warranty (in Years)**	4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	1	15

Bathroom Or Toilet Mirror (V3) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Decorative Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Aluminium Coated

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Frame	With
	Frame Material	Aluminium
	Frame Color	Silver
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>5.1 to ?7.5
	Height/Diameter of Mirror (inch)	>7.5 to ?10
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	1	15

Bathroom Or Toilet Mirror (V3) (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Mirror**	Plain Mirror
	Mirror Shape	Rectangular
	Type of Mirror Coating	Silver Coated
	Frame	Without
	Frame Material	NA (Frameless)
	Frame Color	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Mirror Mounting / Fixing System	Clamp Support
	Light Position	NA
	Light Color	NA
	LED Control Functionality	NA
Dimensions	**Width/Diameter of Mirror (inch)**	>20 to ?25
	Height/Diameter of Mirror (inch)	>25 to ?30
	Thickness of Mirror (mm)	>3.5 to ?4

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	1	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	**Material of Waste Fitting**	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	**Nominal Size**	32 mm for washbasin
WARANTEE	**WARANTEE PERIOD IN NUMBER OF YEARS**	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	2	15

Metal Alloy Casting Water Tap With Aerator (V2) (34 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ITEM	**Tap Mounting Type**	Bib tap
Material	**Material**	Brass
	Is Chromium Plated	Yes
Description	**Type of Faucet**	Hand-held
	Aerator Material	Metal
	Water flow rate of outlet at 1 kg/cm² Pressure (Milliliter per minute)	50-100
Dimension	**Nominal Thread Size of Tap (mm)**	15
Colour	Colour	Golden

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	34	15

Waste Fittings For Washbasin And Sinks As Per IS 2963 (54 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
RAW MATERIAL	**Material of Waste Fitting**	Brass conforming to Grade 3 of IS 292/1961
DIMENSION	**Nominal Size**	32 mm for washbasin
WARANTEE	**WARANTEE PERIOD IN NUMBER OF YEARS**	5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	54	15

Towel Rail (213 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material & Dimensions	**Rail Material**	Brass
	Mounting Bracket Material	Stainless Steel (SS 304)
	Towel Rail Length (in mm) (Tolerance : ± 10 mm)	600 mm
	Rail Diameter / Thickness (in mm) (Tolerance : ± 10 mm)	19 mm
	Projection from Wall (in mm) (Tolerance : ± 10 mm)	60 mm
Design & Configuration	**Towel Rail Type**	Single Bar
	Edge Design	Rounded Edge
	Bar Shape of Rail	Flat
	Mounting Plate Shape	Rectangular
Surface Finish/ Color	Surface Finish/ Color	Chrome Plated
Load & Performance	**Recommended Load Capacity (in kg)**	3–6 kg

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Suitable for Wet Areas	Yes
Fixing & Accessories	**Fixing Hardware Included**	No
	Fasteners Material	Galvanized Steel

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	71	15
2	**********	**********PUNE CITY	142	15

Stainless Steel Shelf Rack (53 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Configuration**	With 3-Shelf (including top shelf)
	Design / Shape of rack	Square
	Shape of support structure	Square hollow type
	Ground clearance (mm)	25 mm
	Mode of supply	Assembled Ready To Use
MATERIAL & MATERIAL THICKNESS	**Shelf material**	Stainless Steel Grade 304 galvanized
	Shelf material thickness	0.6 mm
	Support structure material	Stainless Steel Grade 202 galvanized
	Support structure material thickness	0.6 mm
DIMENSION	**Width of shelf rack ± 10 mm**	915 mm
	Depth of shelf rack ± 10 mm	405 mm
	Height of shelf rack ± 10 mm	1220 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of support structure ± 10 mm	1245 mm
	Size of support structure	30 mm x 30 mm
FINISH & PACKING	Packing	Bubble sheet packing
WARRANTY	**Warranty period**	1 - Year
CERTIFICATION	**Test report to be furnished to buyer on demand**	No
	Confirmatory test in respect of Steel Grade	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	53	15

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846 (9 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material and finish	Materials for Component Parts of Sluice Valve	As per Clause 6 and Table 1 of Governing Specification
	Coating	As per Clause 9 of Governing Specification
Dimensions	**Nominal Pressure Rating (In MPa)**	PN 1.6

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Size of Valve(In mm)	100
Buyer's Additional Requirement	**Accessories or optional features**	Suitable Locking arrangement for hand wheel, Suitable Valve gate position indicator, Suitable Anti-friction devices, Suitable Valve headstock for manual operation, Suitable gunmetal scour or cast iron cleaning door at the bottom of the sluice valve body, Suitable By-pass arrangement valve, Suitable power drive, Suitable Easing screw, Suitable Air release plug, Suitable Drain plug, Suitable Channel and shoe arrangement, Suitable Gearing arrangement, Suitable Chain and wheel arrangement, Suitable Riveted seat rings in the body, Suitable Pipe flanges drilling and dimension other than IS 1538
	Buyer Specific Requirement	NA
	Additional Requirement	NA
Test Reports	Type of Lab which carried out test of Complete product	OEM, Govt. Lab, NABL Accredited Lab

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	9	15

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846 (7 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material and finish	Materials for Component Parts of Sluice Valve	As per Clause 6 and Table 1 of Governing Specification
	Coating	As per Clause 9 of Governing Specification
Dimensions	**Nominal Pressure Rating (In MPa)**	PN 1.6

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Size of Valve(In mm)	150
Buyer's Additional Requirement	**Accessories or optional features**	Suitable Locking arrangement for hand wheel, Suitable Valve gate position indicator, Suitable Anti-friction devices, Suitable Valve headstock for manual operation, Suitable gunmetal scour or cast iron cleaning door at the bottom of the sluice valve body, Suitable By-pass arrangement valve, Suitable power drive, Suitable Easing screw, Suitable Air release plug, Suitable Drain plug, Suitable Channel and shoe arrangement, Suitable Gearing arrangement, Suitable Chain and wheel arrangement, Suitable Riveted seat rings in the body, Suitable Pipe flanges drilling and dimension other than IS 1538
	Buyer Specific Requirement	NA
	Additional Requirement	NA
Test Reports	Type of Lab which carried out test of Complete product	OEM, Govt. Lab, NABL Accredited Lab

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	7	15

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846 (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material and finish	Materials for Component Parts of Sluice Valve	As per Clause 6 and Table 1 of Governing Specification
	Coating	As per Clause 9 of Governing Specification
Dimensions	**Nominal Pressure Rating (In MPa)**	PN 1.6

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Size of Valve(In mm)	200
Buyer's Additional Requirement	**Accessories or optional features**	Suitable Locking arrangement for hand wheel, Suitable Valve gate position indicator, Suitable Anti-friction devices, Suitable Valve headstock for manual operation, Suitable gunmetal scour or cast iron cleaning door at the bottom of the sluice valve body, Suitable By-pass arrangement valve, Suitable power drive, Suitable Easing screw, Suitable Air release plug, Suitable Drain plug, Suitable Channel and shoe arrangement, Suitable Gearing arrangement, Suitable Chain and wheel arrangement, Suitable Riveted seat rings in the body, Suitable Pipe flanges drilling and dimension other than IS 1538
	Buyer Specific Requirement	NA
	Additional Requirement	NA
Test Reports	Type of Lab which carried out test of Complete product	OEM, Govt. Lab, NABL Accredited Lab

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	3	15

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846 (3 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material and finish	Materials for Component Parts of Sluice Valve	As per Clause 6 and Table 1 of Governing Specification
	Coating	As per Clause 9 of Governing Specification
Dimensions	**Nominal Pressure Rating (In MPa)**	PN 1.6

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Nominal Size of Valve(In mm)	300
Buyer's Additional Requirement	**Accessories or optional features**	Suitable Locking arrangement for hand wheel
	Buyer Specific Requirement	NA
	Additional Requirement	NA
Test Reports	Type of Lab which carried out test of Complete product	NABL Accredited Lab

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	3	15

Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846 (1 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Material and finish	Materials for Component Parts of Sluice Valve	As per Clause 6 and Table 1 of Governing Specification
	Coating	As per Clause 9 of Governing Specification
Dimensions	**Nominal Pressure Rating (In MPa)**	PN 1.6
	Nominal Size of Valve(In mm)	400
Buyer's Additional Requirement	**Accessories or optional features**	Suitable Locking arrangement for hand wheel
	Buyer Specific Requirement	NA
	Additional Requirement	NA

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Test Reports	Type of Lab which carried out test of Complete product	OEM, Govt. Lab

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	1	15

Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming To IS 778 (2 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Conformity to IS 778**	Yes
	End Connection	Screwed Ends
	Nominal Size of Valves (in mm)	50 mm
	Pressure Classification	Class 1 Valve : Suitable for cold working pressure up to 1.0 MPa
	Gate Valve Type	Solid Wedge Type
Material & Manufacture	**Bonnet Type/ Design**	Screwed - in bonnet renewable seats
	Design and Manufacture	As per Clause 7 of IS 778
	Material of Body	Brass (conforming to DCB 2 of IS 1264)
	Material of Bonnet/Cover Material	Forged brass (conforming to CuZn,2Pb2 of IS 3288)
	Material of Stuffing box, disc hinge, check nut, stem nut, disc retaining nut, gland, gland nut, gland flange, body seat rings and disc or wedge facing rings (where renewable	Extruded Brass Rod (conforming to Type 1 or Type 2 (Half Hard) of IS 319)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Stem, hinge pin and plug	Extruded Brass Rod (conforming to Type 2 (Half Hard) of IS 319)
	Material of Gland Packing	Hemp and Jute (conforming to IS 5414)
	Materials for Components Parts	As per Table 1 of IS 778
Dimensions	**Minimum Length of Threaded Portion at the end (in mm)**	17.0 mm
	Minimum Wall Thickness of Body and Bonnet (in mm)	As per Table 4 of IS 776
	Minimum Thickness at body ends outside of the thread for both Class 1 and Class 2 Valves (in mm)	6.0 mm
	Minimum Width of ends for both Class 1 and Class 2 Valves (in mm)	20.0 mm
	Minimum Diameter of Stems for Both Class 1 and Class 2 Valves (in mm)	12 mm
	Minimum Flat to Flat Size for both Class 1 and Class 2 Valves (in mm)	68 mm
	Dimensions of Stuffing box (in mm)	As per Table 8 of IS 778
	End to End Dimensions of Screwed End Valves (in mm)	As per Table 9 of IS 778
	Face to Face Dimensions of Flanged Valves (in mm)	NA for Screwed Valves
Preparation	Preparation	As per Clause 12 of IS 778

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	2	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (63 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Type 2 Bib tap
	Dimension	As per table 4 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Cast brass
	Material of inlet tubes	Brass tubes
	Material of flanges	Die cast brass
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Extruded brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Cast brass
Generic	**Aerating device fitted with tap**	Yes
	Flow straightening device fitted with tap	Yes
Warranty	**Warranty (in months)**	6

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	63	15

Copper Alloy Taps/Stop Valves (V2) Conforming To IS 8931 (8 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	**Governing Specification**	Conforming to IS 8931
Type	**Item**	Angle stop valve
	Dimension	As per table 5 of the governing specification
	Nominal Size of bore of pipe to which taps and valves are fitted(in mm)	15
Material	**Material of body, body components, nozzle , bonnet and back nuts**	Forged brass
	Material of inlet tubes	Copper tubes
	Material of flanges	Brass rods
	Material of diverter and diverter components	NA
	Material of spindle, glands, washer plate, nuts, screw and pin	Rolled brass rods
	Material of circlip, wire locks	Stainless steel
	Material of 'O' ring , gasket, and seat washer	Synthetic rubber
	Material of Knob and knob components	Brass rods
Generic	**Aerating device fitted with tap**	No
	Flow straightening device fitted with tap	No
Warranty	**Warranty (in months)**	36

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PUNE CITY	8	15

Special terms and conditions-Version:1 effective from 17-10-2025 for category Rotational Moulded Polyethylene Water Storage Tanks (V3) Conforming to IS 12701

1. These tanks are not meant for underground applications. It does not cover mobile water tanks and horizontal cylinderical water tanks. Nominal service temperature from +1 degree Celsius to +50 degree Celsius.

   The product may also carry an ISI Mark/Standard Mark as per the BIS standard governing this category. As such, Buyers may also opt for ISI marked products while creating BID by mentioning their requirement in Bid ATC. Availability of License to vendors in this category needs to be checked by Buyer at their end, in case they add any such conditions in Bid ATC. Further, in such cases, buyer shall verify a valid BIS License for the same at the time of evaluation of the BID and check the ISI marking at the time of receipt of the material before issuing CRAC.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be

determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a

land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---