बिड संख्या/Bid Number: GEM/2026/B/8147698

दिनांक /Dated: 17-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	02-11-2026 14:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-11-2026 14:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-vapi@gujarat.gov.in
कुल मात्रा/Total Quantity	138
	V Block 75 x 75 x 50 mm with Clamp Hardened and Ground , Resistance box 0 to 500 ohms , Resistance coils , Battery eliminator Input , Specific Gravity bottle , Inclined plane with pulley pan weights etc , Simple machines Screw Jack with Accessories , Calorimeter for determining Joules mechanical Equivalent of heat by electric method , Thermocouple J K E R T S types , Digital Viscometer LED display LCD Measurement range in mpa s cp with 4 spindles 6 12 30 60 rotor speed rpm Provided with RS 232 C interface , R T D thermometer PT100 , Flash point apparatus This apparatus is made as per IP 34 ASTMD 93 and IS 1448 Part I 1270 P 21 and IS 1209 1953 method B Ready to use , Instrument for determining g Simple Pendulum , Redwood viscometer , Sight glass level indicator Madeup of S S tank with sightglass scale drain valve , Reactor trainer with all controlling accessories , Solar panel with Battery 18 WATT , DC Shunt Motor 2 5 KW 220 V , Universal Motor with starter switch 240 V 50 Hz 1 HP , A C Series type Motor 1 HP 240 V 50 Hz , Single Phase Capacitor Motor with starter switch 1 HP 240 V 50 Hz , Manual Motor coil Winding Machine With step arbor , Shaded Pole Motor Fractional HP 240 V 50 Hz , Caliper hermaphrodite spring type 150 mm , Universal scribing block 220 mm , Angle plate 150 X 150 X 250 mm , File triangular second cut 200 mm , File hand second cut 150 mm , Hand Reamer set Taper pin straight flute Nominal Dia 6 8 10 12 16mm , Machine Reamer parallel Helical flute 12 to 16mm set of 5 , Sleeve drill Morse No 0 to 1 1 to 2 2 to 3 3 to 4 4 to 5 , Lapping plate Dia 6 inch , Drill gauges Letter drill gauge A to Z , Number drill gauge 1 to 60 , Jigs and Fixture sample For demonstration May be

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	manufactured in house , Pulleys for V belt or Flat belt to fit on 50mm dia Shaft with key slot , Steel keys May be manufactured in house to fit with key slot of shaft and pulley , Damaged old spur gearto fit 50mm dia Shaft , V belt to fit on pulley , Flat belt to fit on pulley , Packing gasket PTFE gasket roll small size , Washer clutch keys jib cotter and circlip minimum 25mm size carbon steel material , Gauge snap Go and Not Go 25 to 50 mm by 5 mm Set of 6 pieces , Gauge plug Single ended 5 to 55 by 5mm Set of 11 pcs , Adjustable pipe chain tonge to take pipes up to 300 mm , PRESSING TABLE , MACHINE ATTACHMENT ZIPPER FOOT , MACHINE ATTACHMENT TUCKER FOOT , MACHINE ATTACHMENT HEM FOLDER , MACHINE ATTACHMENT ZIG ZAG FOOT , Conduit pipe cutting and threading machines adjustable for 15 mm to 30 mm , Multi meter 0 to 5 100 200 500 milli amperes 0 to 150 300 600 V AC DC , Wheatstone Bridge , Autotransformer 250V 0 to 300 V 10A , Solid State Solar Based Single Phase Energy Meter Bidirectional 5 to 30 Amps 240 Volts , Series Test Lamp 230V 60W , Bar magnet , Small crimping tools assorted 10 to 100 mm 5 Nos , Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm , Foot print Grip 250 mm , Earth Plate 60cm X 60cm X 3 15mm Copper Plate , Earth Electrode Secondary Cu Strip 20x5mm , Various Lamps with fittings Halogen Incandescent Lamp , Various Lamps with fittings Fluorescent tube , Various Lamps with fittings HP mercury vapor Lamp , Various Lamps with fittings High pressure sodium Lamp , Various Lamps with fittings LED Lamps , All types of CFL lamp and LED sets 5 watt 15 watt 25watt , Bus bar with brackets 1 mtr each , LED lights 12V DC 5W , LED lights 6 V DC 5W , Field regulator 0 to 1000 ohmic 2 Amps , D C series motor 3 H P 250 V with 2 point starter and speed regulator Laboratory type , UPS with battery 500VA 230V , e A C Ceiling Fan and AC Table Fan 68 Watt 230 V , DMX Controller , Rewinding Machine , Metal Rack 100cm x 150cm x 45 cm , Fire Extinguisher CO2 2 Kg

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	V Block 75 x 75 x 50 mm with Clamp (Hardened & Ground), Resistance box 0 to 500 ohms, Resistance coils (2 ohms, 5ohms, 10 ohms, 100 ohms), Battery eliminator Input: 240 volts Output: 4.5 -6 volts, Specific Gravity bottle 25 cc, Inclined plane with pulley, pan, weights etc., Simple machines - Screw Jack with Accessories., Calorimeter, Thermocouple J, K, E, R, T, S types, Digital Viscometer , R.T.D. thermometer PT100, Flash point apparatus, Instrument for determining g, Redwood viscometer, Sight glass level indicator Madeup of S.S., Reactor trainer with all controlling accessories., Solar panel with Battery 18 WATT, DC Shunt Motor 2.5 KW, 220 V, Universal Motor with starter/switch 240 V, 50 Hz, 1 HP , A.C. Series type Motor 1 HP, 240 V, 50 Hz, Single Phase Capacitor Motor with starter switch , Manual Motor coil Winding Machine With step arbor, Shaded Pole Motor Fractional HP, 240 V, 50 Hz , Caliper hermaphrodite spring type 150 mm, Universal scribing block. 220 mm, Angle plate 150 X 150 X 250 mm, File triangular second cut. 200 mm, File hand second cut. 150 mm, Hand Reamer set (Taper pin straight flute)Nominal Dia. 6, 8, 10, 12,16mm, Machine Reamer parallel (Helical flute) 12 - 16mm set of 5., Sleeve drill Morse No. 0 - 1, 1 - 2, 2 - 3, 3 - 4, 4 -5, Lapping plate Dia. -6", Drill gauges Letter drill gauge (A to Z),, Number drill gauge (1 to 60), Jigs & Fixture (sample)-For demonstration (May be manufactured in-house), Pulleys (for V-belt or Flat belt)to fit on 50mm dia. Shaft with key slot, Steel keys (May be manufactured in-house), Damaged old spur gearto fit 50mm dia. Shaft, V-belt to fit on pulley, Flat belt to fit on pulley, Packing gasket PTFE gasket roll small size, Washer, clutch, keys, jib, cotter &circlip , *Gauge snap Go and Not Go 25 to 50 mm by 5 mm, Set of 6 pieces, *Gauge plug Single ended 5 to 55 by 5mm. Set of 11 pcs., Adjustable pipe chain tonge to take pipes up to 300 mm, PRESSING TABLE, MACHINE ATTACHMENT-ZIPPER FOOT, MACHINE ATTACHMENT-TUCKER FOOT, MACHINE ATTACHMENT-HEM FOLDER, MACHINE ATTACHMENT-ZIG-ZAG FOOT, Conduit pipe cutting and threading machines adjustable for 15 mm to 30 mm., Multi meter 0-5, 100, 200, 500 milli-amperes 0-150, 300, 600 V AC/DC, Wheatstone Bridge , Autotransformer 250V / (0 300) V,10A, Solid State Solar Based Single Phase Energy Meter(Bidirectional) , Series Test Lamp 230V, 60W, Bar magnet , Small crimping tools (assorted) 10 - 100 mm (5 Nos.), Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm, Foot print Grip 250 mm, Earth Plate 60cm X 60cm X 3.15mm Copper Plate , Earth Electrode Secondary Cu Strip 20x5mm, Various Lamps with fittings Halogen Incandescent Lamp,, Various Lamps with fittings Fluorescent tube, Various Lamps with fittings HP mercury vapor Lamp,, Various Lamps with fittings High-pressure sodium Lamp, Various Lamps with fittings LED Lamps, All types of CFL lamp &LED sets 5 watt, 15 watt, 25watt, Bus bar with brackets 1 mtr each, LED lights 12V, DC, 5W, LED lights 6 V, DC, 5W, Field regulator 0 - 1000 ohmic, 2 Amps, D. C. series motor 3 H.P 250 V with 2 point starter , UPS with battery 500VA, 230V, e. A.C. Ceiling Fan and AC Table Fan 68 Watt, 230 V, DMX Controller , Rewinding Machine , Metal Rack 100cm x 150cm x 45 cm, Fire Extinguisher CO2 2 Kg
	Searched String: V Block 75 x 75 x 50 mm with Clamp (Hardened & Ground)

बिड विवरण/Bid Details	modular electrical enclosure switch board boxes for modular type accessories, Floor Drain Traps (V2), Portable Toilet
	Searched String: Resistance box 0 to 500 ohms Muffle/Box Furnace (V2), Resistors (V2), Toxic Gas Detector, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Signal Isolator **Searched String**: Resistance coils (2 ohms, 5ohms, 10 ohms, 100 ohms) Toxic Gas Detector, Resistors (V2), Respirable Dust Sampler as per IS 5182 **Searched String**: Battery eliminator Input: 240 volts Output: 4.5 -6 volts Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144 **Searched String**: Specific Gravity bottle 25 cc Specific Gravity Separator, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Urinometer-IS :4069, Relative Density Test, Isopropyl Alcohol (2 - Propanol), coat combat disruptive detachable lining, Amyl Alcohol as per IS: 360, Light Weight Web Equipment as per Defence Specification, Cloth, Disruptive Pattern, Uniform for VIP Security, GLACIAL ACETIC ACID **Searched String**: Inclined plane with pulley, pan, weights etc. Category not available on GeM for the text string uploaded by the buyer **Searched String**: Simple machines - Screw Jack with Accessories. Portable Gas Cutting Machine with Accessories as per IS 6901, IS 7653 **Searched String**: Calorimeter Calorimeter for laboratory **Searched String**: Thermocouple J, K, E, R, T, S types Tower Ladder (V2), RCC Guard stone Type B (Cement or concrete posts) **Searched String**: Digital Viscometer Viscometer, Digital Multimeter, Digital Timer, Digital Burette, true rms clamp meter, Digital Barometer, digital conductivity meter, Digital pH Meter, Digital Tachometer, Rotary Shaker **Searched String**: R.T.D. thermometer PT100 D-Biotin, T - Shirt Round Neck Disruptive Pattern (MHA), Digital Radiography Systems, Digital Medical Thermometer (V2), PT Uniform (T - Shirt Half Sleeve) (Defence), Speaker (V3), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), data wall display, Digital Multimeter, LED Based Information Display System

बिड विवरण/Bid Details	**Searched String**: Flash point apparatus Automatic Abel Flash Point Tester, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Cloud & Pour Point Apparatus, Softening Point Test Apparatus (Ring and Ball Apparatus), JAR TEST APPARATUS, Microcontroller Based Melting and Boiling Point Apparatus, LED Flash Light, Flash Sterilizer, Handheld Digital Infrared Thermometer, Portable Emergency LED Lighting Tower System with Battery Bank **Searched String**: Instrument for determining g instrument trolley for hospitals, Non Refrigerated Centrifuge for General Purpose and research, Aluminium Cup for XRF Instrument, Shirt Man's Angola (IAF), Instrument Trolley for Hospitals (V2), Tool Kit for Musical Instrument (Dholak) – Amroha - under ODOP Scheme of Govt. of Uttar Pradesh, Oto - Acoustic Emissions (Oae) Instrument For New Born Infant And Children (V2), LED Diving Torch Light (Diving Instruments or Accessories), Tripods for Surveying Instruments - Fixed Leg Type as per IS 8330, Refrigerated Centrifuge For General And Research Purpose **Searched String**: Redwood viscometer Viscometer **Searched String**: Sight glass level indicator Madeup of S.S. Phototherapy Machine for (SNCU), Water Level Indicator (Hydrological) **Searched String**: Reactor trainer with all controlling accessories. Riot Control Helmet with accessories (MHA), tent arctic camping and outdoor equipment **Searched String**: Solar panel with Battery 18 WATT 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Portable Emergency LED Lighting Tower System with Battery Bank, LED Batten with Battery / Invertor, White LED Based Solar Study Lamp as per MNRE Specifications, LED Signal Baton, P.F. Huts with PUF Panel (MHA) **Searched String**: DC Shunt Motor 2.5 KW, 220 V General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Electric Ceiling Fan (V4) ISI Marked to IS 374 **Searched String**: Universal Motor with starter/switch 240 V, 50 Hz, 1 HP Category not available on GeM for the text string uploaded by the buyer **Searched String**: A.C. Series type Motor 1 HP, 240 V, 50 Hz Frequency meter - Analog (Panel Meter), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Solar

बिड विवरण/Bid Details	Photovoltaic Water Pumping Systems (V2) as per MNRE Specification
	Searched String: Single Phase Capacitor Motor with starter switch Star Delta Motor Starter for Three Phase Induction Motors (V2), Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Reciprocating Saw, Humidifier (V2), Digital Grounding System with Equipment Protection **Searched String**: Manual Motor coil Winding Machine With step arbor Category not available on GeM for the text string uploaded by the buyer **Searched String**: Shaded Pole Motor Fractional HP, 240 V, 50 Hz Reciprocating Saw, Exercise Bike **Searched String**: Caliper hermaphrodite spring type 150 mm Binder Clips (V3) Conforming to IS 8231, Laboratory Desiccator (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1) **Searched String**: Universal scribing block. 220 mm Correspondence Envelopes (V3) Conforming to IS 13892, Examination Answer Books for Higher and Competitive Examinations (V4), Correspondence Envelopes (V3), Wax Candle as per IS 11359, Foot Rest, Hydraulically Regulated Door Closers ISI Marked to 3564, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Watt Meter - Analog (Panel Meter) as per IS 1248:2003 **Searched String**: Angle plate 150 X 150 X 250 mm Sheeting, Tickings and Bedsheets (V2) as per IS 175, Kidney Trays Conforming to IS 3992, Recycled Towel, Cotton Towelling And Towels Conforming To IS 7056 (V4), Parallel Bar - Outdoor Gym Equipment, Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Bed Sheets (V2) as per IS 745, Correspondence Envelopes (V3), Correspondence Envelopes (V3) Conforming to IS 13892, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854 **Searched String**: File triangular second cut. 200 mm Non Sparking Files (V2) as per IS 4595 and IS 1931, Insulated Pliers (V2) **Searched String**: File hand second cut. 150 mm Saw File as per IS 1931 **Searched String**: Hand Reamer set (Taper pin straight flute)Nominal Dia. 6, 8, 10, 12,16mm

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Machine Reamer parallel (Helical flute) 12 - 16mm set of 5. Category not available on GeM for the text string uploaded by the buyer **Searched String**: Sleeve drill Morse No. 0 - 1, 1 - 2, 2 - 3, 3 - 4, 4 -5 Sulphanilic Acid, shoes school pvc boys girls, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Patio Furniture Set-Handicraft (Bamboo), HDMI Switcher, Digital Light Meter, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Computer Aided Textile Designing Software **Searched String**: Lapping plate Dia. -6" Mycobacterium Tuberculosis-Specific Recombinant Antigens ESAT-6 and CFP-10 injection, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, ACETYLE ACETONE, modular electrical enclosure switch board boxes for modular type accessories, Laboratory Hot plate, Steel Plates for Structural and General Engineering Purposes (V2), Locking Compression Plates (V2), Steel Chequered Plates as per IS 3502 (Unit - Mass), Multiwell plates for tissue culture, Copper bearing structural Plate as per IS 2062 (Steel Plate) (UNIT - QUANTITY) **Searched String**: Drill gauges Letter drill gauge (A to Z), Trousers Drill White Bleached Conforming to Defence Specification **Searched String**: Number drill gauge (1 to 60) Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Cotton Towelling And Towels Conforming To IS 7056 (V4), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Dumbbell Rack (V3), LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), Cotton Towelling And Towels (V3) Conforming To IS 7056, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Computer Paper (V3) Conforming to IS 12766 (In Packet), Printing Maplitho Paper (V3) Conforming to IS 1848 (Part 1) **Searched String**: Jigs & Fixture (sample)-For demonstration (May be manufactured in-house) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Pulleys (for V-belt or Flat belt)to fit on 50mm dia. Shaft with key slot Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: Steel keys (May be manufactured in-house)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Silk Thread, Classroom Stools, Modular Table / Meeting Table / Centre Table (V2) **Searched String**: Damaged old spur gearto fit 50mm dia. Shaft Category not available on GeM for the text string uploaded by the buyer **Searched String**: V-belt to fit on pulley Endless V Belt for Industrial Purposes ISI marked to IS 2494 (Part 1), Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Spin Bike, Duel Adjustable Pulley, Exercise Bike, Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Tees (Increasing on the Branch) conforming to IS 1239 (Part 2), Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2) **Searched String**: Flat belt to fit on pulley Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Duel Adjustable Pulley, Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Tees (Increasing on the Branch) conforming to IS 1239 (Part 2), Tees, Reducing (on the Branch) conforming to IS 1239 (Part 2), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings) **Searched String**: Packing gasket PTFE gasket roll small size PTFE Non Metalic Gasket, Nitrile Coated/Nitrile Hand Gloves (V2), Gasket And Packings-Gland Packings Asbestos - IS 4687, Gasket and Packings - Compressed Asbestos Fibre Jointing as per IS 2712, Gaskets and Packings - Compressed Asbestos Fibre Jointing (V2) conforming to IS 2712, Gasket sealing Compound **Searched String**: Washer, clutch, keys, jib, cotter &circlip Category not available on GeM for the text string uploaded by the buyer **Searched String**: *Gauge snap Go and Not Go 25 to 50 mm by 5 mm, Set of 6 pieces Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wild - Life Cages, Cricket Stumps and Bails (V2) Conforming to IS 6621 **Searched String**: *Gauge plug Single ended 5 to 55 by 5mm. Set of 11 pcs. Non Sparking Double Open Ended Spanner (V2), Paper Punch Machine(V2), Non Sparking Double Ended Ring Spanner (V2) **Searched String**: Adjustable pipe chain tonge to take pipes up to 300 mm Unplsticized PVC Pipes for Water Supply conforming to IS 4985, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), UPVC Pipe Fittings For

बिड विवरण/Bid Details	Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Paper Punch Machine(V2), Polyethylene Pipes for Water Supply conforming to IS 4984, Pipe Clamps (V2), Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2) **Searched String**: PRESSING TABLE Coil Pressing Machine, Modular Table / Meeting Table / Centre Table (V2), FOOSBALL TABLE - SOCCER TABLE, Table - Tennis Table (V2), Executive Table (V4), Computer Table (V3), Reception Table, Composite Office Tables conforming to IS 8126 (V2), Dressing Table, Stainless Steel Dining Table With Fixed Chair **Searched String**: MACHINE ATTACHMENT-ZIPPER FOOT Club Foot CPM (V2), Sewing Machine as per IS 1610, Tractor Operated Rotavator (V2) **Searched String**: MACHINE ATTACHMENT-TUCKER FOOT Club Foot CPM (V2), Sewing Machine as per IS 1610, Tractor Operated Rotavator (V2) **Searched String**: MACHINE ATTACHMENT-HEM FOLDER Hemodialysis Machine, Haemodialysis Machine, Hemodialysis Machine Disinfectants (V2), CRRT Machine (V2), Hemodialysis Machine with SLED and HDF, Haemodialysis Machine with SLED / HDF, Tractor Operated Rotavator (V2), Hemodialysis Dialyzer Reprocessing System (V2) **Searched String**: MACHINE ATTACHMENT-ZIG-ZAG FOOT Household Zig - Zag Sewing Machine Head, Sewing Machine as per IS 1610, Household Zig-Zag Sewing Machine/Head (V2) ISI Marked to IS 15449 (Part 1), Club Foot CPM (V2), Tractor Operated Rotavator (V2) **Searched String**: Conduit pipe cutting and threading machines adjustable for 15 mm to 30 mm. Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Corrugated Boxes, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plug Cocks for Water Supply Purposes conforming to IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Resorbable Collagen Membrane for Orthopedic and Dental Surgeries, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: Multi meter 0-5, 100, 200, 500 milli-amperes 0-150, 300, 600 V AC/DC

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Wheatstone Bridge Bridge Rectifiers, Electronic Weigh Bridge (Without Civil Work), Wireless Bridge, Meter Bridge, Outdoor Wireless Bridge, Crown and bridge preparation kit, Bridge Plug Socket Head Screw-IS:2269, Sounding and Suspension Equipment as per IS 6064, 5 Axis CNC Double Column Vertical Machining Centre / Gantry Type Machining Centre, Trackside Indicator Boards and Signages as per IRICEN Manual **Searched String**: Autotransformer 250V / (0 300) V,10A Cotton Towelling And Towels Conforming To IS 7056 (V4), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Digital pH Meter, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Online UPS (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Shaping Machine, Analog-Digital Circuits Development Platform **Searched String**: Solid State Solar Based Single Phase Energy Meter(Bidirectional) AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2) **Searched String**: Series Test Lamp 230V, 60W Hand Held Slit Lamp - RBSK, Cotton Towelling And Towels Conforming To IS 7056 (V4), Tubular Fluorescent Lamps Conforming To IS 2418, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Exercise Bike, Rechargeable LED Bulb (V2), LED Based Indicating Lamp for Panel Cut Outs, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications **Searched String**: Bar magnet Magnetic Stirring Bar, Dry Erase Writing Boards (V3), Magnet Door Catcher, Electric Cars (V4), Magnetic Stirring Bar (V2), magnetic stirrers, Bar Counter, Cloth Dryer Stand, Solder Bar, Parallel Bar - Outdoor Gym Equipment **Searched String**: Small crimping tools (assorted) 10 - 100 mm (5 Nos.) Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: Set of Wall jumper octagonal 37mm X 450mm and 37 X 600mm Dry Erase Writing Boards (V3), Corrugated Boxes, Pin Up

बिड विवरण/Bid Details	Notice Board (V2), Cast Iron Bench, Computer Paper (V3) Conforming to IS 12766 (In Packet), Combination Board (V2), Labels Stickers (V3), Correspondence Envelopes (V3), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Multipurpose or General Test Tubes (V2) as per IS 2618 **Searched String**: Foot print Grip 250 mm Speed Breaker (V2), Plastic Grip Seal, Foot Steps For Hospital/Clinic and Domestic Purposes, Foot Rest, Correspondence Envelopes (V3) Conforming to IS 13892, Computer Paper (V3) Conforming to IS 12766 (In Packet), Correspondence Envelopes (V3), Shallow Sterilizer (Dressing Drum), Roti Making Machine, Information Boards or Illustration Board (V2) **Searched String**: Earth Plate 60cm X 60cm X 3.15mm Copper Plate Gamjee Rolls / Pads (V2), Decorative Mats - Mat Door Coir, Crepe Bandage Conforming to IS 4605, Corrugated Boxes, Computer Paper (V3) Conforming to IS 12766 (In Packet), Plaster of Paris Bandage Conforming to IS 4738, File/Folder (V3), Open Weave Bandage, Elastic Bandage Conforming to IS 16111, Computer Paper (V3) Conforming to IS 12766 **Searched String**: Earth Electrode Secondary Cu Strip 20x5mm Category not available on GeM for the text string uploaded by the buyer **Searched String**: Various Lamps with fittings Halogen Incandescent Lamp, Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, White LED Based Solar Study Lamp as per MNRE Specifications, Airfield Runway Lighting Lamps, Hand Held Slit Lamp - RBSK, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Hand Lamp, Projector Lamps, Tubular Fluorescent Lamps Conforming To IS 2418, Digital Photo Slit Lamp with Applanation Tonometer (V2), Digital Photo Slit Lamp with Applanation Tonometer **Searched String**: Various Lamps with fittings Fluorescent tube Fitness Tube, Tubular Fluorescent Lamps Conforming To IS 2418 **Searched String**: Various Lamps with fittings HP mercury vapor Lamp, High Pressure Mercury Vapour Lamps Conforming To IS 9900 **Searched String**: Various Lamps with fittings High-pressure sodium Lamp High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, High Pressure Mercury Vapour Lamps Conforming To IS 9900, Ballasts For Discharge Lamps Conforming To IS 15882 **Searched String**: Various Lamps with fittings LED Lamps

बिड विवरण/Bid Details	Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Projector Lamps, LED Machine Work Lamp, LED Portable Miner's Cordless Cap Lamp (V2), Hand Lamp, Electric Motorized Treadmill (V3), White LED Based Solar Study Lamp as per MNRE Specifications, Tubular Fluorescent Lamps Conforming To IS 2418 **Searched String**: All types of CFL lamp &LED sets 5 watt, 15 watt, 25watt Hand Held Search Light, Hand Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Bus bar with brackets 1 mtr each Weightlifting Equipment – Bars / Plates / Collars (V2), Auditorium Chair (V2), Modular Toilet, Sticky Notes (V2), P.F. Huts with PUF Panel (MHA) **Searched String**: LED lights 12V, DC, 5W LED Batten, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), LED Light Bar (Strobe or warning lights), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery, Hand Held Search Light, LED Batten Light (LED Tube Light) (V2) **Searched String**: LED lights 6 V, DC, 5W White LED (W - LED) Based Solar Home Lighting Systems (V2), Hand Held Search Light, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Batten Light (LED Tube Light) (V2), LED Flash Light, Portable Emergency LED Lighting Tower System with Battery Bank, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Television (V3), High Mast Lighting Tower for large area with LED Flood Lighting System **Searched String**: Field regulator 0 - 1000 ohmic, 2 Amps Electronic Weighing Scales, Muffle/Box Furnace (V2), Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549 **Searched String**: D. C. series motor 3 H.P 250 V with 2 point starter Category not available on GeM for the text string uploaded by the buyer **Searched String**: UPS with battery 500VA, 230V Online UPS (>10 KVA) With Battery, Online UPS (≤10 KVA)

बिड विवरण/Bid Details	With Battery Conforming To IS 16242 (Part 1), Online UPS (>10 KVA) Without Battery, Online UPS (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Line Interactive UPS with AVR (V2), Stationary Lead-Acid Cells and Batteries with Plante Positive Plates Conforming To IS 1652, Pin Up Notice Board (V2), LED Batten with Battery / Invertor **Searched String**: e. A.C. Ceiling Fan and AC Table Fan 68 Watt, 230 V Category not available on GeM for the text string uploaded by the buyer **Searched String**: DMX Controller Wireless Controller, magnetic stirrers, PID Controller, Programmable Logic Controller Trainer Kit, Temperature Controller, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Motorized Pipette Controller, Controller for Global Navigation Satellite System (GNSS), Temperature humidity controller, Diesel Power Generator (up to 900 KVA) **Searched String**: Rewinding Machine Milking Machine, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Shaping Machine, Lathe Machine as per IS 6893:1988, Honing Machine, Scrubber Dryer Floor Cleaning Machine (V2), Embroidery Machine, Roti Making Machine, Knitting Machine, Sanitary Napkins Vending Machines **Searched String**: Metal Rack 100cm x 150cm x 45 cm File/Folder (V3), Disposable Single Use Towels, Cotton Towelling And Towels Conforming To IS 7056 (V4), Towel Hand Cotton Turkish (IAF), Cotton Towelling And Towels (V3) Conforming To IS 7056, Cotton Pillow, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Plain Gauze Swab **Searched String**: Fire Extinguisher CO2 2 Kg Manual Aerosol Fire - Extinguisher, Sofa (V3), Movable Fire Extinguisher Stand, Watermist and Caf Fire Extinguisher High Pressure Backpack Type (V3), Desk and Bench Set for Classroom/Training Area, Wall Mounted Automatic Fire Extinguisher, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Watermist and Caf Fire Extinguisher Low Pressure Back Pack Type (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Flameproof LED Emergency Light
बीओक्यू शीर्षक /**BOQ Title**	4250 TOOLS AND EQUIPMENTS AS PER ITI SYLLABUS STANDARDS

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Battery eliminator Input
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	398308
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	700	V Block 75 X 75 X 50 Mm With Clamp Hardened And Ground	1
Schedule 2	2400	Resistance Box 0 To 500 Ohms	2
Schedule 3	1400	Resistance Coils	2
Schedule 4	5600	Battery Eliminator Input	2
Schedule 5	600	Specific Gravity Bottle	2
Schedule 6	7500	Inclined Plane With Pulley Pan Weights Etc	1
Schedule 7	10000	Simple Machines Screw Jack With Accessories	1
Schedule 8	4700	Calorimeter For Determining Joules Mechanical Equivalent Of Heat By Electric Method	1
Schedule 9	1000	Thermocouple J K E R T S Types	1
Schedule 10	15000	Digital Viscometer Led Display Lcd Measurement Range In Mpa S Cp With 4 Spindles 6 12 30 60 Rotor Speed Rpm Provided With Rs 232 C Interface	1
Schedule 11	798	R T D Thermometer Pt100	1
Schedule 12	10000	Flash Point Apparatus This Apparatus Is Made As Per Ip 34 Astmd 93 And Is 1448 Part I 1270 P 21 And Is 1209 1953 Method B Ready To Use	1
Schedule 13	850	Instrument For Determining G Simple Pendulum	1
Schedule 14	20000	Redwood Viscometer	1
Schedule 15	6000	Sight Glass Level Indicator Madeup Of S S Tank With Sightglass Scale Drain Valve	1
Schedule 16	18000	Reactor Trainer With All Controlling Accessories	1
Schedule 17	7800	Solar Panel With Battery 18 Watt	2
Schedule 18	2200	Dc Shunt Motor 2 5 Kw 220 V	1
Schedule 19	15000	Universal Motor With Starter Switch 240 V 50 Hz 1 Hp	1
Schedule 20	2400	A C Series Type Motor 1 Hp 240 V 50 Hz	1
Schedule 21	13000	Single Phase Capacitor Motor With Starter Switch 1 Hp 240 V 50 Hz	1
Schedule 22	4600	Manual Motor Coil Winding Machine With Step Arbor	1
Schedule 23	9900	Shaded Pole Motor Fractional Hp 240 V 50 Hz	1
Schedule 24	1980	Caliper Hermaphrodite Spring Type 150 Mm	18
Schedule 25	200	Universal Scribing Block 220 Mm	1
Schedule 26	3500	Angle Plate 150 X 150 X 250 Mm	1
Schedule 27	550	File Triangular Second Cut 200 Mm	1
Schedule 28	320	File Hand Second Cut 150 Mm	1
Schedule 29	15000	Hand Reamer Set Taper Pin Straight Flute Nominal Dia 6 8 10 12 16mm	1

Schedule 30	15000	Machine Reamer Parallel Helical Flute 12 To 16mm Set Of 5	1
Schedule 31	2500	Sleeve Drill Morse No 0 To 1 1 To 2 2 To 3 3 To 4 4 To 5	1
Schedule 32	1400	Lapping Plate Dia 6 Inch	2
Schedule 33	9000	Drill Gauges Letter Drill Gauge A To Z	2
Schedule 34	5000	Number Drill Gauge 1 To 60	2
Schedule 35	7500	Jigs And Fixture Sample For Demonstration May Be Manufactured In House	1
Schedule 36	6500	Pulleys For V Belt Or Flat Belt To Fit On 50mm Dia Shaft With Key Slot	1
Schedule 37	100	Steel Keys May Be Manufactured In House To Fit With Key Slot Of Shaft And Pulley	2
Schedule 38	1000	Damaged Old Spur Gearto Fit 50mm Dia Shaft	2
Schedule 39	500	V Belt To Fit On Pulley	1
Schedule 40	600	Flat Belt To Fit On Pulley	1
Schedule 41	1100	Packing Gasket Ptfe Gasket Roll Small Size	1
Schedule 42	1600	Washer Clutch Keys Jib Cotter And Circlip Minimum 25mm Size Carbon Steel Material	2
Schedule 43	5000	Gauge Snap Go And Not Go 25 To 50 Mm By 5 Mm Set Of 6 Pieces	1
Schedule 44	2300	Gauge Plug Single Ended 5 To 55 By 5mm Set Of 11 Pcs	1
Schedule 45	4500	Adjustable Pipe Chain Tonge To Take Pipes Up To 300 Mm	1
Schedule 46	3600	Pressing Table	2
Schedule 47	2000	Machine Attachment Zipper Foot	4
Schedule 48	2000	Machine Attachment Tucker Foot	4
Schedule 49	2000	Machine Attachment Hem Folder	4
Schedule 50	2000	Machine Attachment Zig Zag Foot	4
Schedule 51	12000	Conduit Pipe Cutting And Threading Machines Adjustable For 15 Mm To 30 Mm	1
Schedule 52	4800	Multi Meter 0 To 5 100 200 500 Milli Amperes 0 To 150 300 600 V Ac Dc	3
Schedule 53	1800	Wheatstone Bridge	1
Schedule 54	19000	Autotransformer 250v 0 To 300 V 10a	2
Schedule 55	1200	Solid State Solar Based Single Phase Energy Meter Bidirectional 5 To 30 Amps 240 Volts	1
Schedule 56	80	Series Test Lamp 230v 60w	4
Schedule 57	50	Bar Magnet	1
Schedule 58	8000	Small Crimping Tools Assorted 10 To 100 Mm 5 Nos	1
Schedule 59	2000	Set Of Wall Jumper Octagonal 37mm X 450mm And 37 X 600mm	4
Schedule 60	700	Foot Print Grip 250 Mm	2
Schedule 61	15000	Earth Plate 60cm X 60cm X 3 15mm Copper Plate	1

Schedule 62	1100	Earth Electrode Secondary Cu Strip 20x5mm	1
Schedule 63	580	Various Lamps With Fittings Halogen Incandescent Lamp	1
Schedule 64	1200	Various Lamps With Fittings Fluorescent Tube	1
Schedule 65	1200	Various Lamps With Fittings Hp Mercury Vapor Lamp	1
Schedule 66	1200	Various Lamps With Fittings High Pressure Sodium Lamp	1
Schedule 67	100	Various Lamps With Fittings Led Lamps	1
Schedule 68	3000	All Types Of Cfl Lamp And Led Sets 5 Watt 15 Watt 25watt	3
Schedule 69	18000	Bus Bar With Brackets 1 Mtr Each	3
Schedule 70	300	Led Lights 12v Dc 5w	1
Schedule 71	150	Led Lights 6 V Dc 5w	1
Schedule 72	750	Field Regulator 0 To 1000 Ohmic 2 Amps	1
Schedule 73	15000	D C Series Motor 3 H P 250 V With 2 Point Starter And Speed Regulator Laboratory Type	1
Schedule 74	3200	Ups With Battery 500va 230v	1
Schedule 75	3200	E A C Ceiling Fan And Ac Table Fan 68 Watt 230 V	1
Schedule 76	9500	Dmx Controller	1
Schedule 77	4600	Rewinding Machine	1
Schedule 78	10400	Metal Rack 100cm X 150cm X 45 Cm	4
Schedule 79	4000	Fire Extinguisher Co2 2 Kg	2

V Block 75 X 75 X 50 Mm With Clamp Hardened And Ground

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Resistance Box 0 To 500 Ohms

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Resistance Coils

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Battery Eliminator Input

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Specific Gravity Bottle

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Inclined Plane With Pulley Pan Weights Etc

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Simple Machines Screw Jack With Accessories

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Calorimeter For Determining Joules Mechanical Equivalent Of Heat By Electric Method

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Thermocouple J K E R T S Types

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Digital Viscometer LED Display LCD Measurement Range In Mpa S Cp With 4 Spindles 6 12 30 60 Rotor Speed Rpm Provided With RS 232 C Interface

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

R T D Thermometer PT100

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Flash Point Apparatus This Apparatus Is Made As Per IP 34 ASTMD 93 And IS 1448 Part I 1270 P 21 And IS 1209 1953 Method B Ready To Use

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Instrument For Determining G Simple Pendulum

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Redwood Viscometer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Sight Glass Level Indicator Madeup Of S S Tank With Sightglass Scale Drain Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Reactor Trainer With All Controlling Accessories

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Solar Panel With Battery 18 WATT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

DC Shunt Motor 2 5 KW 220 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Universal Motor With Starter Switch 240 V 50 Hz 1 HP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

A C Series Type Motor 1 HP 240 V 50 Hz

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Single Phase Capacitor Motor With Starter Switch 1 HP 240 V 50 Hz

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Manual Motor Coil Winding Machine With Step Arbor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Shaded Pole Motor Fractional HP 240 V 50 Hz

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Caliper Hermaphrodite Spring Type 150 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	18	15

Universal Scribing Block 220 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Angle Plate 150 X 150 X 250 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

File Triangular Second Cut 200 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

File Hand Second Cut 150 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Hand Reamer Set Taper Pin Straight Flute Nominal Dia 6 8 10 12 16mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Machine Reamer Parallel Helical Flute 12 To 16mm Set Of 5

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Sleeve Drill Morse No 0 To 1 1 To 2 2 To 3 3 To 4 4 To 5

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Lapping Plate Dia 6 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Drill Gauges Letter Drill Gauge A To Z

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Number Drill Gauge 1 To 60

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Jigs And Fixture Sample For Demonstration May Be Manufactured In House

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Pulleys For V Belt Or Flat Belt To Fit On 50mm Dia Shaft With Key Slot

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Steel Keys May Be Manufactured In House To Fit With Key Slot Of Shaft And Pulley

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Damaged Old Spur Gearto Fit 50mm Dia Shaft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

V Belt To Fit On Pulley

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Flat Belt To Fit On Pulley

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Packing Gasket PTFE Gasket Roll Small Size

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Washer Clutch Keys Jib Cotter And Circlip Minimum 25mm Size Carbon Steel Material

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Gauge Snap Go And Not Go 25 To 50 Mm By 5 Mm Set Of 6 Pieces

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Gauge Plug Single Ended 5 To 55 By 5mm Set Of 11 Pcs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Adjustable Pipe Chain Tonge To Take Pipes Up To 300 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

PRESSING TABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

MACHINE ATTACHMENT ZIPPER FOOT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

MACHINE ATTACHMENT TUCKER FOOT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

MACHINE ATTACHMENT HEM FOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

MACHINE ATTACHMENT ZIG ZAG FOOT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

Conduit Pipe Cutting And Threading Machines Adjustable For 15 Mm To 30 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Multi Meter 0 To 5 100 200 500 Milli Amperes 0 To 150 300 600 V AC DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	3	15

Wheatstone Bridge

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Autotransformer 250V 0 To 300 V 10A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Solid State Solar Based Single Phase Energy Meter Bidirectional 5 To 30 Amps 240 Volts

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Series Test Lamp 230V 60W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

Bar Magnet

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Small Crimping Tools Assorted 10 To 100 Mm 5 Nos

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Set Of Wall Jumper Octagonal 37mm X 450mm And 37 X 600mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

Foot Print Grip 250 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

Earth Plate 60cm X 60cm X 3 15mm Copper Plate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Earth Electrode Secondary Cu Strip 20x5mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Various Lamps With Fittings Halogen Incandescent Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Various Lamps With Fittings Fluorescent Tube

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Various Lamps With Fittings HP Mercury Vapor Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Various Lamps With Fittings High Pressure Sodium Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Various Lamps With Fittings LED Lamps

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

All Types Of CFL Lamp And LED Sets 5 Watt 15 Watt 25watt

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	3	15

Bus Bar With Brackets 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	3	15

LED Lights 12V DC 5W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

LED Lights 6 V DC 5W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Field Regulator 0 To 1000 Ohmic 2 Amps

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

D C Series Motor 3 H P 250 V With 2 Point Starter And Speed Regulator Laboratory Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

UPS With Battery 500VA 230V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

E A C Ceiling Fan And AC Table Fan 68 Watt 230 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

DMX Controller

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Rewinding Machine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	1	15

Metal Rack 100cm X 150cm X 45 Cm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	4	15

Fire Extinguisher CO2 2 Kg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Nehalkumari Chunilal	396191,GOVT. INDUSTRIAL TRAINING INSTITUTE, VAPI, AT & Post: VATAR, Opposite-66KV GETCO Substation, Vatar - Daman Road Near Vapi public school, TA-Vapi, Dist-Valsad Pincode:396191	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the

additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   The bidder shall submit an Earnest Money Deposit (EMD) for this bid in the form of a Demand Draft (DD) dr awn in favour of

   “Principal ITI Bhilad”

   Bidders may participate in one or more items. EMD shall be considered only for the item(s) for which the r equired EMD has been submitted.

   (Note:- The bidder may participate in one or more items under this bid. The bidder shall submit one DD to wards EMD covering all the item(s) in which the bidder participates. Separate DDs for each item are not re quired.

   The bidder shall clearly mention the Item No./Item Name for which the bidder is participating and submit th e EMD DD accordingly. The submitted DD shall be valid for all the participating items.)

   2. The bidder must have a minimum average annual turnover of ₹8,00,000/- (Rupees two Lakh Only) durin g the last three financial years. Documentary evidence in support of the above turnover requirement must be submitted by bidder.

   3. The bidder shall upload the duly signed and stamped copy of the Bid Specification Document and the Bu yer-Uploaded ATC (Additional Terms and Conditions) Document along with the bid.

   .

3. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

4. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   principal iti bhilad
   payable at
   principal iti vapi
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

   principal iti bhilad
   . The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

6. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

7. **Rate Contract**

Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---