बिड संख्या/Bid Number: GEM/2026/B/8148859

दिनांक /Dated: 04-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	25-11-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	26-11-2026 18:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Housing & Urban Affairs (mohua)
विभाग का नाम/Department Name	Ministry Of Housing And Urban Affairs
संगठन का नाम/Organisation Name	Delhi Metro Rail Corporation Limited
कार्यालय का नाम/Office Name	Delhi Metro Rail Corporation Limited
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :sp.dhasmana.dmrc@nic.in Buyer Email id: bycon3.dmrc.newdelhi@gembuyer.in
कुल मात्रा/Total Quantity	10694
वस्तु श्रेणी /Item Category	LED TUBE LIGHT 20 WATTS T8 1200 MM, As per specification , Wall Angle mounted 70 W LED flood light, As per specification , LED Tunnel Light, BWP 120 or Equivalent, As per specification , LED Flood Lights 80-100W, As per specification , Pole Light 36-42 W, As per specification , Green Bay 120-150 W, As per specification , SQUARE LIGHT 30-40W, As per specification , Rectangular recessed LED 30-36 W, As per specification , Pole mounts 75 Watt LED light, As per specification , Surface and Suspended mounting 36 W, As per specification , LED Flood Lights 120-150W, As per specification
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	LED TUBE LIGHT 20 WATTS T8/1200 MM, As per specification, Wall/Angle mounted 70 W LED flood light, As per specification, LED Tunnel Light, BWP 120 or Equivalent, As per specification, LED Flood Lights 80-100W, As per specification, Pole Light 36-42 W, As per specification, Green Bay 120-150 W, As per specification , SQUARE LIGHT 30-40W, As per specification, Rectangular recessed LED 30-36 W, As per specification, Pole mounts 75 Watt LED light, As per specification, Surface and Suspended mounting 36 W, As per specification, LED Flood Lights 120-150W, As per specification
	Searched String: LED TUBE LIGHT 20 WATTS T8/1200 MM, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, LED Batten Light (LED Tube Light) (V2), 7 Watt White-LED Based Solar Street Lighting System As Per

बिड विवरण/Bid Details	MNRE Specification, LED Tube Light (Retrofit Type), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Flaps for Automotive Vehicles Pneumatic Tyres and Tubes as per IS 9168 (Latest), Equipment Camouflage Nets (Jute) as per Defence Specification, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Steel Tubes used for Water Wells (V2) as per IS 4270, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2) **Searched String**: Wall/Angle mounted 70 W LED flood light, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Flood Light Luminaire suitable for HPSV Lamps **Searched String**: LED Tunnel Light, BWP 120 or Equivalent, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Tapered Bearings as per IS 12102 **Searched String**: LED Flood Lights 80-100W, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Light Weight Web Equipment as per Defence Specification, Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Sheet Barrack (Polyester Cotton) and Sheet Hospital (100% Cotton) (IAF), Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Purses And Handbags And Bags Rucksack 70 - 85 (Litre) as per MHA Specification, Flood Light Luminaire suitable for HPSV Lamps, Light Weight Ground Sheet (Tpo Coated) as per MHA specification **Searched String**: Pole Light 36-42 W, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, Light Weight Web Equipment as per Defence Specification, Anklet Web as per IAF specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Light Weight Ground Sheet (Tpo Coated) as per MHA specification, Pillow Covers Khadi, Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Flood Light Luminaire suitable for HPSV Lamps **Searched String**: Green Bay 120-150 W, As per specification Cap Comforter as per Defence Specification, White LED (W-LED) based Solar Lantern as per MNRE Specification, Anklet Web as per IAF specification, Button Cotton Unbreakable as per Defence Specification, Socks, Men's Wool (Defence), Light Weight Web Equipment as per Defence Specification,

बिड विवरण/Bid Details	Cloth, Disruptive Pattern, Uniform for VIP Security, Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	(MHA), Light Weight Ground Sheet (Tpo Coated) as per MHA specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification **Searched String**: SQUARE LIGHT 30-40W, As per specification Light Weight Web Equipment as per Defence Specification, Towel Hand Cotton Turkish (IAF), Light Weight Ground Sheet (Tpo Coated) as per MHA specification, High Alloy Creep Steel Round Bars (BHEL), Revolving Search Light As per MHA QRs, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, White LED (W-LED) based Solar Lantern as per MNRE Specification, Socks, Men's Wool (Defence), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Bomb Suit (V3) as per MHA specification **Searched String**: Rectangular recessed LED 30-36 W, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Anklet Web as per IAF specification, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, White LED Based Solar Study Lamp as per MNRE Specifications, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Pillow Covers Khadi, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656 **Searched String**: Pole mounts 75 Watt LED light, As per specification 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Pad Lock Various (As Per Defence Specification), White LED (W-LED) based Solar Lantern as per MNRE Specification, Light Weight Web Equipment as per Defence Specification, Light Weight Lumen Torchlight As per MHA Specifications, Light Weight Ground Sheet (Tpo Coated) as per MHA specification, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Equipment Camouflage Nets (Jute) as per Defence Specification, Purses And Handbags And Bags Rucksack 70 - 85 (Litre) as per MHA Specification **Searched String**: Surface and Suspended mounting 36 W, As per specification White LED (W-LED) based Solar Lantern as per MNRE Specification, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, parat and lid as per cqa specification, Anklet Web as per IAF specification, Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Hasps and Staples as per IS 363, Pillow Covers Khadi, Light Weight Web Equipment as per Defence Specification, Field Dress (Jacket and Trouser) (IAF)

बिड विवरण/Bid Details	**Searched String**: LED Flood Lights 120-150W, As per specification
	White LED (W-LED) based Solar Lantern as per MNRE Specification, Button Cotton Unbreakable as per Defence Specification, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Light Weight Web Equipment as per Defence Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Flood Light, Flame Proof (V2), Flood Light Luminaire suitable for HPSV Lamps, Light Weight Ground Sheet (Tpo Coated) as per MHA specification, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• LED Batten Light (LED Tube Light) (V2)
बीओक्यू शीर्षक /BOQ Title	supply of LEDs
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	81.26 Lakh (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	LED TUBE LIGHT 20 WATTS T8 1200 MM, As per specification
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	17120
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	139080
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	116560
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	13440
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	19460
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	61370
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	57120
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	15390
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	17380
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	17430
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	67400

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	66

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
Delhi Metro Rail Corporation Ltd.
Ministry of Housing & Urban Affairs (MoHUA)
(Delhi Metro Rail Corporation)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई के लिए आरक्षित / Reserved for Make In India products

एमआईआई के लिए आरक्षित / Reserved for Make In India products	Yes

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time

to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee/Reporting Officer	Consignee Address	Quantity
Schedule 1	Led Tube Light 20 Watts T8 1200 Mm, As Per Specification	Saurabh Trivedi	Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053 110053	255
	Led Tube Light 20 Watts T8 1200 Mm, As Per Specification	Geeta Bahuguna	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	950
	Led Tube Light 20 Watts T8 1200 Mm, As Per Specification	Narendra Bharti	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	113
	Led Tube Light 20 Watts T8 1200 Mm, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	1000

	Led Tube Light 20 Watts T8 1200 Mm, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	1589
Schedule 2	Wall Angle Mounted 70 W Led Flood Light, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	23
	Wall Angle Mounted 70 W Led Flood Light, As Per Specification	Narendra Bharti	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	23
	Wall Angle Mounted 70 W Led Flood Light, As Per Specification	Varun Dev Singh	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	201
	Wall Angle Mounted 70 W Led Flood Light, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	474
	Wall Angle Mounted 70 W Led Flood Light, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	203
	Wall Angle Mounted 70 W Led Flood Light, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	255
Schedule 3	Led Tunnel Light, Bwp 120 Or Equivalent, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	800
	Led Tunnel Light, Bwp 120 Or Equivalent, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	51
Schedule 4	Led Flood Lights 80-100w, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	215
	Led Flood Lights 80-100w, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	113
	Led Flood Lights 80-100w, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	198
Schedule 5	Pole Light 36-42 W, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	100
	Pole Light 36-42 W, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	219
Schedule 6	Green Bay 120-150 W, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	90
	Green Bay 120-150 W, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	113
	Green Bay 120-150 W, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	113

Schedule 7	Square Light 30-40w, As Per Specification	Geeta Bahuguna	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	1137
	Square Light 30-40w, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	285
	Square Light 30-40w, As Per Specification	Narendra Bharti	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	10
Schedule 8	Rectangular Recessed Led 30-36 W, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	338
	Rectangular Recessed Led 30-36 W, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	90
Schedule 9	Pole Mounts 75 Watt Led Light, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	282
	Pole Mounts 75 Watt Led Light, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	380
	Pole Mounts 75 Watt Led Light, As Per Specification	Varun Dev Singh	DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041 110041	158
	Pole Mounts 75 Watt Led Light, As Per Specification	Geeta Bahuguna	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	135
Schedule 10	Surface And Suspended Mounting 36 W, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	113
	Surface And Suspended Mounting 36 W, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	39
	Surface And Suspended Mounting 36 W, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	254
Schedule 11	Led Flood Lights 120-150w, As Per Specification	Narendra Bharti	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	6
	Led Flood Lights 120-150w, As Per Specification	Geeta Bahuguna	KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054 110054	23
	Led Flood Lights 120-150w, As Per Specification	Narendra Bharti	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	57
	Led Flood Lights 120-150w, As Per Specification	Pawan Kumar Bargoda	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	113
	Led Flood Lights 120-150w, As Per Specification	Vivekanand	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	90

	Led Flood Lights 120-150w, As Per Specification	Pradeep Kumar Meena	NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B 121001	86

LED TUBE LIGHT 20 WATTS T8 1200 MM, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Saurabh Trivedi	110053,Shastri Park Train Depot, DMRC, East Approach Road, Delhi 110053	255	120

LED TUBE LIGHT 20 WATTS T8 1200 MM, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Geeta Bahuguna	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	950	120

LED TUBE LIGHT 20 WATTS T8 1200 MM, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Narendra Bharti	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	113	120

LED TUBE LIGHT 20 WATTS T8 1200 MM, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	1000	120

LED TUBE LIGHT 20 WATTS T8 1200 MM, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	1589	120

Wall Angle Mounted 70 W LED Flood Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	23	120

Wall Angle Mounted 70 W LED Flood Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Narendra Bharti	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	23	120

Wall Angle Mounted 70 W LED Flood Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Varun Dev Singh	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	201	120

Wall Angle Mounted 70 W LED Flood Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	474	120

Wall Angle Mounted 70 W LED Flood Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	203	120

Wall Angle Mounted 70 W LED Flood Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	255	120

LED Tunnel Light, BWP 120 Or Equivalent, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	800	120

LED Tunnel Light, BWP 120 Or Equivalent, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	51	120

LED Flood Lights 80-100W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	215	120

LED Flood Lights 80-100W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	113	120

LED Flood Lights 80-100W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	198	120

Pole Light 36-42 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	100	120

Pole Light 36-42 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	219	120

Green Bay 120-150 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	90	120

Green Bay 120-150 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	113	120

Green Bay 120-150 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	113	120

SQUARE LIGHT 30-40W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Geeta Bahuguna	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	1137	120

SQUARE LIGHT 30-40W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	285	120

SQUARE LIGHT 30-40W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Narendra Bharti	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	10	120

Rectangular Recessed LED 30-36 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	338	120

Rectangular Recessed LED 30-36 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	90	120

Pole Mounts 75 Watt LED Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	282	120

Pole Mounts 75 Watt LED Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	380	120

Pole Mounts 75 Watt LED Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Varun Dev Singh	110041,DMRC TRAIN MAINTENANCE DEPOT, NEAR MUNDKA INDUSTRIAL AREA (MIA) METRO STATION, MUNDKA, NEW DELHI- 110041	158	120

Pole Mounts 75 Watt LED Light, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Geeta Bahuguna	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	135	120

Surface And Suspended Mounting 36 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	113	120

Surface And Suspended Mounting 36 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	39	120

Surface And Suspended Mounting 36 W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	254	120

LED Flood Lights 120-150W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Narendra Bharti	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	6	120

LED Flood Lights 120-150W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Geeta Bahuguna	110054,KHYBER PASS TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., DCOS BUILDING, NEAR BD ESTATE, TIMARPUR, DELHI 110054	23	120

LED Flood Lights 120-150W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Narendra Bharti	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	57	120

LED Flood Lights 120-150W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pawan Kumar Bargoda	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	113	120

LED Flood Lights 120-150W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vivekanand	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	90	120

LED Flood Lights 120-150W, As Per Specification

(Minimum 60% Local Content required for qualifying as Class 1 Local Supplier)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Pradeep Kumar Meena	121001,NEAR NEELAM CHOWK AJRONDA METRO STATION, SECTOR-20 B	86	120

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1. Loading/Unloading of the material at various depots of the DMRC shall be in the scope of supplier.

   2. Warranty :

   a) The bidder shall submit a declaration along with the bid confirming that the OEM/wholly owned Indian subsidiary shall provide the warranty certificate at the time of supply.

   b) Warranty shall be shall be 05 Years for Schedule 01,02,03, & 09.

   For Schedule 04 to 08, 10 & 11, warranty shall be 18 months from the date of supply or 12 months from the date of installation whichever earlier.

   3. The firm has to mention the Make & Model of the offered products clearly in their offer.

   4. Make/Brand of the offered product must be same as mentioned in the attached list of approved makes also available on DMRC Official Website (https://delhimetrorail.com/pages/en/approved-manufacturers-lists). Any other Make/Brand offered by the bidder shall be summarily rejected.

   5. If authorized channel partner is submitting the offer on behalf of OEM, Bid Specific OEM authorization certificate is mandatorily required, failing which offer shall be summarily rejected.

   6. <u>Deviations:</u>

   a) All deviations, comments and exceptions shall be furnished exclusively in Annexure-A (Statement of Deviations).

   b) Any deviation, qualification or condition mentioned elsewhere in the bid shall be treated as null and void and deemed to have been withdrawn.

   c) If Annexure-A is not submitted, the bid shall be evaluated on the basis of Nil Deviations.

   d) Deviations affecting the tender conditions, specifications or scope of supply may render the offer liable for rejection.

   7. EMD is to be submitted only through RTGS/NEFT/Internet Banking. EMD in the form of BG /DD/Banker's Cheque/FDR shall not be accepted. Forms of EMD and PBG: Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name Delhi Metro Rail Corporation Account No. 352 8 1970524 IFSC Code SBIN0000691 Bank Name State Bank of India Branch address 11, Sansad Marg, New Delhi-110001.

   8. Bidders offer shall be liable to be rejected if they don't upload any of the certificates/documents sought in the bid documents, ATC and corrigendum (if any).

9. Detailed Technical specifications are uploaded in the Buyer Uploaded ATC Document. Evaluation of offers shall be done accordingly.

10. Simultaneous Participation : In the tender, either the OEM/ its wholly owned Indian subsidiary or its authorized channel partner(s) can be considered as valid bidders. In case where the OEM / its wholly owned Indian subsidiary has submitted bid, bid(s) of authorized channel partner(s) will not be considered.

Where the bid is submitted by an authorized channel partner, a bid-specific authorization certificate issued by the OEM or its wholly owned Indian subsidiary shall be submitted along with the bid, failing which the bid shall be summarily rejected.

11. Relaxation in Eligibility Criteria norms for offers from Micro and Small Enterprises: In case of offers from Micro and Small Enterprises (Manufacturer of the offered products) ,the value/financial limits applicable for Eligibility criteria for work experience for bulk ordering and Eligibility criteria for Average Annual Turnover for bulk ordering shall be 75% of the corresponding values for these criteria (subject to their offer meeting of quality and technical specifications).

12. The bidders shall be required to submit the declaration regarding the percentage of local content in the offered product from OEM duly indicating the location of value addition along with the offer as per Public Procurement (Preference to Make in India), Order 2017 dated 19th July, 2024 (as amended from time to time) failing which the offer shall be summarily rejected. However, at the time of execution of the contract, for all contracts above ₹ 10 Crore, the seller / service provider shall be required to give local content certification duly certified b y cost / chartered accountant in practice. For cases where it is not possible to provide certification by cost / chartered accountant at the time of execution of contract, the seller / service provider shall be permitted to provide the certificate for local content from cost / chartered accountant after completion of the contract, within time limit acceptable to the Buyer.

i) In case Seller / Service Provider does not meet the stipulated local content requirement and the category of the Seller/ Service Provider changes from Class-I to Class-II / Non local supplier or from Class-II to Non-local supplier, a penalty upto 10% of the contract value may be imposed. However, contract once awarded s hall not be terminated on this account.

ii) False declaration(s) regarding percentage of local content in line with Public Procurement (Preference to Make in India), Order 2017 dated 19th July, 2024 (as amended from time to time) by Sellers/ Service Providers will be treated as breach of the Code of Integrity under Rule 175(1)(i)(h) of General Financial Rules for which the Sellers /Service Providers or its successors can be debarred for up to two years as per Rule 151(iii) of General Financial Rules along with such actions as may be permissible under law.

iii) Decisions on complaints, including prescribed fees, relating to implementation of Public Procurement (Preference to Make in India), Order 2017 (as amended from time to time) will be taken by Competent Authority empowered to look into procurement related complaints relating to procuring entity.

Bidders are required to submit a declaration regarding the percentage of local content of the offered products from the OEM. Failing which their offer shall be considered with 0% (Nil) local content for further evaluation.

Proforma for the Statement of the Local Content

S.N.	Activity/Component/Stage/ Service	Details of the locations at which the local value addition is made	% Local Content

13. Tenderer not submitting the requisite information may note that his offer is liable to be ignore

d. In case the tenderers do not submit the requisite documents/evidence in regard to qualifying re quirements as mentioned above along with their e-offer the tender will be decided on the basis of their past supply performance records/credentials as available with COS Office, DMRC. Shortfall in formation/ documents should be sought only in case of historical documents which pre-existed at t he time of tender opening and which have not undergone change since then. These should be call ed only on basis of recommendations of TC. So far as submission of documents is concerned with r egard to eligibility/qualification criteria, after submission of tender, only related shortfall document s must be asked for and considered. For e.g. if the bidder has submitted a PO without its completi on/ performance certificate, such certificate can be asked for and considered. However, no new su pply order should be asked for so as to qualify the bidder.

14**. Performance Security (PBG):**

(a) Successful firm must submit the PBG in the attached format. Successful Bidder can also submit the Performance Security in the form of Fixed Deposit Receipt also. FDR should be made out or ple dged in the name of Delhi Metro Rail Corporation Ltd. A/C (Name of the Seller). The bank should c ertify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledg ee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FD R duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to en sure delivery of hard copy of Original FDR to the Buyer within 3 0 days of award of contract.

(b) Performance Security (PBG) is to be furnished within 30 days of the award of contract. If the C ontractor, having been called upon by Purchaser to furnish Performance Guarantee fails to submit the same within 30 days and there is a delay in submission of Performance Security on his part th an the same can be condoned by the Tender Accepting Authority but subject to charging of a pena l interest at the rate of 0.5% per week of Performance Bank Guarantee amount for delayed period. I n normal course if PBG is not submitted within 60 days of LOA the contract should be cancelled a nd other penal actions may be taken against the contract.

(c) If the Contractor, having been called upon by the Purchaser to furnish Performance Guarantee fails or delay to furnish the same, it shall be lawful for the Purchaser: - i) to cancel contract or any part thereof and to purchase or authorize purchase of the stores at the risk and cost of supplier ii) Get delay in submission of performance security condoned by the Tender Accepting Authority but subject to charging of a penal interest at the rate of 0.5% per week of Performance Bank Guarante e amount for delayed period.

(d) In case of JV/Consortium, PBG shall be in the name of JV/ Consortium and not individual membe r(s). There may be more than one BGs but all must be in the name of JV/ Consortium.

(e) The performance security will be forfeited and credited to the procuring entity’s account in the event o f a breach of contract by the contractor

(f) PBG shall remain valid for a period of 6 (six) months beyond the date of completion of all contr actual obligations of the supplier including warranty period.

15. (i) For deliveries of items to Delhi Metro Depots within Delhi, the GST number to be used in In voice (both in bill to and ship to) is “GSTIN: 07AAACD3254A2ZA".

(ii) For deliveries of items to Delhi Metro Depots in Ajronda/Gurgaon or Bahadurgad Depot (in Haryana), the GST number to be used in Invoice (both in bill to and ship to) is "GSTIN: 06AAA CD3254A1ZD".

16. Bidder shall submit the BIS Certificate, Technical data sheet & type test report from NABL accredited L AB along with the tender.

17. PBG duration shall be 66 months for Schedule 01,02,03, & 09.
For Schedule 04 to 08, 10 & 11 shall be 24 months.

18. Technical specifications mentioned in Buyer Uploaded ATC document shall supersede any other specifi

cations mentioned in the bid document. Evaluation shall be done accordingly.
.

4. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws,

including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---