बिड संख्या/Bid Number: GEM/2026/B/8157249

दिनांक /Dated: 15-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	05-11-2026 20:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	06-11-2026 20:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	150 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Madhya Pradesh
विभाग का नाम/Department Name	Technical Education And Man Power Planning Department Madhya Pradesh
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Government Polytechnic College Waidhan
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :prinpoly.waisgl@mp.gov.in Buyer Email id: ravi.ranjan94@mp.gov.in
कुल मात्रा/Total Quantity	3081
वस्तु श्रेणी /Item Category	Desk and Bench Set for Classroom/Training Area (Q2) , Steel Almirah / Cabinets (V4) (Q2) , Metal Beds (V3) (Q2) , Classroom Stools (Q2) , Chair for General Purpose (Q2) , Revolving Chair (V5) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Metal Storage Cabinet (Q2) , Sofa (V3) (Q2) , Computer Table (V3) (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वित्तीय वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Financial Years)	185.18 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	1481 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	GeM verified turnover
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Modular Table / Meeting Table / Centre Table (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	1111083

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	38

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
PRINCIPAL
Government Polytechnic College Waidhan, Technical Education and Man Power Planning Department Madhya Pradesh, N/A,
(Principal)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this

criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Desk And Bench Set For Classroom/Training Area (600 set)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Desking and Seating**	Desk and Bench (Integrated)
	Suitable for Age Group (in years)	6 TO 9, 9 TO 12, 12+
	Number of Seating Capacity	2 Seater
Desk	**Frame Material of Desk**	Mild Steel
	Material of Top of desk	Particle Board, MDF Board, Marine Ply, BWP Ply, Mild Steel, Compact Laminate (HPL), HDPE Plastic (High Density Polyethylene)
	Desk with shelf (under storage)	Yes
	Height of Desk Top (in mm)	651 - 750
	Width of Desk Top(in mm)	1050 - 1500
Modesty Panel in Desk	**Availability of modesty panel**	Yes
	Modesty Panel Type	Half, Full, Quarter

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Material of Modesty Panel	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Acrylic, Mild Steel, Compact Laminate (HPL), HDPE Plastic (High Density Polyethylene)
	Thickness of Modesty Panel (in mm)	0.8, 1.0, 1.2, 1.6, 2.0, 10, 12, 15, 18, 25, 6, 8, 45
Seating Bench	**Frame Material of Seating Bench**	Mild Steel
	Seating Material of Bench Top	BWP Ply, MR (Moisture Resistant) Ply, Compact Laminate (HPL)
Bench Backrest	**Bench Backrest Provided**	Yes
	Material of Bench Backrest	BWP Ply, MR (Moisture Resistant) Ply, Compact Laminate (HPL)
Seating Armrest	**Armrest Provided in Chair/Bench**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	600	45

Steel Almirah / Cabinets (V4) (128 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	**Governing Standard**	Conformity to IS 3312
GENERIC	**Types of Almirah (Dimensions are without pedestal height)**	Large (1855 mm X 910 mm X 480 mm)
	Type of Mild Steel Sheets	Grade HR1 of IS 1079, Grade CR1 of IS 513 (Part 1)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Drawers	Yes, No
	Availability of Lockers	Yes
ADDITIONAL ACCESSORIES	Availability of Hanging Rod	No
	Availability of Tie Hanger	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	128	45

Metal Beds (V3) (100 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Type of Metal bed**	Metal bed with Headboard and Footboard
	Size Category of Metal Bed	Single
	Overall length of Bed (in mm)	1950 - 2000 mm
	Overall width of Bed (in mm)	900 - 1050 mm (3 to 3.5 ft)
	Overall Height of Bed from installation level (in mm)	500 - 550 mm
	Availability of Headboard	Yes
	Availability of Footboard	Yes
METAL BED FRAME	**Material of Bed frame (including legs)**	Mild Steel
METAL BED MATTRESS SUPPORT PANEL	**Type of Bed Mattress Support**	Horizontal beams Only, Vertical Beams only, Cross beams - Horizontal & vertical combo
	Material of Bed Mattress Support Panel	Mild Steel, Aluminium, Wrought Iron
	Finish of Support Panel Material	Powder Coated

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
METAL BED HEADBOARD	**Material of Bed Headboard Frame**	Mild Steel
METAL BED FOOTBOARD	**Material of Bed Footboard Frame**	Mild Steel
	Finish of Footboard Frame Material	Powder Coated

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	100	45

Classroom Stools (600 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Mode of supply**	Assembled ready to use, Knocked down to be assembled at Consigning site by the seller, knocked down to be assembled at consignee site by consignee himself
	Style of Stools	Supported by set of Legs, Supported by pillars, Trestle type (with a plank top & vertical planks on the side), Fixed stool supported by single column, Fixed stool supported by pedestal
	Design of Stool	With four legs and Foot rest in square shape
	Approval of Advance sample (in respect of design)	Yes, No
	Stools stand a load of	100 Kg

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL	**Top material**	Medium Density Fiberboard, Marble, Lucite, Arcylic, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Ply wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Solid wood, Granite, MS sheet, SS 304, CRC sheet Top (fitted with non-skid rubber sheet), Seasoned Sheesham wood
	Frame material	MS pipe heavy duty
	Leg material	25 mm MS pipe heavy duty
	Material of Understructure supporting the top	MS square section of 25 mm x 25 mm with 2 mm wall thickness
DIMENSION & THICKNESS	**Dimension of Top (length X Breadth) ±10mm**	300 mm x 300 mm, 350 mm x 350 mm, 400 mm x 400 mm
	Height of Stool ±10 mm	550 mm
	Thickness of top material (+/-1 mm)	19 mm
	Thickness of frame material (+/- 1 mm)	2 mm, 3 mm, 5 mm, 7 mm, 9 mm, 13 mm, 19 mm, 25 mm, 1.02 mm, NA
	Cross / Round /Square / Rectangular leg member size	13 mm, 18 mm, 25 mm, N.A
MISCELLANEOUS	**Beeding**	Top all side to be 5 mm thick teak wood beeding, N.A
COLOUR & FINISH	Table top finish	Teak laminate/ply with polish
	Paint / Polish	Powder coated
WARRANTY	**Warranty period in number of years**	1, 2, 3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	600	45

Chair For General Purpose (458 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR SEAT	Availability of cushion on seat	Yes
	Seat upholstery material	Leatherette, Leather
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)**	Mid-back
	Lumbar Support available in Seat Backrest	Yes
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Type of Armrest in Chair	Fixed armrest with Padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	458	45

Revolving Chair (V5) (165 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	**Type of Chair**	Revolving Chair of Adjustable height with Wheels
	Mechanism to adjust seat height	Pneumatic Mechanism (Gas Lift)
CHAIR SEAT	**Seat upholstery material**	Mesh fabrics, Polyester fabric, Leatherette
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)**	High-back
	Locking available while tilting backrest	Yes

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Armrest Type	Fixed armrest with Cushion

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	165	45

Chair For General Purpose (60 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR SEAT	Availability of cushion on seat	Yes
	Seat upholstery material	Leatherette
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)**	Mid-back
	Lumbar Support available in Seat Backrest	Yes
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Type of Armrest in Chair	Fixed armrest with Cushion

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	60	45

Chair For General Purpose (210 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR SEAT	Availability of cushion on seat	Yes
	Seat upholstery material	Leatherette
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)**	Mid-back
	Coverage of Backrest Material	Fully-covered (Full height of backrest covered)
	Lumbar Support available in Seat Backrest	Yes
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Type of Armrest in Chair	Fixed armrest with Cushion

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	210	45

Modular Table / Meeting Table / Centre Table (V2) (70 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ±5 mm)	25 mm, 36 mm
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	1800 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	Yes, No
Table Understructure	**Material Type in Table Understructure**	Metal Understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 30 mm
	Thickness of Metal Legs Cross Section	0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	70	45

Modular Table / Meeting Table / Centre Table (V2) (32 pieces)

Bis Required	Yes

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	1200 mm, 1350 mm, 1500 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	Yes, No
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	**Material Type in Table Understructure**	Wooden/Engineer Wood Understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm
	Availability of modesty panel	Yes
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes
	Number of closed storage compartments	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	32	45

Modular Table / Meeting Table / Centre Table (V2) (30 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	1800 mm
	Depth of Table Top (Tolerance ± 50 mm)	900 mm
	Height of Table Top Adjustable	Yes, No
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	**Material Type in Table Understructure**	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	30	45

Modular Table / Meeting Table / Centre Table (V2) (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Thickness of Table Top (Tolerance ±5 mm)	18 mm, 25 mm, 36 mm
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	1800 mm, 1950 mm
	Depth of Table Top (Tolerance ± 50 mm)	900 mm
	Height of Table Top Adjustable	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	**Material Type in Table Understructure**	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes
	Number of closed storage compartments	5

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	4	45

Revolving Chair (V5) (34 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	**Type of Chair**	Revolving Chair of Adjustable height with Wheels
	Mechanism to adjust seat height	Pneumatic Mechanism (Gas Lift)
CHAIR SEAT	**Seat upholstery material**	Leatherette, Leather
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)**	High-back
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes, No
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Armrest Type	Fixed armrest with Cushion

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	34	45

Revolving Chair (V5) (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	**Type of Chair**	Revolving Chair of Adjustable height with Wheels
	Mechanism to adjust seat height	Pneumatic Mechanism (Gas Lift)
CHAIR SEAT	**Seat upholstery material**	Leatherette, Leather

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)**	High-back
	Backrest Width (Low: 400 - 550 mm, Mid: 551 - 700 mm, High: equal to or greater than 701 mm)	Medium, High
	Locking available while tilting backrest	Yes, No
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes, No
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Armrest Type	Fixed armrest with Cushion

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	4	45

Revolving Chair (V5) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC REQUIREMENTS	**Type of Chair**	Revolving Chair of Adjustable height with Wheels
	Mechanism to adjust seat height	Pneumatic Mechanism (Gas Lift)
CHAIR SEAT	Availability of cushion on seat	Yes
	Seat upholstery material	Leatherette

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	**Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 401 - 700 mm, High-back range: equal to or more than 701 mm)**	High-back
	Backrest Width (Low: 400 - 550 mm, Mid: 551 - 700 mm, High: equal to or greater than 701 mm)	High
	Locking available while tilting backrest	Yes
	Lumbar Support available in Seat Backrest	Yes
	Headrest available in Chair	Yes, No
CHAIR ARMREST	**Armrest Available in the Chair**	Yes
	Armrest Type	Fixed armrest with Cushion

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	3	45

Classroom Stools (285 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Mode of supply**	Assembled ready to use, Knocked down to be assembled at Consigning site by the seller, knocked down to be assembled at consignee site by consignee himself
	Shape of the Stools	Rectangular

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Style of Stools	Supported by set of Legs, Supported by pillars, Trestle type (with a plank top & vertical planks on the side), Fixed stool supported by single column, Fixed stool supported by pedestal
	Design of Stool	With four legs and Foot rest in square shape
	Approval of Advance sample (in respect of design)	Yes, No
	Stools stand a load of	100 Kg
MATERIAL	**Top material**	Medium Density Fiberboard, Marble, Lucite, Arcylic, Commercial Block Board BWP grade Conforming to IS 1659, Decorative Block Board BWP grade Conforming to IS 1659, Commercial Block Board MR Grade Conforming to IS 1659, Decorative Block Board MR Grade Conforming to IS 1659, Ply wood, Flat single layer MDF board of grade SBG II of IS 12406/Latest, Solid wood, Granite, MS sheet, SS 304, CRC sheet Top (fitted with non-skid rubber sheet), Seasoned Sheesham wood
	Frame material	MS pipe heavy duty
	Leg material	25 mm MS pipe heavy duty
	Material of Understructure supporting the top	MS square section of 25 mm x 25 mm with 2 mm wall thickness
DIMENSION & THICKNESS	**Dimension of Top (length X Breadth) ±10mm**	400 mm x 400 mm
	Height of Stool ±10 mm	400 mm, 450 mm, 500 mm, 550 mm, 600 mm, 650 mm, 700 mm, 760 mm
	Thickness of top material (+/-1 mm)	1.2 mm, 1.6 mm, 2 mm, 3 mm, 5 mm, 7 mm, 10 mm, 13 mm, 15 mm, 19 mm, 25 mm, 36 mm
	Thickness of frame material (+/- 1 mm)	2 mm, 3 mm, 5 mm, 7 mm, 9 mm, 13 mm, 19 mm, 25 mm, 1.02 mm, NA
	Cross / Round /Square / Rectangular leg member size	13 mm, 18 mm, 25 mm, N.A
MISCELLANEOUS	**Beeding**	Top all side to be 5 mm thick teak wood beeding, N.A
COLOUR & FINISH	**Paint / Polish**	Powder coated, Pre treated and Epoxy powder coated finish, All iron parts to be Primer coated and Painted, Lacquered polish
WARRANTY	**Warranty period in number of years**	3

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	285	45

Modular Table / Meeting Table / Centre Table (V2) (140 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	BWP Ply, MR (Moisture Resistant) Ply Or higher
	Thickness of Table Top (Tolerance ±5 mm)	25 mm, 36 mm
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	2400 mm
	Depth of Table Top (Tolerance ± 50 mm)	1200 mm
	Height of Table Top Adjustable	Yes, No
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	**Material Type in Table Understructure**	Metal Understructure
	Support Type in Table Understructure	Leg
	Material of Table Understructure	Mild Steel, Aluminium Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, 50 x 30 mm
	Thickness of Metal Legs Cross Section	0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	NA
	Availability of modesty panel	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	140	45

Modular Table / Meeting Table / Centre Table (V2) (100 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	BWP Ply Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	900 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	Yes, No
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	**Material Type in Table Understructure**	Metal Understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium Or higher

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, 50 x 30 mm
	Thickness of Metal Legs Cross Section	0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes
	Number of closed storage compartments	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	100	45

Metal Storage Cabinet (32 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	**Type of Product**	Storage Unit With door
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Number of shelves	5
	Material of Shelves	Mild Steel
	Availability of Drawers	Yes, No
	Availability of Locks in the Drawer	Yes, No
	Type of lock in the Drawer	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Finish of exterior	Powder Coating
Supporting Frame Structure within Storage Cabinet	**Material of Frame**	Mild Steel
Top Section Sheet	**Material of Top Section Sheet**	Mild Steeel, Stainless Steel, Aluminium, Wood
Bottom Section Sheet	**Material of Bottom Section Sheet**	Mild Steel, Stainless Steel, Aluminium
Back Section Sheet	**Availability of Back Section Sheet**	Yes
	Material of Back Section Sheet	Mild Steel
Door	**Availability of Door**	Yes
	Primary Material Type of door (Seller to select and state "primary" door in case of hybrid options)	Glass
	Number of Doors	2
Dimension	Overall Height of Unit (in mm) (Upper value in each range is not included)	1850 - 1900, 1900 - 1950
	Overall Width of Unit (in mm) (Upper value in each range is not included)	900 - 950
	Depth of Unit (in mm) (Upper value in each range is not included)	450 - 500

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	32	45

Sofa (V3) (2 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	**Count of Seats in Primary Unit of Sofa Set**	3 - seater
	Count of Secondary Unit(s) in Sofa Set	Two Single-Seater Units
	Count of Chaise Units	No Chaise Unit, 1
	Upholstery coverage of Each Secondary Unit (s) in Sofa Set	Seat, Backrest and Armrest Upholstered
	Upholstery Material of Primary Unit in Sofa Set	Synthetic Leather / Leatherette, Leather
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Synthetic Leather / Leatherette
CONSTRUCTIONAL PARAMETERS - PRIMARY UNIT OF SOFA SET	Availability of Armrest in Primary Unit of Sofa Set	Yes
CHAISE PARAMETERS	**Chaise included with Sofa Set**	Yes

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	2	45

Sofa (V3) (6 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PHYSICAL PARAMETERS OF SOFA SET	**Count of Seats in Primary Unit of Sofa Set**	3 - seater
	Count of Secondary Unit(s) in Sofa Set	No Secondary unit, One Single Seater Unit, Two Single-Seater Units, One Double-Seater Unit
	Count of Chaise Units	No Chaise Unit, 1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Upholstery coverage of Primary Unit in Sofa Set	Seat, Backrest and Armrest Upholstered
	Upholstery Material of Primary Unit in Sofa Set	Synthetic Leather / Leatherette
	Upholstery Material of Each Secondary Unit(s) in Sofa Set	Fabric, Synthetic Leather / Leatherette, Leather, Polyester, No Secondary Unit in Sofa Set
CHAISE PARAMETERS	**Chaise included with Sofa Set**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	6	45

Modular Table / Meeting Table / Centre Table (V2) (8 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	**Table Top Material Type**	Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ±50 mm)	1200 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	450 mm
Table Understructure	**Material Type in Table Understructure**	Wooden/Engineer Wood Understructure
	Support Type in Table Understructure	Leg
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ±2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	**Availability of Pedestal / Storage Unit**	Yes, No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	8	45

Computer Table (V3) (10 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Parameters	**Type of Computer Table (Hint: "Unit indicates additional drawers, storage units/compartments, etc)**	Computer table with Storage unit & footrest

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top Characteristics	**Material Type of Table Top**	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Length of Table Top (in mm) (Tolerance +/- 50 mm)	900
	Width of Table Top (in mm) (Tolerance +/- 50 mm)	600
	Thickness of Table Top (in mm) (Tolerance ±5 mm)	25
	Shape of Table Top Edge	Straight, Round, Post-Formed, Chamfered
Keyboard Tray Characteristics	**Keyboard Tray Material**	Plastic, Wood, Metal
TABLE UNDERSTRUCTURE (WITH CPU SHELF)	**Material Type of Table Understructure**	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Material of Table Understructure	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel, Aluminium, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Availability of modesty panel	Yes, No
	Material Type of Modesty Panel	NA, Metal, Wooden/Engineer Wood, Acrylic
	Material of Modesty Panel	NA, Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Mild Steel, Aluminium, Acrylic

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ram Shiromani Vishwakarma	486886,Polytechnic College Waidhan Gram Pachore Distt Singrauli	10	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2. **Rate Contract**

   Tax and Duties Toll Tax/ Entry Tax/ Octroi Duty & Local Taxes. No separate payment would be made by the Buyer for Toll Taxes, Entry Taxes, Octroi duty and local Taxes, if any. The Seller should cater for these Taxes/ duties as part of Basic Rate quoted in the Bid.

3. **Rate Contract**

   Packing Material The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

4. **Rate Contract**

   Indian suppliers of this item are not allowed to participate and/ or compete in procurement by some foreign governments. Bidders / products from such countries are not eligible / not allowed to participate in this bid in terms of clause 1 (d) of Public Procurement (Preference to Make in India) Order, 2017

5. **Rate Contract**

   Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

6. **Rate Contract**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

7. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

8. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

9. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---