बिड संख्या/Bid Number: GEM/2026/B/8169399

दिनांक /Dated: 22-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Housing & Urban Affairs (mohua)
विभाग का नाम/Department Name	Ministry Of Housing And Urban Affairs
संगठन का नाम/Organisation Name	Delhi Metro Rail Corporation Limited
कार्यालय का नाम/Office Name	Delhi Metro Rail Corporation Limited
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :sp.dhasmana.dmrc@nic.in Buyer Email id: con1.dmrc.newdelhi@gembuyer.in
कुल मात्रा/Total Quantity	42539
वस्तु श्रेणी /Item Category	Hex Self lock nut for Z link RS 10 , Hex Self lock nut for ODD RS 10 , Hex Nylock lock nut for antiroll bar rod , Allen counter sunk screw for gangway , Allen cap head screw inter unit Gangway , Allen cap head screw for inter unit , Allen cap head screw inter car gangway , Allen mushroom head screw for gangway , Hex Bolt for Z link RS10 , Self lock nut for lateral buffer RS10 , Schnorr Washer Size M16 Article No 451650 , Schnorr Washer Size M10 Article No 451150 , Self Lock Nut for Anti roll bar , Hex Bolt For Lateral Damper RS10 , Schnorr Washer for Primary vertical damper RS10 , Allen Socket Hex Bolt For Earth brush cap end RS10 , Allen Socket Hex Bolt For Earth brush RS10 , Plain washer for carbon brush RS10 , Earthing cable lower bolt flange RS10 , Plain washer for Earthing cable lower flange RS10 , Hex Bolt M36 for FAC IAC mounting RS10 , Hexagonal Self Locknut Nut M36 for FAC IAC mounting RS10

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Hex Self lock nut for Z-linkRS-10, Hex Self lock nut for ODDRS-10, Hex Nylock lock nut for antiroll bar rod, Allen counter sunk screw for gangway, Allen cap head screwinter unit Gangway, Allen cap head screw for inter unit, Allen cap head screwinter car gangway, Allen mushroom head screw for gangway, Schnorr Washer Size M10 , Schnorr Washer Size M16 , Schnorr Washer for Primary vertical, Hex Bolt for Z-linkRS10, Self lock nut for lateral bufferRS10, Self Lock Nut for Anti roll bar, Hex Bolt For Lateral DamperRS10, Allen Socket Hex Bolt For, Allen Socket Hex Bolt For, Plain washer for carbon brushRS10, Earthing cable lower bolt (flange)RS10, Plain washer for Earthing cable, Hex Bolt M36 for FACIAC mountingRS10, Hexagonal Self Locknut Nut M36 for
	Searched String: Hex Self lock nut for Z-linkRS-10 Category not available on GeM for the text string uploaded by the buyer **Searched String**: Hex Self lock nut for ODDRS-10 Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Theft Proof Rifle Racks, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Electrical Cable Lugs, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use **Searched String**: Hex Nylock lock nut for antiroll bar rod Category not available on GeM for the text string uploaded by the buyer **Searched String**: Allen counter sunk screw for gangway Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Self Drilling Screw **Searched String**: Allen cap head screwinter unit Gangway Hexagonal Socket Head Cap Screw, Bridge Plug Socket Head Screw-IS:2269 **Searched String**: Allen cap head screw for inter unit Hexagonal Socket Head Cap Screw, Bridge Plug Socket Head Screw-IS:2269, Hexagon Socket Head Cap Screw (V2) Conforming to IS 2269, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Head Gears (Caps) for Cook cum Helpers - PM POSHAN Scheme **Searched String**: Allen cap head screwinter car gangway Hexagonal Socket Head Cap Screw, Bridge Plug Socket Head Screw-IS:2269 **Searched String**: Allen mushroom head screw for gangway Hexagonal Socket Head Cap Screw, Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Bridge Plug Socket Head Screw-IS:2269

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: Schnorr Washer Size M10 Biosafety Cabinet (V2), Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Nitrile Coated/Nitrile Hand Gloves (V2), Endotracheal Tube - Sterile (Single Use), Cleaning Duster (V3), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, General Purpose Hand Gloves (V2), Tracksuit, Laboratory Hot plate, Infant Feeding Tube (V3) **Searched String**: Schnorr Washer Size M16 Cleaning Duster (V3), Stud with Nuts, Biosafety Cabinet (V2), Medical Centrifuge, Net Camouflage Shrimp Type as per Defence Specifications, Tracksuit, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, General Purpose Hand Gloves (V2), HT Tape, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: Schnorr Washer for Primary vertical Primary Current Injection Kit, Primary Aluminium Ingots for Remelting for General Engineering Purposes Conforming to IS 2590, Plain Washer as per IS 2016, Vertical Anchor for wire rope barrier, Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, Subjective Visual Vertical (SVV) For Vertigo Clinics, Primary and Secondary Injection Test Kit for CT_VT and Relay Tester, Deep Freezer for Universal Immunization Program (V2), Sofa (V3), Drone or Unmanned Aerial Vehicle with Customized Payload (Defence Forces - Navy, Army and Air Force) **Searched String**: Hex Bolt for Z-linkRS10 Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, 3155 Series - Hexagonal Head Bolt (HAL), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hexagonal Black Bolt as per BS : 916, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Brass Wire For General Engineering Purpose-IS:4413 **Searched String**: Self lock nut for lateral bufferRS10 Theft Proof Rifle Racks **Searched String**: Self Lock Nut for Anti roll bar Health Supplements, Nutraceuticals and Food for Special Dietary Use, Multi Crop Thresher, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2) **Searched String**: Hex Bolt For Lateral DamperRS10 Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Electrical Cable Lugs, 3155 Series - Hexagonal Head Bolt (HAL), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hexagonal Black Bolt as per BS :

बिड विवरण/Bid Details	916, Plain Washer as per IS 2016, Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others **Searched String**: Allen Socket Hex Bolt For Allen Bolt, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Hexagonal Socket Head Cap Screw, Allen Key (V2), Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Insulated allen key, Non-Sparking Allen Key-IS:4595, Bridge Plug Socket Head Screw-IS:2269, Double Hex Sockets **Searched String**: Allen Socket Hex Bolt For Allen Bolt, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Hexagonal Socket Head Cap Screw, Allen Key (V2), Assembly Tools For Screws And Nuts - Hexagon Socket Screw Keys - IS 3082, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Insulated allen key, Non-Sparking Allen Key-IS:4595, Bridge Plug Socket Head Screw-IS:2269, Double Hex Sockets **Searched String**: Plain washer for carbon brushRS10 Plain Washer as per IS 2016, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Plain Washer (V2) Conforming to IS 2016, Studs-IS:1862, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Carbon brushes for motor and generator, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Covered Electrode for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel (V2) ISI marked to IS 814 **Searched String**: Earthing cable lower bolt (flange)RS10 Category not available on GeM for the text string uploaded by the buyer **Searched String**: Plain washer for Earthing cable Plain Washer as per IS 2016, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Plain Washer (V2) Conforming to IS 2016, Studs-IS:1862, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Hardened and tempered washers for high strength structural bolts and nuts - IS 6649, Optical Fibre Cable for Networking, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Jacket Stripping Tool for Telecommunication, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2) **Searched String**: Hex Bolt M36 for FACIAC mountingRS10 Engine Monoset Pumps for Clear, Cold, Water (Dewatering Pump) Conforming To IS 11501, Electrical Cable Lugs, Plain Washer as per IS 2016, ECG Recording Paper(V2), Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Polyethylene Pipes for Water Supply conforming to IS 4984,

बिड विवरण/**Bid Details**	Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468
	Searched String: Hexagonal Self Locknut Nut M36 for Plain Washer as per IS 2016, Studs-IS:1862
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Hexagonal Socket Head Cap Screw • Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002 • Slotted Countersunk Flat Head Screws (Grade A) Conforming to IS 1365
बीओक्यू शीर्षक /BOQ Title	procurement of RS Item
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Hex Self lock nut for Z link RS 10
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details	
मूल्यांकन पद्धति/Evaluation Method	Group wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	ICICI
Group 1 ईएमडी राशि/EMD Amount (In INR)	11000
Group 2 ईएमडी राशि/EMD Amount (In INR)	2000
Group 3 ईएमडी राशि/EMD Amount (In INR)	1000
Group 4 ईएमडी राशि/EMD Amount (In INR)	1000
Group 5 ईएमडी राशि/EMD Amount (In INR)	100
Group 6 ईएमडी राशि/EMD Amount (In INR)	100
Group 7 ईएमडी राशि/EMD Amount (In INR)	1000
Group 8 ईएमडी राशि/EMD Amount (In INR)	8000
Group 9 ईएमडी राशि/EMD Amount (In INR)	1000
Group 10 ईएमडी राशि/EMD Amount (In INR)	1000
Group 11 ईएमडी राशि/EMD Amount (In INR)	8000
Group 12 ईएमडी राशि/EMD Amount (In INR)	3000
Group 13 ईएमडी राशि/EMD Amount (In INR)	3000
Group 14 ईएमडी राशि/EMD Amount (In INR)	300
Group 15 ईएमडी राशि/EMD Amount (In INR)	300
Group 16 ईएमडी राशि/EMD Amount (In INR)	300
Group 17 ईएमडी राशि/EMD Amount (In INR)	100
Group 18 ईएमडी राशि/EMD Amount (In INR)	300
Group 19 ईएमडी राशि/EMD Amount (In INR)	100
Group 20 ईएमडी राशि/EMD Amount (In INR)	100
Group 21 ईएमडी राशि/EMD Amount (In INR)	3000
Group 22 ईएमडी राशि/EMD Amount (In INR)	5000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	ICICI
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	24

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
JOINT VENTURE OF GOVT OF INDIA AND GOVT OF NCT OF DELHI
OFFICE OF CONTROLLER OF STORES DO BUILDING, METRO TRAIN DEPOT, SHASTRI PARK, DELHI – 110053
(Delhi Metro Rail Corporation Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given

opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Group Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Consignee /Reporting Officer	Consignee Address	Quantity
Group 1	Hex Self Lock Nut For Z Link Rs 10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	624
	Hex Self Lock Nut For Z Link Rs 10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	624
	Hex Self Lock Nut For Z Link Rs 10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	240
	Hex Self Lock Nut For Z Link Rs 10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	232
Group 2	Hex Nylock Lock Nut For Antiroll Bar Rod	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	672
	Hex Nylock Lock Nut For Antiroll Bar Rod	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	672
	Hex Nylock Lock Nut For Antiroll Bar Rod	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	192
	Hex Nylock Lock Nut For Antiroll Bar Rod	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	461
Group 3	Hex Self Lock Nut For Odd Rs 10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	208
	Hex Self Lock Nut For Odd Rs 10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	208

	Hex Self Lock Nut For Odd Rs 10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	80
	Hex Self Lock Nut For Odd Rs 10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	77
Group 4	Allen Counter Sunk Screw For Gangway	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	858
	Allen Counter Sunk Screw For Gangway	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	858
	Allen Counter Sunk Screw For Gangway	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	330
	Allen Counter Sunk Screw For Gangway	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	317
Group 5	Allen Cap Head Screw Inter Unit Gangway	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	104
	Allen Cap Head Screw Inter Unit Gangway	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	104
	Allen Cap Head Screw Inter Unit Gangway	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	40
	Allen Cap Head Screw Inter Unit Gangway	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	39
Group 6	Allen Cap Head Screw For Inter Unit	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	78
	Allen Cap Head Screw For Inter Unit	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	78
	Allen Cap Head Screw For Inter Unit	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	30
	Allen Cap Head Screw For Inter Unit	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	10
Group 7	Allen Cap Head Screw Inter Car Gangway	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	572
	Allen Cap Head Screw Inter Car Gangway	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	572
	Allen Cap Head Screw Inter Car Gangway	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	220

	Allen Cap Head Screw Inter Car Gangway	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	212
Group 8	Allen Mushroom Head Screw For Gangway	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	2470
	Allen Mushroom Head Screw For Gangway	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	2470
	Allen Mushroom Head Screw For Gangway	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	950
	Allen Mushroom Head Screw For Gangway	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	912
Group 9	Hex Bolt For Z Link Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	50
	Hex Bolt For Z Link Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	50
	Hex Bolt For Z Link Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	19
	Hex Bolt For Z Link Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	58
Group 10	Self Lock Nut For Lateral Buffer Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	31
	Self Lock Nut For Lateral Buffer Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	31
	Self Lock Nut For Lateral Buffer Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	12
	Self Lock Nut For Lateral Buffer Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	30
Group 11	Schnorr Washer Size M16 Article No 451650	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	4944
	Schnorr Washer Size M16 Article No 451650	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	4944
	Schnorr Washer Size M16 Article No 451650	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	1536
	Schnorr Washer Size M16 Article No 451650	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	2620

Group 12	Schnorr Washer Size M10 Article No 451150	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	2240
	Schnorr Washer Size M10 Article No 451150	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	2240
	Schnorr Washer Size M10 Article No 451150	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	712
	Schnorr Washer Size M10 Article No 451150	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	1142
Group 13	Self Lock Nut For Anti Roll Bar	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	336
	Self Lock Nut For Anti Roll Bar	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	336
	Self Lock Nut For Anti Roll Bar	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	96
	Self Lock Nut For Anti Roll Bar	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	202
Group 14	Hex Bolt For Lateral Damper Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	38
	Hex Bolt For Lateral Damper Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	38
	Hex Bolt For Lateral Damper Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	14
	Hex Bolt For Lateral Damper Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	30
Group 15	Schnorr Washer For Primary Vertical Damper Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	624
	Schnorr Washer For Primary Vertical Damper Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	624
	Schnorr Washer For Primary Vertical Damper Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	240
	Schnorr Washer For Primary Vertical Damper Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	202
	Allen Socket Hex Bolt For Earth Brush Cap End Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	76

Group 16	Allen Socket Hex Bolt For Earth Brush Cap End Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	76
	Allen Socket Hex Bolt For Earth Brush Cap End Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	30
	Allen Socket Hex Bolt For Earth Brush Cap End Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	302
Group 17	Allen Socket Hex Bolt For Earth Brush Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	38
	Allen Socket Hex Bolt For Earth Brush Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	38
	Allen Socket Hex Bolt For Earth Brush Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	14
	Allen Socket Hex Bolt For Earth Brush Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	302
Group 18	Plain Washer For Carbon Brush Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	468
	Plain Washer For Carbon Brush Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	468
	Plain Washer For Carbon Brush Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	180
	Plain Washer For Carbon Brush Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	302
Group 19	Earthing Cable Lower Bolt Flange Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	38
	Earthing Cable Lower Bolt Flange Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	38
	Earthing Cable Lower Bolt Flange Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	14
	Earthing Cable Lower Bolt Flange Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	100
Group	Plain Washer For Earthing Cable Lower Flange Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	156
	Plain Washer For Earthing Cable Lower Flange Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	156

20	Plain Washer For Earthing Cable Lower Flange Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	60
	Plain Washer For Earthing Cable Lower Flange Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	100
Group 21	Hex Bolt M36 For Fac Iac Mounting Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	21
	Hex Bolt M36 For Fac Iac Mounting Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	21
	Hex Bolt M36 For Fac Iac Mounting Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	8
	Hex Bolt M36 For Fac Iac Mounting Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	16
Group 22	Hexagonal Self Locknut Nut M36 For Fac Iac Mounting Rs10	Subham Shrivastava	KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar. 110025	208
	Hexagonal Self Locknut Nut M36 For Fac Iac Mounting Rs10	Madhu	ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033 110033	208
	Hexagonal Self Locknut Nut M36 For Fac Iac Mounting Rs10	Anand Kumar Mishra	VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI 110091	80
	Hexagonal Self Locknut Nut M36 For Fac Iac Mounting Rs10	SANJAY KUMAR VERMA	MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI 110043	68

Hex Self Lock Nut For Z Link RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	624	90

Hex Self Lock Nut For Z Link RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	624	90

Hex Self Lock Nut For Z Link RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	240	90

Hex Self Lock Nut For Z Link RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	232	90

Hex Self Lock Nut For ODD RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	208	90

Hex Self Lock Nut For ODD RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	208	90

Hex Self Lock Nut For ODD RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	80	90

Hex Self Lock Nut For ODD RS 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	77	90

Hex Nylock Lock Nut For Antiroll Bar Rod

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	672	90

Hex Nylock Lock Nut For Antiroll Bar Rod

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	672	90

Hex Nylock Lock Nut For Antiroll Bar Rod

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	192	90

Hex Nylock Lock Nut For Antiroll Bar Rod

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	461	90

Allen Counter Sunk Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	858	90

Allen Counter Sunk Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	858	90

Allen Counter Sunk Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	330	90

Allen Counter Sunk Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	317	90

Allen Cap Head Screw Inter Unit Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	104	90

Allen Cap Head Screw Inter Unit Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	104	90

Allen Cap Head Screw Inter Unit Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	40	90

Allen Cap Head Screw Inter Unit Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	39	90

Allen Cap Head Screw For Inter Unit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	78	90

Allen Cap Head Screw For Inter Unit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	78	90

Allen Cap Head Screw For Inter Unit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	30	90

Allen Cap Head Screw For Inter Unit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	10	90

Allen Cap Head Screw Inter Car Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	572	90

Allen Cap Head Screw Inter Car Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	572	90

Allen Cap Head Screw Inter Car Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	220	90

Allen Cap Head Screw Inter Car Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	212	90

Allen Mushroom Head Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	2470	90

Allen Mushroom Head Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	2470	90

Allen Mushroom Head Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	950	90

Allen Mushroom Head Screw For Gangway

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	912	90

Hex Bolt For Z Link RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	50	90

Hex Bolt For Z Link RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	50	90

Hex Bolt For Z Link RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	19	90

Hex Bolt For Z Link RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	58	90

Self Lock Nut For Lateral Buffer RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	31	90

Self Lock Nut For Lateral Buffer RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	31	90

Self Lock Nut For Lateral Buffer RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	12	90

Self Lock Nut For Lateral Buffer RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	30	90

Schnorr Washer Size M16 Article No 451650

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	4944	90

Schnorr Washer Size M16 Article No 451650

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	4944	90

Schnorr Washer Size M16 Article No 451650

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	1536	90

Schnorr Washer Size M16 Article No 451650

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	2620	90

Schnorr Washer Size M10 Article No 451150

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	2240	90

Schnorr Washer Size M10 Article No 451150

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	2240	90

Schnorr Washer Size M10 Article No 451150

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	712	90

Schnorr Washer Size M10 Article No 451150

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	1142	90

Self Lock Nut For Anti Roll Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	336	90

Self Lock Nut For Anti Roll Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	336	90

Self Lock Nut For Anti Roll Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	96	90

Self Lock Nut For Anti Roll Bar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	202	90

Hex Bolt For Lateral Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	38	90

Hex Bolt For Lateral Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	38	90

Hex Bolt For Lateral Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	14	90

Hex Bolt For Lateral Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	30	90

Schnorr Washer For Primary Vertical Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	624	90

Schnorr Washer For Primary Vertical Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	624	90

Schnorr Washer For Primary Vertical Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	240	90

Schnorr Washer For Primary Vertical Damper RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	202	90

Allen Socket Hex Bolt For Earth Brush Cap End RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	76	90

Allen Socket Hex Bolt For Earth Brush Cap End RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	76	90

Allen Socket Hex Bolt For Earth Brush Cap End RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	30	90

Allen Socket Hex Bolt For Earth Brush Cap End RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	302	90

Allen Socket Hex Bolt For Earth Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	38	90

Allen Socket Hex Bolt For Earth Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	38	90

Allen Socket Hex Bolt For Earth Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	14	90

Allen Socket Hex Bolt For Earth Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	302	90

Plain Washer For Carbon Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	468	90

Plain Washer For Carbon Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	468	90

Plain Washer For Carbon Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	180	90

Plain Washer For Carbon Brush RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	302	90

Earthing Cable Lower Bolt Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	38	90

Earthing Cable Lower Bolt Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	38	90

Earthing Cable Lower Bolt Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	14	90

Earthing Cable Lower Bolt Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	100	90

Plain Washer For Earthing Cable Lower Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	156	90

Plain Washer For Earthing Cable Lower Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	156	90

Plain Washer For Earthing Cable Lower Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	60	90

Plain Washer For Earthing Cable Lower Flange RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	100	90

Hex Bolt M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	21	90

Hex Bolt M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	21	90

Hex Bolt M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	8	90

Hex Bolt M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	16	90

Hexagonal Self Locknut Nut M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Subham Shrivastava	110025,KALINDI KUNJ METRO TRAIN DEPOT,NEAR KALINDI KUNJ METRO STATION,Kalindi Kunj Rd, Pocket N, Madanpur Khadar.	208	90

Hexagonal Self Locknut Nut M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Madhu	110033,ETU BUILDING, MUKUNDPUR TRAIN DEPOT, OPPOSITE MAJLIS PARK METRO STATION, ARIHANT MARG, MODEL TOWN, NEW DELHI-110033	208	90

Hexagonal Self Locknut Nut M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anand Kumar Mishra	110091,VINOD NAGAR METRO TRAIN DEPOT-1,BEHIND IGL CNG PUMP,KHICHRIPUR RD,NEW DELHI	80	90

Hexagonal Self Locknut Nut M36 For FAC IAC Mounting RS10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 60% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SANJAY KUMAR VERMA	110043,MAIN STORES, NAJAFGARH TRAIN DEPOT, DELHI METRO RAIL CORPORATION LTD., NEAR SAI BABA MANDIR, NEW DELHI	68	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1. Items are strictly required as per s per detail mentioned in the specifications document and bi dders have to submit the compliance of BOQ specification. Any firm deviating from the details in the specification document, offer of such firm would be summarily rejected.
   2. Bidders have to mention the warranty terms clearly in their offer. Required warranty terms ar

e" 18 months from date of supply or 12 months from date of commissioning/installation which ever is earlier".

3. Deviations:

a) All deviations, comments and exceptions shall be furnished exclusively in Annexure-A (State ment of Deviations).

b) Any deviation, qualification or condition mentioned elsewhere in the bid shall be treated as null and void and deemed to have been withdrawn.

c) If Annexure-A is not submitted, the bid shall be evaluated on the basis of Nil Deviations.

d) Deviations affecting the tender conditions, specifications or scope of supply may render the offer liable for rejection.

4. **Payment Terms**: 100% after receipt & acceptance of material through E-payment.

5. (i) For deliveries of items to Delhi Metro Depots within Delhi, the GST number to be used in In voice (both in bill to and ship to) is “GSTIN: 07AAACD3254A2ZA".

(ii) For deliveries of items to Delhi Metro Depots in Ajronda/Gurgaon or Bahadurgad Depot (in Haryana), the GST number to be used in Invoice (both in bill to and ship to) is "GSTIN: 06AAAC D3254A1ZD".

6. Bidders are required to submit a declaration regarding the percentage of local content of the offered products from the OEM. Failing which their offer shall be considered with 0% (Nil) local content for further evaluation.

Proforma for the Statement of the Local Content

S.N.	Activity/Component/Sta ge/ Service	Details of the locatio ns at which the local value addition is ma de	% Local Con tent

7. The PBG to be submitted shall be as per the prescribed format attached in the Buyer upload ed ATC.

8. Performance Security (PBG) is to be furnished within 30 days of the award of the contract. If the contactor, having been called upon by the purchaser to furnish performance Guarantee f ails to submit the same within 30 days and there is a delay in submission of Performance Se curity on his part then the same can be condoned by the Tender Accepting Authority but sub ject to charging of penal interest at rate of 0.5% per week of the performance Bank Guarant ee amount for delayed period. In normal course if PBG is not submitted within 60 days of LO A, the contract may be cancelled and other penal action may be taken against the contractor .

9. The Performance Security (PBG) should remain valid for a period of 6 months beyond the dat e of completion of all contractual obligations of the supplier, including warranty obligations.

10. In case of offers from Micro and Small Enterprises(Manufacturer of the offered products), the value/financial limits applicable for Eligibility criteria for work experience for bulk ordering an d Eligibility criteria for Average Annual Turnover for bulk ordering shall be 75% of the corresp onding values for these criteria (subject to their offer meeting of quality and technical specifi cations)”.

11. Tenderer not submitting the requisite information may note that his offer is liable to be ignored. In case the tenderers do not submit the requisite documents/evidence in regard to q ualifying requirements as required, along with their e-offer, the tender will be decided on the basis of their past supply performance records/credentials as available with COS Office, DMR C".

12. In case the tenderer participates as an authorized channel partner of OEM then the perform ance as required above shall be that of the OEM/principal i.e.(of Offered Make) which has au thorized the channel partner. It may so happen that the agent has credentials of past supply for a different principal but this will not be considered as performance for placing bulk order in case of change of OEM/principal. Further, in such cases the purchaser also reserves the rig ht to examine the credentials of the authorized channel partner also".

13. The Bidder / OEM {themselves or through reseller(s)}, should have executed project for sup ply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:-

    a) Single order of at least 35% i.e. 8.70 lakh of estimated bid value; or

    b) Two orders of at least 20% i.e. 4.97 lakh each of estimated bid value; or

    c) Three orders of at least 15% i.e.3.73 lakh each of estimated bid value

(Estimated bid Value is Rs 24.88 Lakh)"

(Same or similar Category Products means: Supply oF Bolt, nut, washer, fastener in any Metro/Indian Railways)

i) **Proof for Past Performance and Project Experience clause** :- For fulfilling the expe rience criteria the following documents may be considered as valid proof for meeting the experience criteria:-

a) "Contract/Purchase Order/LOA, copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed. In addition bidder s shall be required to submit any of the following documents, Execution Certificate/Supp ly acceptance Certificate/Completion Certificate/performance certificate/Self-Certified C RAC (Consignee Receipt and Acceptance Certificate) to verify the supply credentials. Do cuments shall be properly signed and stamped/Digitally signed by the respective organi zation".

b) Deleted.

c) In case of any composite supply (supply involving other than same/similar items als o or same/similar item being a part of the whole item), in such case the value of same/si milar item shall be submitted that can be considered for qualification of past performanc e/experience.

d) For completed works, Value of work done shall be updated to last day of the monthp revious to the month of tender/bid closing price level assuming 5% inflation for Indian R upees every year and 2 % for foreign currency portions per year. The exchange rate of f oreign currency shall be applicable 28 days before the bid/closing date of tender/bid.

e) The tenderer shall submit details of supplies executed by them in the below f ormat of for the SUPPLY to be considered for qualification of past performanc e/Experience criteria.

SN	Details of Purchase Order/Contract/LOA	Details of Invoices	Other documents	Total Value of Same/similar items
1				
2				

14. Successful Bidder can submit the Performance Security in the form of Account Payee Dem and Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of “DELHI METRO RAIL CORPORATION LIMITED”, payable at NEW DELHI.

15. For Group 01-08 only RDSO Approved Vendors are allowed to participate. Firm has to submit RDSO approval along with the offer in this regard.

.

5. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

6. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

   DELHI METRO RAIL CORPORATION LIMITED,
   Account No.
   35281970524
   IFSC Code
   SBIN0000691
   Bank Name
   STATE BANK OF INDIA
   Branch address
   11, SANSAD MARG, NEW DELHI.
   .
   Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of online transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.

6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---