बिड संख्या/Bid Number: GEM/2026/B/8173321

दिनांक /Dated: 19-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-11-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	08-11-2026 12:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: iti-kalavad-jam@gujarat.gov.in
कुल मात्रा/Total Quantity	2608

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Arc welding cables multi cored copper , WELDING LUGS FOR ARC WELDING CABLES MULTI CORED COPPER , GLASS DC FUSE , Nicrom Wire , Electronic Sequential Control Circuit 4 Channel LED Chaser with Adjustable Speed , Copper lugs , Electromagnetic Relay , PVC Pipe , PVC T JOINT , PVC Elbow , PVC CLIP , Tubelight Choke , SAFETY GOGGLES , Bar Megnate , PVC Bobin For Transformer , Laminationed Stamping , PVC Caping Casing , Batten Holder , Fuse Switch Type Modular , Male- Female Pin Set 6A , PVC Insulated Aluminium Wire , 3Volt Led Redcolour , 3Volt Led Yellowcolour , 3Volt Led Bluecolour , 3Volt Led Multicolour , 3Volt Led Holder , 6V Charger , 12V Charger , P.V.C. Insulated Copper Wire , Bare Conductor , Heat Shinkeble Joint Kit , Tungestan Lamp , Powerfull Horse Shoe Magnet U , Wd 40 Spray , PVC Gang Box One Way , PVC Gang Box Two Way , PVC Gang Box Three Way , ELCB , Capacitor , Fan Capacitor Oil Type , Intermidiate Switch , Inductor , Solar Cell , Solder Wire With 2 percent Flux , METAL HELIDE LAMP , NEON SINE TUBE , PCB FOR LED LAMP , POT Potentiometer , CONNECTING LEAD , 775 MOTOR , STEPPER MOTOR , SOLAR PLATE , IP65 RATED LED STRIP LIGHT RGB , RAIN DROPS SENSOR , High-Voltage Generator Transformer , TRANSFORMER , TRANSISTOR , DIAC , TRIAC , PCB , COPPER COATED PLATE , Rotary switch , IC 7812 , DIN CHANNEL , SCR , LDR , SOLAR CHARGE CONTROLLER WITH PHOTO CELL , THERMAL RELAY , CLAP CIRCUIT , TIMER , TIMER SWITCH , 2 Pole Mini Toggle Switches , RECHARGABLE BATTERY , AMPLIFIER CIRCUIT , INTERNAL THEREDED COUPLING , 35 SQ MM AAC CONDUCTOR , 6 SQMM COPPER WIRE , 10 SQMM COPPER WIRE , ICTPN SWITCH WITH NUTRAL LINK , BOBIN , LAMP HOLDER , INDUCTOR TUBELIGHT CHOKE , BANANA TERMINAL BT 30 RED , BANANA TERMINAL BT 30 YELLOW , BANANA TERMINAL BT 30 BLUE , BANANA TERMINAL BT 30 GREN , CAPACITOR , ENERGY METER SEAL , COPPER LUGS , CRC SPRAY , CONTROL RELAY , POWER CONTACTOR NVC , CONTROL FUSE , ONE WAY SWITCH MODULAR , TWO WAY SWITCH MODULAR , BELL PUSH SWITCH MODULAR , DP SWITCH MODULAR , TWO PIN SOCKET MODULAR , 3 PIN SOCKET MODULAR , 5 PIN SOCKET MODULAR , ANGLE HOLDER , PENDENT HOLDER , ROUND BLOCK , FAN BOX , TORODIAL INDUCTOR , UNARMED CABLE , BATTERY ELECTROLYTE , LED LAMP , REMOTE CONTROL SYSTEM , DRAW SPRING , CABLE ENTRY PLATE , DC BULB WITH HOLDER , SOLDER WIRE WITH FLUX , FLEXIBLE COPPER WIRE , LED DOWNLIGHT SQUARE , CFL DISPLAY SPOT LIGHT SQUARE , CFL LAMP , CABLE LUG ALLUMINIUM , FAN REGULATOR MODULAR TYPE 4 STEP OR 5 STEP , COTTON SLEEVE or PVC SLEEVE , LEATHEROID PAPER , PVC BOBIN CORE AREA , SIREN , SOLAR PANEL , LED SOLAR LIGHT , SOLAR CHARGE CONTROLLAR , TERMINAL CONNECTOR , INDICATION LAMP , HOOTER , MINI SUBMERSIBLE MOTOR , DC GEAR MOTOR , INTERMEDIATE SWITCH , CABLE GLAND , CABLE TRAY , CMOS Batteries
	Arc welding cables multi cored copper 400/ 600 amp as per BIS, WELDING LUGS FOR ARC WELDING CABLES MULTI CORED COPPER 400/600 AMP AS PER BIS , GLASS DC FUSE 5A 240V, Nicrom Wire 22 SWG, Electronic Sequential Control Circuit 4 Channel LED Chaser with Adjustable Speed, Copper lugs 2.5 mm2, Copper lugs 4 mm2, Copper lugs 6 mm2, Copper lugs 10 mm2, Electromagnetic Relay 24 V,

बिड विवरण/Bid Details	PVC Pipe 3/4", PVC T JOINT 3/4", PVC Elbow 3/4", PVC CLIP 3/4", Tubelight Choke 40 W, 240 V, SAFETY GOGGLES, Bar
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Megnate 50 x 9 x 9 mm, PVC Bobin For Transformer 1 Inch * 1 Inch, Laminationed Stamping I AND E TYPE, PVC Caping Casing 30MM * 15 MM, Batten Holder230v, Fuse Switch Type(Modular)230v, Male- Female Pin Set,6A230v, 6 AMP, 3/20 PVC Insulated Aluminium Wire3/20 PVC INSULATED, 3Volt Led Redcolour 3V, 3Volt Led Yellowcolour 3V, 3Volt Led Bluecolour 3V, 3Volt Led Multicolour 3V, 3Volt Led Holder 3V, 6V Charger 2 Ampere, 12V Charger 2 Ampere, P.V.C. Insulated Copper Wire 7/20 wire, P.V.C. Insulated Copper Wire 3/20 wire, Bare Conductor 8 S.W.G. ALUMINIUM, Bare Conductor 19 S.W.G. ALUMINIUM(BINDING WIRE), Heat Shinkeble Joint Kit, Tungestan Lamp 60W, Tungestan Lamp 100W, Tungestan Lamp 200W, Powerfull Horse Shoe Magnet ' U' 6-inch (150mm) , Wd-40 Spray 400ML, PVC Gang Box One Way One Way , PVC Gang Box Two Way Two Way , PVC Gang Box Three Way Three Way , ELCB 2 Pole ,16Amp ,30Ma Tripping Current, Capacitor 0.1 mfd, 230 V, Capacitor 2.25 mfd, 440 V ac, Capacitor 5 mfd, 230 V, Capacitor 4 MICRO FARAD, Capacitor 6 MICRO FARAD, Capacitor 8 mfd, 440 V ac, Fan Capacitor(Oil Type) 2.5mfd ,440 V, Intermidiate Switch 6A,230 V, Inductor 40W, 230V, Inductor 250W MERCURY CHOK, Inductor 3mH, 230 V, Solar Cell 3V/150mA, Solder Wire With 2% Flux 22 SWG, METAL HELIDE LAMP 150W, NEON SINE TUBE 60W , 5METER , PCB (FOR LED LAMP) 1cm*1cm , POT (Potentiometer) 2K, CONNECTING LEAD 16A, 775 MOTOR 12 V, STEPPER MOTOR 12V, SOLAR PLATE 6V-100 MAH, IP65 RATED LED STRIP LIGHT (RGB), RAIN DROPS SENSOR, High-Voltage Generator Transformer 6V-12V Inverter Pulse Mini, TRANSFORMER 6-0-6V, 1A, TRANSFORMER 230V/180-250V, TRANSFORMER 230/1.5-3-6-9-12V 2Amp, TRANSFORMER 9-0-9V, 1A, TRANSISTOR BC 107, TRANSISTOR 2N22, TRANSISTOR BD135, TRANSISTOR BD136, TRANSISTOR UJT 2N 2626, TRANSISTOR BC 337, DIAC DB3, TRIAC BT136, PCB 4*4 Inch, COPPER COATED PLATE 60*80 mm, Rotary switch 1 pole 5 way, IC 7812, DIN CHANNEL 32 MM, SCR C106D, SCR TYN-604 400V, LDR, SOLAR CHARGE CONTROLLER WITH PHOTO CELL 6A,12V, THERMAL RELAY 4-6A, 440V, CLAP CIRCUIT, TIMER 0-60 SECOND, TIMER SWITCH, 2 Pole Mini Toggle Switches, RECHARGABLE BATTERY 3.5 V, AMPLIFIER CIRCUIT, INTERNAL THEREDED COUPLING 19MM, 35 SQ MM AAC CONDUCTOR Aluminium, 6 SQMM COPPER WIRE, 10 SQMM COPPER WIRE, ICTPN SWITCH WITH NUTRAL LINK 16A, BOBIN 25MM &22 CM LENTH, LAMP HOLDER 250V, INDUCTOR(TUBELIGHT CHOKE) 40W, BANANA TERMINAL BT 30 RED, BANANA TERMINAL BT 30 YELLOW, BANANA TERMINAL BT 30 BLUE, BANANA TERMINAL BT 30 GREN, CAPACITOR 250 micro F , 250V, ENERGY METER SEAL, COPPER LUGS 200A WITH 19mm Dia, CRC SPRAY, CONTROL RELAY 12 VOLT, POWER CONTACTOR NVC, CONTROL FUSE 500mA, ONE WAY SWITCH MODULAR 5A, ONE WAY SWITCH MODULAR 16A, TWO WAY SWITCH MODULAR 5A, TWO WAY SWITCH MODULAR 16A, BELL PUSH SWITCH MODULAR 6A, DP SWITCH MODULAR 16A, TWO PIN SOCKET MODULAR 6A, 3 PIN SOCKET MODULAR 6A, 5 PIN SOCKET MODULAR 16A, ANGLE HOLDER 6A, PENDENT HOLDER 6A, ROUND BLOCK PVC, FAN BOX 4" * 4", TORODIAL INDUCTOR, UNARMED CABLE 6 SQMM, BATTERY ELECTROLYTE, LED LAMP 9W, REMOTE CONTROL SYSTEM FOR LIGHT AND FAN WITH REMOTE CONTROL UNIT-, DRAW SPRING 10 MTR, CABLE ENTRY PLATE 8" BY 4", DC BULB WITH HOLDER 12V ,6W, DC BULB WITH HOLDER 12V ,21W, DC BULB WITH HOLDER 12V

बिड विवरण/Bid Details	
	35W, SOLDER WIRE WITH FLUX, FLEXIBLE COPPER WIRE 0.5 SQMM, LED DOWNLIGHT (SQUARE) 240V ,15W, CFL DISPLAY SPOT LIGHT (SQUARE) 240V ,15W, TRANSISTOR BC547, PCB 4" * 4", CFL LAMP 18W, 230V, LED LAMP 9W, 230V, CABLE LUG ALLUMINIUM 25 SQ MM, FAN REGULATOR MODULAR TYPE (4 STEP OR 5STEP) 6 AMP,250V, COTTON SLEEVE/ PVC SLEEVE 3MM, LEATHEROID PAPER, PVC BOBIN CORE AREA 1" * 1", SIREN 24V, SOLAR PANEL 12V,, LED SOLAR LIGHT 12V, SOLAR CHARGE CONTROLLAR 12V 10A, FLEXIBLE COPPER WIRE 4 SQ MM, TERMINAL CONNECTOR, INDICATION LAMP 230V RED, INDICATION LAMP 230V YELLOW, INDICATION LAMP 230V BLUE, INDICATION LAMP 230V GREEN, HOOTER 12V , MINI SUBMERSIBLE MOTOR, 775 MOTOR 5A, 240V, DC GEAR MOTOR 4-6A, 440V, INTERMEDIATE SWITCH 24V DC, CABLE GLAND 16MM,
	CABLE TRAY 60CM, CMOS Batteries3.0 V **Searched String**: Arc welding cables multi cored copper 400/ 600 amp as per BIS Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode **Searched String**: WELDING LUGS FOR ARC WELDING CABLES MULTI CORED COPPER 400/600 AMP AS PER BIS Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode **Searched String**: GLASS DC FUSE 5A 240V Glass Fuse, Cotton Towelling And Towels Conforming To IS 7056 (V4), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Powder - Liquid Acid-Base Dental Cements Conforming to IS/ISO 9917 (Part 1), Circuit Breakers for DC Operation, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Optical Glass Slab for Science Labs in Schools, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: Nicrom Wire 22 SWG Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Tapered Bearings as per IS 12102, Steel Wire Ropes for General Engineering Purpose (V3) ISI marked to IS 2266, Stitching Wire for Book Binding, Wire rope slings and sling legs (V3) conforming to IS 2762, Thimbles For Wire Ropes-IS:2315 **Searched String**: Electronic Sequential Control Circuit 4 Channel LED Chaser with Adjustable Speed Category not available on GeM for the text string uploaded by the buyer **Searched String**: Copper lugs 2.5 mm2 5-5 Dithiobis -2-2 Nitrobenzoic Acid, Sofa (V3), Electrical Cable Lugs, Electrical connection Lugs or thimbles, 5-Sulfosalicylic acid, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Desk and Bench Set for

बिड विवरण/Bid Details	Classroom/Training Area, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6 **Searched String**: Copper lugs 4 mm2 Electrical Cable Lugs, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electrical connection Lugs or thimbles, water baths, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cotton Towelling And Towels Conforming To IS 7056 (V4), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: Copper lugs 6 mm2 Electrical Cable Lugs, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper Patch Cord, Electrical connection Lugs or thimbles, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Desk and Bench Set for Classroom/Training Area **Searched String**: Copper lugs 10 mm2 Electrical Cable Lugs, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper Tube 104.9mm-OFB, Electrical connection Lugs or thimbles, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: Electromagnetic Relay 24 V V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Soldering and Desoldering Station with digital display, Plug In Relay, 24V DC (BHEL-SCR), Relay Testing Educational Kit, Endless V Belt for Industrial Purposes ISI marked to IS 2494 (Part 1), Electromagnetic flowmeter, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Solid State Potentiometer **Searched String**: PVC Pipe 3/4"

बिड विवरण/Bid Details	Pipe for Gardening Purpose, A3 Size Multifunction Printer (MFP), Methyl 4 Hydroxybenoate (Methylparaben), Elbow Pipe Fitting, Pipe Cutter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Metanil Yellow, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: PVC T JOINT 3/4" 3 T MRI Machine, A3 Size Multifunction Printer (MFP), Methyl 4 Hydroxybenoate (Methylparaben), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Metanil Yellow, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Desk and Bench Set for Classroom/Training Area **Searched String**: PVC Elbow 3/4" Methyl 4 Hydroxybenoate (Methylparaben), A3 Size Multifunction Printer (MFP), Metanil Yellow, Elbow Pipe Fitting, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Sulphanilic Acid, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: PVC CLIP 3/4" Methyl 4 Hydroxybenoate (Methylparaben), A3 Size Multifunction Printer (MFP), Metanil Yellow, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Sulphanilic Acid, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Desk and Bench Set for Classroom/Training Area **Searched String**: Tubelight Choke 40 W, 240 V Antimicrobial Hand Wash (V2) **Searched String**: SAFETY GOGGLES Safety Goggles Medical (V2), Miner's Safety Goggles (V2) Conforming to IS 14352, ballistic goggles, Chemical Splash Proof Goggle, Diplopia Goggles, Protective Eye Goggles (MHA), Swimming Goggles, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Snow Goggles (Defence), Safety

बिड विवरण/Bid Details	Footwear (V3) ISI marked to IS 15298 (Part 2) **Searched String**: Bar Megnate 50 x 9 x 9 mm modular electrical enclosure switch board boxes for modular type accessories, Polyurethane Tube (V2), Cast Iron Bench, RP-54 Acknowledgement Card (V2), Parallel Bar - Outdoor Gym Equipment, The Indian National Flag as per IS 1, Sinks, The Indian National Flag - Polyester, Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948 **Searched String**: PVC Bobin For Transformer 1 Inch * 1 Inch Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), Interactive Panels with CPU, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC gitti, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Cordless Brushless Impact Wrench (ONGC), PVC Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, General Purpose Ball Valves (V2), CPVC Ball Valve, Connector Pipes for Washbasins/ Sinks/ Geyser **Searched String**: Laminationed Stamping I AND E TYPE Category not available on GeM for the text string uploaded by the buyer **Searched String**: PVC Caping Casing 30MM * 15 MM PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Sheet (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Speed Breaker (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, rubber bands, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: Batten Holder230v LED Batten, Cotton Towelling And Towels Conforming To IS 7056 (V4), LED Batten with Battery / Invertor, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, LED Batten Light (LED Tube Light) (V2), Air Curtain, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Sheeting, Tickings and Bedsheets (V2) as per IS 175, Cable Nail Clip (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 **Searched String**: Fuse Switch Type(Modular)230v modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse

बिड विवरण/Bid Details	Unit) Conforming To IS/IEC 60947 (Part 3), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Online Ups Modular Type, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Drop Out Fuses **Searched String**: Male- Female Pin Set,6A230v, 6 AMP Desk and Bench Set for Classroom/Training Area, Anatomy Structure Model (V2), Desk and Chair Set for Classroom/Training Area, Cables, Converters and Adapters, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, ESD shoes, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Printed Circuit Board, Tea Set (V2) **Searched String**: 3/20 PVC Insulated Aluminium Wire3/20 PVC INSULATED PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1) **Searched String**: 3Volt Led Redcolour 3V Entry and Mid Level Desktop Computer, Plotter Printers (V2), High End Desktop Computer, Phase Indicator, Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Weighing Scales **Searched String**: 3Volt Led Yellowcolour 3V Entry and Mid Level Desktop Computer, Plotter Printers (V2), High End Desktop Computer, Phase Indicator, Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Weighing Scales **Searched String**: 3Volt Led Bluecolour 3V Entry and Mid Level Desktop Computer, Plotter Printers (V2), High End Desktop Computer, Phase Indicator, Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden

बिड विवरण/Bid Details	Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Weighing Scales **Searched String**: 3Volt Led Multicolour 3V Entry and Mid Level Desktop Computer, Plotter Printers (V2), High End Desktop Computer, Phase Indicator, Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Weighing Scales **Searched String**: 3Volt Led Holder 3V Entry and Mid Level Desktop Computer, Pen or Pencil Holders (V2), High End Desktop Computer, Plotter Printers (V2), Interactive Panels with CPU, Phase Indicator, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: 6V Charger 2 Ampere Cotton Towelling And Towels Conforming To IS 7056 (V4), Desk and Bench Set for Classroom/Training Area, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Digital pH Meter, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Desk and Chair Set for Classroom/Training Area, shoes school pvc boys girls, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Line Interactive UPS with AVR (V2) **Searched String**: 12V Charger 2 Ampere Cotton Towelling And Towels Conforming To IS 7056 (V4), Desk and Bench Set for Classroom/Training Area, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Digital pH Meter, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, shoes school pvc boys girls, Desk and Chair Set for Classroom/Training Area, Reciprocating Air Compressors - Electric Motor Driven, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, BiPAP Full Face Mask (V2) **Searched String**: P.V.C. Insulated Copper Wire 7/20 wire PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Control Cable, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Tapered Bearings as per IS 12102, Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

बिड विवरण/Bid Details	
	Searched String: P.V.C. Insulated Copper Wire 3/20 wire Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Power Factor Meter - Digital, Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Control Cable, Insulated wire stripper **Searched String**: Bare Conductor 8 S.W.G. ALUMINIUM PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Platform Step Ladder (V2), Reciprocating Air Compressors - Electric Motor Driven, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Handloom Cotton Bed Sheets (V2) as per IS 745 **Searched String**: Bare Conductor 19 S.W.G. ALUMINIUM(BINDING WIRE) Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 **Searched String**: Heat Shinkeble Joint Kit Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Waxing Kit, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Kerosene Oil Fired Bukhari with Exhaust Pipes as per MHA QRs **Searched String**: Tungestan Lamp 60W Hand Lamp, Inspection Lamp, Slit Lamp, Cotton Towelling And Towels Conforming To IS 7056 (V4), Infrared Heat Lamp, industrial vacuum cleaner, Lamp Shades-Handicraft, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Slit Lamp (V2), Recycled Towel **Searched String**: Tungestan Lamp 100W Hand Lamp, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Inspection Lamp, Slit Lamp, Cotton Towelling And Towels Conforming To IS 7056 (V4), Infrared Heat Lamp, Lamp Shades-Handicraft, Laboratory Hot Air Oven (V2), Slit Lamp (V2), Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1) **Searched String**: Tungestan Lamp 200W Hand Lamp, Inspection Lamp, Slit Lamp, Laboratory Hot Air Oven (V2), Infrared Heat Lamp, Ice Lined Refrigerator (V2), Lamp Shades-Handicraft, Digital pH Meter, Slit Lamp (V2), Register (V2) **Searched String**: Powerfull Horse Shoe Magnet ' U' 6-inch (150mm) Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	
	Searched String: Wd-40 Spray 400ML Air Freshener liquid (V3), Household Insecticides (V2), Paint spray gun, Rust Remover Solution, Low Temperature Laboratory Deep Freezer (up to-40°C Degree), Online UPS (V2), Insulin Syringe, Mosquito Repellent (V2) **Searched String**: PVC Gang Box One Way One Way High performance Computing (HPC) in a Box, Three Way Stopcocks, HDMI Switcher, Corrugated Boxes **Searched String**: PVC Gang Box Two Way Two Way Two Way Valve, Three Way Stopcocks, Two way UPVC Outlet Valve, Analog Transceiver - Handheld, Corrugated Boxes, Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Binder Clips (V3) Conforming to IS 8231, Digital Hand-held VHF Transceiver as per MHA QR, Counter Communication System, Digital UHF Base / Mobile Radio Sets as per MHA QR (V2) **Searched String**: PVC Gang Box Three Way Three Way Three Way Stopcocks, Corrugated Boxes **Searched String**: ELCB 2 Pole ,16Amp ,30Ma Tripping Current Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Earth Leakage Circuit Breaker (ELCB), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Multi function Calibrators **Searched String**: Capacitor 0.1 mfd, 230 V Digital pH Meter, Power Factor Meter - Digital, Hydrochloric Acid (V3) Conforming to IS 265, Transformer Oil BDV Test Set, Line Interactive UPS with AVR (V2) **Searched String**: Capacitor 2.25 mfd, 440 V ac Digital pH Meter, Watt Meter - Analog (Panel Meter) as per IS 1248:2003, Capacitors for Electric Fan Motors as per IS 1709 (V2), Junction Boxes (Flameproof), Solenoid Valve (V3) **Searched String**: Capacitor 5 mfd, 230 V General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Digital pH Meter, Transformer Oil BDV Test Set, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Analog-Digital Circuits Development Platform, Hydrochloric Acid (V3) Conforming to IS 265, Capacitors for Electric Fan Motors as per IS 1709 (V2), Power Factor Meter - Digital **Searched String**: Capacitor 4 MICRO FARAD Methyl Blue for Microscopy, Shredding Machine/Paper Shredder, Methyl Blue For Microscopy (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Rotary Evaporator, Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: Capacitor 6 MICRO FARAD

बिड विवरण/Bid Details	Micro/Semi-Micro/Analytical weighing balance, Electric Axial Flow Fans (V2) Conforming To IS 3588, MCR Footwear, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1) **Searched String**: Capacitor 8 mfd, 440 V ac Junction Boxes (Flameproof), Watt Meter - Analog (Panel Meter) as per IS 1248:2003 **Searched String**: Fan Capacitor(Oil Type) 2.5mfd ,440 V Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Electric Ceiling Fan (V4) ISI Marked to IS 374, Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: Intermidiate Switch 6A,230 V Cotton Towelling And Towels Conforming To IS 7056 (V4), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Digital pH Meter, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Computer Monitor (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), modular electrical enclosure switch board boxes for modular type accessories, Digital Earth Resistance Meter **Searched String**: Inductor 40W, 230V Inline Inductor, Cotton Towelling And Towels Conforming To IS 7056 (V4), Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Air Curtain, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Nitrile Coated/Nitrile Hand Gloves (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulation Tester **Searched String**: Inductor 250W MERCURY CHOK Mercuric Nitrate, Mercury (II) Iodide Red **Searched String**: Inductor 3mH, 230 V Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Power Factor Meter - Digital, Digital pH Meter, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, traffic signs - bilinker light, Shaping Machine, Cotton Bandage Cloth Conforming to IS 863, Light Weight Running Shoes (V3) (MHA), Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592 **Searched String**: Solar Cell 3V/150mA Cotton Towelling And Towels Conforming To IS 7056 (V4), Lithium ion solar battery, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Solar Power Plant (Roof Top) for ONGRID System, Single

बिड विवरण/Bid Details	Phase, Biobanking and Cell Culture Cryogenic Tubes, Irradiance meter, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification **Searched String**: Solder Wire With 2% Flux 22 SWG Flux Cored Solder Wire as per IS 1921, Digital Grounding System with Equipment Protection, HDMI Switcher, Wire rope slings and sling legs (V3) conforming to IS 2762, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Thimbles For Wire Ropes-IS:2315 **Searched String**: METAL HELIDE LAMP 150W Ceramic Metal Halide Lamps, Ballasts For Discharge Lamps Conforming To IS 15882, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Rechargeable LED Bulb (V2), Tubular Fluorescent Lamps Conforming To IS 2418, Metal Storage Bins **Searched String**: NEON SINE TUBE 60W , 5METER Endotracheal Tube - Sterile (Single Use), Blood Collection Tube, Digital pH Meter, Disposable Tracheostomy Tube (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Minifuge, Fixed Computer Workstation (V2), Infant Feeding Tube (V3), Online UPS (V2), LED Batten Light (LED Tube Light) (V2) **Searched String**: PCB (FOR LED LAMP) 1cm*1cm Rechargeable LED Head Torch (Head Lamp), File/Folder (V3), LED Based Indicating Lamp for Panel Cut Outs, LED Portable Miner's Cordless Cap Lamp (V2), Muffle Furnace, Slit Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area, Note Sorting Machines (V2) **Searched String**: POT (Potentiometer) 2K Potentiometer, Sofa (V3), Solid State Potentiometer, Tea Set (V2), Stock Pot Stove, Muffle Furnace, JAL NETI POT, water baths, Flower Pots or Planters (V2), Desk and Bench Set for Classroom/Training Area **Searched String**: CONNECTING LEAD 16A Sterile Connecting Device, Cleaning Duster (V3), Connecting Rod Assembly for Automobile Engine, Lead nitrate, File/Folder (V3), Lead(II) Acetate, Refined Secondary Lead (V2) as per IS 3717, Biosafety Cabinet (V2), Lead (II) Oxide (LithARGE) LR, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: 775 MOTOR 12 V Jersey Mens Woollen 'V' Neck (Defence), Reciprocating Air Compressors - Electric Motor Driven, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Potassium Pyroantimonate, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, traffic signs -

बिड विवरण/Bid Details	bilinker light, Cleaning Duster (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Reciprocating Saw, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 **Searched String**: STEPPER MOTOR 12V Aerobic Stepper (V2), Cleaning Duster (V3), Motor Grader, Hydraulic Motors, Cotton Towelling And Towels Conforming To IS 7056 (V4), Starter Motor Assembly, Synchronous Servo Motor, Surgical Sutures, Vehicle Wiper Motor, Vacuum Oven **Searched String**: SOLAR PLATE 6V-100 MAH Cotton Towelling And Towels Conforming To IS 7056 (V4), Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Digital Trainer Kit, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Polyethylene Pipes for Water Supply conforming to IS 4984, Solar Water Heating System as per IS 12976:1990, Locking Compression Plates (V2), Laboratory Hot plate, Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification **Searched String**: IP65 RATED LED STRIP LIGHT (RGB) LED Rope Light (LED Strip Light) Conforming To IS 10322 (Part 5/Section 9) (Under BIS Scheme - II), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Body Worn LED Flashing Warning Light **Searched String**: RAIN DROPS SENSOR Rain Suit, Timolol Eye Drops, Brimonidine Tartrate + Timolol Maleate Drops (V2), Moxifloxacin Eye Drops, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, Atropine Drops (V2), Packaged Drinking Water (other than Mineral Water), Prednisolone Eye Drops, Breath Analyser, Bimatoprost Drops (V2) **Searched String**: High-Voltage Generator Transformer 6V-12V Inverter Pulse Mini Non-Contact High Voltage Detector, Transformer Winding Resistance Meter **Searched String**: TRANSFORMER 6-0-6V, 1A Cotton Towelling And Towels Conforming To IS 7056 (V4), Vacuum Oven, water baths, Muffle/Box Furnace (V2), Line Interactive UPS with AVR (V2), Electrical Extension Box (V4), Desk and Bench Set for Classroom/Training Area, Steel Cloth Lockers (V3), Electronic Weighing Scales, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: TRANSFORMER 230V/180-250V Cotton Towelling And Towels Conforming To IS 7056 (V4), Multi-Pin electrical top for industrial appliacation, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulation Tester, Digital pH Meter, cobweb brush, Books (V2), Modular Table / Meeting Table / Centre Table (V2), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018

बिड विवरण/Bid Details	**Searched String**: TRANSFORMER 230/1.5-3-6-9-12V 2Amp
	Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Desk and Bench Set for Classroom/Training Area, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Desk Only for Classroom/Training Area, Desk and Chair Set for Classroom/Training Area, shoes school pvc boys girls, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification, Hydrochloric Acid (V3) Conforming to IS 265, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018 **Searched String**: TRANSFORMER 9-0-9V, 1A Cotton Towelling And Towels Conforming To IS 7056 (V4), Foreign body (metal) detector for veterinary use, Line Interactive UPS with AVR (V2), Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, Desk and Bench Set for Classroom/Training Area, Desk Only for Classroom/Training Area, Muffle/Box Furnace (V2), Desk and Chair Set for Classroom/Training Area, Electronic Weighing Scales, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: TRANSISTOR BC 107 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulated Gate Bipolar Transistor Modules (BHEL), Non-Sparking Allen Key-IS:4595, BCG Vaccine under Universal Immunization Programme of MoHFW, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Handloom Cotton Durries as per IS 1450, BCAA 2:1:1 Powder, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, BCAA 8:1:1 Powder **Searched String**: TRANSISTOR 2N22 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Sofa (V3), Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, water baths, Gas Metal Arc Welding (GMAW) Machine (V2), Desk and Bench Set for Classroom/Training Area, Gas Tungsten Arc Welding (GTAW) Machine (V2), Manual Metal Arc Welding (MMA) Machine (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: TRANSISTOR BD135 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Ratchet Type Torque Wrench, Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, Sheeting, Tickings and Bedsheets (V2) as per IS 175, Gas Metal Arc Welding (GMAW) Machine (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Gas Tungsten Arc Welding (GTAW) Machine (V2), modular electrical enclosure switch board boxes for modular type accessories, Manual Metal Arc Welding (MMA) Machine (V3) **Searched String**: TRANSISTOR BD136 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Cotton Towelling And Towels Conforming To IS 7056 (V4), Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, Polyethylene Pipes for Water Supply

बिड विवरण/Bid Details	conforming to IS 4984, Gas Metal Arc Welding (GMAW) Machine (V2), Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Gas Tungsten Arc Welding (GTAW) Machine (V2), Manual Metal Arc Welding (MMA) Machine (V3), Books (V2) **Searched String**: TRANSISTOR UJT 2N 2626 Category not available on GeM for the text string uploaded by the buyer **Searched String**: TRANSISTOR BC 337 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulated Gate Bipolar Transistor Modules (BHEL), BCG Vaccine under Universal Immunization Programme of MoHFW, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Corrugated Boxes, BCAA 2:1:1 Powder, BCAA 8:1:1 Powder, Health Supplements, Nutraceuticals and Food for Special Dietary Use **Searched String**: DIAC DB3 Barium Acetate, Entry and Mid Level Desktop Computer, ACETYLE ACETONE, High End Desktop Computer, Life Detector Type - I, Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: TRIAC BT136 Glycerol triacetate, Polyethylene Pipes for Water Supply conforming to IS 4984, Blood Administration Set (V2), Spare / Add on Antenna for Transreceiver / Repeater - Mobile / Static / Handheld, Books (V2), VMC Machine (V1), DRDO Design Bio - Digester Tank for Single Pan Bio Toilet, Analog Transceiver - Handheld **Searched String**: PCB 4*4 Inch 4-Aminoantipyrine, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Methyl 4 Hydroxybenoate (Methylparaben), Medals (V3), Interceptor Vehicle (4 Wheeler), Cotton Towelling And Towels Conforming To IS 7056 (V4), Fipronil 4% + Acetamiprid 4% Suspension Concentrate Conforming To Is 18390, Fipronil 4%+ Thiamethoxam 4% Suspension Concentrate Conforming To Is 18391, water baths, Tank Mule MK-4 (Defence) **Searched String**: COPPER COATED PLATE 60*80 mm Mild Steel Sheet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Thermal Paper (V3) Conforming to IS 17568, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Petri plates or dishes(V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Teleprinter Paper Page Rolls (V3) Conforming to IS 9031

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: Rotary switch 1 pole 5 way HDMI Switcher, Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Limit Switch, Bamboo, Tent Pole as per IS 7344 **Searched String**: IC 7812 IC SOCKET, Ride-On Sweepers, IC Socket (V2), Starter Motors for IC Engines, Three Wheeler for Goods (V2), IC Engine Scooters for Specially Abled, Alumino - Ferric (V2) Conforming to IS 299, Ion Chromatography System, Diesel Engine as per IS 10001, Ice Cube Machine **Searched String**: DIN CHANNEL 32 MM SAN Switch, rubber bands, Seamless Steel Tube - BHEL (EM), Waste Fittings for Washbasin and Sinks as per IS 2963, Analog Transceiver - Handheld, Video Recorder for CCTV System (V2), Data Logger Unit Storage, Flexible Drain Hoses for Wash Basins/ Sinks, Voice Logger System, Drilling Machine Bench Type / Pillar Type as per IS 2425 **Searched String**: SCR C106D BRASS NUT (BHEL-SCR), Muffle/Box Furnace (V2), Plug In Relay, 24V DC (BHEL-SCR), D.C. Earth Fault Locator, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Stainless Steel Dining Table With Fixed Chair, Wood screws, Screw Compressor, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Wedge Wire Screen **Searched String**: SCR TYN-604 400V Plug In Relay, 24V DC (BHEL-SCR) **Searched String**: LDR Category not available on GeM for the text string uploaded by the buyer **Searched String**: SOLAR CHARGE CONTROLLER WITH PHOTO CELL 6A,12V Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications **Searched String**: THERMAL RELAY 4-6A, 440V Overload Relay, Cotton Towelling And Towels Conforming To IS 7056 (V4), Non Thermal Plasma Air Sterilizer, File/Folder (V3), water baths, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Multifunction Printer (Print, Scan, Copy), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Desk and Bench Set for Classroom/Training Area **Searched String**: CLAP CIRCUIT True RMS Clamp Meter (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Coaxial Bain Circuit (V2), Printed Circuit Board, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1),

बिड विवरण/Bid Details	Mapleson C Circuit (V2), Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2), 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1) **Searched String**: TIMER 0-60 SECOND Online UPS (V2), Self Propelled Tree Maintenance Platform, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, DC Electronic Load, Automatic Optical Level, Gloss Meter (V2), Digital pH Meter, Wall Mount Thermometer, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: TIMER SWITCH Time Switch, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Digital Timer, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Stopwatch (V2), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), modular electrical enclosure switch board boxes for modular type accessories, Limit Switch, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator **Searched String**: 2 Pole Mini Toggle Switches Toggle Switches, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), KVM Switches (V2), Layer 2 Access Switch (V3), Mini Extension Pole Cum Tripod Cum Shooting Grip (Accessories for Action Cameras), Computer Motherboards, Minifuge, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Bamboo, Tent Pole as per IS 7344, PCR Mini Cooler **Searched String**: RECHARGABLE BATTERY 3.5 V Bromophenol Blue (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, 72V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), true rms clamp meter **Searched String**: AMPLIFIER CIRCUIT Audio Amplifier (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), RF Power Amplifier, Electronic Lectern System, Audio Amplifier (V3) (under BIS Scheme - II), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Coaxial Bain Circuit (V2), Printed Circuit Board, Smooth Bore Circuits -

बिड विवरण/Bid Details	Anesthesia Breathing Circuits (V2), Mapleson C Circuit (V2) **Searched String**: INTERNAL THEREDED COUPLING 19MM Endotracheal Tube - Sterile (Single Use), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, General Purpose Ball Valves conforming to IS 9890, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Shredding Machine/Paper Shredder, couplings-fire hose as per IS 903, Blood Administration Set (V2), Disposable Tracheostomy Tube (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546 **Searched String**: 35 SQ MM AAC CONDUCTOR Aluminium Aluminium Conductors for Overhead Transmission Purposes (Powergrid), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Electrical Cable Lugs **Searched String**: 6 SQMM COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper Patch Cord, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Zinc Coated EDM Wire (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Copper (in the form of refinery shapes) Conforming to IS 191 **Searched String**: 10 SQMM COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Rolled Copper and Copper Alloy Sheet, Strip and Foil, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Zinc Coated EDM Wire (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694

बिड विवरण/Bid Details	
	Searched String: ICTPN SWITCH WITH NUTRAL LINK 16A Computer Monitor (V2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Round Steel Short Link Chains (Electric Butt Welded), Grade L 3 (Part 1) (V2) as per IS 2429, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Wireless Attendant Calling System, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: BOBIN 25MM &22 CM LENTH X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Non Adherent Dressings (V2), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Antimicrobial Dressing (V2), Plain Gauze Swab, Foam Dressing Conforming to IS 17352, LED Batten, Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Bolt / Bullet Seal **Searched String**: LAMP HOLDER 250V Hand Lamp, Cotton Towelling And Towels Conforming To IS 7056 (V4), Inspection Lamp, Multi-Pin electrical top for industrial appliacation, Slit Lamp, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Soldering Clamp Holder, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Ryder Needle Holder, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: INDUCTOR(TUBELIGHT CHOKE) 40W Category not available on GeM for the text string uploaded by the buyer **Searched String**: BANANA TERMINAL BT 30 RED Banana Sockets and Terminals, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Kick / Punching (Bag) - Gymnastics, VMC Machine (V1), Online UPS (>10 KVA) With Battery, Markers and Highlighters **Searched String**: BANANA TERMINAL BT 30 YELLOW Banana Sockets and Terminals, Pipe for Gardening Purpose, VMC Machine (V1) **Searched String**: BANANA TERMINAL BT 30 BLUE Banana Sockets and Terminals, Bromothymol Blue (V2), Self Inking Rubber Stamp (V2), VMC Machine (V1), Fire Retardant Tarpaulin, Woollen Blended Blankets conforming to IS 12848, Markers and Highlighters **Searched String**: BANANA TERMINAL BT 30 GREN Banana Sockets and Terminals, VMC Machine (V1) **Searched String**: CAPACITOR 250 micro F , 250V Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Submersible Sewerage Pump, Curtains (V2), Absorbent

बिड विवरण/Bid Details	Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Speed Breaker (V2), Micro - Nutrient Mixture For Agricultural Use (V2), Deep freezer, Shaker Incubator, Laboratory Hot Air Oven (V2) **Searched String**: ENERGY METER SEAL Prepaid energy meter, true rms clamp meter, Energy Meter Test Bench, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, digital conductivity meter, Puf Seal, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), High Energy Bar, Digital pH Meter, BEARING ISOLATOR **Searched String**: COPPER LUGS 200A WITH 19mm Dia PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Electrical connection Lugs or thimbles, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Shredding Machine/Paper Shredder, Non Sparking Ring Slugging Spanners (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Non Sparking Combination Spanners (V2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Non Sparking Double Ended Ring Spanner (V2) **Searched String**: CRC SPRAY Silicon Spray, Air Freshener liquid (V3), Spray Bottles, Rust Remover Solution, Fluorescent Dye Spray, Paint spray gun, Silicon Spray (V2), Rust Release penetrate spray, Airless spray gun, Household Insecticides (V2) **Searched String**: CONTROL RELAY 12 VOLT Relay Module, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Voltage Monitor Relay, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, Single phasing preventer Relay (SPPR), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Programmable Logic Controller Trainer Kit, SOVP Device for Street light Pole Mounted, PID Controller **Searched String**: POWER CONTACTOR NVC CONTACTOR RELAY, Ultrasonic Probe Sonicator, Vacuum Contactor Conforming To IS/IEC 60470, Air Break Contactors, Diesel Power Generator (up to 900 KVA), DC Motor Armature Reversing Contactor-BHEL, Power Tiller, Power sprayer, Diesel Power Generator (V2), Power Harrow **Searched String**: CONTROL FUSE 500mA Glass Fuse, magnetic stirrers, Carriers and bases in rewirable type electric fuses conforming to IS 2086, 500 mA X - Ray Machine (V2), Cylindrical Fuses, Sanitary Napkins Incinerator Machine with Smoke Control Unit, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Drop Out Fuses, Speed Breaker (V2)

बिड विवरण/Bid Details	**Searched String**: ONE WAY SWITCH MODULAR 5A modular electrical enclosure switch board boxes for modular type accessories, All in One PC (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, HDMI Switcher, Computer Monitor (V2), Power Control Center (PCC) Panel for Power Distribution, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098 **Searched String**: ONE WAY SWITCH MODULAR 16A modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Computer Monitor (V2), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, HDMI Switcher, Modular Extendable Conference Table (V2), Power Control Center (PCC) Panel for Power Distribution **Searched String**: TWO WAY SWITCH MODULAR 5A Two Way Valve, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Two way UPVC Outlet Valve, modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Computer Monitor (V2), Director-Class Storage Area Network (SAN) Switch, Digital Earth Resistance Meter, Binder Clips (V3) Conforming to IS 8231 **Searched String**: TWO WAY SWITCH MODULAR 16A Two Way Valve, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Two way UPVC Outlet Valve, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Computer Monitor (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Director-Class Storage Area Network (SAN) Switch, Digital Earth Resistance Meter **Searched String**: BELL PUSH SWITCH MODULAR 6A Emergency Push Button Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Computer Monitor (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Power Control Center (PCC) Panel for Power Distribution, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293

बिड विवरण/Bid Details	
	Searched String: DP SWITCH MODULAR 16A modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Computer Monitor (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Power Control Center (PCC) Panel for Power Distribution, Digital Earth Resistance Meter, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: TWO PIN SOCKET MODULAR 6A Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electric Power Plug Top for Industrial Applications, Laboratory Glass Adapters (V2), Laboratory Glass Adapters **Searched String**: 3 PIN SOCKET MODULAR 6A Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, A3 Size Multifunction Printer (MFP), Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), Electric Power Plug Top for Industrial Applications, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Electrical Power Connector **Searched String**: 5 PIN SOCKET MODULAR 16A Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, File/Folder (V3), Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Electric Power Plug Top for Industrial Applications **Searched String**: ANGLE HOLDER 6A Angle Grinder, File/Folder (V3), Angle Cutter (Electric), Angle Cutter (V2), Biosafety Cabinet (V2), Soldering Clamp Holder, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Ryder Needle Holder, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Tooth brush Holder **Searched String**: PENDENT HOLDER 6A

बिड विवरण/Bid Details	Soldering Clamp Holder, File/Folder (V3), Ryder Needle Holder, Tooth brush Holder, Biosafety Cabinet (V2), Industrial Gouging Electrode Holder, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Plane Mirror Strip Holder, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Business Card Holder (V2) **Searched String**: ROUND BLOCK PVC Round Baler, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Wooden block, Floor Drain Traps, Calibration Block, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Polyester Round Slings, Towel Rail, PVC gitti, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: FAN BOX 4" * 4" 4-Aminoantipyrine, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Methyl 4 Hydroxybenoate (Methylparaben), Built up Trucks (V3), Interceptor Vehicle (4 Wheeler), Cotton Towelling And Towels Conforming To IS 7056 (V4), Fipronil 4% + Acetamiprid 4% Suspension Concentrate Conforming To Is 18390, Fipronil 4%+ Thiamethoxam 4% Suspension Concentrate Conforming To Is 18391, water baths, Tank Mule MK-4 (Defence) **Searched String**: TORODIAL INDUCTOR Inline Inductor, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097 **Searched String**: UNARMED CABLE 6 SQMM Ethernet Cables, Control Cable, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: BATTERY ELECTROLYTE Electrolyte Analyzer, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Electrolyte Intense Powder, Electrolyte Analyzers (V2), Online UPS (V2), Consumables for Electrolyte Analyzer, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Electrolyte Analyzer Reagents for Human Samples, Online UPS (>10 KVA) With Battery, Battery Cover

बिड विवरण/Bid Details	
	Searched String: LED LAMP 9W Hand Lamp, Laboratory Incubators, LED Machine Work Lamp, LED PL-L (Plug-in Long) Lamp (V2), Muffle Furnace, White LED Based Solar Study Lamp as per MNRE Specifications, LED Portable Miner's Cordless Cap Lamp (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Rechargeable LED Head Torch (Head Lamp), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II) **Searched String**: REMOTE CONTROL SYSTEM FOR LIGHT AND FAN WITH REMOTE CONTROL UNIT- Category not available on GeM for the text string uploaded by the buyer **Searched String**: DRAW SPRING 10 MTR Spring Bars For Watch Cases and Straps Conforming to IS 10865, Bag Calico- OFB, Black Lead Pencils (V3) Conforming to IS 1375, Air Hoses as per IS 446:1987, Satin Ribbon (V3), Extendable Road Barricade (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Harvesting Chisel **Searched String**: CABLE ENTRY PLATE 8" BY 4" WELDING ELECTRODE - Air arc gouging electrode (BEML) - as per C4117 BEML Welding Electrode, Tress Name Plate (V2), Locking Compression Plates (V2) **Searched String**: DC BULB WITH HOLDER 12V ,6W Hand Held Slit Lamp - RBSK, Rechargeable LED Bulb (V2), Fire Hoses with Delivery Coupling, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725, Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Line Interactive UPS with AVR (V2), Prelaminated MDF Board Conforming to IS 14587 **Searched String**: DC BULB WITH HOLDER 12V ,21W Hand Held Slit Lamp - RBSK, Rechargeable LED Bulb (V2), Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725, Prelaminated MDF Board Conforming to IS 14587 **Searched String**: DC BULB WITH HOLDER 12V ,35W Hand Held Slit Lamp - RBSK, Rechargeable LED Bulb (V2), Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725, Prelaminated MDF Board Conforming to IS 14587 **Searched String**: SOLDER WIRE WITH FLUX Flux Cored Solder Wire as per IS 1921, Riot Control Helmet with accessories (MHA), WELDING ELECTRODE -Flux cored wire for CO2 gas shielded arc welding (BEML), Soft Solder - IS 193, Ventilator Circuit (Dual Limb with Heated Wire), Temperature controlled soldering station, Soldering and Desoldering Station with digital display, Conference

बिड विवरण/Bid Details	Speakerphone with Bluetooth, Wired Headphones, Earphones and Communication Headsets, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode **Searched String**: FLEXIBLE COPPER WIRE 0.5 SQMM Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Telecommunication Cable - Fully Filled Petroleum Jelly or Absorbent Thixotropic Gel (V2), Wire Cup Brush, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: LED DOWNLIGHT (SQUARE) 240V ,15W LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Hand Held Search Light, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, LED Garden Light (V2), Rechargeable LED Bulb (V2), data wall display, Analog-Digital Circuits Development Platform, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Online UPS (>10 KVA) With Battery, LED Luminaire for High Bay Lighting **Searched String**: CFL DISPLAY SPOT LIGHT (SQUARE) 240V ,15W Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, White LED (W - LED) Based Solar Home Lighting Systems (V2) **Searched String**: TRANSISTOR BC547 DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2), Manual Metal Arc Welding (MMA) Machine (V3) **Searched String**: PCB 4" * 4" 4-Aminoantipyrine, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Methyl 4 Hydroxybenoate (Methylparaben), Interceptor Vehicle (4 Wheeler), Cotton Towelling And Towels Conforming To IS 7056 (V4), Fipronil 4% + Acetamiprid 4% Suspension Concentrate Conforming To Is 18390, Desk and Bench Set for Classroom/Training Area, Fipronil 4%+ Thiamethoxam 4% Suspension Concentrate Conforming To Is 18391, water baths, PCB Platting

बिड विवरण/Bid Details	**Searched String**: CFL LAMP 18W, 230V Ballasts For Discharge Lamps Conforming To IS 15882, Tubular Fluorescent Lamps Conforming To IS 2418, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Rechargeable LED Bulb (V2), Battery Operated Reciprocating Saw, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), High Level Medical Device Disinfectant, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2) **Searched String**: LED LAMP 9W, 230V Hand Lamp, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, LED Machine Work Lamp, LED PL-L (Plug-in Long) Lamp (V2), White LED Based Solar Study Lamp as per MNRE Specifications, LED Portable Miner's Cordless Cap Lamp (V2), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Rechargeable LED Head Torch (Head Lamp), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), LED Based Indicating Lamp for Panel Cut Outs **Searched String**: CABLE LUG ALLUMINIUM 25 SQ MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: FAN REGULATOR MODULAR TYPE (4 STEP OR 5STEP) 6 AMP,250V Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 **Searched String**: COTTON SLEEVE/ PVC SLEEVE 3MM Protective Sleeve, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Drill Sleeve, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL), Speedi sleeve, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Sleeve Tubes (BHEL), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Electrical Sleeves Conforming To IS

बिड विवरण/Bid Details	11654 (Part 3/Sec 403), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: LEATHEROID PAPER pH Paper, Blotting paper, Paper Carry Bag and Paper Pouches, Plotter Paper Roll (V2), Kraft Paper For Packing And Wrapping (V3) Conforming to IS 1397, Paper Cup (Dona) cum Paper Disc Machine Kit (GRIMCO Gujarat Govt), Volatile Corrosion Inhibitor (VCI) Treated paper - IS 6263, Shredding Machine/Paper Shredder, Tracing Paper Conforming to IS 9033, Blotting Paper (V2) **Searched String**: PVC BOBIN CORE AREA 1" * 1" PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Desk and Chair Set for Classroom/Training Area, Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Desk and Bench Set for Classroom/Training Area, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1) **Searched String**: SIREN 24V Industrial Siren / Electrical Siren, Cotton Towelling And Towels Conforming To IS 7056 (V4), Electric Motor Siren Conforming to IS 1941 (V2), Electric Fire Siren as per IS 1941, Plug In Relay, 24V DC (BHEL-SCR), Cleaning Duster (V3), Gypsy horn - loud speakers, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Electric Motor Fire Siren (IOCL), Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: SOLAR PANEL 12V, PUF Panel, Interactive Panels with CPU, Insulated Panel, Portable One Man Hapo Chamber MK - II - DEBEL, DRDO, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Cleaning Duster (V3), Solar Photovoltaic Modules / Panels - Thin Film Terrestrial, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Hand Sanitizer Panel, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: LED SOLAR LIGHT 12V White LED (W-LED) based Solar Lantern as per MNRE Specification, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) (Under BIS Scheme - II), Solar

	Aviation Light, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) (Under BIS Scheme - II), Solar Torch Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: SOLAR CHARGE CONTROLLAR 12V 10A Hybrid Charge Controller, Cotton Towelling And Towels Conforming To IS 7056 (V4), Photovoltaic Module (Solar Charger) for Batteries as per MHA QRs, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Digital pH Meter, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, shoes school pvc boys girls, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098 **Searched String**: FLEXIBLE COPPER WIRE 4 SQ MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: TERMINAL CONNECTOR Terminal Strip Connectors, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Battery Link Terminal, Electrical Power Connector, Substation Clamps / Connectors, Hose connector, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, SMA connector, Connector Pipes for Washbasins/ Sinks/ Geyser, Banana Sockets and Terminals **Searched String**: INDICATION LAMP 230V RED Cotton Towelling And Towels Conforming To IS 7056 (V4), Hand Held Slit Lamp - RBSK, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Curtains (V2), Jumbo Process Indicator, Digital Temperature Indicator **Searched String**: INDICATION LAMP 230V YELLOW Cotton Towelling And Towels Conforming To IS 7056 (V4), Curtains (V2), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Hand Held Slit Lamp - RBSK **Searched String**: INDICATION LAMP 230V BLUE

बिड विवरण/Bid Details	Cotton Towelling And Towels Conforming To IS 7056 (V4), Blanket (AF Blue) for CAPFs as per MHA Specifications (V3), Silica Gel Breather, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Blanket For CAPFs (V2), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications **Searched String**: INDICATION LAMP 230V GREEN Cotton Towelling And Towels Conforming To IS 7056 (V4), White LED Based Solar Study Lamp as per MNRE Specifications, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Hand Held Slit Lamp - RBSK, Digital pH Meter, Curtains (V2) **Searched String**: HOOTER 12V Electronic Hooter, Cleaning Duster (V3), Hand Operated Sirens Conforming to IS 6026 (V2), Hand Held Slit Lamp - RBSK, Electric Motor Siren Conforming to IS 1941 (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Surgical Sutures, Vacuum Oven, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: MINI SUBMERSIBLE MOTOR Submersible Pump Starters (Motor starter controls), vortex mixers, Mini PC, E - Cart for Garbage (V2), Submersible Sewerage Pump, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Mini Rice Mill, E Cart for Goods (V2), Mini Dal Mill, Mini Stenter Dryer **Searched String**: 775 MOTOR 5A, 240V Cotton Towelling And Towels Conforming To IS 7056 (V4), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Star Delta Motor Starter for Three Phase Induction Motors (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Electric Ceiling Fan (V4) ISI Marked to IS 374, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Electric Motorized Treadmill (V3), Mobile Containers For Solid Waste Conforming to IS 12402 **Searched String**: DC GEAR MOTOR 4-6A, 440V Cotton Towelling And Towels Conforming To IS 7056 (V4), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Electric Ceiling Fan (V4) ISI Marked to IS 374, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774 **Searched String**: INTERMEDIATE SWITCH 24V DC Plug In Relay, 24V DC (BHEL-SCR), Solid State Potentiometer, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Switching Power Supply for Wireless Application, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Time Switch **Searched String**: CABLE GLAND 16MM Flamproof Cable Gland, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1),

बिड विवरण/Bid Details	Flameproof Cable Gland (BHEL) (EM), Weatherproof Double Compression Cable Gland As Per BHEL Specification,
	Cleaning Duster (V3), Gland Packaging, Field Telephone Cable (Telecommunication Cable), Dry Erase Writing Boards (V3), Antenna Cable, Biosafety Cabinet (V2) **Searched String**: CABLE TRAY 60CM Cable Management - Cable Tray System and Cable Ladder System Conforming To IS/IEC 61537, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Baby Tray, Oil tray, File/Folder (V3), Root Trainers Tray / Germination Tray (Block Type), Cotton Towelling And Towels Conforming To IS 7056 (V4), Enamel Tray (V2), Towel Hand Cotton Turkish (IAF), Anti-static Tray **Searched String**: CMOS Batteries3.0 V Electronic Weighing Scales, Video - Nystagmography (VNG) for Vertigo Clinics, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Line Interactive UPS with AVR (V2), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Digital pH Meter, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Online UPS (V2), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Electrical Plugs (V2) ISI Marked to IS 1293
बीओक्यू शीर्षक /**BOQ Title**	ELECTRICAL RAW MATERIAL
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	0.5 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Arc welding cables multi cored copper
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	105000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

PRINCIPAL I.T.I. JAMNAGAR
SUMMER CLUB ROAD , OPP. S.T.BUS STAND , ITI JAMNAGAR
(Principal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the

date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Arc Welding Cables Multi Cored Copper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

WELDING LUGS FOR ARC WELDING CABLES MULTI CORED COPPER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

GLASS DC FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

Nicrom Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Electronic Sequential Control Circuit 4 Channel LED Chaser With Adjustable Speed

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	3	15

Copper Lugs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	40	15

Copper Lugs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	40	15

Copper Lugs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Copper Lugs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Electromagnetic Relay

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	4	15

PVC Pipe

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	110	15

PVC T JOINT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	30	15

PVC Elbow

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

PVC CLIP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	50	15

Tubelight Choke

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

SAFETY GOGGLES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

Bar Megnate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	4	15

PVC Bobin For Transformer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

Laminationed Stamping

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	60	15

PVC Caping Casing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

Batten Holder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

Fuse Switch Type Modular

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Male- Female Pin Set 6A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	25	15

PVC Insulated Aluminium Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	90	15

3Volt Led Redcolour

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	60	15

3Volt Led Yellowcolour

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	60	15

3Volt Led Bluecolour

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	60	15

3Volt Led Multicolour

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	60	15

3Volt Led Holder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	200	15

6V Charger

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

12V Charger

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

P.V.C. Insulated Copper Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	180	15

P.V.C. Insulated Copper Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	180	15

Bare Conductor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

Bare Conductor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

Heat Shinkeble Joint Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

Tungestan Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

Tungestan Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

Tungestan Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

Powerfull Horse Shoe Magnet U

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

Wd 40 Spray

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	3	15

PVC Gang Box One Way

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

PVC Gang Box Two Way

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

PVC Gang Box Three Way

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

ELCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	7	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Capacitor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Fan Capacitor Oil Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Intermidiate Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

Inductor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

Inductor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

Inductor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

Solar Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

Solder Wire With 2 Percent Flux

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

METAL HELIDE LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

NEON SINE TUBE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

PCB FOR LED LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	50	15

POT Potentiometer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

CONNECTING LEAD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

775 MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

STEPPER MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

SOLAR PLATE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

IP65 RATED LED STRIP LIGHT RGB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

RAIN DROPS SENSOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

High-Voltage Generator Transformer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	4	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

TRANSFORMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

DIAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

TRIAC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

PCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

COPPER COATED PLATE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

Rotary Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

IC 7812

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

DIN CHANNEL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

SCR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

SCR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

LDR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

SOLAR CHARGE CONTROLLER WITH PHOTO CELL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

THERMAL RELAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	3	15

CLAP CIRCUIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

TIMER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

TIMER SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

2 Pole Mini Toggle Switches

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

RECHARGABLE BATTERY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

AMPLIFIER CIRCUIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

INTERNAL THEREDED COUPLING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

35 SQ MM AAC CONDUCTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

6 SQMM COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

10 SQMM COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

ICTPN SWITCH WITH NUTRAL LINK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

BOBIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

LAMP HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

INDUCTOR TUBELIGHT CHOKE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

BANANA TERMINAL BT 30 RED

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

BANANA TERMINAL BT 30 YELLOW

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

BANANA TERMINAL BT 30 BLUE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

BANANA TERMINAL BT 30 GREN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

CAPACITOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

ENERGY METER SEAL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

COPPER LUGS

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

CRC SPRAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

CONTROL RELAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

POWER CONTACTOR NVC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

CONTROL FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

ONE WAY SWITCH MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

ONE WAY SWITCH MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TWO WAY SWITCH MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TWO WAY SWITCH MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

BELL PUSH SWITCH MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

DP SWITCH MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

TWO PIN SOCKET MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

3 PIN SOCKET MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

5 PIN SOCKET MODULAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

ANGLE HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

PENDENT HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

ROUND BLOCK

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

FAN BOX

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

TORODIAL INDUCTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

UNARMED CABLE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

BATTERY ELECTROLYTE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

LED LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

REMOTE CONTROL SYSTEM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	3	15

DRAW SPRING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

CABLE ENTRY PLATE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

DC BULB WITH HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

DC BULB WITH HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	4	15

DC BULB WITH HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

SOLDER WIRE WITH FLUX

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

FLEXIBLE COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	90	15

LED DOWNLIGHT SQUARE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

CFL DISPLAY SPOT LIGHT SQUARE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

TRANSISTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

PCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

CFL LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

LED LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

CABLE LUG ALLUMINIUM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

FAN REGULATOR MODULAR TYPE 4 STEP OR 5 STEP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	6	15

COTTON SLEEVE Or PVC SLEEVE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

LEATHEROID PAPER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

PVC BOBIN CORE AREA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

SIREN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	2	15

SOLAR PANEL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

LED SOLAR LIGHT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

SOLAR CHARGE CONTROLLAR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

FLEXIBLE COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	90	15

TERMINAL CONNECTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	30	15

INDICATION LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

INDICATION LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

INDICATION LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

INDICATION LAMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

HOOTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

MINI SUBMERSIBLE MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

775 MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

DC GEAR MOTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	1	15

INTERMEDIATE SWITCH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	5	15

CABLE GLAND

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	15	15

CABLE TRAY

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	10	15

CMOS Batteries

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Kiranben Bhuvan Vyas	361160,GOVT. INDUSTRIAL TRAINING INSTITUTE, KALAVAD, NEAR SITARAM GAUSHALA, OPP.66KV SUBSTATION, JAMNAGAR ROAD, DIST:- JAMNAGAR	20	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL INDUSTRIAL TRAINING INSTITUTE
   payable at
   JAMNAGAR
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

4. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries an d Min e s Department, Gujarat Eligibility for Exemption in EMD.

   Micro & small-scale enterprises which participate directly in tendering process for the pro duct whic h they are manufacturing / service which they are providing and have Udyam registration for items/ service under procurement and having registration with CSPO or Nation al Small Industries Corporati on.

Startups which participate directly in tendering process for the product which they are manufacturin g /ser vice which they are providing and recognised by DPIIT under the Start-up India Program and h as obtained

Udyam registration & CSPO/NSIC registration as MSE .In NSIC/CSPO registration certificate, to consid er vali d for EMD exemption in Security Service either NIC code must be mentioned in "Name of Ser vices/ Act iviti es". Otherwise bidder does not exempted from EMD sub mission even if bidder having valid MSME regi stra tion along with NSIC/CSPO registration. *Purchase Preference to MSE of State of bid inviting Authority (Gujarat)

Micro and small scale enterprises which participate directly in tendering process for the product whi ch the y are manufacturing/ service which they are providing and have Udyam registration for items / service und er the procurement and having registration with CSPO or National Small industries Cor poration.

Bidder turnover should be greater than twice of Bid Estimate Value. The turnover will be applicable f or thi s bid as per This bid will be governed as per "Gujarat State Procurement Policy 2024" publishe d by Industr ie s and Mines Department, Gujarat (If Applicable).In case of any conflict in the terms a nd conditions give n in this bid in ATC, the Gujarat State Procurement Policy 2024 provisions shall pr evail. However, if there i s suc h an ATC which has no counterpart in the said policy, then the ATC sh all prevail

.

5. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.

10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---