बिड संख्या/Bid Number: GEM/2026/B/8176936

दिनांक /Dated: 30-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-11-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-11-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-sihor@gujarat.gov.in
कुल मात्रा/Total Quantity	919
वस्तु श्रेणी /Item Category	Rehostate 1Koham 20W , capacitor 2.5mfd , DIAC IN 5411 , OPAM 12-0-12V Transformer , OPAM 6-0-6V Transformer , multicolour prob for bread board , Bred board prob multicolour male to male , register 1kohm , wire wound resistance 10kohm to 100 kohm , Three phase contactor 16A 250V , 7 colour cable for smps to pcb , white insulation tape for ac , 4 core cable 2.5 Sq. mm , Remote control system for light and fan with control unit , Transformer , LED 5mm 3V , LED lamp holder with PVC cap , Carbon resistor , PVC copper wire , Electronic sequential controller , IC 7812 , PVC Armoured Cable 25 sqmm , Bulb with holder , Fan ball bearing , teakwood batten , bare copper wire , mix resistor box , earthing compound , pvc conduit pipe , RCC Drill bit , PVC casing caping , strain reliver plate of cable , Lithium Ion cell , Alkaline cell , bare aluminium wire , DP Cell , 5 Pin socket , two way switch , 3 PIN TOP 5A , solar plate , BATTERY SMF , HYDROMETER , FLUX WIRES , LAMP 60V , LAMP HOLDER , ONEWAY SWITCH 5A , 3 PIN PLUG 5A , WIRE 1MMSA

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Rehostate 1Koham 20W, capacitor 2.5mfd, DIAC IN 5411, OPAM 12-0-12V Transformer, OPAM 6-0-6V Transformer, multicolour prob for bread board mail female connection , Bred board prob multicolour male to male, register 1kohm (POT), wire wound resistance 10kohm to 100 kohm, Three phase contactor 16Amp. 250V. 2 NO ans 2 NC with start stop switch., 7 colour cable (1 to 1.5 sqmm) for smps to pcb, white insulation tape for ac, 4 core cable 2.5 Sq. mm , Remote control system for light & fan unit with control unit, Transformer (12-0-12), LED 5mm, 3V (Red, Yellow, Blue, Green), LED lamp holder with PVC cap, Carbon resistor 1/4 W, 82 ?, 0.5mm PVC copper wire, Electronic sequential controller (4 channel), IC 7812, PVC Armoured Cable 25mm, Bulb with holder - 12V, 6 Watt, Bulb with holder - 12V, 21 Watt, Bulb with holder - 12V, 35 Watt, Fan ball bearing (6201 & 6202), ??? ??? ???? 25X12 mm, 8 ??? ??? ???? ????, 14 ??? ??? ???? ????, ????? ???????? ?????, ??????? ?????????, 19mm PVC ???????? ????, 3 mm RCC ????? ???, 1" PVC ?????? ??????, ???????? ?????? ????? ?? ???? , ?????? ??? ??? 1.5V, ???????? ??? 1.5V, 18 ??? ??? ??????????? ????, 9V DP ???, 5 ??? ????? ????, ?? ?? ????? ????, 3 ??? ??? 6 A, ????? ????? 3V/150mA, BATTERY-SMF 12 V 4AH/5AH, HYDROMETER, FLUX WIRES, LAMP 60V, LAMP HOLDER, ONEWAY SWITCH 5A, 3 PIN PLUG 5A, 3 PIN TOP 5A, WIRE 1MMSA
	Searched String: Rehostate 1Koham 20W Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Nitrile Coated/Nitrile Hand Gloves (V2), Handset Charging Adapter, Cleaning Duster (V3), Lyophilizer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Towel Hand Cotton Turkish (IAF), Entry and Mid Level Desktop Computer, BOD Incubator, Biosafety Cabinet (V2) **Searched String**: capacitor 2.5mfd Capacitor Banks For Use On 11 KV System (PSPCL)), File/Folder (V3), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, 2-2-BIPYRIDYL, Sofa (V3), 2-Phenoxyethanol, Entry and Mid Level Desktop Computer, 2 - Nitrobenzaldehyde, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: DIAC IN 5411 Walk in Cooler, All in One PC (V2), Fruit Canned in Syrup (V3) (Defence), FRP Urinal Cabin, Liquid Nitrogen (In Kg), Dry Erase Writing Boards (V3), Garbage Bags (in Pieces), Argon, Compressed And Liquid Conforming to IS 5760, FPO - Mushroom In Brine, Environmental Chamber **Searched String**: OPAM 12-0-12V Transformer Cleaning Duster (V3), Vacuum Oven, Surgical Sutures, Transformer Winding Resistance Meter, Hand Held Slit Lamp - RBSK, Desk and Bench Set for Classroom/Training Area, Voltage Transformer - Dual Purpose - Outdoor as per IS 3156, Cotton Bandage Cloth Conforming to IS 863, Electrocardiography (ECG) Machine (V2), JAR TEST APPARATUS

बिड विवरण/Bid Details	**Searched String**: OPAM 6-0-6V Transformer water baths, Vacuum Oven, Muffle/Box Furnace (V2), Electrical Extension Box (V4), Desk and Bench Set for Classroom/Training Area, Steel Cloth Lockers (V3), Digital Trainer Kit, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Desk and Chair Set for Classroom/Training Area, COLLET CHUCK **Searched String**: multicolour prob for bread board mail female connection Category not available on GeM for the text string uploaded by the buyer **Searched String**: Bred board prob multicolour male to male Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Cables, Converters and Adapters, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), Maleic Anhydride, Embroidery Products from Malerkotla - ODOP **Searched String**: register 1kohm (POT) Register (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Stock Pot Stove, Tea Set (V2), JAL NETI POT, Electronic Cash Register (V2), Lyophilizer, Flower Pots or Planters (V2), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Towel Hand Cotton Turkish (IAF) **Searched String**: wire wound resistance 10kohm to 100 kohm Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Resistors (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Signal Isolator, Polyethylene Pipes for Water Supply conforming to IS 4984, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Open Weave Bandage Conforming to IS 16469, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Reciprocating Air Compressors - Electric Motor Driven, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926 **Searched String**: Three phase contactor 16Amp. 250V. 2 NO ans 2 NC with start stop switch. Category not available on GeM for the text string uploaded by the buyer **Searched String**: 7 colour cable (1 to 1.5 sqmm) for smps to pcb XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Polyvinylchloride (PVC) Industrial Boots (V3) ISI marked to IS 12254, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Leather

बिड विवरण/Bid Details	Gauntlets and Mittens (V2) Conforming to IS 2573, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: white insulation tape for ac Glass Mica Tape-IS :7809, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Polymide Tapes, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), HT Tape, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Acoustical insulation, Electric Trap for insects (UV based Electric Zappers), Bird Repellent Tape, E - Cart for Garbage (V2) **Searched String**: 4 core cable 2.5 Sq. mm Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Endotracheal Tube - Sterile (Single Use), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: Remote control system for light & fan unit with control unit Sanitary Napkins Incinerator Machine with Smoke Control Unit, Software Based Video Conferencing Multipoint Control Unit (MCU), Delivery Bed (V2), Automated Mortar Fire Direction Controller (AMFDC) as per MHA QRs, Digital VHF Base / Mobile Transceiver Set as per MHA QR **Searched String**: Transformer (12-0-12) Carbendazim 12% + Mancozeb 63% WS (Water Soluble), Cleaning Duster (V3), Emamectin 3% + Thiamethoxam 12% Water Soluble Granule(V2), Vacuum Oven, Tent Glacier 10 - 12 Men Complete (Textile Decking) (Defence), Surgical Sutures, Carbendazim 12% + Mancozeb 63% Wettable Powder (V3) Conforming to IS 16919, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Mosquito Mesh Window Frame (V2), Jersey Mens Woollen 'V' Neck (Defence) **Searched String**: LED 5mm, 3V (Red, Yellow, Blue, Green)

बिड विवरण/Bid Details	Emergency Light Unit (V2), Writing Pens, Pull, Stack and Link, Bone Screw (V2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Tissue Homogenizer, LED Based Information Display System, Locking Compression Plates (V2), Markers and Highlighters **Searched String**: LED lamp holder with PVC cap LED Portable Miner's Cordless Cap Lamp (V2), Rechargeable LED Bulb (V2), Led post top lantern, White LED Based Solar Study Lamp as per MNRE Specifications, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 **Searched String**: Carbon resistor 1/4 W, 82 ? Non Sparking Double Ended Ring Spanner (V2), K - 4 Crash Rated Blocking Bollard, Non Sparking Double Open Ended Spanner (V2), Non Sparking Hammers (V2), Non Sparking Combination Spanners (V2), Non Sparking Ring Slugging Spanners (V2), General Purpose Ball Valves (V2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Non Sparking Pipe Wrench (V2), Hand Operated Hydraulic Pipe Bender **Searched String**: 0.5mm PVC copper wire Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Enamelled Round Aluminium Winding Wire Conforming To IS 13730 (Part 0/Sec 3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694 **Searched String**: Electronic sequential controller (4 channel) 4-channel Noise and Vibration Analyzer, Video Recorder for CCTV System (V2), Digital Pressure Switch, Directional Control Valve, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Power Quality Analyzer, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (>10 KVA) With Battery, Flying Insect Control Traps - Fly Catcher, Audio Digital Signal Processor **Searched String**: IC 7812 IC SOCKET, Ride-On Sweepers, IC Socket (V2), Starter Motors for IC Engines, Three Wheeler for Goods (V2), IC Engine Scooters for Specially Abled, Alumino - Ferric (V2) Conforming to IS 299, Ion Chromatography System, Diesel

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Engine as per IS 10001, Ice Cube Machine **Searched String**: PVC Armoured Cable 25mm PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Ruggedised and Armoured Fibre Optic Patch Cord, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694 **Searched String**: Bulb with holder - 12V, 6 Watt 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Slit Lamp - RBSK, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Inspection Lamp, Fire Hoses with Delivery Coupling, Coaxial Opthalmoscope Rechargeable, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Track Light, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725 **Searched String**: Bulb with holder - 12V, 21 Watt 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Slit Lamp - RBSK, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Inspection Lamp, Track Light, Coaxial Opthalmoscope Rechargeable, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725, Rechargeable LED Bulb (V2) **Searched String**: Bulb with holder - 12V, 35 Watt 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Slit Lamp - RBSK, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Inspection Lamp, Track Light, Coaxial Opthalmoscope Rechargeable, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725, Rechargeable LED Bulb (V2) **Searched String**: Fan ball bearing (6201 & 6202) Fan Bearing, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Mounted Bearings, Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455 **Searched String**: ??? ??? ???? 25X12 mm MM Personality inventory, Cleaning Duster (V3), 81 MM Mortar Simulator (MHA), Sterile Hypodermic Needles for Single use (V2), Copper Tube 35 mm-OFB, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS

बिड विवरण/Bid Details	7098 (Part 1), Carbon Tape 19 MM(OFB-DEFENCE), HOT DIP GALVANIZED STEEL SERRATED FLOOR GRATINGS, Plastic Pallets for Palletized 130 mm Ammunition (Defence), Dry Erase Writing Boards (V3) **Searched String**: 8 ??? ??? ???? ???? 8-Hydroxyquinoline, water baths, Transmission Oil TSZP-8, Figure 8 Descender (V2), File/Folder (V3), BCAA 8:1:1 Powder, Cymoxanil 8% + Mancozeb 64% WP (Wettable Powder), Steel Cloth Lockers (V3), Fipronil 8% + Pymetrozine 35% WG (Wettable Granules), Foam Dressing Conforming to IS 17352 **Searched String**: 14 ??? ??? ???? ???? BTI A.S. Serotype H-14 - Defence, water baths, Bti W.P. Serotype H - 14 (Defence), Cleaning Duster (V3), Bti W.P. Serotype H - 14 (Defence) (V2), File/Folder (V3), Bti A.S. Serotype H-14 - Defence (V2), Digital pH Meter, Sodium Hydrosulfite, Suction Catheters (V2) **Searched String**: ????? ???????? ????? AutomationTestCategory_DoNotUse, Revolving Chair (V5), Belt Clasp (Brass) for Gram Prahari (UP), Beret Cap as per MHA Specifications, Cleaning Duster (V3), Tracksuit, Aprons Cook (Defence), Nitrile Coated/Nitrile Hand Gloves (V2), Cap Comforter as per MHA (CAPF) QR/Specifications, Entry and Mid Level Desktop Computer **Searched String**: ??????? ????????? AutomationTestCategory_DoNotUse, Revolving Chair (V5), Belt Clasp (Brass) for Gram Prahari (UP), Beret Cap as per MHA Specifications, Cleaning Duster (V3), Tracksuit, Aprons Cook (Defence), Nitrile Coated/Nitrile Hand Gloves (V2), Cap Comforter as per MHA (CAPF) QR/Specifications, Entry and Mid Level Desktop Computer **Searched String**: 19mm PVC ???????? ???? PVC gitti, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Reducer Socket, Foot Rest, PVC End Cap, Dry Erase Writing Boards (V3), PVC Strip Curtain, Biosafety Cabinet (V2), PVC Card Printers, Pin Up Notice Board (V2) **Searched String**: 3 mm RCC ????? ??? MM Personality inventory, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Entry and Mid Level Desktop Computer, RCC 0.2 KM Stone (Cement or Concrete Posts) as per IS 3597, IS 516, Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, 81 MM Mortar Simulator (MHA), High End Desktop Computer **Searched String**: 1" PVC ?????? ?????? PVC gitti, Nitrile Coated/Nitrile Hand Gloves (V2), Fabricated PVC-U Fittings for Portable Water Supplies conforming to IS 10124 (Part 1), PVC Sheet (V2), Injection Moulded PVC

बिड विवरण/Bid Details	Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Lyophilizer, 1, 1, 3 - Triethoxybutane, Occupancy sensor, PVC Reducer Socket, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 **Searched String**: ???????? ?????? ????? ?? ???? AutomationTestCategory_DoNotUse, Revolving Chair (V5), Belt Clasp (Brass) for Gram Prahari (UP), Beret Cap as per MHA Specifications, Cleaning Duster (V3), Tracksuit, Aprons Cook (Defence), Nitrile Coated/Nitrile Hand Gloves (V2), Cap Comforter as per MHA (CAPF) QR/Specifications, Entry and Mid Level Desktop Computer **Searched String**: ?????? ??? ??? 1.5V 1, 1, 3 - Triethoxybutane, Nitrile Coated/Nitrile Hand Gloves (V2), BCAA 2:1:1 Powder, Signal Isolator, BCAA 8:1:1 Powder, File/Folder (V3), 1-Bromohexadecane, Transformer Oil BDV Test Set, 1-Naphthylacetic acid, Entry and Mid Level Desktop Computer **Searched String**: ???????? ??? 1.5V 1, 1, 3 - Triethoxybutane, Nitrile Coated/Nitrile Hand Gloves (V2), BCAA 2:1:1 Powder, Signal Isolator, BCAA 8:1:1 Powder, File/Folder (V3), 1-Bromohexadecane, Transformer Oil BDV Test Set, 1-Naphthylacetic acid, Entry and Mid Level Desktop Computer **Searched String**: 18 ??? ??? ??????????? ???? Kresoximmethyl 18% + Mancozeb 54% WP (Wettable Powder), water baths, Tricyclazole 18% + Mancozeb 62% WP (Wettable Powder), Diisopropylamine, Cleaning Duster (V3), Carboxin 22.5% + Thiram 22.5% + Imidacloprid 18% WS (Water Soluble), AGAR AGAR Bacteriological Powder, Steel Cloth Lockers (V3), Zinc Nitrate (Hexahydrate), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3) **Searched String**: 9V DP ??? Chlorpyrifos 1.5% DP, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cypermethrin 0.25% DP (Dustable Powder), Quinalphos 01.50% DP (Dustable Powder), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Chlorpyrifos 1.5% DP ((Dustable Powder) (V2), Telephone Junction/DP (Distribution Point) Box (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, RELAY FRAME ASSY.,MCC FRAME ASSY., D.P.LATCH FRAME ASSY (203BS43) (BHEL) **Searched String**: 5 ??? ????? ???? 5-5 Dithiobis -2-2 Nitrobenzoic Acid, File/Folder (V3), Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), 5-Sulfosalicylic acid, Entry and Mid Level Desktop Computer, Butachlor 5% Granule(GR), Cloth Dryer Stand, Carbendazim 5% Granules(Gr), All in One PC (V2), Emamectin Benzoate 5% SG **Searched String**: ?? ?? ????? ???? AutomationTestCategory_DoNotUse, Revolving Chair (V5),

बिड विवरण/Bid Details	Belt Clasp (Brass) for Gram Prahari (UP), Beret Cap as per MHA Specifications, Cleaning Duster (V3), Tracksuit, Aprons Cook (Defence), Nitrile Coated/Nitrile Hand Gloves (V2), Cap Comforter as per MHA (CAPF) QR/Specifications, Entry and Mid Level Desktop Computer **Searched String**: 3 ??? ??? 6 A Fehling Solution A&B, Entry and Mid Level Desktop Computer, Moderate Heat Duty Fireclay Refractories, Group A as per IS 6, Desk and Bench Set for Classroom/Training Area, 6-Benzylaminopurine, High End Desktop Computer, Ribonuclease A, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, VITAMIN A, Interactive Panels with CPU **Searched String**: ????? ????? 3V/150mA Entry and Mid Level Desktop Computer, Multi function Calibrators, High End Desktop Computer, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Garden Bench, Electronic Weighing Scales **Searched String**: BATTERY-SMF 12 V 4AH/5AH Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, shoes school pvc boys girls, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, traffic signs - bilinker light, Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2) **Searched String**: HYDROMETER Hydrometer(Nclil), Density Hydrometers **Searched String**: FLUX WIRES Brazing flux, Muffle Furnace, WELDING FLUX, Molybdenum Wires for Lighting and Electronic Application Conforming To IS 12465 (V2), Tapered Bearings as per IS 12102, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flux Cored Solder Wire as per IS 1921, scrubbing brush, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode **Searched String**: LAMP 60V Hand Lamp, Cotton Towelling And Towels Conforming To IS 7056 (V4), Inspection Lamp, LED Portable Miner's Cordless Cap Lamp (V2), Slit Lamp, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Infrared Heat Lamp,

बिड विवरण/Bid Details	Hand Held Slit Lamp - RBSK, Lamp Shades-Handicraft, Portable Fire Extinguishers (V3) ISI Marked to IS 15683
	Searched String: LAMP HOLDER Hand Lamp, Surgical Needle Holders, Inspection Lamp, Business Card Holder (V2), Slit Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Infrared Heat Lamp, Lamp Shades-Handicraft, Dumbbell Rack, Slit Lamp (V2) **Searched String**: ONEWAY SWITCH 5A Limit Switch, File/Folder (V3), Reed Switch, AC Current Transducer, Time Switch, Entry and Mid Level Desktop Computer, Industrial Switch, Shirts Plain Weave Polyester and Cotton Full Sleeve as per Defence Specification, SAN Switch, All in One PC (V2) **Searched String**: 3 PIN PLUG 5A Electric Power Plug Top for Industrial Applications, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electrical Power Connector, HDMI Switcher, A3 Size Multifunction Printer (MFP), Hair Comb (V2), Encrypted Removable Storage Devices (V2), true rms clamp meter, Plug Cocks for Water Supply Purposes conforming to IS 3004, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) **Searched String**: 3 PIN TOP 5A Multi-Pin electrical top for industrial appliacation, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electric Power Plug Top for Industrial Applications, Hair Comb (V2), A3 Size Multifunction Printer (MFP), Encrypted Removable Storage Devices (V2), true rms clamp meter, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Lyophilizer, Multifunction Printer (Print, Scan, Copy) **Searched String**: WIRE 1MMSA Molybdenum Wire, Nitrile Coated/Nitrile Hand Gloves (V2), Wire Rope For Wire Rope Barrier, Wire Cup Brush, Kirschner Wire (V2), Muffle Furnace, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Lyophilizer, Wedge Wire Screen, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR) • Resistors (V2) • PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694
बीओक्यू शीर्षक /BOQ Title	ELECTRICAL CONSUMABLE ITEMS
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes | Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes | Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	PVC copper wire
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	70000
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	2

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL, ITI BHAVNAGAR
PRINCIPAL, ITI BHAVNAGAR
(Principal, Iti Bhavnagar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants

to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
03-11-2026 12:00:00	ITI SIHOR, BESIDE PGVCL OFFICE, BHAVNAGAR RAJKOT ROAD, SIHOR

Rehostate 1Koham 20W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Capacitor 2.5mfd

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

DIAC IN 5411

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

OPAM 12-0-12V Transformer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

OPAM 6-0-6V Transformer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Multicolour Prob For Bread Board

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Bred Board Prob Multicolour Male To Male

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Register 1kohm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Wire Wound Resistance 10kohm To 100 Kohm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Three Phase Contactor 16A 250V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

7 Colour Cable For Smps To Pcb

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

White Insulation Tape For Ac

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

4 Core Cable 2.5 Sq. Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	20	15

Remote Control System For Light And Fan With Control Unit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Transformer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

LED 5mm 3V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	50	15

LED Lamp Holder With PVC Cap

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	200	15

Carbon Resistor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	200	15

PVC Copper Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Electronic Sequential Controller

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

IC 7812

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

PVC Armoured Cable 25 Sqmm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Bulb With Holder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Bulb With Holder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Bulb With Holder

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Fan Ball Bearing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Teakwood Batten

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	20	15

Bare Copper Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Bare Copper Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Mix Resistor Box

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Earthing Compound

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	20	15

Pvc Conduit Pipe

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

RCC Drill Bit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

PVC Casing Caping

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	50	15

Strain Reliver Plate Of Cable

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Lithium Ion Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	6	15

Alkaline Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	6	15

Bare Aluminium Wire

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

DP Cell

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	6	15

5 Pin Socket

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	20	15

Two Way Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	20	15

3 PIN TOP 5A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	20	15

Solar Plate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	6	15

BATTERY SMF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

HYDROMETER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

FLUX WIRES

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

LAMP 60V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

LAMP HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

ONEWAY SWITCH 5A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

3 PIN PLUG 5A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

3 PIN TOP 5A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

WIRE 1MMSA

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL, ITI BHAVNAGAR
   payable at
   SIHOR
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL, ITI BHAVNAGAR
   payable at
   SIHOR
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mine s Department, Gujarat

Eligibility for Exemption in EMD.

Micro & small-scale enterprises which participate directly in tendering process for the pro duct which they are manufacturing / service which they are providing and have Udyam registration for items/ service under procurement and having registration with CSPO or Nation al Small Industries Corporation.

Startups which participate directly in tendering process for the product which they are manufacturing /ser vice which they are providing and recognized by DPIIT under the Startup India Program and has obtained Udyam registration & CSPO/NSIC registration as MSE .In NSIC/CSPO registration certificate, to consider vali d for EMD exemption in Security Service either NIC code for Security Service / Security Service must be m entioned in "Name of Services/ Activities". Otherwise bidder does not exempted from EMD sub mission eve n if bidder having valid MSME registration along with NSIC/CSPO registration.

Purchase Preference to MSE of State of bid inviting Authority (Gujarat)

Micro and small scale enterprises which participate directly in tendering process for the product which the y are manufacturing/ service which they are providing and have Udyam registration for items/ service und er the procurement and having registration with CSPO or National Small industries Corporation.

Bidder turnover should be greater than twice of Bid Estimate Value. The turnover will be applicable for this bid as per This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industrie s and Mines Department, Gujarat (If Applicable).In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procurement Policy 2024 provisions shall prevail. However, if there is suc h an ATC which has no counterpart in the said policy, then the ATC shall prevail.

.

7. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.

7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---