बिड संख्या/Bid Number: GEM/2026/B/8177315

दिनांक /Dated: 30-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-11-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-11-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-sihor@gujarat.gov.in
कुल मात्रा/Total Quantity	1245

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Rivet Aluminium material , Brasing road cu to cu , silver brazing road , silver brazing flux , Rosin Flux , Flare nut copper , Ded Nut copper , Copper tube soft , Lockring copper material , LPG brazing kit nozzle with 02 bottle , Straight union copper material , Elbow copper material , Tee copper material , Air filter for 1.5ton split A.C , Nitrogen gas , Non return valve , Charging line , charging line adpter for 410A refrigerant , Angle valve copper , compound gauge with Hand shutoff valve , filter drier silicagel , filter drier , Carbon tetra cloride , R 600 A refrigerant can , copper Condenser , Hose clamp , Dis cleaning wire brush , Denfoss filter for deep freezer , Magnetic door gasket for double door fridge , HC bland refrigerant Can with valve , Capillary tube 0.055 for window Ac , Car ac high pressure switch for liquid side , Car AC charging Quick coupler with shut off valve , Pag oil refrigerant 134 A , condenser cleaner foam type can , condenser cleaner Liquid type , Comprosser capaladi oil use for R-22 gas , Litmus paper 0 to 10PH , Gate valve , globe valve , Tube expander for heat exchanger , Acid proof hand glose , Condenser Tube Cleaning Brush , Paint brush 75mm smooth hair , coil clean Alkaline non acidik Foaming , Split ac outdoor liquid line valve , Split ac outdoor suction line valve , Gland packing rope graphite packing , solenoid valve three way , catch all filter or drier , Garden spray bottle , Float valve for water coller , Four way solenoid valve for ice cube machine , Hepa filter , Rubber-to-Metal Bonding Adhesives , Rubber pad , American Hook , Full Threaded Rod , Face shield transference , Mouth mask tripple layer , Nut bolt , Armar sheet for duct insulation , Air filter pvc 20 Micron washable split Ac , HP switch danfoss 465 to 100PSI , LP switch danfoss 108 to 6PSI , pvc hose pipe , Charging line adpter for car AC for HP and LP side , Thermo state for refrigerator , Thermostate for Air conditioner , Thermostate for water cooler , Eatthing lugs , Antimoisture injection , Door switch for refrigerator , Fastner pin vertical , Fastner pin horizontal , over load protector for refrigerator , PTC relay for refrigerator , Current coil relay refrigerator , Refrigerator bulb thin type 10watt , Running capacitor 4MFD , Running capacitor 3.5MFD , Running capacitor 54 MFD , Running capacitor 50 MFD , Starting capacitor 60 to 80 MFD , Starting capacitor 80 to 100MFD , De frost heater for frost free refrigerator , De frost heater timer , Biometal for frost free refrigerator , fan motor for frost free refrigerator , Frost free refrigerator PCB circuit , Electronic expansion valve for inverter refrigerator , inverter frost free refrigerator double door PCB , multiconductor flexible wire 2.5mm , inverter split AC 1.5TR PCB with remot , inverter split AC 1.5TR component , Electronic expansion valve for split inverter AC , Window AC 1.5T, PCB with remote , window Ac 1.5T selector switch , window Ac 1.5T thermostate , current type potential relay for window AC , Sealded electrical component thermostate for single door refrigerstor , Sealded electrical component door lamp holder with lamp , Sealded electrical component door switch for single door refrigerstor , Frost free refrigerator PCB circuit with necessories sensors , Car AC blower motor speed control regulator , Nylon wire flexible hose water pipe line , Dispender water cooler PCB circit Assembly , Dispender water cooler component like heater,sesors,Tap. , Ice cube machine PCB with all sensors and defros heater
	Rivet Aluminium material 1/4x2mm dia., Brasing road cu to

बिड विवरण/Bid Details	cu, silver brazing road, silver brazing flux, Rosin Flux , Flare nut copper 1/4'' X 1/4'', Ded Nut copper 1/4'' X 1/4'', Copper
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	tube soft 1/4'' 1 roll, Copper tube soft 3/16'' 1 roll, Lockring copper material for 1/4'',5/16'',3/8'',1/2''',5/8'' copper pize size, LPG brazing kit nozzle with 02 bottle , Straight union copper material 1/4'',5/16'',3/8'',1/2''',5/8'', Elbow copper material 1/4'',5/16'',3/8'',1/2''',5/8'', Tee copper material 1/4'',5/16'',3/8'',1/2''',5/8'', Air filter for 1.5ton split A.C, Nitrogen gas, Non return valve with 1/4'' copper line, Charging line new 2500psi 1.5Mtr long size standard colour. , charging line adpter for 410A refrigerant , Angle valve copper 1/4''X1/4'', compound gauge with Hand shutoff valve 1/4''X1/4'', filter drier silicagel 1/4 X capillary , filter drier 1/4 X capillary , Carbon tetra cloride, R 600 A refrigerant can, copper Condenser three row 12''X12'' Approx size, Hose clamp 3/8'' size, Dis cleaning wire brush 1/4'' size set of three nos., Denfoss filter for deep freezer 1/4''X1/4, Denfoss filter for deep freezer 5/16''X5/16, Magnetic door gasket for double door fridge, HC bland refrigerant Can with valve, Capillary tube 0.055 for window Ac, Car ac high pressure switch for liquid side, Car AC charging Quick coupler with shut off valve HP and LP side, Pag oil refrigerant 134 A , condenser cleaner foam type can, condenser cleaner Liquid type , Comprosser capaladi oil use for R-22 gas, Litmus paper 0 to 10PH, Gate valve 1''X1'', globe valve 1''X1'', Hose clamp 1'', Tube expander for heat exchanger 3/8'', Acid proof hand glose, Condenser Tube Cleaning Brush set of three Nos.3/8'' , Paint brush 75mm smooth hair, coil clean Alkaline non acidik Foaming, condenser cleaner Liquid type , Split ac outdoor liquid line valve 1/4'', Split ac outdoor suction line valve 1/2'', Split ac outdoor suction line valve 5/8'', Gland packing rope graphite packing, solenoid valve three way, catch all filter/drier 1/2'' both end threaded, Garden spray bottle 2Ltr, Float valve for water coller 1/2'', Four way solenoid valve for ice cube machine, Hepa filter, Rubber-to-Metal Bonding Adhesives, Rubber pad anti vibration 6''X6'', American Hook inner sizd 1/4'' thread Anchor Bolt ., Full Threaded Rod 1/4'' Diameter and 5' ft long, Face shield transference, Mouth mask tripple layer, Nut bolt 1/4'' diameter and 2'' lengh, Armar sheet for duct insulation 6mm thick and 3m long, Air filter pvc 20Micron washable split Ac, HP switch danfoss 465 to 100PSI, LP switch danfoss 108 to 6PSI, pvc hose pipe 1/2'', Charging line adpter for car AC for HP and LP side, Thermo state for refrigerator. -15degree, Thermostate for Air conditioner. -15 degree, Thermostate for water cooler. -15 degree, Eatthing lugs, Antimoisture injection 20ml - 5Nos in a box , Door switch for refrigerator, Fastner pin vertical, Fastner pin horizontal, over load protector for refrigerator 1/6HP, over load protector for refrigerator 1/6HP, PTC relay for refrigerator 1/6HP, PTC relay for refrigerator 1/8HP, Current coil relay refrigerator, Refrigerator bulb thin type 10watt, Running capacitor 4MFD, Running capacitor 3.5MFD, Running capacitor 50+4(fan) MFD , Running capacitor 45+5 MFD, Starting capacitor 60 to 80 MFD, Starting capacitor 80 to 100MFD, De frost heater for frost free refrigerator, De frost heater timer, Biometal for frost free refrigerator, fan motor for frost free refrigerator, Frost free refrigerator PCB circuit with necessories sensors, Electronic expansion valve for inverter refrigerator, inverter frost free refrigerator double door PCB with double fan motor & sensers, multiconductor flexible wire 2.5mm, inverter split AC 1.5TR PCB with remot , inverter split AC 1.5TR component like Heat sink,NTC,PTC,sensors., Electronic expansion valve for

	split inverter AC, Window AC 1.5TR , PCB with remot , window Ac 1.5TR selector switch, window Ac 1.5TR
	thermostate , current type potential relay for window AC, Sealded electrical component thermostate for single door refrigerstor, Sealded electrical component door lamp 10Watt with holder for refrigerstor, Sealded electrical component door switch for single door refrigerstor, Frost free refrigerator PCB circuit with necessories sensors, Car AC blower motor speed control regulator, Nylon wire flexible hose water pipe line (acid resistance), Dispender water cooler PCB circit Assembly , Dispender water cooler component like heater,sesors,Tap., Thermostate for water cooler, Ice cube machine PCB with all sensors and defros heater **Searched String**: Rivet Aluminium material 1/4x2mm dia. Centrifuge Tubes (V3), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Non Sparking Ring Slugging Spanners (V2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Hammers (V2), Non Sparking Combination Spanners (V2), Swing (Preschool Kit), WELDING ELECTRODE - Air arc gouging electrode (BEML) -as per C4117 BEML Welding Electrode **Searched String**: Brasing road cu to cu LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Ready to Eat Aloo Matar Curried (V3) (Defence), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Cube Sugar conforming to IS 1168, Mineral Insulated Thermocouple, Ready Mixed Paint for Road Marking (V2) conforming to IS 164, Safety Glass for Road Transport Marked to IS 2553 (Part 2), Ready to Eat Aloo Matar Curried (V2) (Defence), Bed Mattress Conforming to IS 13489 (V3), Cotton Bandage Cloth Conforming to IS 863 **Searched String**: silver brazing road Brazing flux, Steel Almirah / Cabinets (V4), Brazing Alloy (V2) Conforming to IS 2927, Silver chloride, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) (Under BIS Scheme - II), Silver Coins, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Road Sweeper, ROAD BARRIER, SILVER SULPHADIAZINE CREAM **Searched String**: silver brazing flux Brazing flux, Steel Almirah / Cabinets (V4), Brazing Alloy (V2) Conforming to IS 2927, WELDING FLUX, Servers (V2), Silver chloride, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Silver Coins, Disposable Food Packaging Container, SILVER SULPHADIAZINE CREAM **Searched String**: Rosin Flux Brazing flux, Flux Cored Solder Wire as per IS 1921, WELDING FLUX, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Hollow Fiber Dialyzers, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode, Lithium Base Grease For Automotive

बिड विवरण/Bid Details	Purposes(V2) Conforming to IS 12203, WELDING ELECTRODE -Flux cored wire for CO2 gas shielded arc welding (BEML), Toroidal Gravito Complex Magnetic Field Incorporated Scientific Water Treatment Device, Lithium Base Grease for Industrial Purposes as per IS 7623 **Searched String**: Flare nut copper 1/4'' X 1/4'' N-(1-Naphthyl)ethylenediamine, Cotton Towelling And Towels Conforming To IS 7056 (V4), Sulphanilic Acid, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Synthetic Life Jacket MK 1 (Defence), Desk and Chair Set for Classroom/Training Area, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Micro/Semi-Micro/Analytical weighing balance, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), shoes school pvc boys girls **Searched String**: Ded Nut copper 1/4'' X 1/4'' N-(1-Naphthyl)ethylenediamine, Cotton Towelling And Towels Conforming To IS 7056 (V4), Sulphanilic Acid, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Synthetic Life Jacket MK 1 (Defence), Desk and Chair Set for Classroom/Training Area, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Micro/Semi-Micro/Analytical weighing balance, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), shoes school pvc boys girls **Searched String**: Copper tube soft 1/4'' 1 roll N-(1-Naphthyl)ethylenediamine, Cotton Towelling And Towels Conforming To IS 7056 (V4), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Endotracheal Tube - Sterile (Single Use), Synthetic Life Jacket MK 1 (Defence), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Tubes, Tubulars ISI marked to IS 1239 (part-1)V2, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Copper tube soft 3/16'' 1 roll PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Tube 35 mm-OFB, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Blood Collection Tube, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Endotracheal Tube - Sterile (Single Use), Rolled Copper and Copper Alloy Sheet, Strip and Foil, HT Tape **Searched String**: Lockring copper material for 1/4'',5/16'',3/8'',1/2''',5/8'' copper pize size

बिड विवरण/Bid Details	Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, shoes school pvc boys girls, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2), Non Sparking Adjustable Wrench (V2), Non Sparking Pipe Wrench (V2), Non Sparking Hammers (V2) **Searched String**: LPG brazing kit nozzle with 02 bottle PET Preform For Disposable Water Bottle **Searched String**: Straight union copper material 1/4'',5/16'',3/8'',1/2''',5/8'' Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, shoes school pvc boys girls, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Minifuge, Static Protective Relays, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2) **Searched String**: Elbow copper material 1/4'',5/16'',3/8'',1/2''',5/8'' Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, HDMI Switcher, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Static Protective Relays, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, shoes school pvc boys girls **Searched String**: Tee copper material 1/4'',5/16'',3/8'',1/2''',5/8'' Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, HDMI Switcher, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Static Protective Relays, Health Supplements, Nutraceuticals and Food for Special Dietary Use, shoes school pvc boys girls **Searched String**: Air filter for 1.5ton split A.C Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Split Air Conditioner, Wall Mount Type

बिड विवरण/Bid Details	(V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Split Air Conditioner, Floor Mount Type (Tower AC) Marked to IS 1391 (Part 2) (V3), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Biochemistry Reagent Kit for Human Samples, WELDING ELECTRODE - Air arc gouging electrode (BEML) -as per C4117 BEML Welding Electrode, Temperature Indicator for Transformers - Analog type **Searched String**: Nitrogen gas Nitrogen Generator, Commercial Idli Steamer, Nitrogen Gas as per IS 1747, Nitrogen, Compressed Gas and Liquid conforming to IS 1747, Single Burner Gas Deep Fryer, Liquid Nitrogen (In Kg), Cryocan for Liquid Nitrogen, Nitrogen Tyre Inflators, Gas Analyser, Turbo/Nitrogen evaporators **Searched String**: Non return valve with 1/4'' copper line Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Non Sparking Combination Spanners (V2), Non Sparking Ring Slugging Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Hammers (V2), Non Sparking Double Open Ended Spanner (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Line Interactive UPS with AVR (V2) **Searched String**: Charging line new 2500psi 1.5Mtr long size standard colour. Category not available on GeM for the text string uploaded by the buyer **Searched String**: charging line adpter for 410A refrigerant Heavy Duty Battery Charger, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445 **Searched String**: Angle valve copper 1/4''X1/4'' Copper Alloy Angle Valve For Waterworks Purpose Conforming to IS 778, Cotton Towelling And Towels Conforming To IS 7056 (V4), N-(1-Naphthyl)ethylenediamine, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Sulphanilic Acid, File/Folder (V3), Synthetic Life Jacket MK 1 (Defence), Wild - Life Cages, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931 **Searched String**: compound gauge with Hand shutoff valve 1/4''X1/4'' Micro/Semi-Micro/Analytical weighing balance, Modular Toilet, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core

बिड विवरण/Bid Details	and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fire Hose Cabinet, Portable
	Emergency LED Lighting Tower System with Battery Bank, Pad Lock Various (As Per Defence Specification), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Note Sorting Machines (V2), Digital Grounding System with Equipment Protection **Searched String**: filter drier silicagel 1/4 X capillary Cotton Towelling And Towels Conforming To IS 7056 (V4), Cartridge Filter for Lean Amine Filtration (MRPL), Correspondence Envelopes (V3) Conforming to IS 13892, The Indian National Flag as per IS 1, Roller Blind (V2), Cardiopulmonary Bypass Connectors (V2), Compostable Carry Bags, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Theft Proof Rifle Racks **Searched String**: filter drier 1/4 X capillary Cotton Towelling And Towels Conforming To IS 7056 (V4), Cartridge Filter for Lean Amine Filtration (MRPL), Correspondence Envelopes (V3) Conforming to IS 13892, The Indian National Flag as per IS 1, Roller Blind (V2), Cardiopulmonary Bypass Connectors (V2), Compostable Carry Bags, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Theft Proof Rifle Racks **Searched String**: Carbon tetra cloride Carbon Tetrachloride as per IS 718, TETRA Radio Trunking as per MHA QR, Bolt / Bullet Seal, Tetra-n-butylammonium hydrogen sulfate, Non Carbonated Beverage Dispenser (V2), Carbon Tetrachloride (V2) conforming to IS 718, Plastic Grip Seal, Carbon Bush, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Carbon brush **Searched String**: R 600 A refrigerant can Refrigeration Gas Chlorodifluoro Methane Type CFM 22 (R - 22) as per IS 5610:1983, Muffle Furnace, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Bunk Beds conforming to IS 17636, Bastar Iron Craft - ODOP, Dry Erase Writing Boards (V3), Electronic component cleaner (co2), Biosafety Cabinet (V2), Cotton Bandage Cloth Conforming to IS 863, Pin Up Notice Board (V2) **Searched String**: copper Condenser three row 12''X12'' Approx size Non Sparking Pipe Wrench (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2), Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Non Sparking Adjustable Wrench (V2) **Searched String**: Hose clamp 3/8'' size 8-Hydroxyquinoline, File/Folder (V3), Hose Clamp as per IS 4762, Modular Toilet, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, A3 Size Multifunction Printer (MFP), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Hose connector, Health Supplements, Nutraceuticals and Food for

बिड विवरण/Bid Details	
	Special Dietary Use, true rms clamp meter **Searched String**: Dis cleaning wire brush 1/4'' size set of three nos. Endotracheal Tube - Sterile (Single Use), Artist & Calligraphy Paint Brush (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Cricket Stumps and Bails (V2) Conforming to IS 6621 **Searched String**: Denfoss filter for deep freezer 1/4''X1/4 Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), File/Folder (V3), Desk and Bench Set for Classroom/Training Area, Cotton Towelling And Towels Conforming To IS 7056 (V4), Parallel Bar - Outdoor Gym Equipment, Desk and Chair Set for Classroom/Training Area, Micro/Semi-Micro/Analytical weighing balance, shoes school pvc boys girls, Extendable Road Barricade (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Denfoss filter for deep freezer 5/16''X5/16 Stainless Steel ANSI B16.5 Flange, Cold Forged Steel Rivets For Cold Closing-IS:2998, Video Recorder for CCTV System (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, PISTOL GRIP PNEUMATIC DRILL GUNS, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Random Access Memory (RAM) Module, Compostable Carry Bags, Polyethylene Bags for General Purposes **Searched String**: Magnetic door gasket for double door fridge EPDM Rubber Beading For Passenger Door, Door Frame Metal Detector, Sealing Bulb Beading Rubber for Door, Sliding Doors (V2), Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Laboratory Refrigerator (V3), Sliding door, Fire Hose Cabinet, Laboratory Deep Freezer (Upto -20°C Degree), HYDRAULICALLY REGULATED DOOR CLOSERS **Searched String**: HC bland refrigerant Can with valve Category not available on GeM for the text string uploaded by the buyer **Searched String**: Capillary tube 0.055 for window Ac Sterile Hypodermic Needles for Single use (V2), Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Steel Tubes used for Water Wells (V2) as per IS 4270, Temperature Indicator for Transformers - Analog type, Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654 **Searched String**: Car ac high pressure switch for liquid side Health Supplements, Nutraceuticals and Food for Special

बिड विवरण/Bid Details	Dietary Use, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2)
	Searched String: Car AC charging Quick coupler with shut off valve HP and LP side Category not available on GeM for the text string uploaded by the buyer **Searched String**: Pag oil refrigerant 134 A Refrigerant Gas, Lubricating Oils for Refrigeration Machinery as per IS 4578, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Cutting Oil (V2), Panel Air Conditioner, Trichloroethylene, Technical as per IS 245, Microscope immersion oil, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Transmission oils, Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061 **Searched String**: condenser cleaner foam type can Fixed type medium expansion foam generator (fire foam liquid proportioner), Electronic component cleaner (co2), Fixed Type Medium Expansion Foam Generator (PNG), Advance Fire Monitor (V2), 135 Litres Capacity Mechanical Foam Type Fire Extinguisher as per IS 14951, FOAM CONCENTRATE FOR PRODUCING MECHANICAL FOAM FOR FIRE FIGHTING (V2) Conforming to IS 4989, Cane for Visually Handicapped (Folding Type), Non Flammable Electronic Contact Cleaner, Cane for Persons with Visual Impairment (Rigid Type) conforming to IS 11646 Part 1, Electronic component cleaner Sprayer **Searched String**: condenser cleaner Liquid type Electrostatic Liquid Cleaner, Toilet Cleaner Liquid (V3) conforming to IS 7983, Glass Cleaner, Liquid (V3) conforming to IS 8540, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Liquid Cold Setting Type Adhesive(BHEL), Electronic component cleaner (co2), Dial Type Liquid Expansion Temperature Gauge / Thermometer, Fixed type medium expansion foam generator (fire foam liquid proportioner), Paper Adhesives, Liquid Gum and Office Paste Type (V2) Conforming to IS 2257, Pentavalent Vaccine under Universal Immunization Programme of MoHFW **Searched String**: Comprosser capaladi oil use for R-22 gas Hopper Tipper Dumper (Version 2) **Searched String**: Litmus paper 0 to 10PH Tracing Paper Conforming to IS 9033, water baths, Grease No. 0, Graphited (V2) Conforming to IS 408, Paper Moisture Meter, Germination Paper (V2) Conforming to IS 6671, Muffle/Box Furnace (V2), Toilet Paper (V3) Conforming to IS 14661, ECG RECORDING PAPER, Cover Paper (V2) Conforming to IS 6956, Humidity Chamber **Searched String**: Gate valve 1''X1'' Knife Edge Gate Valve, Nitrile Coated/Nitrile Hand Gloves (V2), Gun Metal Gate Valves - BHEL, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Lyophilizer, Gate, Globe And Check Valves For Water Work

बिड विवरण/Bid Details	Purposes-IS:778, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, General Purpose Lead-Acid Batteries (Valve Regulated Types) Conforming To IS 16220 (Part 1), Towel Hand Cotton Turkish (IAF), Safety Cap for Self Closing Valves of LPG Cylinders (V2) **Searched String**: globe valve 1''X1'' Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Nitrile Coated/Nitrile Hand Gloves (V2), Gate, Globe And Check Valves For Water Work Purposes-IS:778, General Purpose Lead-Acid Batteries (Valve Regulated Types) Conforming To IS 16220 (Part 1), Lyophilizer, Safety Cap for Self Closing Valves of LPG Cylinders (V2), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Towel Hand Cotton Turkish (IAF), Entry and Mid Level Desktop Computer, BOD Incubator **Searched String**: Hose clamp 1'' Hose Clamp as per IS 4762, Nitrile Coated/Nitrile Hand Gloves (V2), Burette Clamp, Flexible Drain Hoses for Wash Basins/ Sinks, SCAFFOLDING CLAMP, Lyophilizer, Hose assembly, Hose connector, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Coolant Hose **Searched String**: Tube expander for heat exchanger 3/8'' Shell & Tube Heat Exchanger, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Welded Austenitic Stainless Steel Tubes For Condensers And Heat Exchangers-BHEL, Polyurethane Tube (V2), Boiler, Superheater and Heat Exchanger Tubes (As Per ASTM A 213), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Blood Collection Tube, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 **Searched String**: Acid proof hand glose Bitumen Primer for use in Waterproofing and Damp - Proofing as per IS 3384, Toilet Soap, Liquid (V3) Conforming to IS 4199 **Searched String**: Condenser Tube Cleaning Brush set of three Nos.3/8'' Category not available on GeM for the text string uploaded by the buyer **Searched String**: Paint brush 75mm smooth hair Artist & Calligraphy Paint Brush (V2), Classroom Stools, Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1), scrubbing brush, Ready Mixed Paint, Brushing, Acid Resisting, Ready Mixed Paint, Brushing, Acid Resisting (V2) conforming to IS 159, Ready Mixed Paint for Road Marking as per IS 164, Ready Mixed Paint, Brushing, Bituminous, Black, Acid, Alkali and Heat Resisting (V2) conforming to IS 158, Aluminium Paint for General Purposes in Dual Container as per IS 2339, Ready Mixed Paint, Brushing, Bituminous, Black, Lead - Free (V2) conforming to IS 9862 **Searched String**: coil clean Alkaline non acidik Foaming

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: condenser cleaner Liquid type Electrostatic Liquid Cleaner, Toilet Cleaner Liquid (V3) conforming to IS 7983, Glass Cleaner, Liquid (V3) conforming to IS 8540, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Liquid Cold Setting Type Adhesive(BHEL), Electronic component cleaner (co2), Dial Type Liquid Expansion Temperature Gauge / Thermometer, Fixed type medium expansion foam generator (fire foam liquid proportioner), Paper Adhesives, Liquid Gum and Office Paste Type (V2) Conforming to IS 2257, Pentavalent Vaccine under Universal Immunization Programme of MoHFW **Searched String**: Split ac outdoor liquid line valve 1/4'' Split Air Conditioner Including Green AC, Wall Mount Type (V2), AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 **Searched String**: Split ac outdoor suction line valve 1/2'' Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Solenoid Valve (V3) **Searched String**: Split ac outdoor suction line valve 5/8'' Split Air Conditioner Including Green AC, Wall Mount Type (V2), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 **Searched String**: Gland packing rope graphite packing PTFE / Graphite yarn reinforced with Synthetic fibre Gland rope, Nitrile Coated/Nitrile Hand Gloves (V2), Ceramic Fiber Rope, Packing Strip, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Wooden Packing Cases, Surgical Sutures, ETO Packing Paper Roll, Endotracheal Tube - Sterile (Single Use), Packing List Envelope (V2) **Searched String**: solenoid valve three way Solenoid Valve (V3), Three Way Stopcocks, Solenoid Valve (V2), Two Way Valve, Two way UPVC Outlet Valve, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator **Searched String**: catch all filter/drier 1/2'' both end threaded Category not available on GeM for the text string uploaded by the buyer **Searched String**: Garden spray bottle 2Ltr Spray Bottles, Garden Bench, Rust Remover Solution, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Rust Release penetrate spray, Isopropyl Alcohol (2 - Propanol), Small Particle Reagent With Spray Head, Rubber Hot Water Bottel as per IS 1867, Garden

बिड विवरण/Bid Details	Swings, HAND SPRAY PUMPS OR SPRAYER AND MISTERS
	Searched String: Float valve for water coller 1/2''
	Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Drinking Water ATM / Water Vending Machine (Version 2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Angle Valve For Waterworks Purpose Conforming to IS 778, Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778
	Searched String: Four way solenoid valve for ice cube machine
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Hepa filter
	HEPA Workstation, Syringe Filter, Filter Cloth, Bag filter, Filter Cartridge, Laboratory Filter Papers (V2), Filter Sand, Bacterial / Viral Filters (V2), Pollen filter, Kitchen Chimney
	Searched String: Rubber-to-Metal Bonding Adhesives
	Hospital Rubber Sheetings Conforming to IS 4135, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Rubber Tourniquet, Weightlifting Discs, Cycle Rubber Tubes Marked to IS 2415, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Post-Mortem Rubber Gloves Conforming to IS 4149, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Metal Polish, Liquid (V2) Conforming to IS 5487, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470
	Searched String: Rubber pad anti vibration 6''X6''
	Anti vibration mounting pad, rubber bands, Solid Cushion Tyres (V2), MCR Footwear, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Stable Rubber Mats, Basketball (V2)
	Searched String: American Hook inner sizd 1/4'' thread Anchor Bolt .
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Full Threaded Rod 1/4'' Diameter and 5' ft long
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Face shield transference
	Face Shield, Reusable / Washable Cloth Face Mask, Poly Carbonate Shield (MHA) (V2), Face Wash, BiPAP Full Face

बिड विवरण/Bid Details	Mask (V2), Tactical Ballistic Shield (MHA), Surgical Face Masks Conforming to IS 16289, Mahila Polycarbonate Shield (MHA), Trophy (V2), Face Masks-Handicraft **Searched String**: Mouth mask tripple layer Category not available on GeM for the text string uploaded by the buyer **Searched String**: Nut bolt 1/4'' diameter and 2'' lengh Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, shoes school pvc boys girls, Health Supplements, Nutraceuticals and Food for Special Dietary Use, Patio Furniture Set-Handicraft (Bamboo), Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Micro/Semi-Micro/Analytical weighing balance, Hand Operated Hydraulic Pipe Bender, Span Bolt and Nut, Trousers Sleeping Flannel and Trousers Sleeping Cotton - Military Hospital Clothing **Searched String**: Armar sheet for duct insulation 6mm thick and 3m long Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Corrugated Boxes, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), MS Sheet as per IS 1079 **Searched String**: Air filter pvc 20Micron washable split Ac Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Floor Mount Type (Tower AC) Marked to IS 1391 (Part 2) (V3) **Searched String**: HP switch danfoss 465 to 100PSI Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) **Searched String**: LP switch danfoss 108 to 6PSI Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3) **Searched String**: pvc hose pipe 1/2'' Rubber Steam Hose (V2) as per IS 10655, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Black Flexible Rubber Hose Pipe, Elbow Pipe Fitting, Rubber Hose for Liquefied Petroleum Gas (LPG) ISI Marked to 9573 (Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Hydraulic Hose, Hand Operated Hydraulic Pipe Bender, BCAA 2:1:1 Powder, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: Charging line adpter for car AC for HP and LP side

बिड विवरण/Bid Details	Add on Cards and Accessories for PABX System, Earthwire Fitting and Accessories for 66 kV Overhead Power Lines (PSPCL), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Computer Storage Media Forensic Acquisition and Analysis Software **Searched String**: Thermo state for refrigerator. -15degree Refrigerator Truck for Vaccine Transport, Refrigerated Centrifuge For General And Research Purpose, Passenger Seat for State Road Buses, paraffin wax medical for wax bath, Buses for State Road Transport (V2), Non Refrigerated Centrifuge for General Purpose and research, Solar Thermo-Reflective Exterior Coating For Cooling Of Roof Top-IS:17218, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Pre - School Education (PSE) Kit for The State of Bihar, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 **Searched String**: Thermostate for Air conditioner. -15 degree Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Small UAV for ISR Purpose (150 Minute Endurance) as per MHA QRs, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523, Charge Fire Ext Mech Foam 9 L for High Altitude and Sub Zero Temp Conditions (Defence) **Searched String**: Thermostate for water cooler. -15 degree Self - Contained Drinking Water Coolers (V3) as per IS 1475, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Plastic Bottles/Containers for Packaging of Natural Mineral Water and Packaged Drinking Water Conforming to IS 15410, Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Bituminous Compound for Water - Proofing and Caulking Purposes as per IS 1580, Drinking Water Coolers (V4) ISI Marked To IS 1475, Laminated High Density Polyethylene (HDPE) Woven Geomembrane for Water Proof Lining (V2) as per IS 15351, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778 **Searched String**: Eatthing lugs Electrical Cable Lugs, Electrical connection Lugs or thimbles, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309 **Searched String**: Antimoisture injection 20ml - 5Nos in a box High performance Computing (HPC) in a Box, File/Folder (V3), Impression Compound cakes, Facial Tissue Papers(V3), DNA marker, Laboratory Vials (V3), Microscope immersion oil, Stud with Nuts, Self Adhesive Flags (V3), GLACIAL

बिड विवरण/Bid Details	ACETIC ACID
	Searched String: Door switch for refrigerator Laboratory Refrigerator (V2), Refrigerated Centrifuge For General And Research Purpose, Refrigerator Truck for Vaccine Transport, Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Non Refrigerated Centrifuge for General Purpose and research, Industrial Ethernet Switch (V2), modular electrical enclosure switch board boxes for modular type accessories, Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3), Door Frame Metal Detector, EPDM Rubber Beading For Passenger Door **Searched String**: Fastner pin vertical Vertical Autoclave, Pin Up Notice Board (V2), Vertical Blinds (V2), Chest Press (Version 2), Vertical Garden Stands, Vertical Autoclave (FSSAI), pin cushions, Dowel Pin, Laminar air flow cabinets or stations (V2), Knowles Pin **Searched String**: Fastner pin horizontal Horizontal Autoclave, Pin Up Notice Board (V2), Autoclave (Horizontal), Chest Press (Version 2), Horizontal Bar - Gymnastics, pin cushions, Dowel Pin, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Knowles Pin, Combination Board (V2) **Searched String**: over load protector for refrigerator 1/6HP Nasal Cannula (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Desk and Chair Set for Classroom/Training Area, Micro/Semi-Micro/Analytical weighing balance, Desk and Bench Set for Classroom/Training Area, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Desk Only for Classroom/Training Area **Searched String**: over load protector for refrigerator 1/6HP Nasal Cannula (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Desk and Chair Set for Classroom/Training Area, Micro/Semi-Micro/Analytical weighing balance, Desk and Bench Set for Classroom/Training Area, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Desk Only for Classroom/Training Area **Searched String**: PTC relay for refrigerator 1/6HP Nasal Cannula (V2), Household Refrigerating Appliances as per IS 17550, Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area,

बिड विवरण/Bid Details	Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Desk Only for Classroom/Training Area, Submersible Pump Starters (Motor starter controls) **Searched String**: PTC relay for refrigerator 1/8HP Household Refrigerating Appliances as per IS 17550, Submersible Pump Starters (Motor starter controls), HDPE life boat for rescue (8 SEATER) as per GSDRF specification **Searched String**: Current coil relay refrigerator Overload Relay, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR) **Searched String**: Refrigerator bulb thin type 10watt Low Fouling Composite (LFC) RO Membrane, Hand Held Search Light, Inspection Lamp, Flushing Cistern, Rechargeable LED Bulb (V2), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Psychrometers, Unventilated (Dry And Wet Bulb Hygrometer) as per IS 5725 (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Recirculating chiller **Searched String**: Running capacitor 4MFD Capacitor Banks For Use On 11 KV System (PSPCL)), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Light Weight Running Shoes (V3) (MHA), Cotton Towelling And Towels Conforming To IS 7056 (V4), Performance Footwear Sports (V2) ISI marked to IS 15844 (Part 2), Running Nipples, Close Taper Nipples and Barrel Nipples confirming to IS 1239 (Part 2), water baths, Electric Motorized Treadmill (V3) **Searched String**: Running capacitor 3.5MFD XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, true rms clamp meter, Locking Compression Plates (V2), Bone Screw (V2), Endotracheal Tube - Sterile (Single Use), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls **Searched String**: Running capacitor 50+4(fan) MFD Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374 **Searched String**: Running capacitor 45+5 MFD Acephate 45%+ Cypermethrin 5% Dry Flowable(DF), Rotary

बिड विवरण/Bid Details	Evaporator, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electric Ceiling Fan (V4) ISI Marked to IS 374, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Electric Axial Flow Fans (V2) Conforming To IS 3588, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Hot Rolled Round Steel Bars as per IS 1732, Endotracheal Tube - Sterile (Single Use), Self Adhesive Flags (V3) **Searched String**: Starting capacitor 60 to 80 MFD Teleprinter Paper Page Rolls (V3) Conforming to IS 9031, Ferromanganese (V3) Conforming to IS 1171, Thermal Paper (V2) Conforming to IS 17568 **Searched String**: Starting capacitor 80 to 100MFD A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Cotton Towelling And Towels Conforming To IS 7056 (V4), Sulphur 80% Wettable Powders Conforming to IS 3383 (V3), Sweeping Broom (V5), Sulphur 80% Wettable Powders (V4) Conforming to IS 3383, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Chlorine Tablets (V2) Conforming to IS 9825, Quinalphos Emulsifiable Concentrate (V2) Conforming To IS 8028, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5) **Searched String**: De frost heater for frost free refrigerator Frost Free Refrigerator Training Jig(DVET), Household Refrigerating Appliances as per IS 17550, Deep Freezer For Universal Immunization Program, Conference Speakerphone with Bluetooth, Single Burner Gas Deep Fryer **Searched String**: De frost heater timer Aluminium Alloy Timer Pulley to Suit the Timer Belt (Defence), Kerosene Fired Forced Air Bazooka Heater, Time delay relay, Time Switch **Searched String**: Biometal for frost free refrigerator Frost Free Refrigerator Training Jig(DVET), Refrigerated Centrifuge For General And Research Purpose, Refrigerator Truck for Vaccine Transport, Solar direct drive combined refrigerator/freezer(small), Non Refrigerated Centrifuge for General Purpose and research, Condoms (Free Supply for NACO), Household Refrigerating Appliances as per IS 17550, Condoms (Free Supply) for Family Planning Programme, LED Bulb with Battery as per IS 16102, OCP (Free Supply) for Family Planning Programme **Searched String**: fan motor for frost free refrigerator Frost Free Refrigerator Training Jig(DVET), Household Refrigerating Appliances as per IS 17550, Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: Frost free refrigerator PCB circuit with necessories sensors Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: Electronic expansion valve for inverter refrigerator Category not available on GeM for the text string uploaded by the buyer **Searched String**: inverter frost free refrigerator double door PCB with double fan motor & sensers Category not available on GeM for the text string uploaded by the buyer **Searched String**: multiconductor flexible wire 2.5mm Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Biosafety Cabinet (V2), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Bunk Beds conforming to IS 17636, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Bed Mattress Conforming to IS 13489 (V3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: inverter split AC 1.5TR PCB with remot Split Air Conditioner Including Green AC, Wall Mount Type (V2) **Searched String**: inverter split AC 1.5TR component like Heat sink,NTC,PTC,sensors. Split Air Conditioner Including Green AC, Wall Mount Type (V2) **Searched String**: Electronic expansion valve for split inverter AC Power Cord For Computer (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Fittings and Accessories for Power Transformer, Drain Valve and Flanges as per IS:3639, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Legal_Tech Ver 2.0 **Searched String**: Window AC 1.5TR , PCB with remot Unitary Air Conditioner (Window AC) (V3) ISI Marked to IS 1391 (Part 1), Enterprise Remote Access and Support Software, Tent Extendable Frame Supported With Mild Steel Joints and Flooring TPO, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Line Interactive UPS with AVR (V2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)

बिड विवरण/Bid Details	
	Searched String: window Ac 1.5TR selector switch Unitary Air Conditioner (Window AC) (V3) ISI Marked to IS 1391 (Part 1), Correspondence Envelopes (V3) Conforming to IS 13892, Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615 **Searched String**: window Ac 1.5TR thermostate Unitary Air Conditioner (Window AC) (V3) ISI Marked to IS 1391 (Part 1), Towel Hand Cotton Turkish (IAF), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), 1-Naphthylacetic acid, Correspondence Envelopes (V3) Conforming to IS 13892, Split Air Conditioner Including Green AC, Wall Mount Type (V2), 1-Butanesulphonic Acid Sodium Salt 98% (Sodium -1-Butane Sulphonate), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: current type potential relay for window AC Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), modular electrical enclosure switch board boxes for modular type accessories, Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4), Tripods for Surveying Instruments - Fixed Leg Type as per IS 8330, Temperature Indicator for Transformers - Analog type, Air Circuit Breaker Conforming To IS/IEC 60947 (Part 2) **Searched String**: Sealded electrical component thermostate for single door refrigerstor Category not available on GeM for the text string uploaded by the buyer **Searched String**: Sealded electrical component door lamp 10Watt with holder for refrigerstor Category not available on GeM for the text string uploaded by the buyer **Searched String**: Sealded electrical component door switch for single door refrigerstor Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Door Frame Metal Detector, Ulra Violet (UV) Cabinet for Sterilization, Swing Check Type Reflux (Non-Return] Valves for Water work purpose - IS 5312 **Searched String**: Frost free refrigerator PCB circuit with necessories sensors

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Car AC blower motor speed control regulator Synchronous Servo Motor, Access Control System **Searched String**: Nylon wire flexible hose water pipe line (acid resistance) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Dispender water cooler PCB circit Assembly Category not available on GeM for the text string uploaded by the buyer **Searched String**: Dispender water cooler component like heater,sesors,Tap. Category not available on GeM for the text string uploaded by the buyer **Searched String**: Thermostate for water cooler Self - Contained Drinking Water Coolers (V3) as per IS 1475, Drinking Water Coolers (V4) ISI Marked To IS 1475, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Polyethylene Pipes for Water Supply conforming to IS 4984, Pumpset for Direct Evaporative Air Cooler Conforming to IS 11951, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, water for chromatography, Sterile Water for Injection, Engine Monoset Pumps for Clear, Cold, Water (Dewatering Pump) Conforming To IS 11501 **Searched String**: Ice cube machine PCB with all sensors and defros heater Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Copper Tube 35 mm-OFB • Brazing Alloy (V2) Conforming to IS 2927 • Brazing flux
बीओक्यू शीर्षक /BOQ Title	Refrigeration and air conditioning spares
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	1.2 Lakh (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes | Complete
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes | Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Copper tube soft
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	240000
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	2

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL, ITI BHAVNAGAR
PRINCIPAL, ITI BHAVNAGAR
(Principal, Iti Bhavnagar)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the

completed financial years after the date of constitution shall be taken into account for this criteria.
4. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
03-11-2026 12:00:00	ITI SIHOR, BESIDE PGVCL OFFICE, BHAVNAGAR RAJKOT ROAD, SIHOR

Rivet Aluminium Material

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	250	15

Brasing Road Cu To Cu

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	4	15

Silver Brazing Road

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Silver Brazing Flux

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Rosin Flux

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Flare Nut Copper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	63	15

Ded Nut Copper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	63	15

Copper Tube Soft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	15	15

Copper Tube Soft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	15	15

Lockring Copper Material

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	25	15

LPG Brazing Kit Nozzle With 02 Bottle

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Straight Union Copper Material

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	25	15

Elbow Copper Material

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	25	15

Tee Copper Material

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	25	15

Air Filter For 1.5ton Split A.C

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Nitrogen Gas

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Non Return Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	30	15

Charging Line

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	12	15

Charging Line Adpter For 410A Refrigerant

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Angle Valve Copper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Compound Gauge With Hand Shutoff Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	4	15

Filter Drier Silicagel

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	25	15

Filter Drier

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	25	15

Carbon Tetra Cloride

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

R 600 A Refrigerant Can

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	8	15

Copper Condenser

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Hose Clamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Dis Cleaning Wire Brush

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Denfoss Filter For Deep Freezer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Denfoss Filter For Deep Freezer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Magnetic Door Gasket For Double Door Fridge

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

HC Bland Refrigerant Can With Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Capillary Tube 0.055 For Window Ac

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Car Ac High Pressure Switch For Liquid Side

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Car AC Charging Quick Coupler With Shut Off Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Pag Oil Refrigerant 134 A

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	4	15

Condenser Cleaner Foam Type Can

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Condenser Cleaner Liquid Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Comprosser Capaladi Oil Use For R-22 Gas

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	4	15

Litmus Paper 0 To 10PH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	100	15

Gate Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Globe Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Hose Clamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Tube Expander For Heat Exchanger

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Acid Proof Hand Glose

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Condenser Tube Cleaning Brush

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Paint Brush 75mm Smooth Hair

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	4	15

Coil Clean Alkaline Non Acidik Foaming

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Condenser Cleaner Liquid Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Split Ac Outdoor Liquid Line Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Split Ac Outdoor Suction Line Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Split Ac Outdoor Suction Line Valve

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Gland Packing Rope Graphite Packing

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Solenoid Valve Three Way

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Catch All Filter Or Drier

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Garden Spray Bottle

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Float Valve For Water Coller

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Four Way Solenoid Valve For Ice Cube Machine

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Hepa Filter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Rubber-to-Metal Bonding Adhesives

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Rubber Pad

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	8	15

American Hook

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Full Threaded Rod

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	6	15

Face Shield Transference

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Mouth Mask Tripple Layer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	24	15

Nut Bolt

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	50	15

Armar Sheet For Duct Insulation

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Air Filter Pvc 20 Micron Washable Split Ac

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	4	15

HP Switch Danfoss 465 To 100PSI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

LP Switch Danfoss 108 To 6PSI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Pvc Hose Pipe

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	30	15

Charging Line Adpter For Car AC For HP And LP Side

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Thermo State For Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Thermostate For Air Conditioner

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Thermostate For Water Cooler

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Eatthing Lugs

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	7	15

Antimoisture Injection

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	30	15

Door Switch For Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Fastner Pin Vertical

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	7	15

Fastner Pin Horizontal

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	7	15

Over Load Protector For Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Over Load Protector For Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

PTC Relay For Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

PTC Relay For Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Current Coil Relay Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Refrigerator Bulb Thin Type 10watt

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	10	15

Running Capacitor 4MFD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Running Capacitor 3.5MFD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Running Capacitor 54 MFD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Running Capacitor 50 MFD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Starting Capacitor 60 To 80 MFD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Starting Capacitor 80 To 100MFD

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

De Frost Heater For Frost Free Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

De Frost Heater Timer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Biometal For Frost Free Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Fan Motor For Frost Free Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	3	15

Frost Free Refrigerator PCB Circuit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Electronic Expansion Valve For Inverter Refrigerator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Inverter Frost Free Refrigerator Double Door PCB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Multiconductor Flexible Wire 2.5mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Inverter Split AC 1.5TR PCB With Remot

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Inverter Split AC 1.5TR Component

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Electronic Expansion Valve For Split Inverter AC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Window AC 1.5T, PCB With Remote

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Window Ac 1.5T Selector Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Window Ac 1.5T Thermostate

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Current Type Potential Relay For Window AC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Sealded Electrical Component Thermostate For Single Door Refrigerstor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Sealded Electrical Component Door Lamp Holder With Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Sealded Electrical Component Door Switch For Single Door Refrigerstor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	2	15

Frost Free Refrigerator PCB Circuit With Necessories Sensors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Car AC Blower Motor Speed Control Regulator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Nylon Wire Flexible Hose Water Pipe Line

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	5	15

Dispender Water Cooler PCB Circit Assembly

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Dispender Water Cooler Component Like Heater,sesors,Tap.

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Thermostate For Water Cooler

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

Ice Cube Machine PCB With All Sensors And Defros Heater

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Dave Jaykumar Manjibhai	364240,GOVT. INDUSTRIAL TRAINING INSTITUTE, SHIHOR, NEAR - P.G.V.C.L., BHAVNAGAR ROAD, DI - BHAVNAGAR	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL, ITI BHAVNAGAR
   payable at
   SIHOR
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL, ITI BHAVNAGAR
   payable at
   SIHOR
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mine s Department, Gujarat

Eligibility for Exemption in EMD.

Micro & small-scale enterprises which participate directly in tendering process for the pro duct which they are manufacturing / service which they are providing and have Udyam registration for items/ service under procurement and having registration with CSPO or Nation al Small Industries Corporation.

Startups which participate directly in tendering process for the product which they are manufacturing /ser vice which they are providing and recognized by DPIIT under the Startup India Program and has obtained Udyam registration & CSPO/NSIC registration as MSE .In NSIC/CSPO registration certificate, to consider vali d for EMD exemption in Security Service either NIC code for Security Service / Security Service must be m entioned in "Name of Services/ Activities". Otherwise bidder does not exempted from EMD sub mission eve n if bidder having valid MSME registration along with NSIC/CSPO registration.

Purchase Preference to MSE of State of bid inviting Authority (Gujarat)

Micro and small scale enterprises which participate directly in tendering process for the product which the y are manufacturing/ service which they are providing and have Udyam registration for items/ service und er the procurement and having registration with CSPO or National Small industries Corporation.

Bidder turnover should be greater than twice of Bid Estimate Value. The turnover will be applicable for this bid as per This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industrie s and Mines Department, Gujarat (If Applicable).In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procurement Policy 2024 provisions shall prevail. However, if there is suc h an ATC which has no counterpart in the said policy, then the ATC shall prevail.

.

7. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.

7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---