बिड संख्या/Bid Number: GEM/2026/B/8181599

दिनांक /Dated: 26-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask1-iti-kaprada@gujarat.gov.in
कुल मात्रा/Total Quantity	139
वस्तु श्रेणी /Item Category	Anvil , Bradawl , Bus bar , Cable Straight Jointing Kit , Capacitors , CEILING FAN COIL WINDING MACHIN , Compression testing gauge , Conduit pipe cutting and threading , Control Panel , Cylinder liner , DC rectifiers set , Different type of piston model , Digital Timer , Dowel pin , Drill Drift , Drill gauges , Drill point , Drill twist Taper shank , Dusk and dawn switch , Field regulator , FUSE , LAN TESTER , Lux meter , Meter Reading Instrument , MPPT based , Oil can , Oil pump , POWER FACTOR METER , Pre-heater , Radiator cut section , SAFETY BELT , Scraper flat-150 mm , Scraper Half round , Scraper half round , Scraper Triangular , Scraper triangular , Servo motor , Solar charge controller , Solar street light lamp set , Solid State Solar Based , Spanner DE , Spanner Double Ended , Spanner set of 6 Double ended , STEEL TAPE

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Anvil, Bradawl 150mm, Bus bar with brackets 1 mtr each, Cable Straight Jointing Kit 120Sq mm, Capacitors Ceramic, Capacitors Dual Run, Capacitors Electrolytic, Capacitors Polyester film, Capacitors Variable, CEILING FAN COIL WINDING MACHINE, Compression testing gauge suitable for diesel Engine, Conduit pipe cutting and threading machines adjustable for 15 mm to 30 mm, Control Panel, Cylinder liner Dry wet line, DC rectifiers set with all accessories, Different type of piston model, Digital Timer OFF-delay, Digital Timer ON-delay, Dowel pin, Drill Drift , Drill gauges, Drill point angle gauge , Drill twist, Dusk and dawn switch 16 A, 230 V, Field regulator, FUSE GLASS TYPE , FUSE HRC TYPE , FUSE REWIRE TYPE , LAN TESTER, Lux meter, Meter Reading Instrument (MRI), MPPT based charge controller, Oil can 0.5 liter capacity, Oil pump, POWER FACTOR METER, Pre-heater For GMAW, Radiator cut section-cross flow , Radiator cut section-down flow , SAFETY BELT, Scraper flat-150 mm, Scraper Half round 25 cm, Scraper half round150 mm, Scraper Triangular 25 cm, Scraper triangular150 mm, Servo motor with resolver 10 Nm, Solar charge controller, Solar street light lamp set, Solid State Solar, Spanner DE set of 12 pieces 6mm to 32mm, Spanner- Double Ended, Spanner set of 6, STEEL TAPE 5 MT FLEXIBLE IN CASE
	Searched String: Anvil Diamond Anvil, DC Anvil (OFB), Pruning Shear / Secateur **Searched String**: Bradawl 150mm XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Digital Ultrasonic Non-Contact Flowmeter with Totalizer, Biosafety Cabinet (V2), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Dry Erase Writing Boards (V3), Pliers, Pincers and Nippers (V2) As Per IS 2615, Endotracheal Tube - Sterile (Single Use), Pin Up Notice Board (V2), Speed Breaker (V2), Speed Breaker (V3) **Searched String**: Bus bar with brackets 1 mtr each Weightlifting Equipment – Bars / Plates / Collars (V2), Auditorium Chair (V2), Modular Toilet, Sticky Notes (V2) **Searched String**: Cable Straight Jointing Kit 120Sq mm Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1

बिड विवरण/Bid Details	kV Marked To IS 14255 **Searched String**: Capacitors Ceramic Capacitors for Electric Fan Motors as per IS 1709 (V2), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Brushable Ceramic, Ceramic Fiber Tape, Ceramic Fiber Rope, Ceramic Products from Bulandshahr - ODOP, Ceramic fibre Paper, Electric Ceiling Fan (V4) ISI Marked to IS 374, Inert Ceramic Balls, Pressed Ceramic Tiles conforming to IS 15622 **Searched String**: Capacitors Dual Run Capacitors for Electric Fan Motors as per IS 1709 (V2), electronic total station, Dual Chamber Implantable Pacemaker, Dual Chamber Temporary Pacemaker, Flushing Cistern, Dual Headed Gamma Camera, Portable Power Generators, Tees, Reducing (on the Run and Branch, or on the Run Only) conforming to IS 1239 (Part 2), Handheld Digital Infrared Thermometer, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2) **Searched String**: Capacitors Electrolytic Capacitors for Electric Fan Motors as per IS 1709 (V2), Electrolyte Analyzer, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), Common Salt For Chemical Industries (V2) Conforming to IS 797, Wire Rope For Wire Rope Barrier, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Electrolyte Analyzers (V2) **Searched String**: Capacitors Polyester film Capacitors for Electric Fan Motors as per IS 1709 (V2), Office Bags (V2), Conductive Film, Antimicrobial Dressing (V2), Optical Adhesive Film, School Bags (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Air bubble film, Polyester Round Slings, Cladding Films for Greenhouse / Polyhouse Conforming to IS 15827 **Searched String**: Capacitors Variable Variable Voltage Variable Frequency Drive, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Electric Ceiling Fan (V4) ISI Marked to IS 374, LVDT Sensor, Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1) **Searched String**: CEILING FAN COIL WINDING MACHINE Electric Ceiling Fan (V4) ISI Marked to IS 374, Coil Pressing Machine, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Capacitors for Electric Fan Motors as per IS 1709 (V2) **Searched String**: Compression testing gauge suitable for

बिड विवरण/Bid Details	
	diesel Engine Diesel Engine as per IS 10001, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and gasoline) as per IS: 13656, Three Wheeler for Goods (V2), Spring Testing Machine (V2), Retro-Fit Emission Control Equipment For Diesel Generators (V2), Centrifugal Pump With Diesel Engine For Fire Water Service as per IOCL Specifications **Searched String**: Conduit pipe cutting and threading machines adjustable for 15 mm to 30 mm Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Plug Cocks for Water Supply Purposes conforming to IS 3004, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Resorbable Collagen Membrane for Orthopedic and Dental Surgeries, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206 **Searched String**: Control Panel Power Control Center (PCC) Panel for Power Distribution, Interactive Panels with CPU, Industrial Panel PC, Submersible Pump Starters (Motor starter controls), PUF Panel, magnetic stirrers, Insulated Panel, Diesel Power Generator (up to 900 KVA), Hand Sanitizer Panel, Sanitary Napkins Incinerator Machine with Smoke Control Unit **Searched String**: Cylinder liner Dry wet line Cylinder Liner, industrial vacuum cleaner, Dry & wet Thermometer, Polythene Liner (V2), Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725, Hydraulic Cylinder and Hand Pump Set, Polythene liner, Vehicle Mounted Dry and Wet Garbage Suction Machine, Psychrometers, Unventilated (Dry And Wet Bulb Hygrometer) as per IS 5725 (V2), LINER HANGERS (Petroleum Industry) **Searched String**: DC rectifiers set with all accessories Chemical Earth Pit Complete Set, tent arctic camping and outdoor equipment **Searched String**: Different type of piston model Casing of Different Sizes with Coupling (CMPDI), Pin Up Notice Board (V2), Fishing Tools of Different Sizes and Adopters (CMPDI), Diamond Casing Bit and Shoe Bits of Different Sizes (CMPDI), Recirculating chiller, Crop Protection Equipment - Hand Operated Knapsack Sprayer, Piston Type for Agriculture as per IS 3906, Electronic Weighing Scales, Agriculture Harrow (Disc Type), Wooden Podium, Dental Plaster / Dental Stone

बिड विवरण/Bid Details	
	Searched String: Digital Timer OFF-delay Time delay relay, Digital Timer, Stopwatch (V2), Digital Pull - off Adhesion Tester (V2), Time Switch, Humidifier (V2), Electronic File and Office Workflow Management Software, Electronic Calculator (V2) **Searched String**: Digital Timer ON-delay Digital Timer, Time delay relay, Add on Gateways for PABX System, Stopwatch (V2), Electronic Torque and Angle Wrench (ONGC), Time Switch, Add on Cards and Accessories for PABX System, Digital Forensic Platform Software (V2), Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Blockchain_Fintech Ver 2.0 **Searched String**: Dowel pin Dowel Pin, Pin Up Notice Board (V2), pin cushions, Gold Purity Testing Meter/ Karat Meter (V2), Knowles Pin, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Steinmann Pin, Combination Board (V2), Piston Pin, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: Drill Drift Seed Drill, Drill Sleeve, Gold Purity Testing Meter/ Karat Meter (V2), Drilling Rig Accessories, Drilling Machine Bench Type / Pillar Type as per IS 2425, Drill Sleeve (V2), Handheld XRF analyzers, Solid Carbide Drill, Rotary Hammer Drill (NDRF), Mining Drill Rod **Searched String**: Drill gauges Plain Plug Gauges as per IS 6137, Blood Lancets, Slip Gauges / Gauge Blocks, Dial Type Indicating Vacuum Gauges and Compound Gauges as per IS 3624, Vertical Staff Gauges - IS 4080, Drilling Machine Bench Type / Pillar Type as per IS 2425, Dial type indicating Pressure Gauges, Rotary Hammer Drill (NDRF), Feeler Gauges - Engineering Metrology - as per IS 3179, Solid Carbide Drill **Searched String**: Drill point angle gauge Knotless Tissue Control Device, Twist Drill (Parallel Shank) as per IS 5102 (V2), Chrome Free Deflocculant (ONGC), Pour Point Depressant for Gopavaram Crude, Rajahmundry Asset - ONGC **Searched String**: Drill twist Twist Drill (Parallel Shank) as per IS 5102 (V2), Blood Lancets, Twist Drill Bit, Parallel Shank, Jobber Series as per IS 5101 (V2), Twist Drill - Extra Long Parallel Shank - IS 7823, Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2), Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425, Twist Drill Bit, Morse Taper Shank as per IS 5103 (V2), Rotary Hammer Drill (NDRF), Solid Carbide Drill **Searched String**: Dusk and dawn switch 16 A, 230 V Examination Answer Books for Higher and Competitive Examinations (V4)

बिड विवरण/Bid Details	**Searched String**: Field regulator
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Acetylene Pressure Regulator as per IS 6901, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Filter Regulator Lubricator, Fabric (Jacket Field Dress, Trousers Field Dress and CAP) (V2) (IAF), Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Field Hockey Sticks as per IS 829, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Cap (Field Dress) (IAF), Pressure Regulator For Gases, Field Dress (Jacket and Trouser) (IAF) **Searched String**: FUSE GLASS TYPE Glass Fuse, Carriers and bases in rewirable type electric fuses conforming to IS 2086, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Drop Out Fuses, Cylindrical Fuses, Muffle Furnace, HT Motor Protection Fuse (BHEL), Biosafety Cabinet (V2) **Searched String**: FUSE HRC TYPE HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Glass Fuse, Muffle Furnace, Cylindrical Fuses, Biosafety Cabinet (V2), Drop Out Fuses, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2) **Searched String**: FUSE REWIRE TYPE Carriers and bases in rewirable type electric fuses conforming to IS 2086, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Glass Fuse, Muffle Furnace, Cylindrical Fuses, Biosafety Cabinet (V2), Drop Out Fuses, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2) **Searched String**: LAN TESTER Cable network tester, Insulation Tester, Wireless LAN Controller Appliance, Wireless LAN Controller Software, Portable Hardness Tester, Wireless LAN Access Point (V3), Compression Testing Machine, Non - Contact Voltage Tester, Battery Tester, Line Tester **Searched String**: Lux meter Frequency meter - Analog (Panel Meter), true rms clamp meter, Turbidity meter, Digital Light Meter, Static meter, Digital pH Meter, Visgage Meter, digital conductivity meter, LCR Meter, pH Meter **Searched String**: Meter Reading Instrument (MRI) Surface Resistivity Meter (V2), pH Meter, Radiation survey meter, Suspended Solids Meter, digital conductivity meter, Rapid Moisture Meter for Rapid Determination of Water

बिड विवरण/Bid Details	Content for Soil IS - 12175, Water Quality Meters / Analyzers, Digital Light Meter, Turbidity meter
	Searched String: MPPT based charge controller Hybrid Charge Controller, Battery Charger As per MHA Specifications (V2), Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Heavy Duty Battery Charger, Access Control System, Access Controlled Handle Door Lock, Electrostatic Discharge Chairs (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Token Display System **Searched String**: Oil can 0.5 liter capacity Rotary Evaporator, Extreme Pressure Gear Oil as per IS 1118, Lyophilizer, Emulsifier for Industrial Laundry, Ultra - Sonic Bath Sonicator, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Methylele Spirit (Denatured Alcohol) as per IS 4117, Electronic Weighing Scales, Offset printing cleaning Chemical, Non Carbonated Beverage Dispenser (V2) **Searched String**: Oil pump Transformer Oil Pump, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Vacuum Pump Oil, Hydraulic Gear Pump, Submersible Sewerage Pump, Vacuum pump oils, Self Priming Pump Conforming To IS 5120, Centrifugal Pump For Liquid Petroleum Oil Service as per IOCL Specifications, Syringe Infusion Pump, High Vacuum Pump **Searched String**: POWER FACTOR METER Power Factor Meter - Digital, Diesel Power Generator (V2), Digital RF Power Meter (V2), Passive optical network power meter, Ultrasonic Probe Sonicator, Antihemophilic Factor (Factor VIII) Injection, Diesel Power Generator (up to 900 KVA), Coagulation Factor IX Injection, true rms clamp meter, Universal Power Flow Controller **Searched String**: Pre-heater For GMAW Space Heater for Turbo Generator (BHEL), Pre School Uniform - Shorts (Half Pants) as per Government of Gujarat Specification, Pre School Kit for Telangana, Tissue culture Racks for Plant Tissue culture in pre hardening Units, Kerosene Fired Forced Air Bazooka Heater, Pre School Education Kit for Jharkhand, Shaft Insulator Heater-IS:302, IS:4159, Pre - School Education Kit for Anganwadi Centres, Educational School Kits for States, Utensils Kits For States **Searched String**: Radiator cut section-cross flow Trackside Indicator Boards and Signages as per IRICEN Manual, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Shredding Machine/Paper Shredder, Saw File as per IS 1931, Welding Cable ISI Marked To IS 9857 (V2), Air Curtain **Searched String**: Radiator cut section-down flow LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) **Searched String**: SAFETY BELT

बिड विवरण/Bid Details	Belt Trainer, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Timing Belt, Belt Oil skimmer, Conveyor Belt System, Weigh Belt Feeder, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Leather belt (MHA), Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Abdominal Binder Conforming to IS 17350 **Searched String**: Scraper flat-150 mm Flat Woven Webbing Slings ISI Marked to IS 15041, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Mild Steel Sheet, High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube for Irrigation Purpose as per IS 16190, Roti Making Machine, Wild - Life Cages, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Floor Drain Traps (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Foot Steps For Hospital/Clinic and Domestic Purposes **Searched String**: Scraper Half round 25 cm Rectangular/Trapezoidal Brass Bar - Half Hard-Half Round Edge and Profiles (BHEL), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), T - Shirt White Half Sleeves Round / Full Neck for Ministerial Staff of CAPFS (MHA) QRs, NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), Tower Bolts (Ferrous Metals) as per IS 204, Round Strand Galvanized Steel Wire Rope For Shipping Purposes-IS:2581, Plain Gauze Swab, Brass Wire For General Engineering Purpose-IS:4413 **Searched String**: Scraper half round150 mm Bathroom Water Shower (V2), Combination Board (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Roti Making Machine, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Foot Steps For Hospital/Clinic and Domestic Purposes, Towel Rail, Labels Stickers (V3), Medals (V3), Kidney Trays Conforming to IS 3992 **Searched String**: Scraper Triangular 25 cm NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), Decorative Flag (V2), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Calico Triangular Bandage Conforming to IS 14306, Plain Gauze Swab, Open Weave Bandage Conforming to IS 16469, Open Weave Bandage, Non Adherent Dressings (V2) **Searched String**: Scraper triangular150 mm Cell Scraper, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cell Scraper (V2), Domestic Kitchen Spatulas (V2), MM Personality inventory, Biosafety Cabinet (V2), Pipeline pig, Floor Drain Traps (V2), 81 MM Mortar Simulator (MHA), Dry Erase Writing Boards (V3) **Searched String**: Servo motor with resolver 10 Nm Servo Motor Operated Automatic Line Voltage Correctors

बिड विवरण/Bid Details	Conforming to IS 9815 (Part 1) - Single Phase Applications, Electric Potter Wheel (V2)
	Searched String: Solar charge controller Hybrid Charge Controller, magnetic stirrers, Photovoltaic Module (Solar Charger) for Batteries as per MHA QRs, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Wireless Controller, Sanitary Napkins Incinerator Machine with Smoke Control Unit, PID Controller, Diesel Power Generator (up to 900 KVA), Temperature Controller, Laboratory Incubators **Searched String**: Solar street light lamp set Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Tubular Street Light Poles, White LED Based Solar Study Lamp as per MNRE Specifications, Portable Emergency LED Lighting Tower System with AC Generator Set, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2) **Searched String**: Solid State Solar Solid State Potentiometer, Air Freshener Solid or Gel (V2), Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Internal Storage Device (SSD/HDD) (V2), USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), Mobile Containers For Solid Waste Conforming to IS 12402, Solid Carbide Reamer, Solid Carbide Drill **Searched String**: Spanner DE set of 12 pieces 6mm to 32mm Medium Density Fiber Boards (MDF Boards) Marked to IS 12406 (V2), Desk and Bench Set for Classroom/Training Area, Fruit & Vegetable Toy Set (V3), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Non Sparking Double Ended Ring Spanner (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), Shape Sorter Toy (V3), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Pipe Clamps (V2), Desk and Chair Set for Classroom/Training Area **Searched String**: Spanner- Double Ended Non Sparking Double Ended Ring Spanner (V2), High End Desktop Computer, Non Sparking Double Open Ended Spanner (V2), Ring Wrenches (Spanners) as per IS 2029, foot step for hospitals, Box Spanner, Wooden Podium, Double Ended Vaginal Speculum (Sims Pattern) as per IS 6112, Sofa (V3), Open Ended Slugging Wrenches (Spanners) as per IS 4508 **Searched String**: Spanner set of 6

बिड विवरण/Bid Details	Set of Shirt and Trousers- KRCL, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Pouch for Ammunition and Grenades Made of Disruptive Pattern Nylon 6 6 Marked to IS 16726, Non Sparking Double Ended Ring Spanner (V2), Package No. 6 Atal Tinkering Lab of Niti Aayog - Learning Management System, Diesel Power Generator (up to 900 KVA), anti set off spray powder, Fruit & Vegetable Toy Set (V3), Shazar Stone Products from Banda - ODOP, Muffle/Box Furnace (V2) **Searched String**: STEEL TAPE 5 MT FLEXIBLE IN CASE Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Measuring Tape, GI Grating (in MT), HT Tape, Measuring Tape (V3), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Fall Arrestor, Pyrethrum Extract
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Low Voltage Surge Protective Devices Connected to Low Voltage Power Systems Conforming To IS 16463 (Part 11)
बीओक्यू शीर्षक /**BOQ Title**	BOQ TOOLS EQUIPMENT3
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	2.2 Lakh (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	GeM verified turnover
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Anvil
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	440424
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder

seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	15000	Anvil	1
Schedule 2	8000	Bradawl	32
Schedule 3	36000	Bus Bar	3
Schedule 4	2000	Cable Straight Jointing Kit	1
Schedule 5	40	Capacitors	4
Schedule 6	40	Capacitors	4
Schedule 7	40	Capacitors	4
Schedule 8	40	Capacitors	4
Schedule 9	40	Capacitors	4
Schedule 10	70000	Ceiling Fan Coil Winding Machin	2
Schedule 11	10000	Compression Testing Gauge	1
Schedule 12	58000	Conduit Pipe Cutting And Threading	1
Schedule 13	27000	Control Panel	1
Schedule 14	4500	Cylinder Liner	1

Schedule 15	80000	Dc Rectifiers Set	2
Schedule 16	2500	Different Type Of Piston Model	1
Schedule 17	2000	Digital Timer	1
Schedule 18	2000	Digital Timer	1
Schedule 19	200	Dowel Pin	1
Schedule 20	400	Drill Drift	2
Schedule 21	2400	Drill Gauges	2
Schedule 22	800	Drill Point	1
Schedule 23	2500	Drill Twist Taper Shank	1
Schedule 24	1000	Dusk And Dawn Switch	1
Schedule 25	2000	Field Regulator	1
Schedule 26	40	Fuse	4
Schedule 27	40	Fuse	4
Schedule 28	40	Fuse	4
Schedule 29	700	Lan Tester	1
Schedule 30	7400	Lux Meter	2
Schedule 31	1600	Meter Reading Instrument	1
Schedule 32	12000	Mppt Based	1
Schedule 33	400	Oil Can	1
Schedule 34	3000	Oil Pump	1
Schedule 35	12000	Power Factor Meter	4
Schedule 36	3800	Pre-heater	2
Schedule 37	15000	Radiator Cut Section	1
Schedule 38	15000	Radiator Cut Section	1
Schedule 39	5400	Safety Belt	3
Schedule 40	800	Scraper Flat-150 Mm	2
Schedule 41	450	Scraper Half Round	1
Schedule 42	800	Scraper Half Round	2
Schedule 43	450	Scraper Triangular	1
Schedule 44	900	Scraper Triangular	2
Schedule 45	2000	Servo Motor	1
Schedule 46	12000	Solar Charge Controller	1
Schedule 47	8000	Solar Street Light Lamp Set	4
Schedule 48	3700	Solid State Solar Based	1
Schedule 49	4200	Spanner De	3

Schedule 50	900	Spanner Double Ended	1
Schedule 51	1300	Spanner Set Of 6 Double Ended	1
Schedule 52	2004	Steel Tape	12

Anvil

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Bradawl

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	32	15

Bus Bar

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	3	15

Cable Straight Jointing Kit

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Capacitors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

Capacitors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

Capacitors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

Capacitors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

Capacitors

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

CEILING FAN COIL WINDING MACHIN

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Compression Testing Gauge

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Conduit Pipe Cutting And Threading

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Control Panel

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Cylinder Liner

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

DC Rectifiers Set

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Different Type Of Piston Model

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Digital Timer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Digital Timer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Dowel Pin

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Drill Drift

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Drill Gauges

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Drill Point

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Drill Twist Taper Shank

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Dusk And Dawn Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Field Regulator

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

FUSE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

LAN TESTER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Lux Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Meter Reading Instrument

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

MPPT Based

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Oil Can

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Oil Pump

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

POWER FACTOR METER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

Pre-heater

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Radiator Cut Section

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Radiator Cut Section

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

SAFETY BELT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	3	15

Scraper Flat-150 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Scraper Half Round

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Scraper Half Round

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Scraper Triangular

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Scraper Triangular

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	2	15

Servo Motor

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Solar Charge Controller

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Solar Street Light Lamp Set

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	4	15

Solid State Solar Based

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Spanner DE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	3	15

Spanner Double Ended

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

Spanner Set Of 6 Double Ended

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	1	15

STEEL TAPE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Surekha Narsinhbhai Tandel	396065,GOVT. INDUSTRIAL TRAINING INSTITUTE, KAPRADA, B/H. RAIN BASERA HOTEL, TA - KAPRADA, DI - VALSAD	12	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

   INDUSTRIAL TRAINING INSTITUTE-KAPRADA
   NEAR SBI BANK
   BEHIND REN BASERA HOTEL
   TA-KAPRADA,DIST-VALSAD
   PIN-396065
   .

3. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

4. **Warranty**

   Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

5. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

PRINCIPAL ITI KAPRADA
payable at
SBI KAPRADA
.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

   PRINCIPAL ITI KAPRADA
   . The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

8. **Rate Contract**

   Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

9. **Rate Contract**

   Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Service & Support**

    Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

11. **Service & Support**

    Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

12. **Buyer Added Bid Specific ATC**

    Buyer Added text based ATC clauses

    (1) Upload Acceptance of All bids/Terms & conditions/instructions by the agency shall be duly stamped and signed on agency letterhead,Also Upload ATC,Scope Of Work & Bid Document duly stamped and signed otherwise technical disqualification will be considered.

    (2) For any dispute decision of head of the institute will be final.

    (3) The area of jurisdiction shall be KAPRADA,Dist-Valsad.

    (4) All the items mentioned in the bid should be provided as per the specification, otherwise the item will be rejected

    (5) The items sent by the agency must be of good/standard quality; otherwise, they will be rejected. The agency will have to Collect the rejected items from the institute kaprada at its own expense

    (6) The warranty provided by the bidder must be on site at consignee place

(7) The bidder shall submit an Earnest Money Deposit (EMD) 3% of Estimated Bid Value for this bi d in the form of a Demand Draft (DD) dr awn in favour of “Principal ITI KAPRADA” Bidders may participate in one or more items. EMD shall be considered only for the item(s) for which the required EMD has been submitted. (Note:- The bidder may participate in one or more items under this bid. The bidder shall submit one DD to wards EMD covering all the item(s) in which the bidder participates. Separate DDs for each item are not re quired. The bidder shall clearly mention the Ite m No./Item Name for which the bidder is participation and submit th e EMD DD accordingly. The s ubmitted DD shall be valid for all the participating items.)

.

13. **Buyer Added Bid Specific ATC**

    Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers’ controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers’ Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---