बिड संख्या/Bid Number: GEM/2026/B/8182855

दिनांक /Dated: 29-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-11-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-11-2026 16:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Power
विभाग का नाम/Department Name	Grid Controller Of India Limited
संगठन का नाम/Organisation Name	Grid Controller Of India Limited
कार्यालय का नाम/Office Name	Grid India
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :cc-contracts@grid-india.in Buyer Email id: avadheshjha@grid-india.in
कुल मात्रा/Total Quantity	3
वस्तु श्रेणी /Item Category	Signage Board (V4) (Q3)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	2
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	Signage Board (V4)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
अनुमानित बिड मूल्य / **Estimated Bid Value**	372880
Payment Timelines	Payments shall be made to the Seller within **15** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
2. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price Break-up - 1792583994.xlsx

Signage Board (V4) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	**Type of Signage Board**	Non-illuminated Signage Board
	Lighting Option in Signage Board	Without Lighting
	Material of Signage Board	Stainless Steel (SS)
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Stainless Steel (SS)
	Shape of the Signage Board	Rectangular
	Mounting Type	Wall Mounted, Pole Mounted, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Thickness of Signage board Material	1.2 mm thick SS 304 Grade sheet with a letter depth of 1.5 inches
Shape of the Signage Board	Rectangular, as per logo design and dimensions
Mounting Type	Wall-mounted on existing aluminium panel wall
Dimensions of Signage	3D GRID-INDIA Logo (Coloured): 10 ft × 5 ft (W × H)

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Man Singh	110049,GRID-INDIA Bhawan, Ground Floor, Ayurvigyan Nagar, August Kranti Marg	1	30

Signage Board (V4) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	**Type of Signage Board**	Non-illuminated Signage Board
	Lighting Option in Signage Board	Without Lighting
	Material of Signage Board	Stainless Steel (SS)
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Stainless Steel (SS)
	Shape of the Signage Board	Rectangular
	Mounting Type	Wall Mounted, Pole Mounted, Ground Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Thickness of Signage board Material	1.2 mm thick SS 304 Grade sheet with a letter depth of 1.5 inches
Shape of the Signage Board	Rectangular (GRID-INDIA logo in its original approved colours, a 3D horizontal SS line below the GRID-INDIA logo, and “NATIONAL LOAD DESPATCH CENTRE” in 3D letters)
Mounting Type	Wall Mounted
Dimensions of Signage	3D GRID-INDIA Logo, horizontal SS line and “NATIONAL LOAD DESPATCH CENTRE” Signage: 14 ft × 5 ft (W × H)

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Man Singh	110049,GRID-INDIA Bhawan, Ground Floor, Ayurvigyan Nagar, August Kranti Marg	1	30

Signage Board (V4) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS	**Type of Signage Board**	Non-illuminated Signage Board
	Lighting Option in Signage Board	Without Lighting
	Material of Signage Board	Stainless Steel (SS)
	Thickness of Signage board Material	3 mm, 5 mm, 8 mm, 10 mm, 12 mm, 2 mm
	Frame Material	Stainless Steel (SS)
	Shape of the Signage Board	Rectangular
	Mounting Type	Pole Mounted
	Length of the Signage Board (in Feet)	2 feet to 4 feet, 4.1 feet to 6 feet, 6.1 feet to 8 feet, 8.1 feet to 10 feet, 10.1 feet to 14 feet, 14.1 feet to 18 feet, 18.1 feet to 22 feet
	Width of the Signage Board (in Feet)	1 feet to 3 feet, 3.1 feet to 6 feet, 6.1 feet to 10 feet

Additional Specification Parameters - Signage Board (V4) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Thickness of Signage board Material	1.5 mm thick SS 304 Grade sheet

Specification Parameter Name	Bid Requirement (Allowed Values)
Shape of Signage Board	Rectangular with outer frame
Dimensions of Signage	Board size: 8 ft × 4 ft (W × H); supporting pole height: 8 ft

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Man Singh	110049,GRID-INDIA Bhawan, Ground Floor, Ayurvigyan Nagar, August Kranti Marg	1	30

Special terms and conditions-Version:1 effective from 08-10-2025 for category Signage Board (V4)

1. **Note to Buyers and Sellers:**
    1. This category operates exclusively through the BID process. All procurements will be conducted via this mode only.
    2. Buyer may provide additional requirements at the time of BID creation.
    3. The requirements may include Logos, Graphics, Text, Font Style, Font Size, and Layout in accordance with the catalog specifications and size option selected.
    4. The Buyer may ensure accuracy of the information provided (spelling, formatting, and design) and Seller shall reproduce the details exactly as received.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   - **Scope of Work**
   -

A. Design, Fabrication and Installation of 3D SS GRID-INDIA Logo at Reception Area, GRID-INDI

A Bhawan, Ayurvigyan Nagar, New Delhi.

1. **Work Description:** Design, fabrication, supply and installation of 3D GRID-INDIA logo in SS 304 Grade stainless steel finished in the actual colours of the GRID-INDIA logo, at the designated space on the existing aluminium-panel wall of the reception area at GRID-INDIA Bhawan, as per the approved artwork and site requirements.

2. **Technical Specifications:** The 3D logo shall be fabricated using SS 304 Grade stainless steel, letters with a thickness of 1.2 mm sheet for the front face and side walls, and a depth of 1.5 inch. The logo shall be finished in the actual/approved colours of the GRID-INDIA logo. The logo shall have a precision-cut front face, neatly welded joints, smooth edges and a uniform brushed/matt finish/glossy. The overall size shall be approximately 10 ft × 5 ft (W × H), subject to approved design and measurements.

3. **Installation:** The logo shall be securely mounted on the already installed aluminium-panel structure/wall at the designated location using suitable concealed SS 304 Grade fasteners, mounting brackets/studs and high-strength industrial-grade adhesive, as appropriate. The installation shall ensure proper alignment, fixing, structural stability and a neat, seamless appearance.

B. Design, Fabrication and Installation of 3D GRID-INDIA Logo & "NATIONAL LOAD DESPATCH CENTRE" Signage

1. **Work Description:** Supply, fabrication and installation of 3D wall-mounted GRID-INDIA signage comprising the GRID-INDIA logo in its original approved colours, a 3D horizontal SS line below the GRID-INDIA logo, and "NATIONAL LOAD DESPATCH CENTRE" in 3D SS 304 Grade letters with brushed/matt finish, maintaining the approved design, proportions, uniform depth and smooth finish.

2. **Technical Specifications:** The signage shall be fabricated using SS 304 Grade SS, 1.2 mm thick SS sheet with precision-cut front face and 1.5 inch side wall, with finish (brushed/matt) as per approved artwork. The letters shall be individually fabricated with uniform thickness/depth, smooth edges and seamless joints, providing a premium architectural appearance. Overall size of signage shall be 14 ft × 5 ft, maintaining the approved design, proportions, uniform depth and smooth finish.

3. Installation: The signage shall be securely mounted on the wall at the designated location using suitable concealed SS 304 Grade fasteners, mounting brackets/studs and high-strength industrial-grade adhesive, as appropriate. The installation shall ensure proper alignment, fixing, civil work, structural stability and a neat, seamless appearance.

C. Design, Fabrication and Installation of SS 304 Directional Signage Board at Main Entrance, GRID-INDIA Bhawan, Ayurvigyan Nagar, New Delhi

1. **Work Description:** Design, supply, fabrication, transportation and installation of a directional signage board in SS 304 Grade stainless steel at the main entrance of GRID-INDIA Bhawan, displaying the Company name, logo, address, directional arrows and other relevant details, as per the approved artwork.

2. **Technical Specifications:** The signage board shall be fabricated using 1.5 mm thick SS 304 Grade sheet, with an overall size of 8 ft × 4 ft, a brushed/matt finish and an SS 304 outer frame of 1.5" × 1.5" section and 1.5 mm thickness. All text, logo, border and directional arrows shall be chemically etched/engraved and colour-filled using durable, weather-resistant paint/enamel in approved colours. The board shall have neatly welded joints, smooth edges and rounded corners.

3. **Support Structure and Installation:** The board shall be mounted on SS 304 Grade vertical support poles of 3" × 3" section, 1.5 mm thickness and approximately 8 ft height, securely fixed to the existing wall/ structure using suitable mounting plates, heavy-duty anchor fasteners and other necessary hardware. The mounting arrangement shall ensure proper alignment, structural stability and resistance to applicable wind loads.

4. **General Requirements:** The scope shall include site measurement, preparation and submission of drawings/artwork for approval, fabrication, engraving, finishing, transportation, civil works, all necessary mounting hardware, installation and cleaning, complete in all respects. The vendor shall obtain prior approval of the artwork, dimensions, drawings and mounting arrangement from GRID-INDIA and ensure the structural suitability of the mounting surface. All materials shall be of the specified quality, and the completed work shall carry a **minimum one-year warranty** against manufacturing and installation defects.

D. **Delivery:** The delivery & installation of all the items, i.e., 3D SS GRID-INDIA Logo signages and Directional Signage Board, shall be completed within 30 days from the date of issuance of the Letter of Award (LoA).

E. Officer-in-Charge: Dy. General Manager (HR) or his/her authorized representative shall be the Officer-in-Charge for this contract.

F. Location: Grid Controller of India Limited, GRID-INDIA Bhawan, Ayurvigyan Nagar, August Kranti Marg, New Delhi – 110049.

G. Site Survey: Bidders may visit the GRID-INDIA premise to conduct the site survey for all the signage board/logos.

H. Payment Terms: 100% payment shall be made within 15 days upon verification and certification by the Officer-in-Charge or their authorized representative, after successful completion of Design, Fabrication and Installation. Payment will be processed by the Finance & Accounts Department at CC, GRID-INDIA, New Delhi.

Statutory Deduction as applicable shall be made.

Payment to MSME: Payment to all MSME shall be released through TReDS portal as per Gazette notification dated 30 June 2026.

GRID-INDIA is registered on following TReDS (Trade Receivables Discounting System) platforms and the facility of the same shall be availed by Micro, Small and Medium Enterprises (MSMEs) for payment:

a. A-TReDS (www.invoicemart.com)

b. RXIL (https://www.rxil.in/).

c. M1xchange (https://www.m1xchange.com)

d. C2treds (https://c2treds.com)

e. DTX (https://www.dtxindia.in/)

I. Safety of Personnel: The Contractor shall be responsible for the safety of their staff and workers while working in our premises against all accidents, damages or loss of life. It shall be their responsibility to im mediately arrange for hospitalization, medical attendance in case of any accident or loss of life and it shall be their responsibility to meet the expenditure of such loss or accidents and to compensate for and / or arr ange Insurance Coverage to their personnel. GRID-INDIA shall not sustain any responsibility due to any da mage suffered by their personnel on above grounds. However, agency shall take utmost care towards safe ty of their personnel working in our premises.

J. Observance of Labour Laws: The Contractor shall be liable to make payment to all its employees and make compliance with labour laws. If GRID-INDIA is held as "PRINCIPLE EMPLOYER" to pay contribution etc. under E.S. Act or any other legislation of Government or Court decision in respect of you, then you would r eimburse such contributions pre-paid by GRID-INDIA.

K. **Approval of Design:** Upon award of the contract, the successful bidder shall submit the draft design f or approval by the Engineer-in-Charge before proceeding with fabrication.

Technical Specifications

There are some differences in some specification given under head "As per GeM Category Specification-standard" and "Additional Spe cification Parameters". In such cases bidders are requested to cons ider and comply the specifications given under the head "Additiona l Specification Parameters" and the specifications as given below:

A. 3D GRID-INDIA Logo signage at Reception Area

1. **Thickness of Signage Material -** 1.2 mm thick SS 304 Grade sheet with a letter depth of 1.5 inches

2. **Frame Material:** Stainless Steel (SS)

3. **Shape of Signage Board:** Rectangular, as per logo design and dimensions

4. **Type of Signage Board:** Non-illuminated (Glossy/Matt finish)

5. **Lighting:** Without lighting

6. **Material of Signage Board:** Stainless Steel (SS 304 Grade)

7. **Mounting Type:** Wall-mounted on existing aluminium panel wall

8. **Dimensions of Signage:** 3D GRID-INDIA Logo (Coloured) : 10 ft × 5 ft (W × H)

B. 3D GRID-INDIA Logo, 3D horizontal SS line and “NATIONAL LOAD DESPATCH CENTRE at Seco nd floor

1. **Thickness of Signage Material:** 1.2 mm thick SS 304 Grade sheet with a letter depth of 1.5 inches

2. **Frame Material:** Stainless Steel (SS)

3. **Shape of Signage Board:** Rectangular **(**GRID-INDIA logo in its original approved colours, a 3D horizo ntal SS line below the GRID-INDIA logo, and “NATIONAL LOAD DESPATCH CENTRE” in 3D letters)

4. **Type of Signage Board:** Non-illuminated

5. **Lighting:** Without lighting

6. **Material of Signage Board:** Stainless Steel (SS 304 Grade)

7. **Mounting Type:** Wall-mounted

8. **Dimensions of Signage:** 3D GRID-INDIA Logo, horizontal SS line and “NATIONAL LOAD DESPATCH CE NTRE” Signage: 14 ft × 5 ft (W × H).

C. Signage at main gate entrance

1. **Thickness of Signage Material:** 1.5 mm thick SS 304 Grade sheet

2. **Frame Material:** Stainless Steel (SS)

3. **Shape of Signage Board:** Rectangular with outer frame

4. **Type of Signage Board:** Non-illuminated

5. **Lighting:** Without lighting

6. **Material of Signage Board:** Stainless Steel (SS 304 Grade)

7. **Mounting Type:** Ground mounted on supporting poles

8. **Dimensions of Signage :** Board size: 8 ft × 4 ft (W × H); supporting pole height: 8 ft.

D. Drawing: The Indicative designs of all the three signages/logos have been attached in Bid Specific ATC document for reference purpose. Bidders are requested to ignore the Applicable Drawing Documents attached under the heads "Additional Specification Documents".

.

3. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---