बिड संख्या/Bid Number: GEM/2026/B/8185067

दिनांक /Dated: 23-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-11-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-11-2026 12:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-dwarka@gujarat.gov.in
कुल मात्रा/Total Quantity	138
वस्तु श्रेणी /Item Category	Simple machines - Screw Jack , Calorimeter , Steam generator copper , H.D.P. Distil water bottle , Distilled water still 10 , Flash point apparatus , Searle s apparatus for youngs Modulus , pH Meter , Test tube Holder , Thermometers , Specific Gravity bottle , Tripods Stand , Gauge Wire without asbestos , Burettes , PipetteS , Pipette Rubber Bulb , Triangles clay , Measuring cylinder , Volumetric flasK , Bottles for solutions , Evaporating dish , Watch Glass , Tongs for laboratory , Rubber cork , Rubber Tubing , Instrument for determining g Simple Pendulum , REFRIGERATOR 165 LITRE , AUTOCLAVE , STERILIZER

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Screw Jack with Accessories, Calorimeter for determining Joules method. , Steam generator (copper) Cap. 1000ml Lab , H.D.P. Distil water bottle , Distilled water still 10 lit. S.S. made, low water level cutoff, Flash point apparatus This apparatus is made , Searles apparatus for youngs Modulus , pH Meter Digital Microprocessor base, Test tube Holder , Thermometers: (1) 0 to 110 C, Specific Gravity bottle25 cc , Tripods Stand , Gauge Wire without asbestos MOC: Borosilicate, Burettes 25ml boroflow MOC: Borosilicate, Pipettes 10ml MOC: Borosilicate, Pipette Rubber Bulb , Triangles clay , Measuring cylinder 250 ml Glass MOC: Borosilicate, Measuring cylinder 500 ml Glass/ Plastic MOC: Borosilicate/Plastic, Measuring cylinder 1000 ml Glass/ Plastic MOC: Borosilicate/Plastic, Volumetric flask 100 ml MOC: Borosilicate, Bottles for solutions 2000 ml MOC: Borosilicate, Bottles for solutions 500 ml MOC: Borosilicate, Evaporating dish - 50 ml MOC: Borosilicate, Watch Glass - 3" dia. MOC: Borosilicate, Tongs for laboratory - Flat - 200 mm 300 mm, Rubber cork of (2.5 cm, 3 cm) size various size , Rubber Tubing (ID-5mm) 8/10 ml, Instrument for determining g(Simple Pendulum) , REFRIGERATOR 165 LITRE , AUTOCLAVE, STERILIZER
	Searched String: Screw Jack with Accessories Centrifugal/Screw Compressor with Dryer (NALCO), Radiation protective Lead aprons with accessories, Culture Tube With Screw Cap (V2), Rigid Bronchoscope with Accessories, Screw Compressor, Turn Buckle With Clevis-IS 3121, Hydraulic Jacks for Automobiles Conforming to IS 4552 (Part 2), DHS Plate with corresponding screws, Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Diver Body Harness with Life Line (Diving Instruments or Accessories) **Searched String**: Calorimeter for determining Joules method. Category not available on GeM for the text string uploaded by the buyer **Searched String**: Steam generator (copper) Cap. 1000ml Lab Category not available on GeM for the text string uploaded by the buyer **Searched String**: H.D.P. Distil water bottle Safety Relief Valves- Spring Loaded, Bottle Water Plastic with Cover (DEFENCE), Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801 **Searched String**: Distilled water still 10 lit. S.S. made, low water level cutoff Category not available on GeM for the text string uploaded by the buyer **Searched String**: Flash point apparatus This apparatus is made Cloud & Pour Point Apparatus, Microcontroller Based Melting

बिड विवरण/Bid Details	and Boiling Point Apparatus, Softening Point Test Apparatus (Ring and Ball Apparatus), Fire Breathing Apparatus with Trolley (SCBA) as per IS 10245 (Part 3), Fire Breathing Apparatus SCBA as per IS 10245 (Part 2), Vicat Apparatus - IS 5513, Flexural Testing apparatus of Concrete - IS 9399, Concrete Slump Test Apparatus - IS 7320, Vertical Staff Gauges - IS 4080, Respiratory Protective Devices - (SCOC) Breathing Apparatus (V2) Conforming to IS 10245 (Part 2) **Searched String**: Searles apparatus for youngs Modulus Clerk Maxwell Apparatus, Desk and Bench Set for Classroom/Training Area, M S Casing For Pulverised Fuel Mill (BHEL), Dolomite For Metallurgical (For Steel Industry) And Refractory Use conforming to IS 10346, Ordinary Portland Cement (53 Grade or 53 - S Grade) for Bulk Buying (V2) as per IS 269, Chair for General Purpose, Cast Copper Alloy Traps, Digital Camouflage (Jacket and Trouser) Polyester Cotton (in sets) ICG, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Fog or Mist Generators **Searched String**: pH Meter Digital Microprocessor base Digital pH Meter, true rms clamp meter, pH Meter, Ph Meter Rod, digital conductivity meter, Digital Light Meter, Digital Earth Resistance Meter, Digital LCR Meter (V2), Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Digital Moisture Meter (Textile) **Searched String**: Test tube Holder Test Tube Rack, Endotracheal Tube - Sterile (Single Use), Test Tube Rotator (V2), Rotospin Test tube rotator, Blood Collection Tube, Catheters and Cannulas Securement Holder, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Widal Test Kit - Agglutination Method for Human Samples, JAR TEST APPARATUS, Soldering Clamp Holder **Searched String**: Thermometers: (1) 0 to 110 C Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Muffle/Box Furnace (V2), Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, Temperature Indicator for Transformers - Analog type, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: Specific Gravity bottle25 cc Specific Gravity Separator, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Urinometer-IS :4069, Mud Balance (V2), Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Relative Density Test, Amyl Alcohol as per IS: 360, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: Tripods Stand Telescopic Tripods - Surveying Accessories - as per IS 15483 part 2, Metal Storage Cabinet, Laptop Stand/Cooling Stand, Tripods for Surveying Instruments - Fixed Leg Type as per IS 8330, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Speaker Stand, Cloth Dryer Stand, Microphone Stand, Saline Stand (V2), Bottle Stand **Searched String**: Gauge Wire without asbestos MOC: Borosilicate Category not available on GeM for the text string uploaded by the buyer **Searched String**: Burettes 25ml boroflow MOC: Borosilicate Laboratory Glassware - Burettes (V2) as per IS 1997, Laboratory Glassware Volumetric Flask, Multipurpose or General Test Tubes (V2) as per IS 2618, Water Jugs, Sintered Glass Crucible (V2) **Searched String**: Pipettes 10ml MOC: Borosilicate Serological Pipettes and Graduated Pipettes as per IS 4364, Volumetric Pipettes as per IS 1117, Laboratory Glassware Volumetric Flask, Laboratory Glassware - Burettes (V2) as per IS 1997, Water Jugs, Multipurpose or General Test Tubes (V2) as per IS 2618, Sintered Glass Crucible (V2) **Searched String**: Pipette Rubber Bulb Sealing Bulb Beading Rubber for Door, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Motorized Pipette Controller, Serological Pipettes (V2) Conforming to IS 4364, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), ecg chest suction bulb electrode, Flower Bulb/Seeds, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, ECG Bulb Electrode **Searched String**: Triangles clay Modelling Clay (V3), Tea Set (V2), Modelling Clay (V4), Common Burnt Clay Building Bricks (V2) As Per Is 1077, Clay Hydration Suppressant (Polyamine) (ONGC), Heater Elements, Clay Doll from Nadia - ODOP, Plastic Clay and Washed Plastic Clay for Ceramic Industry conforming to IS 4589, Plastic Fireclay, Alumina Castable Refractory **Searched String**: Measuring cylinder 250 ml Glass MOC: Borosilicate Laboratory Glassware - Graduated Measuring Cylinders (V3) marked to IS 878, Measuring Mug / Cup, Laboratory Glassware Volumetric Flask, Vacuum Filtration Assembly, Glass Cleaner, Liquid (V3) conforming to IS 8540, Sintered Glass Crucible (V2), Ultrasonic pulse velocity tester **Searched String**: Measuring cylinder 500 ml Glass/ Plastic MOC: Borosilicate/Plastic Plastic Wash Bottle, Measuring Mug / Cup, Isopropyl Alcohol (2 - Propanol), Liquid Soap Dispenser (V2), GLACIAL ACETIC ACID

बिड विवरण/Bid Details	**Searched String**: Measuring cylinder 1000 ml Glass/ Plastic MOC: Borosilicate/Plastic
	Touchless Sanitizer Dispenser, Measuring Mug / Cup, Plastic Wash Bottle, Liquid Soap Dispenser (V2) **Searched String**: Volumetric flask 100 ml MOC: Borosilicate Laboratory Glassware Volumetric Flask, Shaker Incubator, Laboratory Glassware - Volumetric Flask (V2) marked to IS 915, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2), Laboratory Glassware - Narrow-Naked Boiling Flasks (V2) marked to IS 1381 (Part 1) **Searched String**: Bottles for solutions 2000 ml MOC: Borosilicate Bottle for Chemical Laboratory, Laboratory Glassware Bottles (Screw - Neck Bottles) (V2) Conforming to IS 1388 (Part 1), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware - Burettes (V2) as per IS 1997, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), LED Diving Torch Light (Diving Instruments or Accessories), Rust Remover Solution, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1) **Searched String**: Bottles for solutions 500 ml MOC: Borosilicate Bottle for Chemical Laboratory, Laboratory Glassware Bottles (Screw - Neck Bottles) (V2) Conforming to IS 1388 (Part 1), foot step for hospitals, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Rust Remover Solution, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Isopropyl Alcohol (2 - Propanol), Plastic Wash Bottle, Laboratory Glassware - Burettes (V2) as per IS 1997, GLACIAL ACETIC ACID **Searched String**: Evaporating dish - 50 ml MOC: Borosilicate Laboratory Glassware Volumetric Flask, Petri plates or dishes(V2), Laboratory Glassware - Burettes (V2) as per IS 1997, Sintered Glass Crucible (V2) **Searched String**: Watch Glass - 3" dia. MOC: Borosilicate Extraction Apparatus **Searched String**: Tongs for laboratory - Flat - 200 mm 300 mm Mild Steel Sheet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Polyethylene Bags for General Purposes Conforming to IS 9738, Foot Steps For Hospital/Clinic and Domestic Purposes, Laboratory Desiccator (V2), Portable Toilet, Laboratory Condenser, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Steel Tubes used for Water Wells (V2) as per IS 4270 **Searched String**: Rubber cork of (2.5 cm, 3 cm) size

बिड विवरण/Bid Details	
	various size Casing of Different Sizes with Coupling (CMPDI), File/Folder (V3), Fishing Tools of Different Sizes and Adopters (CMPDI), Pads for Rubber Stamps (V2) Conforming to IS 4747, Diamond Casing Bit and Shoe Bits of Different Sizes (CMPDI), Towel Hand Cotton Turkish (IAF), Football (V2) Conforming to IS 417 (Part 1), Cotton Towelling And Towels (V3) Conforming To IS 7056, Handloom Cotton Bed Sheets (V2) as per IS 745, Men's Cotton Knitted Sports Shirt / T-Shirt conforming to IS 4375 **Searched String**: Rubber Tubing (ID-5mm) 8/10 ml Endotracheal Tube - Sterile (Single Use), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Blood Collection Tube, Centrifuge Tubes (V3), Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Minifuge, Rubber Welding Hoses as per IS 447, Polyurethane Tube (V2), Disposable Tracheostomy Tube (V2), Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification **Searched String**: Instrument for determining g(Simple Pendulum) Rapid Moisture Meter for Rapid Determination of Water Content for Soil IS - 12175 **Searched String**: REFRIGERATOR 165 LITRE Laboratory Refrigerator (V3), water baths, Laboratory Refrigerator (V2), Ice Lined Refrigerator (V2), Refrigerator Truck for Vaccine Transport, Bipolar Hip Prosthesis, Hydrazine Hydrate Conforming to IS 12086 (In Litre), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Frost Free Refrigerator Training Jig(DVET), Books (V2) **Searched String**: AUTOCLAVE Dental Autoclave, Horizontal Autoclave, Vertical Autoclave, Autoclave (Horizontal), Scrub Suit, Vertical Autoclave (FSSAI), Table Top Autoclave (V2), Hydrothermal Autoclave Reactor, Autoclave (ICMR Specs), Table Top Autoclave **Searched String**: STERILIZER ETO Sterilizer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Flash Sterilizer, Low Temperature Hydrogen Peroxide Gas Plasma Sterilizer, Shallow Sterilizer (Dressing Drum), Surgical Sutures, Atulya Microwave Sterilizer for (COVID - 19), Horizontal Autoclave, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Non Thermal Plasma Air Sterilizer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Laboratory Glassware Washers
बीओक्यू शीर्षक /BOQ Title	Chemical and Medical Tools and Equipment
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	4 Lakh (s)

बिड विवरण/Bid Details	
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Simple machines - Screw Jack
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	175660
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	3

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL CLASS-2
ITI Dwarka, Hospital Road, Opposite Vidyavihar Highschool, Dwarka 361335
(Gagiya Vijesh)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	20000	Simple Machines - Screw Jack	2
Schedule 2	9400	Calorimeter	2
Schedule 3	4000	Steam Generator Copper	4
Schedule 4	7200	H.d.p. Distil Water Bottle	8
Schedule 5	20000	Distilled Water Still 10	1
Schedule 6	20000	Flash Point Apparatus	2
Schedule 7	16800	Searle S Apparatus For Youngs Modulus	4
Schedule 8	10000	Ph Meter	2
Schedule 9	1200	Test Tube Holder	12
Schedule 10	5400	Thermometers	6
Schedule 11	600	Specific Gravity Bottle	2
Schedule 12	480	Tripods Stand	6
Schedule 13	120	Gauge Wire Without Asbestos	6
Schedule 14	600	Burettes	6
Schedule 15	420	Pipettes	6
Schedule 16	120	Pipette Rubber Bulb	6
Schedule 17	900	Triangles Clay	6
Schedule 18	500	Measuring Cylinder	4
Schedule 19	560	Measuring Cylinder	4
Schedule 20	880	Measuring Cylinder	4
Schedule 21	800	Volumetric Flask	4
Schedule 22	2550	Bottles For Solutions	3
Schedule 23	2550	Bottles For Solutions	3
Schedule 24	600	Evaporating Dish	6
Schedule 25	240	Watch Glass	6
Schedule 26	1800	Tongs For Laboratory	6

Schedule 27	90	Rubber Cork	3
Schedule 28	6500	Rubber Tubing	10
Schedule 29	850	Instrument For Determining G Simple Pendulum	1
Schedule 30	18000	Refrigerator 165 Litre	1
Schedule 31	16000	Autoclave	1
Schedule 32	6500	Sterilizer	1

Simple Machines - Screw Jack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	2	15

Calorimeter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	2	15

Steam Generator Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	4	15

H.D.P. Distil Water Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	8	15

Distilled Water Still 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	1	15

Flash Point Apparatus

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	2	15

Searle S Apparatus For Youngs Modulus

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	4	15

PH Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	2	15

Test Tube Holder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	12	15

Thermometers

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Specific Gravity Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	2	15

Tripods Stand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Gauge Wire Without Asbestos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Burettes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

PipetteS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Pipette Rubber Bulb

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Triangles Clay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Measuring Cylinder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	4	15

Measuring Cylinder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	4	15

Measuring Cylinder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	4	15

Volumetric FlasK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	4	15

Bottles For Solutions

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	3	15

Bottles For Solutions

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	3	15

Evaporating Dish

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Watch Glass

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Tongs For Laboratory

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	6	15

Rubber Cork

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	3	15

Rubber Tubing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	10	15

Instrument For Determining G Simple Pendulum

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	1	15

REFRIGERATOR 165 LITRE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	1	15

AUTOCLAVE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	1	15

STERILIZER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Gagiya Vijesh	361335,GOVT. INDUSTRIAL TRAINING INSTITUTE, DWARKA, HOSPITAL ROAD, OPP. VIDYA VIHAR HIGH SCHOOL, TA - OKHA MANDAL, DI - DEVBHUMI DWARKA	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Without prejudice to Buyer’s right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
   i) The Seller fails to comply with any material term of the Contract.
   ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
   iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
   iv) The Seller becomes bankrupt or goes into liquidation.
   v) The Seller makes a general assignment for the benefit of creditors.
   vi) A receiver is appointed for any substantial property owned by the Seller.
   vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

3. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

   Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

   ITI DWARKA
   HOSPITAL ROAD
   OPPOSITE VIDYA VIHAR HIGHSCHOOL
   DWARKA
   TA OKHAMANDAL 361335
   .

5. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. **Generic**

   Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

7. **Generic**

   Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

8. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

9. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Warranty**

    Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 15 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

11. **Warranty**

    Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for

ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

12. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

13. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

14. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

PRINCIPAL OF ITI DWARKA
payable at
DWARKA
.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

15. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

PRINCIPAL OF ITI DWARKA
payable at
DWARKA
. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

16. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. The Bidder has to upload Check list duly signed and stamp sample given in Buyer uploaded ATC docum ent) with necessary details and submit documents in relevant window on GeM as per check list

2. This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mi nes Department, Gujarat.

3. In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procuremen t Policy 2024 provisions shall prevail. However, if there is such an ATC which has no counterpart in the sai d policy, then the ATC shall prevail.

4. Warranty period of the supplied products shall be years (mentioned in specification) from the date of fin al acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bi dder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service.

5. Self Declaration of Non- Blacklisted/Debarred/ Banned: The Bidder shall submit a self-declaration confir ming that they are not bankrupt and have not been blacklisted, debarred, or banned by any government a uthority (State or Central) or any public-sector organization.

6. The cost of Supply, Installation, Commissioning, Testing, Configuration, Training (if any - whichever is ap plicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Re seller.

7. * Turnover of the bidder: The minimum average annual financial turnover or actual production of the bid

der/ during the last three years, ending on 31st March of the previous financial year, should be at least twi ce the bid value. (Bid Estimated value mentioned in bid document) Documentary evidence in the form of c ertified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant/ Cost Ac countant indicating the financial turnover or actual production details for the relevant period shall be uploa ded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the av erage financial turnover or actual production in respect of the completed financial years after the date of c onstitution shall be taken into account for this criteria.

8. Eligibility for Exemption in EMD.

Micro & small-scale enterprises which participate directly in tendering process for the product which they are manufacturing / service which they are providing and have Udyam registration for items/ service under procurement and having registration with CSPO or Nation al Small Industries Corporation.

9. Startups which participate directly in tendering process for the product which they are manufacturing /s ervice which they are providing and recognised by DPIIT under the Start-up India Program and has obtaine d Udyam registration & CSPO/NSIC registration as MSE .

10. In NSIC/CSPO registration certificate, to consider valid for EMD exemption in Security Service either NI C code for Security Service / Security Service must be m entioned in "Name of Services/ Activities". Other wise bidder does not exempted from EMD sub mission eve n if bidder having valid MSME registration along with NSIC/CSPO registration.

11. Purchase Preference to MSE of State of bid inviting Authority (Gujarat): Micro and small scale enterpris es which participate directly in tendering process for the product which the y are manufacturing/ service w hich they are providing and have Udyam registration for items/ service und er the procurement and having registration with CSPO or National Small industries Corporation.

.

17. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in

accordance with the laws.

---धन्यवाद/Thank You---