बिड संख्या/Bid Number: GEM/2026/B/8187240
दिनांक /Dated: 23-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	12-11-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-11-2026 13:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: iti-jetpur-raj@gujarat.gov.in
कुल मात्रा/Total Quantity	78

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Limit Switch Limit Switch, Liver operated , Rotary Switch , suspension type insulators including hardware fitting , Load Bank Lamp heater Type , Laboratory Type Induction Coil , Series Test Lamp , Earth Electrode , Fuses HRC , Fuses Glass , Fuses Rewire Type , Cables Twisted Pair Cable 1 mtr each , Cables Non-Metallic Sheathed Cable 1 mtr each , Cables Underground Feeder Cable 1 mtr each , Cables Ribbon Cable 1 mtr each , Cables Metallic Sheathed Cable 1 mtr each , Cables Multi-Conductor Cable 1 mtr each , Cables Coaxial Cable 1 mtr each , Cables Direct-Buried Cable 1 mtr each , Rubber mat , RCC Pole with accessories 6 Mtr , Safety Belt-Standard quality , Kilo Wattmeter Analog 0 1.5 3KW pressure coil rating 240v 440v current rating-5A 10A Analoge , Digital Wattmeter , A.C. Energy Meter-Single Phase , A.C. Energy Meter-Three Phase , Tachometer-Analog Type - , Single Phase Variable Auto Transformer- , Growler-230 V, 50 Hz, Single Phase, Adjustable jaws, , AC Starters - a. Resistance type starter- , AC Starters - e. Star Delta Starter , AC Starters - f. Star Delta Starter , AC Starters - g. Auto Transformer type , Domestic Appliances h. Washing Machine Semi Automatic , DC Power Supply- , A.C. Series type Motor- , Single Phase Capacitor Motor with starter switch- , Manual Motor coil Winding Machine- , Stepper Motor with Digital Controller- , Shaded Pole Motor-Fractional HP, , Wiring Board-3-meter x1 meter with 0.5 meter projection on the top , Wire cutter and stripper , DC Ohmmeter 0 to 300 Ohms , Refracto meter , Rubber gloves , Soft starter , Magnetic Flux Meter , Solid State Solar Based Single Phase Energy Meter Bidirectional , DMX Controller , Demonstration table , Solar street light lamp set 12 V , Autotransformer
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Limit Switch-Limit Switch, Liver operated , Rotary Switch, suspension type insulators including hardware fitting-, Load Bank (Lamp / heater Type)-, Laboratory Type Induction Coil, Series Test Lamp, Earth Electrode, Fuses-HRC, Fuses- Glass, Fuses- Rewire Type, Cables: Twisted Pair Cable-1 mtr each, Cables: Non-Metallic Sheathed Cable-1 mtr each, Cables: Underground Feeder Cable-1 mtr each, Cables: Ribbon Cable-1 mtr each, Cables: Metallic Sheathed Cable-1 mtr each, Cables:Multi-Conductor Cable-1 mtr each, Cables: Coaxial Cable-1 mtr each, Cables:Direct-Buried Cable-1 mtr each, Rubber mat, RCC Pole with accessories -6 Mtr, Safety Belt-Standard quality, Kilo Wattmeter Analog-0-1.5-3KW, , Digital Wattmeter, A.C. Energy Meter-Single Phase, , A.C. Energy Meter-Three Phase, , Tachometer-Analog Type - , Single Phase Variable Auto Transformer-, Growler-230 V, 50 Hz, Single Phase, Adjustable jaws, , AC Starters: - a. Resistance type starter-, AC Starters: - e. Star Delta Starter , AC Starters: - f. Star Delta Starter - , AC Starters: - g. Auto Transformer type-, Domestic Appliances h. Washing Machine Semi-Automatic, DC Power Supply-, A.C. Series type Motor-, Single Phase Capacitor Motor with starter switch-, Manual Motor coil Winding Machine-, Stepper Motor with Digital Controller-, Shaded Pole Motor-Fractional HP, , Wiring Board-3-meter x1 meter with 0.5 meter projection on the top, Wire cutter and stripper, DC Ohmmeter 0 to 300 Ohms, Refracto meter, Rubber gloves, Soft starter , Magnetic Flux Meter , Solid State Solar Based Single Phase Energy Meter (Bidirectional), DMX Controller, Demonstration table , Solar street light lamp set 12 V , Autotransformer

बिड विवरण/Bid Details	
	Searched String: Limit Switch-Limit Switch, Liver operated Limit Switch, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, limit switch(NPCIL), Roller lever Limit Switch, Operating Table (V2), Pull Cord Switch with Terminal Box & Lamp, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Layer 2 Access Switch (V3), General Operating Table, Wheeled Skid Steer Loader (V2) as per IS / ISO 7131 (Latest) **Searched String**: Rotary Switch Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Rotary Shaker, Rotary Encoder, Rotary Microtome, Rotary Evaporator, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Rotary Rescue Saw, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Limit Switch **Searched String**: suspension type insulators including hardware fitting- Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Parliament Hinges-IS:362 **Searched String**: Load Bank (Lamp / heater Type)- Wick Type Kerosene Oil Heater, Electronic Weighing Scales, S type load Cell, Heater Elements, Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Kerosene Fired Forced Air Bazooka Heater, Post Hole Digger, Portable Emergency LED Lighting Tower System with Battery Bank, Grease Gun as per IS 7794, Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3) **Searched String**: Laboratory Type Induction Coil Laboratory Condenser, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory condenser (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Star Delta Motor Starter for Three Phase Induction Motors (V2), Laboratory Desiccator (V2), Electric Winch (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Laboratory Filter Papers (V2) **Searched String**: Series Test Lamp Hand Lamp, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Inspection Lamp, Slit Lamp, JAR TEST APPARATUS, Infrared Heat Lamp, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Lamp Shades-Handicraft, Sieve Shaker, Slit Lamp (V2) **Searched String**: Earth Electrode Earthing Electrode, Digital Earth Resistance Meter, Reusable Patient Return Electrode (V2), Chemical Earth Pit Complete Set, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), pH Electrode, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Magnetic Earth Clamp, ECG

बिड विवरण/Bid Details	Electrodes (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)
	Searched String: Fuses-HRC HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Cylindrical Fuses, High Voltage Fuses, Current Limiting Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Drop Out Fuses, Industrial composite color 3D Printer, Blade Fuses-IS:13703, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, D-Type Fuses as per IS:8187, Self Fusing Silicon Rubber Tape **Searched String**: Fuses- Glass Cylindrical Fuses, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), High Voltage Fuses, Current Limiting Fuses, Drop Out Fuses, Environmental Chamber, Blade Fuses-IS:13703, Optical Glass Slab for Science Labs in Schools, D-Type Fuses as per IS:8187, Modular Table / Meeting Table / Centre Table (V2), Glass Cloth **Searched String**: Fuses- Rewire Type Carriers and bases in rewirable type electric fuses conforming to IS 2086, D-Type Fuses as per IS:8187, High Voltage Fuses, Current Limiting Fuses, Cylindrical Fuses, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Drop Out Fuses, Muffle Furnace, Writing Pad Chair, Blade Fuses-IS:13703 **Searched String**: Cables: Twisted Pair Cable-1 mtr each Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), UV - Visible Spectrophotometer (FSSAI), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Optical Fibre Cable for Networking, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694 **Searched String**: Cables: Non-Metallic Sheathed Cable-1 mtr each Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per

बिड विवरण/Bid Details	IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Cables: Underground Feeder Cable-1 mtr each Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Optical Fibre Cable for Networking, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Cables: Ribbon Cable-1 mtr each Splice Closure for Non-Ribbon Optical Fibre Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), Optical Fibre Cable for Networking **Searched String**: Cables: Metallic Sheathed Cable-1 mtr each Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2) **Searched String**: Cables:Multi-Conductor Cable-1 mtr each

बिड विवरण/Bid Details	PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Cables: Coaxial Cable-1 mtr each Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Optical Fibre Cable for Networking, Radio Frequency Coaxial Cable **Searched String**: Cables:Direct-Buried Cable-1 mtr each Elastomer Insulated, Elastomer Sheathed Cables, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Textile Braided Cables Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Radio Frequency Coaxial Cable Flexible, Type R 50-7-A04 Conforming To IS 11967 (Part 1/Sec 4) (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Optical Fibre Cable for Networking, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Rubber mat bathroom mat, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Ground Mat, Stable Rubber Mats, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, door mat jute, Rubberized Weight Dumbbells, Badminton Court Mat, Judo Mat (V2), rubber bands **Searched String**: RCC Pole with accessories -6 Mtr

बिड विवरण / Bid Details	Gazebo, HQ, BQ, NQ, PQ Size PP Core Trays and its Accessories (V2)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: Safety Belt-Standard quality APCO 25 Phase-II Radio Trunking as per MHA QR, High Visability Reflective Vest, Personal Fall Arrest System- Full Body Harness Conforming to IS 3521 (Part 1), Kabaddi Mat (V2), TETRA Radio Trunking as per MHA QR, Bicycle with Safety and Performance Requirements Conforming to IS 10613, Decorative Mats - Mat Door Coir, Sticky Notes (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Adhesive Solution For Conveyor Belt-IS2561 **Searched String**: Kilo Wattmeter Analog-0-1.5-3KW, Line Interactive UPS with AVR (V2), Milliammeter-IS:1248, Potato Peeler, Temperature Indicator for Transformers - Analog type, Electronic Weighing Scales, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, shoes school pvc boys girls, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Minifuge, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2) **Searched String**: Digital Wattmeter Digital Timer, Digital Multimeter, Digital Burette, Digital UHF Repeater Sets as per MHA QR (V2), Digital Barometer, true rms clamp meter, Digital Hand-held VHF Transceiver as per MHA QR, Digital Tachometer, Digital Storage Oscilloscope, Digital Duplicators (V4) **Searched String**: A.C. Energy Meter-Single Phase, Laboratory Deep Freezer (Upto -20°C Degree), Ammeter - Analog (Panel Meter) as per IS 1248, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Voltmeter - Analog (Panel Meter) as per IS 1248, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: A.C. Energy Meter-Three Phase, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Radial Drilling Machine, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Ammeter - Analog (Panel Meter) as per IS 1248 **Searched String**: Tachometer-Analog Type - Digital Tachometer, Temperature Indicator for Transformers - Analog type, Concrete Test Hammer (Rebound Hammer), Analog Oscilloscope, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Analog Transceiver - Handheld, Muffle Furnace, Analog Transceiver - Mobile, Writing Pad Chair, Analog Mammography Unit (V2) **Searched String**: Single Phase Variable Auto Transformer- Single phasing preventer Relay (SPPR), Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Distribution Transformer, 1 Phase, Up to and including 100 kVA ISI marked to IS 1180 (Part 1), Transformer Turn Ratio Meter, Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), Wet Grinder, LVDT Sensor, Isolation

बिड विवरण/Bid Details	Transformer, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), Industrial Siren / Electrical Siren **Searched String**: Growler-230 V, 50 Hz, Single Phase, Adjustable jaws, Digital pH Meter, Reciprocating Saw, Radial Drilling Machine, Shaping Machine **Searched String**: AC Starters: - a. Resistance type starter- Star Delta Motor Starter for Three Phase Induction Motors (V2), Buses (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Temperature Indicator for Transformers - Analog type **Searched String**: AC Starters: - e. Star Delta Starter Star Delta Motor Starter for Three Phase Induction Motors (V2), Submersible Pump Starters (Motor starter controls), Starters For Fluorescent Lamps Conforming To IS 2215, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 **Searched String**: AC Starters: - f. Star Delta Starter - Star Delta Motor Starter for Three Phase Induction Motors (V2), Submersible Pump Starters (Motor starter controls), Starters For Fluorescent Lamps Conforming To IS 2215, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 **Searched String**: AC Starters: - g. Auto Transformer type- Star Delta Motor Starter for Three Phase Induction Motors (V2), Biochemistry Reagent Kit for Human Samples, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3) **Searched String**: Domestic Appliances h. Washing Machine Semi-Automatic Washing Machine - Domestic Purpose, Dough Cutting machines, Fruit and Vegetable Washing Machine (V2), Embroidery Machine, Hydraulic Shearing Machine, Flash Ash brick machine, Vacuum Packaging Machine, Hydraulic Press Brake Machine, Laser marking machine, Motorized core cutting machine **Searched String**: DC Power Supply- DC Regulated Power Supply As Per MHA QRs, Cleaning Duster (V3), Portable Power Supply Unit, Switch Mode Power Supply (V2) Conforming To IS 14886, Ultrasonic Probe Sonicator, Switching Power Supply for Wireless Application, Electrical Power Connector, Diesel Power Generator (V2), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Diesel Power Generator (up to 900 KVA) **Searched String**: A.C. Series type Motor- Black Japan, Type A, Type B, Type C as per IS 341, Biosafety Cabinet (V2), Fluid Automotive Transmission Type 'A' Suffix

बिड विवरण/Bid Details	'A'- Defence (V2), Trichloroethylene, Technical as per IS 245, Hydrants (Landing Valve Type A) (PNG), Muffle Furnace, Electric Winch (V2), Temperature Indicator for Transformers - Analog type, Gypsum Building Plaster - Premixed Lightweight Plasters as per IS 2547, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 **Searched String**: Single Phase Capacitor Motor with starter switch- Star Delta Motor Starter for Three Phase Induction Motors (V2), Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Reciprocating Saw, Digital Grounding System with Equipment Protection, Humidifier (V2) **Searched String**: Manual Motor coil Winding Machine- Coil Pressing Machine, Sanitary Napkins Vending Machines, Motor Grader, Manual Winches, Shredding Machine/Paper Shredder, Manual Metal Arc Welding (MMA) Machine (V3), DENTAL ENDOMOTOR, Cattle Lifting Machine, Drilling Machine Bench Type / Pillar Type as per IS 2425, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1) **Searched String**: Stepper Motor with Digital Controller- Digital Motor Protection Relays, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Motorized Pipette Controller, Digital Pressure Switch, Micro/Semi-Micro/Analytical weighing balance, Universal Power Flow Controller, Programmable Logic Controller (PLC), Reciprocating Pump with Motor For Hazardous Area, Hopper Tipper Dumper for Garbage, Digital Grounding Device with Equipment Protection (V2) **Searched String**: Shaded Pole Motor-Fractional HP, Compressed Natural Gas (CNG) Compressor As per HPCL Specification (V2), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, CNG Compressor (HPCL), Electric Motorized Treadmill (V3), Solar Photovoltaic Water Pumping Systems (V2) as per MNRE Specification, FRANCIS TURBINE TEST RIG, KAPLAN TURBINE TEST RIG **Searched String**: Wiring Board-3-meter x1 meter with 0.5 meter projection on the top Digital Light Meter, Crawler Hydraulic Excavator (V2), Wire rope slings and sling legs (V3) conforming to IS 2762, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778 **Searched String**: Wire cutter and stripper Electrician Scissor, Insulated wire stripper, Insulated Wire Stripper (V2), Vegetable Cutter, Orthopaedic Wire Cutter (V2), Gasket remover and paint stripper, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Remote Wire Cutters (MHA), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement

बिड विवरण/Bid Details	
	(V2) ISI marked to IS 1786, Crop Reaper and Binder **Searched String**: DC Ohmmeter 0 to 300 Ohms Muffle/Box Furnace (V2), Heavy Duty Battery Charger, DC Electronic Load, Signal Isolator, Resistors (V2) **Searched String**: Refracto meter DIGITAL BUTYRO REFRACTOMETER FOR DAIRY PRODUCTS, true rms clamp meter, Frequency meter - Analog (Panel Meter), Irradiance meter, digital conductivity meter, Turbidity meter, Laser Distance Meter, Static meter, Digital pH Meter, Visgage Meter **Searched String**: Rubber gloves Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Nitrile Coated/Nitrile Hand Gloves (V2), Post-Mortem Rubber Gloves Conforming to IS 4149, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Post Mortem Rubber Gloves as per IS 4149, Cricket gloves, Taekwondo Gloves, Shooting gloves, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Gloves -Handicraft **Searched String**: Soft starter DOL starter, Rotary Microtome, Starter Motors for IC Engines, Starter Motor Assembly, Submersible Pump Starters (Motor starter controls), Soft Stone Powder, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Soft Play Wall, Flat Woven Webbing Slings ISI Marked to IS 15041, Soft Solder - IS 193 **Searched String**: Magnetic Flux Meter Brazing flux, Dry Erase Writing Boards (V3), WELDING FLUX, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Toroidal Gravito Complex Magnetic Field Incorporated Scientific Water Treatment Device, magnetic stirrers, Magnetic Stand, Lithium Base Grease For Automotive Purposes(V2) Conforming to IS 12203, true rms clamp meter, Magnetic Compass **Searched String**: Solid State Solar Based Single Phase Energy Meter (Bidirectional) AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2) **Searched String**: DMX Controller Wireless Controller, magnetic stirrers, PID Controller, Programmable Logic Controller Trainer Kit, Temperature Controller, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Hybrid Charge Controller, Controller for Global Navigation Satellite System (GNSS), Data Wall Controller, Diesel Power Generator (up to 900 KVA) **Searched String**: Demonstration table FOOSBALL TABLE - SOCCER TABLE, Modular Table / Meeting

	Table / Centre Table (V2), Table - Tennis Table (V2), Gynecological Patient Education Model, Computer Table (V3), Reception Table, Executive Table (V4), Dressing Table, Composite Office Tables conforming to IS 8126 (V2), Wilfley Table **Searched String**: Solar street light lamp set 12 V 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, traffic signs - bilinker light, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Portable Emergency LED Lighting Tower System with AC Generator Set, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications **Searched String**: Autotransformer Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Carriers and bases in rewirable type electric fuses conforming to IS 2086 • Roller lever Limit Switch • Electric Winch (V2)
बीओक्यू शीर्षक /BOQ Title	ELECTRICAL TOOLS EQUIPEMNTS BOQ
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	0.5 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	4 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	2
विगत प्रदर्शन /**Past Performance**	10 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	Yes
रिवर्स नीलामी योग्यता नियम/**RA Qualification Rule**	H1-Highest Priced Bid Elimination
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	Single Phase Capacitor Motor with starter switch-
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
अनुमानित बिड मूल्य / **Estimated Bid Value**	350000
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	2

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL
PRINCIPAL Industrial Training Institute-Jetpur Nr. Police Staff Quarters, Mavtar Vrudhashram Road, Ranbaug, Virpur-360380 DIST:- RAJKOT
(Rajan Dipakbhai Bavishi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT

Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
26-10-2026 10:00:00	PRINCIPAL Industrial Training Institute-Jetpur Nr. Police Staff Quarters, Mavtar Vrudhashram Road, Ranbaug, Virpur-360380 DIST:- RAJKOT

Limit Switch Limit Switch, Liver Operated

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Rotary Switch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Suspension Type Insulators Including Hardware Fitting

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Load Bank Lamp Heater Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Laboratory Type Induction Coil

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Series Test Lamp

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	4	15

Earth Electrode

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Fuses HRC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	4	15

Fuses Glass

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	4	15

Fuses Rewire Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	4	15

Cables Twisted Pair Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Non-Metallic Sheathed Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Underground Feeder Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Ribbon Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Metallic Sheathed Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Multi-Conductor Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Coaxial Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Cables Direct-Buried Cable 1 Mtr Each

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Rubber Mat

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

RCC Pole With Accessories 6 Mtr

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Safety Belt-Standard Quality

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Kilo Wattmeter Analog 0 1.5 3KW Pressure Coil Rating 240v 440v Current Rating-5A 10A Analoge

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Digital Wattmeter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

A.C. Energy Meter-Single Phase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

A.C. Energy Meter-Three Phase

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Tachometer-Analog Type -

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Single Phase Variable Auto Transformer-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Growler-230 V, 50 Hz, Single Phase, Adjustable Jaws,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

AC Starters - A. Resistance Type Starter-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

AC Starters - E. Star Delta Starter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

AC Starters - F. Star Delta Starter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

AC Starters - G. Auto Transformer Type

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Domestic Appliances H. Washing Machine Semi Automatic

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

DC Power Supply-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

A.C. Series Type Motor-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Single Phase Capacitor Motor With Starter Switch-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Manual Motor Coil Winding Machine-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Stepper Motor With Digital Controller-

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Shaded Pole Motor-Fractional HP,

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Wiring Board-3-meter X1 Meter With 0.5 Meter Projection On The Top

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Wire Cutter And Stripper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

DC Ohmmeter 0 To 300 Ohms

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Refracto Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Rubber Gloves

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Soft Starter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Magnetic Flux Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Solid State Solar Based Single Phase Energy Meter Bidirectional

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

DMX Controller

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	1	15

Demonstration Table

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

Solar Street Light Lamp Set 12 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	4	15

Autotransformer

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Patel Dikshitaben Jashvantkumar	360370,GOVT. INDUSTRIAL TRAINING INSTITUTE, JETPUR, NEAR - POLICE STAFF QUARTER, MAVTAR VRUDDHASHRAM ROAD, RANBAG, VIRPUR, TA-JETPUR, DI- RAJKOT	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up

to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

4. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL ITI JETPUR
   payable at
   ITI JETPUR
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL ITI JETPUR
   payable at
   ITI JETPUR
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

6. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   AS PER NEW PURCHASE POLICY OF GUJARAT-2024 BIDDER SHOULD HAVE TO SUBMIT EMD 3%

   OF TOTAL BID ESTIMATED VALUE(EMD AMOUNT RS. 10500/-)

   * EXEMPTION FOR EMD AS MSE: Micro and small scale enterprises which participate directly in tendering p rocess for the product which they are manufacturing/service which they are providing and have Udyam re gistration for items/ service under the procurement and having registration with CSPO or National Small In dustries Corporation.

   *Exemption for EMD, Experience & Turnover as Startup: Startups which participate directly in tendering pr ocess for the product which they are manufacturing/ service which they are providing and recognized by D PIIT under the start-up India program and has obtained Udyam registration and CSPO/NSIC registration as

MSE.

* Purchase Preference to MSE of State of bid inviting Authority (Gujarat) Micro and small scale enterprises. which participate directly in tendering process for the product which the y are manufacturing/ service whic h they are providing and have Udyam registration for items/service under the procurement and having regi stration with CSPO or National Small industries Corporation. Bidder turnover should be greater than twice of Bid Estimate Value. The turnover will be applicable for this bid as per This bid will be governed as per " Gujarat State Procurement Policy 2024" published by Industries and Mines Department, Gujarat (If Appliab le). In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procureme nt Policy 2024 provisions shall prevail. However, if there is such an ATC which has no counterpart in the sa id policy, then the ATC shall prevail.

.

7. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/

additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---