बिड संख्या/Bid Number: GEM/2026/B/8188007

दिनांक /Dated: 29-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	09-11-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	10-11-2026 17:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence
संगठन का नाम/Organisation Name	Border Road Organisation
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :bro-763brtf@nic.in Buyer Email id: asirvatham.s1974@bro.gov.in
कुल मात्रा/Total Quantity	5070

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	PVC Insulated Copper Wire 1.0 Sqmm Single Core 90 mtr roll , PVC Insulated Copper Wire 1.5 Sqmm Single Core 90 mtr roll , PVC Insulated Copper Wire 2.5 Sqmm, Single Core 90 mtr roll , PVC Insulated Copper Wire 4 Sqmm Single Core 90 mtr roll , PVC Copper Cable 1.5 Sqmm 2 Core 90 mtr roll , PVC Copper Cable 2.5 Sqmm 3 Core 90 mtr roll , Flexible Copper Wire 2 Core 90 mtr roll , Armoured Cable 50 Sqmm 90 mtr roll , MCB 06 Amp , MCB 10 Amp , MCB 16 Amp , MCB 32 Amp , MCB 64 Amp TPN 3 Phase , Non Modular Switch 6 Amp , Non Modular Switch 16 Amp , Non Modular Socket 6 Amp , Non Modular Socket 16 Amp , Switch Piano 6 Amp , PVC Casing Capping 1 Inch 2 Mtr long , PVC Casing Capping 1.5 Inch 2 mtr long , LED Bulb 0 Watt , LED Bulb 9 Watt , LED Bulb 12 15 Watt , LED Bulb 30 Watt , LED Bulb 40 Watt , LED Tube Light 20 Watt , LED Tube Light 40 Watt , Button Holder , Angle Holder , 2 Pin Plug , 3 Pin Plug Top 6 Amp , 3 Pin Plug Top 16 Amp , Switch with Socket 16 Amp , Kit Kat Fuse 200 Amp , Surface LED 12 Watt 3 in 1 , Surface LED 12 Watt one in one , Table Lamp , S and S Combination Box Type 16 amp , S and S Combined Board 16 Amp , Drywall Screw 1 inch or 1.5 inch or 2 inch , Gang Box 1 way , Gang Box 2 way , Gang Box 3 way , MCB Box Double Door 2 way , MCB Box Double Door 4 way , MCB DP 32 Amp , MCB 20 Amp , PVC Casing Capping Tee L and Extension , Insulation Tape , Geyser Thermostat , Exhaust Fan 12 inch by 12 inch , Modular Box 2 Way , Modular Box 4 Way , Modular Box 6 Way , Modular Box 8 Way , Modular Switch 6 Amp , Modular Socket 6 Amp , Modular Switch 16 Amp , Modular Socket 16 Amp , Cutting Plier make taparia , Line Tester , Bus Bar 100 Amp , Bus Bar 200 Amp , Change Over Switch 100A 4 Pole 415V , Change Over Switch 200A 4 Pole 415V , Change Over Switch 400A 4 Pole 415V , Main Switch 100 Amp , MCB 100A 4 Pol 25KA , MCB 200A 4 Pole 36KA , Electric Safety Gloves 11000 V , LED Focus Light 50 Watt , Bed Switch , China Nail 1 inch and 1.5 inch and 2 inch , PVC Saddle D Size , Armoured Cable 10 Sqmm 3.5 Core , Corded Electric Impact Drill Machine , Drill Bit 6 mm , Drill Bit 12 mm , PVC Board 4 by 4 inch , PVC Board 7 x 4 inch , PVC Board 6 x 8 inch , PVC Board 8 x 10 inch , PVC Board 10 x 12 , Fuse Cut Out 100 Amp , Fuse Cut Out 63 Amp , Fuse Wire 32 Amp , Fuse Wire 20 Amp , U Clip No 5 , U Clip No 7 , Inverter 1 KVA with 200 AH tubular battery , Flood Light LED 40 W , Flood Light LED 100 W , Flood Light LED 60 W , Digital Wall Clock

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	PVC Insulated Copper Wire 1.0 Sqmm Single Core 90 mtr roll, PVC Insulated Copper Wire 1.5 Sqmm Single Core 90 mtr roll, PVC Insulated Copper Wire 2.5 Sqmm, Single Core 90 mtr roll, PVC Insulated Copper Wire 4 Sqmm Single Core 90 mtr roll, PVC Copper Cable 1.5 Sqmm 2 Core 90 mtr roll, PVC Copper Cable 2.5 Sqmm 3 Core 90 mtr roll, Flexible Copper Wire 2 Core 90 mtr roll, Armoured Cable 50 Sqmm 90 mtr roll, MCB 06 Amp, MCB 10 Amp, MCB 16 Amp, MCB 32 Amp, MCB 64 Amp TPN 3 Phase, Non Modular Switch 6 Amp, Non Modular Switch 16 Amp, Non Modular Socket 6 Amp, Non Modular Socket 16 Amp, Switch Piano 6 Amp, PVC Casing Capping 1 Inch 2 Mtr long, PVC Casing Capping 1.5 Inch 2 mtr long, LED Bulb 0 Watt, LED Bulb 9 Watt, LED Bulb 12 15 Watt, LED Bulb 30 Watt, LED Bulb 40 Watt, LED Tube Light 20 Watt, LED Tube Light 40 Watt, Button Holder, Angle Holder, 2 Pin Plug, 3 Pin Plug Top 6 Amp, 3 Pin Plug Top 16 Amp, Switch with Socket 16 Amp, Kit Kat Fuse 200 Amp, Surface LED 12 Watt 3 in 1 , Surface LED 12 Watt one in one, Table Lamp, S and S Combination Box Type 16 amp, S and S Combined Board 16 Amp, Drywall Screw 1 inch or 1.5 inch or 2 inch, Gang Box 1 way, Gang Box 2 way, Gang Box 3 way, MCB Box Double Door 2 way , MCB Box Double Door 4 way, MCB DP 32 Amp, MCB 20 Amp, PVC Casing Capping Tee L and Extension, Insulation Tape, Geyser Thermostat, Exhaust Fan 12 inch 12 inch, Modular Box 2 Way, Modular Box 4 Way, Modular Box 6 Way, Modular Box 8 Way, Modular Switch 6 Amp, Modular Socket 6 Amp, Modular Switch 16 Amp, Modular Socket 16 Amp, Cutting Plier make taparia, Line Tester, Bus Bar 100 Amp, Bus Bar 200 Amp, Change Over Switch 100A 4 Pole 415V, Change Over Switch 200A 4 Pole 415V, Change Over Switch 400A 4 Pole 415V, Main Switch 100 Amp, MCB 100A 4 Pol 25KA), MCB 200A 4 Pole 36KA), Electric Safety Gloves 11000 V, LED Focus Light 50 Watt, Bed Switch, China Nail 1 inch and 1.5 inch and 2 inch , PVC Saddle D Size, Armoured Cable 10 Sqmm 3.5 Core, Corded Electric Impact Drill Machine, Drill Bit 6 mm, Drill Bit 12 mm, PVC Board 4 x 4 inch, PVC Board 7 x 4 inch, PVC Board 6 x 8 inch, PVC Board 8 x 10 inch, PVC Board 10 x 12, Fuse Cut Out 100 Amp, Fuse Cut Out 63 Amp, Fuse Wire 32 Amp, Fuse Wire 20 Amp, U Clip No 5, U Clip No 7, Inverter 1 KVA with 200 AH tubular battery, Flood Light LED 40 W, Flood Light LED 1000 W, Flood Light LED 60 W, Digital Wall Clock
	Searched String: PVC Insulated Copper Wire 1.0 Sqmm Single Core 90 mtr roll PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC Insulated Copper Wire 1.5 Sqmm Single Core 90 mtr roll PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To

बिड विवरण/Bid Details	IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC Insulated Copper Wire 2.5 Sqmm, Single Core 90 mtr roll PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC Insulated Copper Wire 4 Sqmm Single Core 90 mtr roll PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC Copper Cable 1.5 Sqmm 2 Core 90 mtr roll PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: PVC Copper Cable 2.5 Sqmm 3 Core 90 mtr roll Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor

बिड विवरण/Bid Details	(V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Flexible Copper Wire 2 Core 90 mtr roll Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Armoured Cable 50 Sqmm 90 mtr roll PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Plotter Paper Roll (V3), Tapered Bearings as per IS 12102 **Searched String**: MCB 06 Amp Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Socks, Men's Wool (Defence), Cork Sheet (BHEL), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Locking Compression Plates (V2), Web Belt Black (Nylon) for Digital Camouflage, ICG, Bensulfuronmethyl 0.6% + Pretilachlor 6% GR (Granular), Line Interactive UPS with AVR (V2) **Searched String**: MCB 10 Amp Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, Chlorpyrifos 10% GR, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Imazethapyr 10% SL, Humidity Chamber, Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Probiotics 10 Billion CFUs Capsules, Nitrile Coated/Nitrile Hand Gloves (V2) **Searched String**: MCB 16 Amp Nano Urea (liquid) 16, Cleaning Duster (V3), CT Scanners 16 Slice, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), PET-CT 16 Slice Scanning System, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Circuit Breakers for DC Operation, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hexaconazole 4%+ Carbendazim 16% SC (Suspension Concentrate), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032 **Searched String**: MCB 32 Amp Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Petroleum Ether (V2), Switch Disconnectors and Fuse

	Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Bromocresol green, Fixed Computer Workstation (V2), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, RF Power Amplifier, Bottle top dispenser **Searched String**: MCB 64 Amp TPN 3 Phase Category not available on GeM for the text string uploaded by the buyer **Searched String**: Non Modular Switch 6 Amp Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Fibre Channel SAN Director Switch - Modular Chassis, modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Multipara Monitor - Low End, Director-Class Storage Area Network (SAN) Switch, Unmanaged L2 Ethernet Switch (Non-PoE) **Searched String**: Non Modular Switch 16 Amp Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Fibre Channel SAN Director Switch - Modular Chassis, modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Multipara Monitor - Low End, Director-Class Storage Area Network (SAN) Switch, Unmanaged L2 Ethernet Switch (Non-PoE) **Searched String**: Non Modular Socket 6 Amp Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Telephone Socket (Telephone Jack), Multipara Monitor - Low End, Ceiling rose - IS 371, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 **Searched String**: Non Modular Socket 16 Amp Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Multipara Monitor - Low End, Modular Telephone Socket (Telephone Jack), Ceiling rose - IS 371, Electrical Extension Box (V4), Modular Piano Type

बिड विवरण/Bid Details	Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 **Searched String**: Switch Piano 6 Amp Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Switching Power Supply for Wireless Application **Searched String**: PVC Casing Capping 1 Inch 2 Mtr long Elbow Pipe Fitting **Searched String**: PVC Casing Capping 1.5 Inch 2 mtr long PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC gitti, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Premium Casing Pipe (Petroleum Industry), shoes school pvc boys girls, Triple Purpose Nozzle as per IS 2871, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: LED Bulb 0 Watt Rechargeable LED Bulb (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Hand Held Search Light **Searched String**: LED Bulb 9 Watt Rechargeable LED Bulb (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Rope Light (LED Strip Light) Conforming To IS 10322 (Part 5/Section 9) **Searched String**: LED Bulb 12 15 Watt Rechargeable LED Bulb (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3)

बिड विवरण/Bid Details	(V3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Watt Meter - Analog (Panel Meter) as per IS 1248:2003 **Searched String**: LED Bulb 30 Watt Rechargeable LED Bulb (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Led post top lantern, LED Bulb with Battery as per IS 16102, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) **Searched String**: LED Bulb 40 Watt Rechargeable LED Bulb (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Well Glass Fixture (V2), LED Bulb with Battery as per IS 16102, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) **Searched String**: LED Tube Light 20 Watt LED Batten Light (LED Tube Light) (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Tube Light (Retrofit Type), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Batten, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification **Searched String**: LED Tube Light 40 Watt LED Batten Light (LED Tube Light) (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Tube Light (Retrofit Type), Hand Held Search Light, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling

बिड विवरण/Bid Details	Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Batten, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Button Holder Emergency Push Button Switch, Surgical Needle Holders, Soldering Clamp Holder, Flushing Cistern, Ryder Needle Holder, Tooth brush Holder, Button Bits for DTH Hammer (V2), Pen or Pencil Holders (V2), telephone instrument single push button, Button Bits for DTH Hammer **Searched String**: Angle Holder Angle Grinder, Angle Cutter (V2), Business Card Holder (V2), Angle Cutter (Electric), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Soldering Clamp Holder, post fence metal angle, Ryder Needle Holder, Surgical Needle Holders, Tooth brush Holder **Searched String**: 2 Pin Plug Electric Power Plug Top for Industrial Applications, Sofa (V3), Plug confirming to IS 1239 (Part 2), Plug and Socket Distribution Board, Plug Gauge, Desk and Bench Set for Classroom/Training Area, Rubber Plug, Pin Up Notice Board (V2), pin cushions, Dowel Pin **Searched String**: 3 Pin Plug Top 6 Amp Electric Power Plug Top for Industrial Applications, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Flameproof Switch Socket, Electrical Plugs (V2) ISI Marked to IS 1293 **Searched String**: 3 Pin Plug Top 16 Amp Electric Power Plug Top for Industrial Applications, Electrical Plugs (V2) ISI Marked to IS 1293, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: Switch with Socket 16 Amp Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Computer Monitor (V2), Flameproof Switch Socket, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, SAN Switch, Fixed Computer Workstation (V2), Pull Cord Switch with Terminal Box & Lamp, Laboratory Glass Adapters **Searched String**: Kit Kat Fuse 200 Amp PCR Amplification KIT, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Audio Amplifier (V3) (under BIS Scheme - II), Nucleic Acid Amplification Test (NAAT) based PCR Diagnostic Kit for Human Samples, Biochemistry Reagent Kit

बिड विवरण/Bid Details	for Human Samples **Searched String**: Surface LED 12 Watt 3 in 1 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Emamectin 3% + Thiamethoxam 12% Water Soluble Granule(V2), Hand Held Search Light, LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Sulphanilic Acid, Desk and Chair Set for Classroom/Training Area, Distribution Transformer, 3 Phase, 22 KV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Surface LED 12 Watt one in one All in One PC (V2), telephone instrument single push button one plus one and one plus, Led post top lantern, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), High performance Computing (HPC) in a Box, Integrated PA System, Automotive Vehicles - Tubes for Pneumatic Tyres (V2) as per IS 13098, Multifunction Printer (Print, Scan, Copy), Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175 **Searched String**: Table Lamp Table Lamps - Handicraft, Modular Table / Meeting Table / Centre Table (V2), Hand Lamp, Inspection Lamp, Computer Table (V3), Slit Lamp, Executive Table (V4), Table Lamps-Handicraft (Bamboo), Composite Office Tables conforming to IS 8126 (V2), White LED Based Solar Study Lamp as per MNRE Specifications **Searched String**: S and S Combination Box Type 16 amp Cast Copper Alloy Traps, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Modular Table / Meeting Table / Centre Table (V2), Net Camouflage Shrimp Type as per Defence Specifications, Electronic Weighing Scales, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Steel Cloths Lockers conforming to IS 3314 (V3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Hopper Tipper Dumper for Garbage, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694 **Searched String**: S and S Combined Board 16 Amp Jacket Down and Trouser Down (Defence), Modular Table / Meeting Table / Centre Table (V2), Cast Copper Alloy Traps, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Email Encryption and Secure Messaging Software, Wooden Podium, Laboratory Magnetic Stirrer (V2), Desk and Bench Set for Classroom/Training Area, Composite Office Tables conforming to IS 8126 (V2), Metal Beds (V3) **Searched String**: Drywall Screw 1 inch or 1.5 inch or 2 inch

बिड विवरण/Bid Details	Server or Network Rack (V2), Interactive Panels with CPU, Elastomer Insulated, Unkinkable Flexible Cords (Workshop
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Type) Marked To IS 9968 (Part 1), Hand Operated Hydraulic Pipe Bender, Cordless Brushless Impact Wrench (ONGC), General Purpose Ball Valves (V2), CPVC Ball Valve, Internal Storage Device (SSD/HDD) (V2), General Purpose Ball Valves conforming to IS 9890, Drill Pipes (Petroleum Industry) **Searched String**: Gang Box 1 way Corrugated Fibreboard Boxes conforming to IS 2771 (Part 1), Muffle/Box Furnace (V2), HDMI Switcher, Static and Dynamic Pass Through Boxes for Cleanroom, Binder Clips (V3) Conforming to IS 8231, Lunch Box (V3), Hopper Tipper Dumper for Garbage, Pedestal Safety Lock, Shuttlecocks (V2) Conforming to IS 415, Facial Tissue Papers(V3) **Searched String**: Gang Box 2 way Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Muffle/Box Furnace (V2), HDMI Switcher, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Electrical Extension Box (V4), Sterile Hypodermic Syringe (V3), Shuttlecocks (V2) Conforming to IS 415, Static and Dynamic Pass Through Boxes for Cleanroom, Facial Tissue Papers(V3), Solenoid Valve (V3) **Searched String**: Gang Box 3 way Three Way Stopcocks, Electrical Extension Box (V4), Corrugated Fibreboard Boxes conforming to IS 2771 (Part 1), Mess Tin (Defence), HDMI Switcher, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Industrial Safety Nets as per IS 11057, File/Folder (V3), Muffle/Box Furnace (V2), Corrugated Boxes **Searched String**: MCB Box Double Door 2 way Fire Hose Cabinet, Ulra Violet (UV) Cabinet for Sterilization **Searched String**: MCB Box Double Door 4 way Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Fire Hose Cabinet **Searched String**: MCB DP 32 Amp Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Circuit Breakers for DC Operation **Searched String**: MCB 20 Amp Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Cleaning Duster (V3), Acetamiprid 20% SP, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Quinalphos 20 % AF (Aqueous Flowable), Automatic Fully Mechanised Organic Waste Machine for Compost, Transmission Fluid T-20-Defence (V2), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3) **Searched String**: PVC Casing Capping Tee L and Extension

बिड विवरण/Bid Details	Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, HEAT SHRINKABLE PVC SLEEVE FOR HIGH VOLTAGE BUSBARS AND CONNECTIONS(BHEL) **Searched String**: Insulation Tape Glass Mica Tape-IS :7809, Environmental Chamber, Polymide Tapes, HT Tape, Insulation Tester, Acoustical insulation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Tape Cartridge / Tape Media, Elastic Surgical Adhesive Tapes (V2), Measuring Tape **Searched String**: Geyser Thermostat Thermostat, Laboratory Incubators, Thermostat(BHEL), Connector Pipes for Washbasins/ Sinks/ Geyser, Thermostate(BHEL), Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Coil Tubular heater, Thermostatic expansion valve **Searched String**: Exhaust Fan 12 inch 12 inch Angle Cutter (Electric), Cleaning Duster (V3), Laboratory Hot plate, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Connector Pipes for Washbasins/ Sinks/ Geyser, Mosquito Mesh Window Frame (V2), Polyethylene Bags for General Purposes, Electric Potter Wheel (V2) **Searched String**: Modular Box 2 Way modular electrical enclosure switch board boxes for modular type accessories, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Ethernet Information Outlet, Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Multipara Monitor - Low End, HDMI Switcher, Muffle/Box Furnace (V2), Electrical Extension Box (V4), Shuttlecocks (V2) Conforming to IS 415, Desk and Bench Set for Classroom/Training Area **Searched String**: Modular Box 4 Way modular electrical enclosure switch board boxes for modular type accessories, Electrical Extension Box (V4), Ethernet Information Outlet, File/Folder (V3), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Built up Trucks (V3), Modular Toilet **Searched String**: Modular Box 6 Way modular electrical enclosure switch board boxes for modular type accessories, Muffle/Box Furnace (V2), Ethernet Information Outlet, Electrical Extension Box (V4), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Shuttlecocks (V2) Conforming to IS 415 **Searched String**: Modular Box 8 Way modular electrical enclosure switch board boxes for modular type accessories, File/Folder (V3), Ethernet Information

बिड विवरण/Bid Details	Outlet, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Online Ups Modular Type
	Searched String: Modular Switch 6 Amp Fibre Channel SAN Director Switch - Modular Chassis, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Director-Class Storage Area Network (SAN) Switch, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Power Control Center (PCC) Panel for Power Distribution, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: Modular Socket 6 Amp Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Extension Box (V4), Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: Modular Switch 16 Amp Fibre Channel SAN Director Switch - Modular Chassis, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, SAN Switch, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Director-Class Storage Area Network (SAN) Switch, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293 **Searched String**: Modular Socket 16 Amp Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Telephone Socket (Telephone Jack), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Electrical Extension Box (V4), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) **Searched String**: Cutting Plier make taparia Non Sparking Diagonal Cutting Plier as per IS 4595, Orthopaedic Wire Cutter (V2), Bolt Cutters as per IS 5200

बिड विवरण/Bid Details	
	Searched String: Line Tester Line Tester, Line Interactive UPS with AVR (V2), Line Tester (V2), Insulation Tester, Battery Tester, Rescue Line Launcher, Ice Lined Refrigerator (V2), line matrix printer, coat combat disruptive detachable lining, Telephone Line Cord **Searched String**: Bus Bar 100 Amp Laminated Bus Bar(BHEL), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Copper Bus Bar (Bhel)-IS:1897, IS:8130, Sheet Barrack (Polyester Cotton) and Sheet Hospital (100% Cotton) (IAF), Triceps bar, Barium Nitrate, Bathing Soap Bar (V3) Conforming to IS 13498, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings) **Searched String**: Bus Bar 200 Amp Laminated Bus Bar(BHEL), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Copper Bus Bar (Bhel)-IS:1897, IS:8130, Audio Amplifier (V3) (under BIS Scheme - II), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings) **Searched String**: Change Over Switch 100A 4 Pole 415V Cotton Towelling And Towels Conforming To IS 7056 (V4), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Digital Earth Resistance Meter **Searched String**: Change Over Switch 200A 4 Pole 415V Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Digital Earth Resistance Meter **Searched String**: Change Over Switch 400A 4 Pole 415V Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Digital Earth Resistance Meter **Searched String**: Main Switch 100 Amp Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), modular electrical enclosure switch board boxes for modular type accessories, Switching Power Supply for Wireless Application **Searched String**: MCB 100A 4 Pol 25KA) Cotton Towelling And Towels Conforming To IS 7056 (V4), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), File/Folder (V3), A3 Size Multifunction Printer (MFP), XLPE Cable for Working Voltage up to and Including

बिड विवरण/Bid Details	1.1 KV Marked To IS 7098 (Part 1), Multifunction Printer (Print, Scan, Copy), Shredding Machine/Paper Shredder, A4 and Legal Size Multifunction Printer (MFP), Electronic Weighing Scales, Parallel Bar - Outdoor Gym Equipment **Searched String**: MCB 200A 4 Pole 36KA) File/Folder (V3), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), A3 Size Multifunction Printer (MFP), Cotton Towelling And Towels Conforming To IS 7056 (V4), Multifunction Printer (Print, Scan, Copy), Shredding Machine/Paper Shredder, A4 and Legal Size Multifunction Printer (MFP), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Computer Printer (V2), Micro/Semi-Micro/Analytical weighing balance **Searched String**: Electric Safety Gloves 11000 V Industrial Safety Glove/Gauntlet (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Electrical Safety Devices And Accessories (Insulating Mats For Electrical Purposes) ISI Marked to IS 15652 (V2), Tool Kit for Itra - ODOP UP Gov. (Kannauj), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Motor Protection Circuit Breaker (MPCB), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Reciprocating Saw **Searched String**: LED Focus Light 50 Watt Vehicle Mounted Focus Light (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Batten Light (LED Tube Light) (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Flash Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Bed Switch Bed Guard, Metal Beds (V3), Delivery Bed, Argon Plasma Coagulator with ESU, ICU Bed, ICU Bed (V2), Crematoria bed, Time Switch, Limit Switch, Patient Bed (Semi Fowler) **Searched String**: China Nail 1 inch and 1.5 inch and 2 inch Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Electronic Weighing Scales, Test Sieves as per IS 460 (Part 1 and Part 2), Hand Operated Hydraulic Pipe Bender, Test Sieves (V2) as per IS 460 (Part 1 and Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Shovel Belcha as per IS 274 (Part 1, Part 2 and Part 3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)

बिड विवरण/Bid Details	
	Searched String: PVC Saddle D Size PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Single / Double Wooden Bed with/without Storage (V2), File/Folder (V3), General Purpose Hand Gloves (V2), Swiss Gym Ball, Modular Toilet, PVC COATED CANOPY TENT STRUCTURE, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), shoes school pvc boys girls, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: Armoured Cable 10 Sqmm 3.5 Core LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: Corded Electric Impact Drill Machine Portable Drill Machine, Scrubber Dryer Floor Cleaning Machine (V2), Seed Drill, Electric Motorized Treadmill (V3), Portable Suction Machine (V2), Electric Soldering Iron, Drilling Machine Bench Type / Pillar Type as per IS 2425, Seed cum Fertilizer Drill, Fogging Machine (V2) as per IS 14855 (Part 1), High Speed Drill System for Neurosurgery & Spinal Surgery **Searched String**: Drill Bit 6 mm Twist Drill Bit, Morse Taper Shank as per IS 5103 (V2), Endotracheal Tube - Sterile (Single Use), Twist Drill Bit, Parallel Shank, Jobber Series as per IS 5101 (V2), Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425, Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2), Twist Drill - Extra Long Parallel Shank - IS 7823, tricone rock roller bits roller steel tooth drill bits, Rotary Hammer Drill (NDRF), NQ 82mm OD TC Core Bit (CMPDI) **Searched String**: Drill Bit 12 mm Twist Drill Bit, Morse Taper Shank as per IS 5103 (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425, Twist Drill Bit, Parallel Shank, Jobber Series as per IS 5101 (V2), Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2), Rotary Hammer Drill (NDRF), Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2), tricone rock roller bits roller steel tooth drill bits, NQ 82mm OD TC Core Bit (CMPDI), Auditorium Chair (V2), Wireline Diamond Core Bit Set

बिड विवरण/Bid Details	
	Searched String: PVC Board 4 x 4 inch Plastic Sheet (4 x 50 m) for NDRF, Cotton Towelling And Towels Conforming To IS 7056 (V4), Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC gitti, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, File/Folder (V3), Carrom Board and Accessories (V2), Crepe Bandage Conforming to IS 4605, Shaker Incubator, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: PVC Board 7 x 4 inch Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, File/Folder (V3), Information Boards or Illustration Board (V2), Elastic Bandage Conforming to IS 16111, PVC gitti, shoes school pvc boys girls, Reciprocal Shakers - Mechanical Shaker Machine with Timer, PVC COATED CANOPY TENT STRUCTURE, Oil tray, Cardiopulmonary Bypass Connectors (V2) **Searched String**: PVC Board 6 x 8 inch Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, File/Folder (V3), Mamata Card, Polyethylene Bags for General Purposes, Connector Pipes for Washbasins/ Sinks/ Geyser, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, PVC gitti, Cardiopulmonary Bypass Connectors (V2), Caster wheel, PVC COATED CANOPY TENT STRUCTURE **Searched String**: PVC Board 8 x 10 inch Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, File/Folder (V3), Chess Board (V2), Connector Pipes for Washbasins/ Sinks/ Geyser, Mamata Card, Polyethylene Bags for General Purposes, Digital Medical X - Ray Films (V2), Cardiopulmonary Bypass Connectors (V2), Polyurethane Tube (V2), Non Sparking Double Ended Ring Spanner (V2) **Searched String**: PVC Board 10 x 12 Tent Glacier 10 -12 Men Complete (Textile Decking) (Defence), Cleaning Duster (V3), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Prelaminated MDF Board Conforming to IS 14587, Trifloxystrobin 10% + Difenoconazole 12.5% + Sulphur 3% SC (Suspension Concentrate), Dry Erase Writing Boards (V3), Folding Box Board (FBB), Coated - Conforming to IS 12999, Solid Cushion Tyres (V2), Trackside Indicator Boards and Signages as per IRICEN Manual, File/Folder (V3) **Searched String**: Fuse Cut Out 100 Amp Drop Out Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), LED Based Indicating Lamp for Panel Cut Outs, Cut - off Wheel, Trackside Indicator Boards and Signages as per IRICEN Manual, HDMI Splitter **Searched String**: Fuse Cut Out 63 Amp Drop Out Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), LED Based Indicating Lamp for Panel Cut Outs, Residual Current Operated Circuit Breakers (RCBO)

बिड विवरण/Bid Details	with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), HDMI Splitter, Trackside Indicator Boards and Signages as per IRICEN Manual **Searched String**: Fuse Wire 32 Amp Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Exercise Books Conforming to IS 5195, Tapered Bearings as per IS 12102, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Binder Clips (V3) Conforming to IS 8231 **Searched String**: Fuse Wire 20 Amp Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Ferro Silica Calcium Cored Wire as per IS 2022, Tapered Bearings as per IS 12102, Mild Steel Wire for General Engineering Purpose (V2) ISI marked IS 280, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Steel Wire Ropes for Lifts (V2) ISI marked to IS 2365, Thimbles for Wire Ropes (V2) conforming to IS 2315, Audio Amplifier (V3) (under BIS Scheme - II) **Searched String**: U Clip No 5 Sodium Hydrogen Sulphite, Locking Compression Plates (V2), Package No. 5 Atal Tinkering Lab of Niti Aayog - Advance Prototyping Kit and Software - Robotics and AI, Cable Nail Clip (V2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Shaker Incubator, Octyl Alcohol (V2), Open / Endoscopic Clip Applicator (V2), Entry and Mid Level Laptop - Notebook, Handloom Cotton Bed Sheets (V2) as per IS 745 **Searched String**: U Clip No 7 Glucose, Locking Compression Plates (V2), Xylenol orange tetrasodium salt, Cable Nail Clip (V2), Ammonium Ferrous Sulphate, Handloom Cotton Bed Sheets (V2) as per IS 745, Anhydrous Ammonia Conforming to IS 662, shoes school pvc boys girls, Diethylamine (V2), Ligation Clips **Searched String**: Inverter 1 KVA with 200 AH tubular battery Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Online UPS (V2), Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369 **Searched String**: Flood Light LED 40 W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Flood Light, Flame Proof (V2), White LED (W-LED) based Solar Lantern as per MNRE

बिड विवरण/Bid Details	Specification, Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, White LED (W - LED) Based Solar Home Lighting Systems (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Batten Light (LED Tube Light) (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Flood Light LED 1000 W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Flood Light, Flame Proof (V2), White LED (W-LED) based Solar Lantern as per MNRE Specification, Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, White LED (W - LED) Based Solar Home Lighting Systems (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Batten Light (LED Tube Light) (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Flood Light LED 60 W LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Flood Light, Flame Proof (V2), White LED (W-LED) based Solar Lantern as per MNRE Specification, Tungsten Halogen Lamps (Non-Vehicle) Conforming To IS 12948, White LED (W - LED) Based Solar Home Lighting Systems (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Batten Light (LED Tube Light) (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: Digital Wall Clock Battery-Powered Electronic Clock, Digital Multimeter, Wall Clocks (Battery Operated) (V2) Conforming to IS 12510, Electronic Clock with Mains Power, Rotary Shaker, Wall clocks-Handicraft, true rms clamp meter, Wall Clocks-Handicraft (Bamboo), Digital Storage Oscilloscope, Wall Bars
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3)
बीओक्यू शीर्षक /**BOQ Title**	Electrical items
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	10 Lakh (s)

बिड विवरण/Bid Details	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	80 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Turnover	Yes | Partial | Turn over value - 2 (in lakhs)
टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Turnover	Yes | Partial | Turn over value - 2 (in lakhs)
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	50% Lowest Priced Technically Qualified Bidders
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	PVC Insulated Copper Wire 4 Sqmm Single Core 90 mtr roll
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	55000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	4.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	6

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Commander
763 BRTF, Department of Defence, Border Road Organisation, Ministry of Defence
(Commander 763 Brtf)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value

should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst first 50% of the technically qualified bidders arranged in the order of prices from lowest to highest. Number of sellers eligible for participating in RA would be rounded off to next higher integer value if number of technically qualified bidders is odd (e.g. if 7 bids are technically qualified, then RA will be conducted amongst L-1 to L-4). In case number of technically qualified bidders are 2 or 3, RA will be between all without any elimination. If Buyer has chosen to split the bid amongst N sellers, then minimum N sellers would be taken to RA round. In case Primary products of only one OEM are left in contention for

participation in RA based on lowest 50% bidders qualifying for RA, the number of sellers qualifying for RA would be increased to get at least products of one more OEM (directly participated or through its reseller) if available. Further, if bid(s) of any seller(s) eligible for MSE preference is / are coming within price band of 15% of Non MSE L-1 or if bid of any seller(s) eligible for Make in India preference is / are coming within price band of 20% of non MII L-1, then such MSE / Make in India seller shall also be allowed to participate in the RA process.

PVC Insulated Copper Wire 1.0 Sqmm Single Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	12	30

PVC Insulated Copper Wire 1.5 Sqmm Single Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	26	30

PVC Insulated Copper Wire 2.5 Sqmm, Single Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	15	30

PVC Insulated Copper Wire 4 Sqmm Single Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	21	30

PVC Copper Cable 1.5 Sqmm 2 Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	7	30

PVC Copper Cable 2.5 Sqmm 3 Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	6	30

Flexible Copper Wire 2 Core 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	7	30

Armoured Cable 50 Sqmm 90 Mtr Roll

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	1	30

MCB 06 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	35	30

MCB 10 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	55	30

MCB 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	55	30

MCB 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	73	30

MCB 64 Amp TPN 3 Phase

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	25	30

Non Modular Switch 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	300	30

Non Modular Switch 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	160	30

Non Modular Socket 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	300	30

Non Modular Socket 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	155	30

Switch Piano 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

PVC Casing Capping 1 Inch 2 Mtr Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	210	30

PVC Casing Capping 1.5 Inch 2 Mtr Long

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	230	30

LED Bulb 0 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

LED Bulb 9 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	170	30

LED Bulb 12 15 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	220	30

LED Bulb 30 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	97	30

LED Bulb 40 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	95	30

LED Tube Light 20 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	190	30

LED Tube Light 40 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	130	30

Button Holder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	150	30

Angle Holder

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	80	30

2 Pin Plug

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

3 Pin Plug Top 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	40	30

3 Pin Plug Top 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	50	30

Switch With Socket 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	80	30

Kit Kat Fuse 200 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	25	30

Surface LED 12 Watt 3 In 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	14	30

Surface LED 12 Watt One In One

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Table Lamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

S And S Combination Box Type 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	50	30

S And S Combined Board 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	30	30

Drywall Screw 1 Inch Or 1.5 Inch Or 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	500	30

Gang Box 1 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Gang Box 2 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Gang Box 3 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

MCB Box Double Door 2 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	70	30

MCB Box Double Door 4 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	70	30

MCB DP 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

MCB 20 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

PVC Casing Capping Tee L And Extension

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	150	30

Insulation Tape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	400	30

Geyser Thermostat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Exhaust Fan 12 Inch By 12 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Modular Box 2 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Modular Box 4 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Modular Box 6 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Modular Box 8 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Modular Switch 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

Modular Socket 6 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

Modular Switch 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

Modular Socket 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

Cutting Plier Make Taparia

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	2	30

Line Tester

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	2	30

Bus Bar 100 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	2	30

Bus Bar 200 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	2	30

Change Over Switch 100A 4 Pole 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	2	30

Change Over Switch 200A 4 Pole 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	7	30

Change Over Switch 400A 4 Pole 415V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	6	30

Main Switch 100 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

MCB 100A 4 Pol 25KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	1	30

MCB 200A 4 Pole 36KA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	1	30

Electric Safety Gloves 11000 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	3	30

LED Focus Light 50 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Bed Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	40	30

China Nail 1 Inch And 1.5 Inch And 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	25	30

PVC Saddle D Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	20	30

Armoured Cable 10 Sqmm 3.5 Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	120	30

Corded Electric Impact Drill Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	1	30

Drill Bit 6 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Drill Bit 12 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

PVC Board 4 By 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	45	30

PVC Board 7 X 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	30	30

PVC Board 6 X 8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	35	30

PVC Board 8 X 10 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

PVC Board 10 X 12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	12	30

Fuse Cut Out 100 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Fuse Cut Out 63 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Fuse Wire 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	2	30

Fuse Wire 20 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	12	30

U Clip No 5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

U Clip No 7

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Inverter 1 KVA With 200 AH Tubular Battery

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	1	30

Flood Light LED 40 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	10	30

Flood Light LED 100 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Flood Light LED 60 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	5	30

Digital Wall Clock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********Tawang	45	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2. **Generic**

   Bidder shall submit the following documents along with their bid for Vendor Code Creation:

   a. Copy of PAN Card.

   b. Copy of GSTIN.

   c. Copy of Cancelled Cheque.

   d. Copy of EFT Mandate duly certified by Bank.

3. **Generic**

   Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

4. **Generic**

   Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

5. **Generic**

   NON DISCLOSURE DECLARATION CERTIFICATE (On Bidder Letter Head) to be uploaded with bid:

   1. I M/s.

   Firm/Bidder
   hereby declare that I shall not disclose the contract or any provision, specification, plan, design, pattern, sample or information thereof to any third party during and after expiry of Contract.

   2. If defying the norms as per the Contract a legal action may be taken against me as per the existing Rules.

6. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original

delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

7. **Inspection**

   Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:
   Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

   By the bidder

   Post Receipt Inspection at consignee site before acceptance of stores:
   By the BOO detailed by HQ 763 BRTF

8. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   Commander HQ 763 BRTF
   payable at
   SBI Tawang
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

9. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

   Commander HQ 763 BRTF
   . The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

10. **Forms of EMD and PBG**

    Bidders can also submit the EMD with Banker’s Cheque in favour of

    Commander HQ 763 BRTF
    payable at
    SBI Tawang
    .
    Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

11. **Forms of EMD and PBG**

    Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

    Commander HQ 763 BRTF
    payable at
    SBI Tawang
    . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

12. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Commander HQ 763 BRTF
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

13. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

14. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

15. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

16. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer’s Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

17. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

18. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

The Buyer Added Bid Specific Terms and Condition to be included in Bid are as under: -
(i) Bidder financial standing Undertaking: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidders are advised to upload undertaking to this effect along with bidding documents.
(ii) Experience Criteria :- The Bidder or the OEM of the offered product must have regularly manufactured and supplied the same or similar category of products to Central Government/State Government organizations/PSUs during each of FY 2023–24, 2024–25, and 2025–26. Copies of relevant supply orders/contracts and supporting proof of supply for each financial year shall be uploaded with the bid. For bunch bids, this criterion shall apply to the primary item having the highest estimated value.
(i) Past Project Experience: Please Upload Past project work experience of same or similar product category as per flg: -
The Bidder shall have successfully executed, during any one of the last three financial years, i.e., FY 2023–24, 2024–25, or 2025–26, supply orders for the same or similar product, meeting either of the following criteria:
a) One supply order having either:- a value equal to or more than 80% of the estimated bid value or a quantity equal to or more than 80% of the required quantity of the primary product in this bid. or
b) Two supply orders, executed in the same financial year, each having either:- a value equal to or more than 40% of the estimated bid value or a quantity equal to or more than 40% of the required quantity of the primary product in this bid.
Copies of the supply orders, along with corresponding CRAC/Receipt-cum- Acceptance Certificate/Completion Certificate, shall be uploaded as supporting evidence.

(iv) OEM/Bidder annual turnover:- Please upload minimum Annual Turnover/Balance sheet of last three FY (2023-24, 2024-25 & 2025-26) duly signed by Charted Accountant.
(v) EPBG shall be extended as per the date of completion of supply and 100% amount of EPBG shall be forfeited in the event of failure to deliver all the items fully as per Bid specification.

(vi) Bidders are advised to submit original EMD as per bid terms and condition on or before opening of technical bid at buyer location, failing which the bid will not be considered.
(vii) Payment shall be done only after checking of stores and quality of material by the Board of Officers detailed by CFA.
(viii) Material supplied will be checked by the buyer for the items listed in BOQ. The satisfactory results of the checking shall be the sole criteria for acceptance of material and payment thereof. In the event of any/ all of the supplied stores after checking by the board of officers (as detailed by the buyer) is found deficient in specification/ quantity, the buyer reserves the right to reject the items and back loaded to the place specified in the invoice at the risk and cost of the seller.

(ix) EPBG required from eligible L1 bidder.
(x) Payment - The payment shall be due only after successful supply of complete items in Bid along with completion certificate rendered by concerned unit / Board of Officers.
(xi) The location is in high altitude area ahead of Tawang and is snow bound. Bidders are advised to bid keeping this aspect in mind.
(xii) The bid cost shall included total cost of supply of all items and transportation, etc. Nothing extra shall be payable by the buyer subsequently.
(xiii) In case of any fraudulent certification/ undertaking found at any stage shall render the bidder/ seller punishable for departmental action as per GeM policy in vogue.
(xiv) Under Taking Certificate: Bidder are advised to upload undertaking certificate to ensure the offered product must be as per IS Code.

(xv) Bid Security submitted by the bidder shall be forfeited, if the bidder
a) Withdraws or modifies or impairs or derogates from the bid in any respect within the period of validity of its bid.
b) If it comes to the notice that the information/documents furnished in its bid false, misleading or fraud.
c) Fails to furnish requisite performance security within the stipulated time required as per e-bid/RA conditions.

(xvi) **Cancellation of bid** :- Competent authority will have the right to cancel the bid at any stage of procurement process including after opening of financial bid and Reverse Auction without assigning any reasons to seller. No representation will be entertained in this regard.

(xvii) **MSE**: Bidder if is an MSE then it must have a valid Udyam Registration and whose credentials will be validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. Benefits of MSE will be allowed only if seller is validated online in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

(xviii) Online participation in the bidding process does not constitute any guarantee of allowing the applicant in the bidding process. Opening and admitting of quotation will be decided by the Accepting Officer based on the eligibility criteria.

(xix) No appeal/representation will be entertained after completion of technical or financial bid. No applicant/bidder will be entitled to any compensation whatsoever for rejection or disqualification.

(xx) Rates will be quoted as per the accounting unit as indicated in the Bid unless specified otherwise.

(xxi) By quoting for this quotation, the bidder is hereby willingly binding himself to accept and a

dhere to the laid down terms & conditions mentioned and Code of Integrity as per GFR 2017.

(xxii) Liquidated Damages: If the Seller/Service Provider fails to deliver any or all of the Goods/Se rvices within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be enti tled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% of the contract value of delayed quantity per week or part of the wee k of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever.

(xxiii) **Undertaking:**

The bidder shall submit an notarized undertaking duly signed by the authorized representative, cer tifying that:

a) The bidder/firm is not blacklisted/ debarred by any Government Department, PSU, Autonomous Body or other Government organization as on the date of submission of the bid.

b) The bidder/firm is not bankrupt or insolvent, and no bankruptcy/insolvency proceedings are pend ing against the firm as on the date of submission of the bid.

c) The bidder is submitting the bid through one firm only and has not submitted the bid through an y other firm/entity, directly or indirectly, for the same procurement.

d) The information and declarations furnished in the undertaking are true and correct to the best of his/her knowledge and belief. Any false declaration or concealment of material facts shall render th e bidder liable for appropriate departmental action as per applicable rules.

.

19. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

20. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

21. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

22. **Generic**

Without prejudice to Buyer’s right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller,

if:
i) The Seller fails to comply with any material term of the Contract.
ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
iv) The Seller becomes bankrupt or goes into liquidation.
v) The Seller makes a general assignment for the benefit of creditors.
vi) A receiver is appointed for any substantial property owned by the Seller.
vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such

representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---