बिड संख्या/Bid Number: GEM/2026/B/8192104

दिनांक /Dated: 26-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	10-11-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	11-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: store-iti-pln@gujarat.gov.in
कुल मात्रा/Total Quantity	888
	BLOCKS PARALLEL ADJUSTABLE 75 X 75 X 50 MM , FLASH POINT APPARATUS THIS APPARATUS , STEAM GENERATOR COPPER FOR STEAM DISTILATION CAP 1000 ML , DRAUGHTSMAN DRAWING INSTRUMENT BOX , DUMPY LEVEL BUILDER 25 CM LOCAL LENGTH X 23 MM COMPLETE WITH BOX , SET SQUARE CELLULIOD 45 DEGREE 8 INCH , TELESCOPIC ALIDADE , DRAFTING TABLE WITH CONUGATED BOARD 150 CMX90 CMX90 CM , FINGER THIMBLES-STEEL , AC STARTER RESISTANCE TYPE STARTER , BRAKE TEST ARRANGEMENT WITH TWO SPRING BALANCE OF 0 TO 25 KG RATING , CRIMPING TOOL FOR CRIMPING 16 SQ MM TO 95 SQMM , DRILL HAND BRACE 0 TO 100 MM , DRILLING MACHINE HAND 0 TO 6 MM CAPACITY , ELECTRIC IRON 1200 W 230 V WITH TEMPRATURE CONTROL , FUNCTION GENERATOR 2 TO 200 KHZ , GREESE PRESSURE GUN HAND , HAMMER CROSS PEIN 250 GRAMS WITH HANDLE. , HAMMER EXTRACTOR TYPE 0.250 KG WITH HANDLE , LABORATORY TYPE INDUCTION COIL 1000W , MALLET HARD WOOD 0.50 KG. , PLANE JACK 200MM X 50 MM , PLANE SMOOTHING METAL 200 MM X 50 MM CUTTER , PLIER ROUND NOSE 100 MM INSULATED , PUNCH CENTRE 150 MM X 9 MM DIA KNURLED BODY , SCREW DRIVER INSULATED 4 MM X 100 MM , SERIES TYPE OHM METER 0 to 2000 APPROXIMATE , SHADED POLE MOTOR FRACTIONAL HP 240 V 50 HZ , SHUNT TYPE OHM METER 0 to 2000 APPROXIMATE , SNIP STRAIGHT 250 MM , SOLDERING IRON COPPER BIT 0.25 KG. , SOLDERING IRON EXCHANGABLE COPPER TIP 65 WATT , SPANNERS DOUBLE ENDED OPEN SET OF 12 METRIC SIZES 6 TO 32 MM , TECHOMETER OR REVOLUTION COUNTER WITH STOP WATCH , TEMPRETURE CONTROLLED

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	SOLDERING IRON 50W 230 V , VARIABLE AUTO TRANSFORMER 0 to 270V 5A to 10A SINGLE PHASE , VOLTMETER CENTRE ZERO 100 0 100 MV , CALIPER INSIDE SPRING 15 CM , SPANNER WRENCH ADJUSTABLE 150 MM , RULE STEEL 30 CM GRADUATED BOTH ENGLISH AND METRIC UNITS , GROWLER , KNIFE DOUBLE BLADED ELECTRICIAN 100 MM , LINE TESTER 5OO VOLT HEAVY DUTY ELECTRIC TESTING , CALIPER OUTSIDE SPRING 15 CM , DIVIDER SPRING 15 CM , DIGITAL LUX METER LCD READ OUT 0.05 TO 7000 LUMENS WITH BATTERY , DESOLDERING PUMP ELECTRICALLY HEATED MANUALLY OPERATED 230 V 40W , DIMMER STARTER 3 AMP , LED LIGHTING SYSTEM MEASUREMENT , RADIO RECEIVER SET AM FM , WIRELESS COMMUNICATION MODULES FOR INTERFACING , BLOCKS VEE 150 X 100 X 100 MM , BORING BAR INDEXABLE WITH INSERT 1 inch SHANK , CALIPER HERMACHRODITE.SPRING 15 CM , CARBIDE WEAR BLOCK 1 MM-2 MM. , CHISEL DIAMOND POINT 9 X 150 MM , CLAMP or VICE TOOL MAKER 5 CM AND 7.5CM SET OF 2 , COMPARATOR STAND WITH DIAL INDICATOR , EXTRACTORS SCREW or STUD SIZES 1 TO 8 SET , GAUGE PLUG SINGLE ENDED 5 TO 55 BY 1 MM , GAUGE SNAP GO AND NO GO 25 TO 50 MM BY 5 MM , HAMMER PLANISHING WITH HANDLE , INTERCHANGEABLE RATCHET SOCKET SET , KNURLING TOOL DIAMOND STRAIGHT and DIAGONAL , LAPPING PLATE 6 inch DIA , MALLET DIA 100 MM X 150 MM , METAL RACK 180 X 150 X 45 CM SLOTTED ANGLE , MORSE TAPER SLEEVES NO. 0TO1, 1TO2,2TO3,3TO4,4TO5, , POKER 900 MM LONG , PULLER SET UNIVERSAL BEARING AND BUSHES , PUNCH DOT SLOT DIA 10 X 100 MM , RULE STEEL 15 CM GRADUATED BOTH ENGLISH AND METRIC UNITS , SOLDERING IRON 250 W WOODEN HANDLE , SPANNER WRENCH ADJUSTABLE 380 MM , STAKE GROOVING 100 X 100 X 300 MM , STAKE HATCHET WITH LEG 300 X 200 X 20 MM , SURFACE ROUGHNESS COMPARISON PLATES N1 and N12 GRADES , TELESCOPIC GAUGE RANGE 8 to 150 MM SET OF 6 PCS , TOOL BIT HOLDER AS ARMSTRONG STRAIGHT , HAMMER BALL PEIN 500 GRAMS 1 LB WITH HANDLE , HAMMER BALL PEIN 250 GRAMS WITH HANDLE , POWER METER , SMPS TESTER , AUTO TRANSFORMER 3 PHASE INPUT 230 V OUTPUT 0- 270 V , DIGITAL PANEL METERS 3.5 DIGIT , EXPERIMENTAL SETUP FOR ONLINE DISSOLVED OXYGEN MEASUREMENT , SIMPLE TANK TYPE QUANTITY METER , TRAINERS ON RS 485 TO RS232 CONVERTOR , FUEL INJECTION PUMP DISMANTLING TOOL KIT , MARKING OUT TABLE 90 X 60 X 90 CM , PIPE CUTTER SET 3 WHEEL TYPE 75 mm PIPE , SNIP RIGHT CUT 250 MM , TAP SET METRIC 2 TO 10 MM SET OF 9 PCS WITH WRENCH , VICE HAND 37 MM , PUNCH HOLLOW 6 MM TO 15 SET OF 7 , AC ALTERNATOR SLIP RING PULLER VARIABLE , AIR IMPACT WRENCH WITH STANDARD ACCESSORIES , ALLEN KEY SET -HEXAGONAL 2 TO 14 MM 12 PIECES , ANVIL 50 KGS WITH STAND , CUT SECTION MODELS OF SHOCK ABSORBERS , EXTRACTORS STUD SET OF 3 , FILES ASSORTED SIZES AND TYPES INCLUDING SAFE EDGE FILE SET OF 20 NOS , FUEL FEED PUMP FOR DIESEL , GREASE GUN SMALL SIZE , HAMMER PLASTIC 0.25 KGS. WITH HADLE , OIL PUMP FOR DISMENTLING AND ASSEMBLING , PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM , PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM POZIDRIVANDTORX DRIVE , PISTON RING COMPRESSOR , PISTON RING EXPANDER AND REMOVER , PLIER VICE GRIP , SCREW DRIVER ELECTRICIAN 250 MM THIN STEM INSULATED HANDLE MAGNETIC POINT , SPANNER MEGNETO SET OF 8 SPANNERS , CPVC or UPVC

बिड विवरण/Bid Details	PIPE CUTTER UPTO 50 MM , GIRMALE , HYDRAULIC PRESSURE MACHINES FOR TESTING LEAKAGE IN GI PIPE FITTINGS ETC , SOIL POT WITH BRUSH. , SOLDERING COPPER HATCHET TYPE 500 GMS , STILSON WRENCHES 20 CM.LONG , TOOL CAULKING SET OF 2 , BRUSH LESS DC MOTOR BLDC CONTROLLER 15 to 30 WATTS 315 VOLT DC TRAINER KIT , CIRCULATING WATER PUMP SMALL 0.5 H.P WITH SS TANK , DECIBEL METER 30 to 100 DB , DESCALLING PUMP SET , DRY N2 IN CYLINDER WITH 2 STAGE REGULATOR , ELECTRONIC LEAK DETECTOR DIGITAL TYPE CAPABLE TO DETECT OF R134A HC R-22 , FIN STRAIGHTENED or FIN COMB WITH STRONG STEEL WIRE BASED COMBING ON WOOD , FLARING TOOL SET SINGLE TYPE FOR TUBE 4.7 TO 16 MM OD , METAL RACK 1820 X 1210 X 450 MM , MOTOR SPLIT PHASE MOTOR 1 H.P. SINGLE PHASE 230 V , MOTOR AC SINGLE PHASE 230 V, 50 CYCLES CAPACITOR TYPE WITH STARTER SWITCH 1 HP , PIERCING VALVES WITH ACCESS FITTINGS 1 by 4 inch , PIPE CUTTER WITH BUILT IN REAMER AND SPARE CUTTER FOR COPPER TUBE 3 TO 32 MM , PORTABLE AIR LPG BRAZING KIT , PUNCH HOLE FOR CUTTING GASKET 4.7 TO 16 MM DIA , PUNCH ROUND 3 MM 4MM AND 6MM DIA EACH , QUICK COUPLES PROCESS TUBE ADOPTER 1 by 4 nich , QUICK COUPLES PROCESS TUBE ADOPTER 3 by 8 inch , REFRIGERANT CYLINDER 10 KG CAPACITY , SERVICE OSCILLATOR , TABLE FOR ARC WELDING ALL METAL WITH POSITIONER 120 CM X 120 CM X 75 CM , CURRENT METER , HEIGHT INDICATORS SURVEY OF INDIA PATTERN , LEVELING STAFF 4 MTR READING TO 5MM TELESCOPIC TYPE , RANGING RODS WOODEN FITTED WITH IRON SHOE 2METERS LONG , CALIPER TRANSFER INSIDE 15 CM , CENTRE GAUGE COMBINED 60 55 AND 29 DEGREE , COLLAPSIBLE TAP WITH ATTACHMENT , KNURLING TOOL REVOLVING HEAD ROUGH MED FINE DIAMOND AND STRAIGHT , LATHE MANDRELS DIFF TYPES , MARKING OFF TABLE 1200 X 1200 X 900 MM HIGH , COIL TESTER , DIOMAND CUTTER 150 MM , PLIER SQUARE NOSE 150 MM , HAMMER SLEDGE DOUBLE FACED 4 KG , MULTI ANGLE MAGNETIC CLAMP SET METAL BASE 18 X10 X 10 CM , SWAGGING AND FLOORING TOOL KIT 45 DEGREE TUBING 1 by 8 TO 3 by 4 INCH , D.C. SERIES MOTOR WITH 2 POINT STARTER 3 HP 250 V WITH 3 POINT STARTER , FOOT PRINT GRIP 250 MM , HAMMER CROSS PEIN 500 GRAMS WITH HANDLE , MALLET BARWOOD 1 KG 75 MM X 15 MM , MULTIMETER 0 TO 1000 M OHMS 2.5 TO 5000 VOLT , SCREW DRIVER ELECTRICIAN CONNECTOR, 100 MM INSULATED HANDLE THIN STEM , SCREW DRIVER TERMINAL 75 MM CONNECTOR TYPE , TABLE FOR DEMONSTRATION 2.5 X 1.20 X 0.75 METERS , WALL JUMPER OCTAGONAL BLOCKS PARALLEL ADJUSTABLE 75 X 75 X 50 MM , FLASH POINT APPARATUS THIS APPARATUS , STEAM GENERATOR COPPER FOR STEAM DISTILATION CAP 1000 ML, DRAUGHTSMAN DRAWING INSTRUMENT BOX , DUMPY LEVEL BUILDER 25 CM LOCAL LENGTH X 23 MM COMPLETE WITH BOX , SET SQUARE CELLULIOD 45 DEGREE 8 INCH, TELESCOPIC ALIDADE, DRAFTING TABLE WITH CONUGATED BOARD 150 CMX90 CMX90 CM, FINGER THIMBLES-STEEL, AC STARTER RESISTANCE TYPE STARTER, BRAKE TEST ARRANGEMENT WITH TWO SPRING BALANCE OF 0 TO 25 KG RATING, CRIMPING TOOL FOR CRIMPING 16 SQ MM TO 95 SQMM, DRILL HAND BRACE 0 TO 100 MM, DRILLING MACHINE HAND 0 TO 6 MM CAPACITY, ELECTRIC IRON 1200 W 230 V WITH TEMPRATURE CONTROL, FUNCTION GENERATOR 2 TO 200 KHZ, GREESE PRESSURE GUN HAND,
	37MMX450MM AND 37MX600MM

बिड विवरण/Bid Details	HAMMER CROSS PEIN 250 GRAMS WITH HANDLE., HAMMER EXTRACTOR TYPE 0.250 KG WITH HANDLE, LABORATORY
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	TYPE INDUCTION COIL 1000W, MALLET HARD WOOD 0.50 KG., PLANE JACK 200MM X 50 MM, PLANE SMOOTHING METAL 200 MM X 50 MM CUTTER, PLIER ROUND NOSE 100 MM INSULATED, PUNCH CENTRE 150 MM X 9 MM DIA KNURLED BODY, SCREW DRIVER INSULATED 4 MM X 100 MM, SERIES TYPE OHM METER 0 to 2000 APPROXIMATE, SHADED POLE MOTOR FRACTIONAL HP 240 V 50 HZ, SHUNT TYPE OHM METER 0 to 2000 APPROXIMATE, SNIP STRAIGHT 250 MM, SOLDERING IRON COPPER BIT 0.25 KG., SOLDERING IRON EXCHANGABLE COPPER TIP 65 WATT, SPANNERS DOUBLE ENDED OPEN SET OF 12 METRIC SIZES 6 TO 32 MM, TECHOMETER OR REVOLUTION COUNTER WITH STOP WATCH, TEMPRETURE CONTROLLED SOLDERING IRON 50W 230 V, VARIABLE AUTO TRANSFORMER 0 to 270V 5A to 10A SINGLE PHASE, VOLTMETER CENTRE ZERO 100 0 100 MV, CALIPER INSIDE SPRING 15 CM, SPANNER WRENCH ADJUSTABLE 150 MM, RULE STEEL 30 CM GRADUATED BOTH ENGLISH AND METRIC UNITS, GROWLER , KNIFE DOUBLE BLADED ELECTRICIAN 100 MM, LINE TESTER 5OO VOLT HEAVY DUTY ELECTRIC TESTING, CALIPER OUTSIDE SPRING 15 CM, DIVIDER SPRING 15 CM, DIGITAL LUX METER LCD READ OUT 0.05 TO 7000 LUMENS WITH BATTERY, DESOLDERING PUMP ELECTRICALLY HEATED MANUALLY OPERATED 230 V 40W, DIMMER STARTER 3 AMP, LED LIGHTING SYSTEM MEASUREMENT , RADIO RECEIVER SET AM/FM, WIRELESS COMMUNICATION MODULES FOR INTERFACING WITH MICROCONTROLLERS , BLOCKS VEE 150 X 100 X 100 MM, BORING BAR INDEXABLE WITH INSERT 1" SHANK, CALIPER HERMACHRODITE.SPRING 15 CM, CARBIDE WEAR BLOCK 1 MM-2 MM., CHISEL DIAMOND POINT 9 X 150 MM, CLAMP or VICE TOOL MAKER 5 CM AND 7.5CM SET OF 2, COMPARATOR STAND WITH DIAL INDICATOR, EXTRACTORS SCREW or STUD SIZES 1 TO 8 SET, GAUGE PLUG SINGLE ENDED 5 TO 55 BY 1 MM, GAUGE SNAP GO AND NO GO 25 TO 50 MM BY 5 MM, HAMMER PLANISHING WITH HANDLE, INTERCHANGEABLE RATCHET SOCKET SET , KNURLING TOOL DIAMOND STRAIGHT and DIAGONAL, LAPPING PLATE 6 inch DIA, MALLET DIA 100 MM X 150 MM, METAL RACK 180 X 150 X 45 CM SLOTTED ANGLE, MORSE TAPER SLEEVES NO. 0TO1, 1TO2,2TO3,3TO4,4TO5,, POKER 900 MM LONG, PULLER SET UNIVERSAL BEARING AND BUSHES, PUNCH DOT SLOT DIA 10 X 100 MM, RULE STEEL 15 CM GRADUATED BOTH ENGLISH AND METRIC UNITS, SOLDERING IRON 250 W WOODEN HANDLE, SPANNER/WRENCH ADJUSTABLE 380 MM IS 1649, STAKE GROOVING 100 X 100 X 300 MM, STAKE HATCHET WITH LEG 300 X 200 X 20 MM, SURFACE ROUGHNESS COMPARISON PLATES N1 and N12 GRADES, TELESCOPIC GAUGE RANGE 8 to 150 MM SET OF 6 PCS, TOOL BIT HOLDER AS ARMSTRONG STRAIGHT, HAMMER BALL PEIN 500 GRAMS 1 LB WITH HANDLE, HAMMER BALL PEIN 250 GRAMS WITH HANDLE , POWER METER, SMPS TESTER, AUTO TRANSFORMER 3 PHASE INPUT 230 V OUTPUT 0- 270 V, DIGITAL PANEL METERS 3.5 DIGIT, EXPERIMENTAL SETUP FOR ONLINE DISSOLVED OXYGEN MEASUREMENT, SIMPLE TANK TYPE QUANTITY METER , TRAINERS ON RS 485 TO RS232 CONVERTOR, FUEL INJECTION PUMP DISMANTLING TOOL KIT , MARKING OUT TABLE 90 X 60 X 90 CM, PIPE CUTTER SET 3 WHEEL TYPE 75 mm PIPE, SNIP RIGHT CUT 250 MM, TAP SET METRIC 2 TO 10 MM SET OF 9 PCS WITH WRENCH, VICE HAND 37 MM, PUNCH HOLLOW 6 MM TO 15 SET OF 7, AC ALTERNATOR SLIP RING PULLER VARIABLE, AIR

बिड विवरण/Bid Details	IMPACT WRENCH WITH STANDARD ACCESSORIES , ALLEN KEY SET -HEXAGONAL 2 TO 14 MM 12 PIECES, ANVIL 50
	KGS WITH STAND, CUT SECTION MODELS OF SHOCK ABSORBERS, EXTRACTORS STUD SET OF 3, FILES ASSORTED SIZES AND TYPES INCLUDING SAFE EDGE FILE SET OF 20 NOS, FUEL FEED PUMP FOR DIESEL, GREASE GUN SMALL SIZE, HAMMER PLASTIC 0.25 KGS. WITH HADLE, OIL PUMP FOR DISMENTLING AND ASSEMBLING, PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM , PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM POZIDRIVANDTORX DRIVE, PISTON RING COMPRESSOR, PISTON RING EXPANDER AND REMOVER, PLIER VICE GRIP, SCREW DRIVER ELECTRICIAN 250 MM THIN STEM INSULATED HANDLE MAGNETIC POINT, SPANNER MEGNETO SET OF 8 SPANNERS, CPVC or UPVC PIPE CUTTER UPTO 50 MM, GIRMALE, HYDRAULIC PRESSURE MACHINES FOR TESTING LEAKAGE IN GI PIPE FITTINGS ETC, SOIL POT WITH BRUSH., SOLDERING COPPER HATCHET TYPE 500 GMS, STILSON WRENCHES 20 CM.LONG, TOOL CAULKING SET OF 2, BRUSH LESS DC MOTOR (BLDC) CONTROLLER 15 to 30 WATTS 315 VOLT DC TRAINER KIT, CIRCULATING WATER PUMP SMALL 0.5 H.P WITH SS TANK , DECIBEL METER 30 to 100 DB, DESCALLING PUMP SET , DRY N2 IN CYLINDER WITH 2 STAGE REGULATOR , ELECTRONIC LEAK DETECTOR DIGITAL TYPE CAPABLE TO DETECT OF R134A HC R-22, FIN STRAIGHTENED or FIN COMB WITH STRONG STEEL WIRE BASED COMBING ON WOOD, FLARING TOOL SET SINGLE TYPE FOR TUBE 4.7 TO 16 MM OD, METAL RACK 1820 X 1210 X 450 MM, MOTOR SPLIT PHASE MOTOR 1 H.P. SINGLE PHASE 230 V, MOTOR AC SINGLE PHASE 230 V, 50 CYCLES CAPACITOR TYPE WITH STARTER SWITCH 1 HP, PIERCING VALVES WITH ACCESS FITTINGS 1/4", PIPE CUTTER WITH BUILT IN REAMER AND SPARE CUTTER FOR COPPER TUBE 3 TO 32 MM, PORTABLE AIR LPG BRAZING KIT , PUNCH HOLE FOR CUTTING GASKET 4.7 TO 16 MM DIA, PUNCH ROUND 3 MM 4MM AND 6MM DIA EACH, QUICK COUPLES, PROCESS TUBE ADOPTER , QUICK COUPLES, PROCESS TUBE ADOPTER 3/8, REFRIGERANT CYLINDER 10 KG CAPACITY, SERVICE OSCILLATOR, TABLE FOR ARC WELDING ALL METAL WITH POSITIONER 120 CM X 120 CM X 75 CM, CURRENT METER, HEIGHT INDICATORS SURVEY OF INDIA PATTERN, LEVELING STAFF 4 MTR READING TO 5MM TELESCOPIC TYPE , RANGING RODS WOODEN FITTED WITH IRON SHOE 2METERS LONG, CALIPER TRANSFER INSIDE 15 CM, CENTRE GAUGE COMBINED 60 55 AND 29 DEGREE, COLLAPSIBLE TAP WITH ATTACHMENT, KNURLING TOOL REVOLVING HEAD ROUGH MED FINE DIAMOND AND STRAIGHT, LATHE MANDRELS DIFF TYPES, MARKING OFF TABLE 1200 X 1200 X 900 MM HIGH, COIL TESTER, DIOMAND CUTTER 150 MM, PLIER SQUARE NOSE 150 MM, HAMMER SLEDGE DOUBLE FACED 4 KG, MULTI ANGLE MAGNETIC CLAMP SET METAL BASE 18 X10 X 10 CM, SWAGGING AND FLOORING TOOL KIT 45 DEGREE TUBING 1/8 TO 3/4 INCH, D.C. SERIES MOTOR WITH 2 POINT STARTER 3 HP 250 V WITH 3 POINT STARTER, FOOT PRINT GRIP 250 MM, HAMMER CROSS PEIN 500 GRAMS WITH HANDLE, MALLET BARWOOD 1 KG 75 MM X 15 MM, MULTIMETER 0 TO 1000 M OHMS 2.5 TO 5000 VOLT, SCREW DRIVER ELECTRICIAN CONNECTOR, 100 MM INSULATED HANDLE THIN STEM, SCREW DRIVER TERMINAL 75 MM CONNECTOR TYPE, TABLE FOR DEMONSTRATION 2.5 X 1.20 X 0.75 METERS, WALL JUMPER OCTAGONAL
	37MMX450MM AND 37X600 MM **Searched String**: BLOCKS PARALLEL ADJUSTABLE 75 X 75 X 50 MM

बिड विवरण/Bid Details	Hand Magnifiers (V2) conforming to IS 5148, Recycled Towel, Floor Drain Traps (V2), modular electrical enclosure switch board boxes for modular type accessories, Cotton Towelling And Towels Conforming To IS 7056 (V4), Cast Iron Bench, Cotton Towelling And Towels (V3) Conforming To IS 7056, Parallel Bar - Outdoor Gym Equipment, Wooden Lab Stools, Labels Stickers (V3) **Searched String**: FLASH POINT APPARATUS THIS APPARATUS Cloud & Pour Point Apparatus, JAR TEST APPARATUS, Softening Point Test Apparatus (Ring and Ball Apparatus), Microcontroller Based Melting and Boiling Point Apparatus, Extraction Apparatus, Fire Breathing Apparatus SCBA as per IS 10245 (Part 2), Notch Apparatus, Sound Level Meter / Noise Level Meter (Sound Measuring Apparatus or Decibel Meter), Orificemeter Apparatus, Bernoulli'S Theorem Apparatus **Searched String**: STEAM GENERATOR COPPER FOR STEAM DISTILATION CAP 1000 ML Rotor for 19.5 MW Steam Turbine Generator (BHEL) **Searched String**: DRAUGHTSMAN DRAWING INSTRUMENT BOX Geometry Boxes (V3) Conforming to IS 2533, Muffle/Box Furnace (V2), Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Drawing Pins (V3) as per IS 5205, Static and Dynamic Pass Through Boxes for Cleanroom, Black Lead Pencils (V3) Conforming to IS 1375 **Searched String**: DUMPY LEVEL BUILDER 25 CM LOCAL LENGTH X 23 MM COMPLETE WITH BOX Category not available on GeM for the text string uploaded by the buyer **Searched String**: SET SQUARE CELLULIOD 45 DEGREE 8 INCH Non Sparking Pipe Wrench (V2), Non Sparking Adjustable Wrench (V2), Cotton Cloth Bag for Seed Packing (V2) **Searched String**: TELESCOPIC ALIDADE Telescopic Handler, cobweb brush, Telescopic manipulator, PNEUMATIC TELESCOPIC MAST, Truck Mounted Boom Lift Platform, Telescopic Pole Pruner (V2), Telescopes, Telescopic Levelling Staff-IS:11961, Inverted Mirror Trolley Mounted Under Vehicle Search Mirror Convex Security Mirrors (V2), Telescopic Tripods - Surveying Accessories - as per IS 15483 part 2 **Searched String**: DRAFTING TABLE WITH CONUGATED BOARD 150 CMX90 CMX90 CM Rucksack 90 Ltrs with HDPE Board (Defence), Dharapathy With Tiltable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Antimicrobial Uniform for Sanitary Workers - Male Lower, Hand Knotted Silk Carpet (V2) Conforming to IS 14566, Decorative Mats - Mat Door Coir, Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523

बिड विवरण/Bid Details	
	Searched String: FINGER THIMBLES-STEEL Thimbles For Wire Ropes-IS:2315, Steel Almirah / Cabinets (V4), Finger Splint, Vegetable Cutter, Finger Restraint, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Electrical connection Lugs or thimbles, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Thimbles for Wire Ropes (V2) conforming to IS 2315, Metal Storage Cabinet **Searched String**: AC STARTER RESISTANCE TYPE STARTER DOL starter, Submersible Pump Starters (Motor starter controls), Starter Motors for IC Engines, Starter Motor Assembly, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Star Delta Motor Starter for Three Phase Induction Motors (V2), Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Starters For Fluorescent Lamps Conforming To IS 2215, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3) **Searched String**: BRAKE TEST ARRANGEMENT WITH TWO SPRING BALANCE OF 0 TO 25 KG RATING Electronic Weighing Scales **Searched String**: CRIMPING TOOL FOR CRIMPING 16 SQ MM TO 95 SQMM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255 **Searched String**: DRILL HAND BRACE 0 TO 100 MM Hand Magnifiers (V2) conforming to IS 5148, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Measuring (Travelling) Microscope as per IS 4329, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Writing Pens, Polyethylene Pipes for Water Supply conforming to IS 4984, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: DRILLING MACHINE HAND 0 TO 6 MM CAPACITY Drilling Machine Bench Type / Pillar Type as per IS 2425, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Paper Punch Machine(V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Sensitive Drilling Machine, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS

बिड विवरण/Bid Details	13593, Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801 **Searched String**: ELECTRIC IRON 1200 W 230 V WITH TEMPRATURE CONTROL Category not available on GeM for the text string uploaded by the buyer **Searched String**: FUNCTION GENERATOR 2 TO 200 KHZ Disc Spring (V2) conforming to IS 12511 (Part 2), Digital pH Meter, Mild Steel Sheet, function generator, Signal Generator, Diesel Power Generator (up to 900 KVA), Toilet Paper (V3) Conforming to IS 14661, Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: GREESE PRESSURE GUN HAND Second Hand Empty Gunny Bags(V2), Manually Operated Knapsack Sprayer, Booster Pump for Liquid Handling (V2) (IOCL) **Searched String**: HAMMER CROSS PEIN 250 GRAMS WITH HANDLE. Non Sparking Hammers (V2), Drone or Unmanned Aerial Vehicle with Customized Payload (Defence Forces - Navy, Army and Air Force) **Searched String**: HAMMER EXTRACTOR TYPE 0.250 KG WITH HANDLE Laboratory Filter Papers (V2) **Searched String**: LABORATORY TYPE INDUCTION COIL 1000W Laboratory Condenser, Electronic Weighing Scales, Laboratory condenser (V2), Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Star Delta Motor Starter for Three Phase Induction Motors (V2), Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Electric Winch (V2), Binder Clips (V3) Conforming to IS 8231, Currency Counting Machine (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374 **Searched String**: MALLET HARD WOOD 0.50 KG. Electronic Weighing Scales, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Fine Aggregate (V2) Conforming to IS 383 **Searched String**: PLANE JACK 200MM X 50 MM Dry Erase Writing Boards (V3), Labels Stickers (V3), Pin Up Notice Board (V2), Wild - Life Cages, Bunk Beds conforming to IS 17636, Work Benches, Speed Breaker (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories **Searched String**: PLANE SMOOTHING METAL 200 MM X 50

बिड विवरण/Bid Details	
	MM CUTTER Mild Steel Sheet, modular electrical enclosure switch board boxes for modular type accessories, Cast Iron Bench, Visiting Cards (V3), Labels Stickers (V3), Hedge Trimmer or Hedge Cutter (V3), Work Benches, Polyurethane Tube (V2), Kidney Trays Conforming to IS 3992, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255 **Searched String**: PLIER ROUND NOSE 100 MM INSULATED Bathroom Water Shower (V2), Orthopedic Instruments - Nose Pliers, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: PUNCH CENTRE 150 MM X 9 MM DIA KNURLED BODY The Indian National Flag as per IS 1, The Indian National Flag - Polyester **Searched String**: SCREW DRIVER INSULATED 4 MM X 100 MM PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Polyurethane Tube (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Knowles Pin, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Wild - Life Cages, Bone Screw (V2), Floor Drain Traps (V2), Parallel Bar - Outdoor Gym Equipment, Electronic Baby Weighing Scale - RBSK **Searched String**: SERIES TYPE OHM METER 0 to 2000 APPROXIMATE Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Digital Moisture Meter (Textile) **Searched String**: SHADED POLE MOTOR FRACTIONAL HP 240 V 50 HZ Reciprocating Saw, Exercise Bike **Searched String**: SHUNT TYPE OHM METER 0 to 2000 APPROXIMATE Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Digital Moisture Meter (Textile) **Searched String**: SNIP STRAIGHT 250 MM Speed Breaker (V2), Feeler Gauges - Engineering Metrology - as per IS 3179, Foot Steps For Hospital/Clinic and Domestic Purposes, Correspondence Envelopes (V3) Conforming to IS 13892, Locking Compression Plates (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), Laboratory Condenser, Correspondence Envelopes (V3), Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Shallow Sterilizer (Dressing Drum) **Searched String**: SOLDERING IRON COPPER BIT 0.25 KG. Electronic Weighing Scales, Electric Soldering Iron, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for

बिड विवरण/Bid Details	Water Services conforming to IS 781, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778
	Searched String: SOLDERING IRON EXCHANGABLE COPPER TIP 65 WATT Electric Soldering Iron **Searched String**: SPANNERS DOUBLE ENDED OPEN SET OF 12 METRIC SIZES 6 TO 32 MM Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Binder Clips (V3) Conforming to IS 8231 **Searched String**: TECHOMETER OR REVOLUTION COUNTER WITH STOP WATCH Category not available on GeM for the text string uploaded by the buyer **Searched String**: TEMPRETURE CONTROLLED SOLDERING IRON 50W 230 V Digital pH Meter, Soldering and Desoldering Station with digital display, Reciprocating Saw **Searched String**: VARIABLE AUTO TRANSFORMER 0 to 270V 5A to 10A SINGLE PHASE Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Cotton Towelling And Towels Conforming To IS 7056 (V4), Bamboo External Knot Removing machine, Laboratory Deep Freezer (Upto -20°C Degree), Foreign body (metal) detector for veterinary use, Digital pH Meter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1) **Searched String**: VOLTMETER CENTRE ZERO 100 0 100 MV Electronic Weighing Scales, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), Online UPS (V2), Register (V2), Respirable Dust Sampler as per IS 5182, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Tissue Homogenizer, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Tapered Bearings as per IS 12102, Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654 **Searched String**: CALIPER INSIDE SPRING 15 CM NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), File/Folder (V3), Chest Depth Caliper (V2), Crepe Bandage Conforming to IS 4605, RCC Guard stone Type B (Cement or concrete posts), Gamjee Rolls / Pads (V2), Elastic Bandage Conforming to IS 16111, Plaster of Paris Bandage Conforming to IS 4738, Open Weave Bandage, X-Ray

बिड विवरण/Bid Details	Detectable Gauze Swab/Laparotomy Sponge (V2) **Searched String**: SPANNER WRENCH ADJUSTABLE 150 MM Non Sparking Adjustable Wrench (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Tap Wrenches, Adjustable (V2) as per IS 4914, Open Jaw Wrenches (Spanners) (V3) As Per IS 2028, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Single-Ended Open-Jaw Adjustable Wrenches (V2) as per IS 6149, Roti Making Machine, Open Ended Slugging Wrenches (Spanners) as per IS 4508, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Ring Slugging Wrenches (Spanners) - as per IS 4509 **Searched String**: RULE STEEL 30 CM GRADUATED BOTH ENGLISH AND METRIC UNITS Category not available on GeM for the text string uploaded by the buyer **Searched String**: GROWLER Category not available on GeM for the text string uploaded by the buyer **Searched String**: KNIFE DOUBLE BLADED ELECTRICIAN 100 MM Foot Steps For Hospital/Clinic and Domestic Purposes, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: LINE TESTER 5OO VOLT HEAVY DUTY ELECTRIC TESTING PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: CALIPER OUTSIDE SPRING 15 CM NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), File/Folder (V3), Chest Depth Caliper (V2), Crepe Bandage Conforming to IS 4605, RCC Guard stone Type B (Cement or concrete posts), Gamjee Rolls / Pads (V2), Elastic Bandage Conforming to IS 16111, Plaster of Paris Bandage Conforming to IS 4738, Open Weave Bandage, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2) **Searched String**: DIVIDER SPRING 15 CM NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), File/Folder (V3), RCC Guard stone Type B (Cement or concrete posts), Crepe Bandage Conforming to IS 4605, Gamjee Rolls / Pads (V2), Elastic Bandage Conforming to IS 16111, Plaster of Paris Bandage Conforming to IS 4738, Open Weave Bandage, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Non Woven Bandage Roll Conforming to IS 16660 **Searched String**: DIGITAL LUX METER LCD READ OUT 0.05 TO 7000 LUMENS WITH BATTERY Digital Light Meter **Searched String**: DESOLDERING PUMP ELECTRICALLY HEATED MANUALLY OPERATED 230 V 40W

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: DIMMER STARTER 3 AMP Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Submersible Pump Starters (Motor starter controls) **Searched String**: LED LIGHTING SYSTEM MEASUREMENT Portable Emergency LED Lighting Tower System with Battery Bank, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), White LED (W - LED) Based Solar Home Lighting Systems (V2), Portable Emergency LED Lighting Tower System with AC Generator Set, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), High Mast Lighting Tower for large area with LED Flood Lighting System, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), LED Luminaire for High Bay Lighting **Searched String**: RADIO RECEIVER SET AM/FM Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Digital Hand-held VHF Transceiver as per MHA QR, RADIO COMMUNICATION TEST SET (ANALOG / DIGITAL), Lithium Battery for Hand Held Radio Set as per MHA QR, Digital Monitoring Receiver (Hand-held) as per MHA QR, Radio Communication Test Set as per MHA QR (V2), Digital UHF Base / Mobile Radio Sets as per MHA QR (V2), Digital Monitoring Receiver (Static/Mobile version) as per MHA QR, Digital VHF Base / Mobile Transceiver Set as per MHA QR, Digital VHF Repeater Set as per MHA QR **Searched String**: WIRELESS COMMUNICATION MODULES FOR INTERFACING WITH MICROCONTROLLERS Wireless Headphones, Earphones and Communication Headsets, Refrigerated Centrifuge For General And Research Purpose, Wired Headphones, Earphones and Communication Headsets, under water communication set, Conference Speakerphone with Bluetooth, Battery Chargers For Transceivers (V2), Industrial Cellular Modem **Searched String**: BLOCKS VEE 150 X 100 X 100 MM Cotton Towelling And Towels Conforming To IS 7056 (V4), Floor Drain Traps (V2), Shaker Incubator, Electronic Baby Weighing Scale - RBSK, Wooden Lab Stools, Cotton Towelling And Towels (V3) Conforming To IS 7056, modular electrical enclosure switch board boxes for modular type accessories, Note Sheet Pad (Azure Laid) (V3), Labels Stickers (V3), Multipurpose or General Test Tubes (V2) as per IS 2618 **Searched String**: BORING BAR INDEXABLE WITH INSERT 1" SHANK Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Weightlifting Equipment – Bars / Plates / Collars (V2), Chair or Bench or Stool (Handicraft) (V2), Indexable Inserts

बिड विवरण/Bid Details	**Searched String**: CALIPER HERMACHRODITE.SPRING 15 CM
	NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), File/Folder (V3), Chest Depth Caliper (V2), Crepe Bandage Conforming to IS 4605, RCC Guard stone Type B (Cement or concrete posts), Gamjee Rolls / Pads (V2), Elastic Bandage Conforming to IS 16111, Plaster of Paris Bandage Conforming to IS 4738, Open Weave Bandage, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2) **Searched String**: CARBIDE WEAR BLOCK 1 MM-2 MM. Calcined Magnesia Carbon Grog - SAIL, Biosafety Cabinet (V2), Mild Steel Sheet, Polyurethane Tube (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cricket Stumps and Bails (V2) Conforming to IS 6621, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Anti Bird Netting (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Bunk Beds conforming to IS 17636 **Searched String**: CHISEL DIAMOND POINT 9 X 150 MM The Indian National Flag as per IS 1, Multipurpose or General Test Tubes (V2) as per IS 2618, The Indian National Flag - Polyester, Labels Stickers (V3), Sheet Cellular Defence or Foam Rubber Sheet as per IS 8255, Kidney Trays Conforming to IS 3992, rubber bands, Correspondence Envelopes (V3), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Floor Drain Traps (V2) **Searched String**: CLAMP or VICE TOOL MAKER 5 CM AND 7.5CM SET OF 2 Category not available on GeM for the text string uploaded by the buyer **Searched String**: COMPARATOR STAND WITH DIAL INDICATOR Dial test indicator, Metal Storage Cabinet, Coat Stand, THICKNESS MEASURING GAUGE, Laptop Stand/Cooling Stand, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Magnetic Needle with Stand (V2), Cloth Dryer Stand, Indian National Flag for Table with Stand, Wooden Display cabinet with Glass Doors **Searched String**: EXTRACTORS SCREW or STUD SIZES 1 TO 8 SET Stud Remover & Installer with Screwdriver tool Set(ONGC), Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Suji or Rava as per IS 1010, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: GAUGE PLUG SINGLE ENDED 5 TO 55 BY 1 MM PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028,

बिड विवरण/Bid Details	PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: GAUGE SNAP GO AND NO GO 25 TO 50 MM BY 5 MM Category not available on GeM for the text string uploaded by the buyer **Searched String**: HAMMER PLANISHING WITH HANDLE Non Sparking Spades as per IS 4595, mugs stainless steel single double walled with double wall moulded handle, Chapati/Dosa Griddle (Tawa), Wrought Aluminium Utensils (V2) as per IS 1660, Tableware Made of Melamine Plastics as per IS 9220, Button Bits for DTH Hammer, Hopper Tipper Dumper for Garbage, Non Sparking Hammers (V2), Dental Mouth Mirror, Fitness Tube **Searched String**: INTERCHANGEABLE RATCHET SOCKET SET Laboratory Glass Adapters (V2), Laboratory Glass Adapters, Transformer Oil BDV Test Set **Searched String**: KNURLING TOOL DIAMOND STRAIGHT and DIAGONAL Category not available on GeM for the text string uploaded by the buyer **Searched String**: LAPPING PLATE 6 inch DIA Angle Cutter (Electric), Laboratory Hot plate, Mycobacterium Tuberculosis-Specific Recombinant Antigens ESAT-6 and CFP-10 injection, ACETYLE ACETONE, COLLET CHUCK, modular electrical enclosure switch board boxes for modular type accessories, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, General Purpose Hand Gloves (V2), Ratchet Handle as per IS 7975, Locking Compression Plates (V2) **Searched String**: MALLET DIA 100 MM X 150 MM Hand Magnifiers (V2) conforming to IS 5148, Dry Erase Writing Boards (V3), MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Floor Drain Traps (V2), Steel Rod 30.1mm Diameter (OFB (Defence)), Pin Up Notice Board (V2), Bunk Beds conforming to IS 17636, Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories, Foot Steps For Hospital/Clinic and Domestic Purposes **Searched String**: METAL RACK 180 X 150 X 45 CM SLOTTED ANGLE Handloom Cotton Bed Sheets (V2) as per IS 745, Hand Knotted Silk Carpet (V2) Conforming to IS 14566, Golf Range Mats **Searched String**: MORSE TAPER SLEEVES NO. 0TO1, 1TO2,2TO3,3TO4,4TO5, water baths, Twist Drills - Extra Long Morse Taper Shank - IS

बिड विवरण/Bid Details	7822, Muffle/Box Furnace (V2), Core Drill, Morse Taper Shank - IS 5366, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Composite Office Tables conforming to IS 8126 (V2), Humidity Chamber, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Digital pH Meter **Searched String**: POKER 900 MM LONG Dry Erase Writing Boards (V3), Poker (V2) as per IS 10375, Biosafety Cabinet (V2), FRP Urinal Cabin (V2), Pin Up Notice Board (V2), Combination Board (V2), Bed Mattress Conforming to IS 13489 (V3), Laminar air flow cabinets or stations (V2), Plastic Grip Seal, Underpad Conforming to IS 17786 **Searched String**: PULLER SET UNIVERSAL BEARING AND BUSHES Category not available on GeM for the text string uploaded by the buyer **Searched String**: PUNCH DOT SLOT DIA 10 X 100 MM Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Cast Iron Detachable Joints for Use with Asbestos Cement Pressure Pipes conforming to IS 8794, gabion revet mattresses and rock fall netting, Polyurethane Tube (V2), Modular Toilet, Shirodhara Vessel For Panchakarma **Searched String**: RULE STEEL 15 CM GRADUATED BOTH ENGLISH AND METRIC UNITS Category not available on GeM for the text string uploaded by the buyer **Searched String**: SOLDERING IRON 250 W WOODEN HANDLE Chapati/Dosa Griddle (Tawa), Fume extraction unit for filteration of soldering fumes **Searched String**: SPANNER/WRENCH ADJUSTABLE 380 MM IS 1649 Tap Wrenches, Adjustable (V2) as per IS 4914, Open Jaw Wrenches (Spanners) (V3) As Per IS 2028, Single-Ended Open-Jaw Adjustable Wrenches (V2) as per IS 6149, Ring Wrenches (Spanners) as per IS 2029, Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Open Ended Slugging Wrenches (Spanners) as per IS 4508, Ring Slugging Wrenches (Spanners) - as per IS 4509, Tags For Files (V3) Conforming to IS 8499, Ring Wrenches (V2) as Per Is 2029, Heavy Duty Pipe Wrench (V2) As Per Is 4003 **Searched String**: STAKE GROOVING 100 X 100 X 300 MM Cotton Towelling And Towels Conforming To IS 7056 (V4), Wooden Lab Stools, Electronic Baby Weighing Scale - RBSK, Pin Up Notice Board (V2), Shaker Incubator, Cotton Towelling And Towels (V3) Conforming To IS 7056, modular electrical enclosure switch board boxes for modular type accessories, Note Sheet Pad (Azure Laid) (V3), Labels Stickers (V3), Shallow Sterilizer (Dressing Drum)

बिड विवरण/Bid Details	**Searched String**: STAKE HATCHET WITH LEG 300 X 200 X 20 MM
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Portable Toilet, Pin Up Notice Board (V2) **Searched String**: SURFACE ROUGHNESS COMPARISON PLATES N1 and N12 GRADES Locking Compression Plates (V2), Engineering Metrology-Measuring Equipment - Cast Iron Surface Plates - IS 2285, Wooden Podium, Nitrogen, Compressed Gas and Liquid conforming to IS 1747, Laboratory Glassware - Burettes (V2) as per IS 1997 **Searched String**: TELESCOPIC GAUGE RANGE 8 to 150 MM SET OF 6 PCS Ferromanganese (V3) Conforming to IS 1171, Shape Sorter Toy (V3), Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Cricket Stumps and Bails (V2) Conforming to IS 6621 **Searched String**: TOOL BIT HOLDER AS ARMSTRONG STRAIGHT Ground High Speed Steel Tool Bit (V2) as per IS 11143, Center Drill Bits (V2) as per IS 6708 and IS 6709 **Searched String**: HAMMER BALL PEIN 500 GRAMS 1 LB WITH HANDLE Non Sparking Hammers (V2) **Searched String**: HAMMER BALL PEIN 250 GRAMS WITH HANDLE Wrought Aluminium Utensils (V2) as per IS 1660, Non Sparking Hammers (V2), Drone or Unmanned Aerial Vehicle with Customized Payload (Defence Forces - Navy, Army and Air Force) **Searched String**: POWER METER Power Factor Meter - Digital, Diesel Power Generator (V2), Digital RF Power Meter (V2), Passive optical network power meter, true rms clamp meter, Frequency meter - Analog (Panel Meter), Turbidity meter, Ultrasonic Probe Sonicator, Static meter, Digital pH Meter **Searched String**: SMPS TESTER Insulation Tester, Battery Tester, Mains Battery Charger (MHA), Line Tester, Portable Hardness Tester, Pendulum Impact Tester, Compression Testing Machine, Line Tester (V2), Non - Contact Voltage Tester, Flammability Tester - (Textile) **Searched String**: AUTO TRANSFORMER 3 PHASE INPUT 230 V OUTPUT 0- 270 V Power Factor Meter - Digital, Transformer Oil BDV Test Set, AC Voltage Transducer (V2) **Searched String**: DIGITAL PANEL METERS 3.5 DIGIT Digital Grounding Device 3 Phase, true rms clamp meter,

बिड विवरण/Bid Details	DMR Tier-III Radio Trunking as per MHA QR, Digital Earth Resistance Meter, digital conductivity meter, Digital pH Meter, Digital Conductivity Meter (V2), LCR Meter, Tissue embedding station, Micro/Semi-Micro/Analytical weighing balance **Searched String**: EXPERIMENTAL SETUP FOR ONLINE DISSOLVED OXYGEN MEASUREMENT Water Quality Meters / Analyzers **Searched String**: SIMPLE TANK TYPE QUANTITY METER Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Water Quality Meters / Analyzers, PLUNGER TYPE METERING PUMP, Scouring Products for Utensil Cleaning- Dishwash (V3) Conforming to IS 6047, Water Meters (Bulk Type) as per IS 2373, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Watermist and Caf Fire Extinguisher High Pressure Backpack Type (V3), Crop Protection Equipment - Hand Operated Knapsack Sprayer, Piston Type for Agriculture as per IS 3906, Water Meters (Domestic Type) (V1) as per IS 779, Dissolved Oxygen Meter **Searched String**: TRAINERS ON RS 485 TO RS232 CONVERTOR Industrial Modbus TCP to Serial Gateway, Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455, Cables, Converters and Adapters, Composite Office Tables conforming to IS 8126 (V2), Digital Tachometer **Searched String**: FUEL INJECTION PUMP DISMANTLING TOOL KIT Fuel Injection Pump Assembly, Special Tools (Deepwell Hand Pumps Components) as per IS 15500 **Searched String**: MARKING OUT TABLE 90 X 60 X 90 CM Cotton Towelling And Towels Conforming To IS 7056 (V4), Dharapathy With Tiltable Steel Table (Ayurvedic Treatment Table) For Panchakarma, Cotton Towelling And Towels (V3) Conforming To IS 7056, Disposable Single Use Towels, Handloom Cotton Turkish, Honeycomb and Huckaback Towels (V2) as per IS 854, Correspondence Envelopes (V3) Conforming to IS 13892, Decorative Mats - Mat Door Coir, Decorative Flag, Floor Drain Traps (V2), Note Sheet Pad (Azure Laid) (V3) **Searched String**: PIPE CUTTER SET 3 WHEEL TYPE 75 mm PIPE Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Polyethylene Pipes for Water Supply conforming to IS 4984, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Polypropylene-Random Copolymer Pipes for Hot and Cold

बिड विवरण/Bid Details	Water Supplies conforming to IS 15801 **Searched String**: SNIP RIGHT CUT 250 MM Twist Drill, Parallel Shank Stub Series for Right Hand Cutting - IS 5100, Speed Breaker (V2), NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Shredding Machine/Paper Shredder, Locking Compression Plates (V2), Foot Steps For Hospital/Clinic and Domestic Purposes, Correspondence Envelopes (V3) Conforming to IS 13892, Computer Paper (V3) Conforming to IS 12766 (In Packet), Correspondence Envelopes (V3) **Searched String**: TAP SET METRIC 2 TO 10 MM SET OF 9 PCS WITH WRENCH Cricket Stumps and Bails (V2) Conforming to IS 6621, Shape Sorter Toy (V3) **Searched String**: VICE HAND 37 MM Hand Magnifiers (V2) conforming to IS 5148, Bathroom Water Shower (V2), Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), Machine Vice as per IS 4502, Steel Sockets confirming to IS 1239 (Part 2), Bench Vices (V2) as per IS 2586, Wire rope slings and sling legs (V3) conforming to IS 2762, Hydraulically Regulated Door Closers ISI Marked to 3564, Crimping Tools (V3) **Searched String**: PUNCH HOLLOW 6 MM TO 15 SET OF 7 Mild Steel Sheet, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Paper Punch Machine(V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Diesel Power Generator (up to 900 KVA), General Purpose Hand Gloves (V2), Plaster of Paris Bandage Conforming to IS 4738, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309 **Searched String**: AC ALTERNATOR SLIP RING PULLER VARIABLE Category not available on GeM for the text string uploaded by the buyer **Searched String**: AIR IMPACT WRENCH WITH STANDARD ACCESSORIES Laundrometer (Wash Fastness Tester with Standard Accessories), Bore Gauge With Its Accessories (BHEL), Breathing Apparatus with compressed Air Cylinder (Diving Instruments or Accessories), Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Saras Office Accessories (V3), Hemodialysis Catheter Kit, WELDING ELECTRODE - Air arc gouging electrode (BEML) - as per C4117 BEML Welding Electrode **Searched String**: ALLEN KEY SET -HEXAGONAL 2 TO 14 MM 12 PIECES Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097

बिड विवरण/Bid Details	
	Searched String: ANVIL 50 KGS WITH STAND Coat Stand, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Laptop Stand/Cooling Stand, Pruning Shear / Secateur, Magnetic Needle with Stand (V2), Metal Storage Cabinet, Indian National Flag for Table with Stand, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Laboratory Hot Air Oven (V2), Photocopier/Printer Trolley **Searched String**: CUT SECTION MODELS OF SHOCK ABSORBERS Anatomy Structure Model (V3) **Searched String**: EXTRACTORS STUD SET OF 3 Stud Assembly (OFB), Sofa (V3), Stud Remover & Installer with Screwdriver tool Set(ONGC), Cricket Stumps and Bails (V2) Conforming to IS 6621, Set of Shirt and Trousers- KRCL, Electronic Weighing Scales, Nitro Benzene, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, anti set off spray powder, Desk and Bench Set for Classroom/Training Area **Searched String**: FILES ASSORTED SIZES AND TYPES INCLUDING SAFE EDGE FILE SET OF 20 NOS Category not available on GeM for the text string uploaded by the buyer **Searched String**: FUEL FEED PUMP FOR DIESEL Fuel Injection Pump Assembly, Engine Monoset Pumps for Clear, Cold, Water (Dewatering Pump) Conforming To IS 11501, Diesel Bowser, Automotive Diesel Fuel Conforming to IS 1460 (V2), Fuel Bowser, Submersible Pump Starters (Motor starter controls), Fuel Dispensing Units, Two Stage, 0.5 Litre Diesel Fuel Filters - IS 12499, Diesel Lubricity Additive (DLA), Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656 **Searched String**: GREASE GUN SMALL SIZE Manual Portable Grease Gun (V2) as per IS 7794, Nitrile Coated/Nitrile Hand Gloves (V2), Hospitals Cleaning Gloves, coat combat disruptive detachable lining, Durry Small (IAF), Combat T - Shirt (Improved Version) (Defence), PT Uniform (Sports Shorts) - Defence, Cervical Collar, PT Uniform (T - Shirt Half Sleeve) (Defence), X ray baggage inspection system as per MHA QR (V3) **Searched String**: HAMMER PLASTIC 0.25 KGS. WITH HADLE Multimedia Projector (MMP), Heavy Duty Battery Charger, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Laboratory Glassware - Burettes (V2) as per IS 1997 **Searched String**: OIL PUMP FOR DISMENTLING AND ASSEMBLING Category not available on GeM for the text string uploaded by the buyer **Searched String**: PHILIPS SCREW DRIVER SET OF 5 PIECES

बिड विवरण/Bid Details	
	100MM - 300MM Endotracheal Tube - Sterile (Single Use), Building Blocks for Kids (V3), Bone Screw (V2), Building Blocks For Kids (V4), Locking Compression Plates (V2), Non-Sparking Screw Driver-IS:4595, Pedicle Screw (V2), Exercise Books Conforming to IS 5195, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721 **Searched String**: PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM POZIDRIVANDTORX DRIVE Cricket Stumps and Bails (V2) Conforming to IS 6621, Non-Sparking Screw Driver-IS:4595, Locking Compression Plates (V2) **Searched String**: PISTON RING COMPRESSOR Piston Ring Compressor (V2), Towel Rail / Ring for Bathroom, Piston Ring Expander, Piston Ring Set-IS:6621, IS:8422, File/Folder (V3), Reciprocating Air Compressors - Electric Motor Driven, Nebulizer (V2), Piston Pin, Screw Compressor, Spiral Wound Metallic Gasket **Searched String**: PISTON RING EXPANDER AND REMOVER Category not available on GeM for the text string uploaded by the buyer **Searched String**: PLIER VICE GRIP Machine Vices (V2) as per IS 4502, Pipe Vices (V2) as per IS 2587, Orthopaedic Wire Cutter (V2), Orthopedic Nose Pliers (V2), Hand Grip Exerciser (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Plastic Grip Seal, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Bench Vices (V2) as per IS 2586, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1) **Searched String**: SCREW DRIVER ELECTRICIAN 250 MM THIN STEM INSULATED HANDLE MAGNETIC POINT Category not available on GeM for the text string uploaded by the buyer **Searched String**: SPANNER MEGNETO SET OF 8 SPANNERS Non Sparking Combination Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Non Sparking Double Open Ended Spanner (V2), Non Sparking Ring Slugging Spanners (V2) **Searched String**: CPVC or UPVC PIPE CUTTER UPTO 50 MM Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pipe Cutter (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778 **Searched String**: GIRMALE

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: HYDRAULIC PRESSURE MACHINES FOR TESTING LEAKAGE IN GI PIPE FITTINGS ETC Ductile Iron Fittings for Pressure Pipes for Water, Gas and Sewage as per IS 9523 **Searched String**: SOIL POT WITH BRUSH. scrubbing brush, surgical spatulas cytobrush with ayres spatula, Stock Pot Stove, Wrought Aluminium Utensils (V2) as per IS 1660, Stainless Steel Utensil as per IS 14756, Stainless Steel Utensil (V2) ISI Marked to IS 14756, Power Tiller, Agar Media (V2) **Searched String**: SOLDERING COPPER HATCHET TYPE 500 GMS Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664 **Searched String**: STILSON WRENCHES 20 CM.LONG Open Jaw Wrenches (Spanners) (V2) As Per Is 2028, Facial Tissue Papers(V3), Non Sparking Ring Wrenches (V2) as Per IS 4595 and IS 2029, Ring Wrenches (Spanners) as per IS 2029, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Ring Wrenches (V2) as Per Is 2029, Ratchet Type Torque Wrench, Open Jaw Wrenches (Spanners) (V3) As Per IS 2028, X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, SHIRO VASTI CAP **Searched String**: TOOL CAULKING SET OF 2 Hydraulic Torque Wrench Set, Sofa (V3), WRENCHES and DRIVERS TOOL SET (ONGC), Cricket Stumps and Bails (V2) Conforming to IS 6621, Set of Shirt and Trousers- KRCL, Desk and Bench Set for Classroom/Training Area, Fibre Optic Installation and Maintenance Tool Kit, Stud Remover & Installer with Screwdriver tool Set(ONGC), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Tool kit for Carpet – Mirzapur - under ODOP Scheme of Govt. of Uttar Pradesh **Searched String**: BRUSH LESS DC MOTOR (BLDC) CONTROLLER 15 to 30 WATTS 315 VOLT DC TRAINER KIT Category not available on GeM for the text string uploaded by the buyer **Searched String**: CIRCULATING WATER PUMP SMALL 0.5 H.P WITH SS TANK Polypropylene-Random Copolymer Pipes for Hot and Cold Water Supplies conforming to IS 15801, Water tender Type B or Fire or Rescue trucks as per IS 950 **Searched String**: DECIBEL METER 30 to 100 DB Sound Level Meter / Noise Level Meter (Sound Measuring Apparatus or Decibel Meter), Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Single Use Sterile Hypodermic Syringes for Human Use Conforming to IS 10258 (Part 1), Fog or Mist Generators **Searched String**: DESCALLING PUMP SET

बिड विवरण/Bid Details	Disposable Elastomeric Infusion Pump Set, Sofa (V3), Hydraulic Cylinder and Hand Pump Set, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Portable Pump Set for Fire Fighting Conforming To IS 942, Desk and Bench Set for Classroom/Training Area, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Engine Monoset Pumps for Clear, Cold, Water (Dewatering Pump) Conforming To IS 11501, Desk and Chair Set for Classroom/Training Area, High Capacity Portable Pump For Fire Fighting Conforming To IS 12717 **Searched String**: DRY N2 IN CYLINDER WITH 2 STAGE REGULATOR Environmental Chamber, Water Distillation Unit (V3), Computer Paper (V3) Conforming to IS 12766 (In Packet), Electric Two Wheeler - Motorcycle, Scooter and Moped, Laboratory Vials (V3), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: ELECTRONIC LEAK DETECTOR DIGITAL TYPE CAPABLE TO DETECT OF R134A HC R-22 Category not available on GeM for the text string uploaded by the buyer **Searched String**: FIN STRAIGHTENED or FIN COMB WITH STRONG STEEL WIRE BASED COMBING ON WOOD Category not available on GeM for the text string uploaded by the buyer **Searched String**: FLARING TOOL SET SINGLE TYPE FOR TUBE 4.7 TO 16 MM OD Polyethylene Pipes for Water Supply conforming to IS 4984, Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply Marked to IS 15636, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: METAL RACK 1820 X 1210 X 450 MM Theft Proof Rifle Racks, Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Dry Erase Writing Boards (V3), Particle Board Conforming to IS 3087, Combination Board (V2), Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4), Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592 **Searched String**: MOTOR SPLIT PHASE MOTOR 1 H.P. SINGLE PHASE 230 V Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Capacitors for Electric Fan Motors as per IS 1709 (V2), Reciprocating Saw, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Power Factor Meter - Digital, Space Heater **Searched String**: MOTOR AC SINGLE PHASE 230 V, 50 CYCLES CAPACITOR TYPE WITH STARTER SWITCH 1 HP Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: PIERCING VALVES WITH ACCESS FITTINGS 1/4"
	Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Enterprise Remote Access and Support Software, Tent Extendable Frame Supported 4M and 2M Complete with Accessories (V2), Stainless Steel ANSI B16.5 Flange, Tent Extendable Frame Supported With Mild Steel Joints and Flooring TPO, Micro/Semi-Micro/Analytical weighing balance, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Portable Toilet **Searched String**: PIPE CUTTER WITH BUILT IN REAMER AND SPARE CUTTER FOR COPPER TUBE 3 TO 32 MM Category not available on GeM for the text string uploaded by the buyer **Searched String**: PORTABLE AIR LPG BRAZING KIT Portable Electric Indoor Air Purifier Conforming To IS 17531, VHF Handheld Air Band Transceiver, Mist Air Fan, Bag Kit Universal (N/P) (V2) (IAF), Kerosene Fired Forced Air Bazooka Heater, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), Fibre Optic Installation and Maintenance Tool Kit, Electric A / C Gas Leak Detector Complete Set Kit for Educational Purpose, Kitchen Chimney, Engine Driven Floating Centrifugal Pump (Hydraulic Pump) **Searched String**: PUNCH HOLE FOR CUTTING GASKET 4.7 TO 16 MM DIA XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Paper Punch Machine(V2), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Polyethylene Pipes for Water Supply conforming to IS 4984 **Searched String**: PUNCH ROUND 3 MM 4MM AND 6MM DIA EACH Auditorium Chair (V2), Medals (V3), UV - Visible Spectrophotometer (FSSAI), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Permanent Paint Marker (V3) **Searched String**: QUICK COUPLES, PROCESS TUBE ADOPTER HYDRAULIC FLAT FACE QUICK COUPLINGS, Quick Lime For Chemical Industries (V2) Conforming to IS 1540 Part 1 **Searched String**: QUICK COUPLES, PROCESS TUBE ADOPTER 3/8 Blood Collection Tube, Polyurethane Tube (V2) **Searched String**: REFRIGERANT CYLINDER 10 KG CAPACITY Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, water baths,

बिड विवरण/Bid Details	(HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, Refrigerant Gas, 20 Kg Capacity Cotton Cloth Bags for Seed Packing as per NSCL Specifications, Electronic Weighing Scales, Aerobic Drum Compost Plant of 10 TPD capacity with Sieving Trommel, Cloth Dryer Stand, Hydrofluoric acid, Aqueous Conforming to IS 10332 (In Kg), Laboratory Refrigerator (V3) **Searched String**: SERVICE OSCILLATOR Service Medals, Centrifugal Pump For Liquid Petroleum Oil Service as per IOCL Specifications, Tricycle or Rickshaw for Carrying Goods (V2), Centrifugal Pump With Diesel Engine For Fire Water Service as per IOCL Specifications, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Centrifugal Pump for Water Service (IOCL), Tanker on Agricultural Trailer, Compressor oils Rail Road Service, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Secure Access Service Edge (SASE) **Searched String**: TABLE FOR ARC WELDING ALL METAL WITH POSITIONER 120 CM X 120 CM X 75 CM Dharapathy With Tiltable Steel Table (Ayurvedic Treatment Table) For Panchakarma **Searched String**: CURRENT METER Leakage Current Meter / Analyser for Surge Arrester, true rms clamp meter, Water Flow Measurement in Open Channels - Rotating Element Current Meters as per IS 3910, Current Collector, digital conductivity meter, Current Probe, Digital pH Meter, AC Current Transducer, pH Meter, DC Current Transducer **Searched String**: HEIGHT INDICATORS SURVEY OF INDIA PATTERN Revolving Chair (V5), Tower Ladder (V2) **Searched String**: LEVELING STAFF 4 MTR READING TO 5MM TELESCOPIC TYPE Correspondence Envelopes (V3) Conforming to IS 13892, Telescopic Levelling Staff-IS:11961, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Door Handles (V2) ISI marked to IS 208 **Searched String**: RANGING RODS WOODEN FITTED WITH IRON SHOE 2METERS LONG Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) **Searched String**: CALIPER TRANSFER INSIDE 15 CM NQ Surface Set Diamond Core Bit 15/25 SPC (CMPDI), Crepe Bandage Conforming to IS 4605, Chest Depth Caliper (V2), Gamjee Rolls / Pads (V2), RCC Guard stone Type B (Cement or concrete posts), Elastic Bandage Conforming to IS 16111, Plaster of Paris Bandage Conforming to IS 4738, Open Weave Bandage, X-Ray Detectable Gauze Swab/Laparotomy

बिड विवरण/Bid Details	Sponge (V2), Non Woven Bandage Roll Conforming to IS 16660
	Searched String: CENTRE GAUGE COMBINED 60 55 AND 29 DEGREE Category not available on GeM for the text string uploaded by the buyer **Searched String**: COLLAPSIBLE TAP WITH ATTACHMENT Metal Alloy Casting Water Tap with Aerator (V2), T Slot Cutters with Cylindrical Shanks and with Morse Taper Shank Having Tapped Hole (V2) as per IS 2668, Machine Chucking Reamers With Morse Taper Shanks - IS 5447, Network Attached Storage (V2), Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, single texture white rubberized waterproof nylon fabric rain capes with attached hood, Machine Chucking Reamers With Morse Taper Shanks (V2) as per IS 5447, Lumbo Sacral Belt Kit (Size - Large) with Packing Box (Alimco), Long Fluted Machine Reamers with Morse Taper Shank (V2) as per IS 5445, Plasticized PVC Tapes with Non-Thermosetting Adhesive for electrical purpose (V2) ISI marked to IS 7809 (Part 3/ Sec1) **Searched String**: KNURLING TOOL REVOLVING HEAD ROUGH MED FINE DIAMOND AND STRAIGHT Category not available on GeM for the text string uploaded by the buyer **Searched String**: LATHE MANDRELS DIFF TYPES Category not available on GeM for the text string uploaded by the buyer **Searched String**: MARKING OFF TABLE 1200 X 1200 X 900 MM HIGH Dry Erase Writing Boards (V3), Height Adjustable Table, Pin Up Notice Board (V2), Combination Board (V2), The Indian National Flag as per IS 1, Mild Steel Sheet **Searched String**: COIL TESTER Condenser Coil, Insulation Tester, Tripping Coil, Electric Bells and Accessories as per IS 2268, Moving Coil - BHEL, Coil Tubular heater, Portable Hardness Tester, Electric Coil Stove, Compression Testing Machine, Coil Pressing Machine **Searched String**: DIOMAND CUTTER 150 MM NQ PCD Core Bit with 13 MM Cutters and TSP Chips (Matrix Body) (CMPDI), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Roti Making Machine, Floor Drain Traps (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Foot Steps For Hospital/Clinic and Domestic Purposes, Bathroom Water Shower (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Labels Stickers (V3) **Searched String**: PLIER SQUARE NOSE 150 MM Orthopedic Nose Pliers (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1),

बिड विवरण/Bid Details	Orthopedic Instruments - Nose Pliers, Insulated Pliers (V2), Cast Iron Bench, Bathroom Water Shower (V2), Roti Making Machine, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Wooden Lab Stools, Foot Steps For Hospital/Clinic and Domestic Purposes **Searched String**: HAMMER SLEDGE DOUBLE FACED 4 KG Non Sparking Hammers (V2) **Searched String**: MULTI ANGLE MAGNETIC CLAMP SET METAL BASE 18 X10 X 10 CM Category not available on GeM for the text string uploaded by the buyer **Searched String**: SWAGGING AND FLOORING TOOL KIT 45 DEGREE TUBING 1/8 TO 3/4 INCH Category not available on GeM for the text string uploaded by the buyer **Searched String**: D.C. SERIES MOTOR WITH 2 POINT STARTER 3 HP 250 V WITH 3 POINT STARTER Solar Photovoltaic Water Pumping Systems (V2) as per MNRE Specification **Searched String**: FOOT PRINT GRIP 250 MM Speed Breaker (V2), Plastic Grip Seal, Foot Steps For Hospital/Clinic and Domestic Purposes, Information Boards or Illustration Board (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Computer Paper (V3) Conforming to IS 12766 (In Packet), Foot Rest, Correspondence Envelopes (V3), Shallow Sterilizer (Dressing Drum), Roti Making Machine **Searched String**: HAMMER CROSS PEIN 500 GRAMS WITH HANDLE Non Sparking Hammers (V2) **Searched String**: MALLET BARWOOD 1 KG 75 MM X 15 MM Mild Steel Sheet, Correspondence Envelopes (V3) Conforming to IS 13892, modular electrical enclosure switch board boxes for modular type accessories, Multipurpose or General Test Tubes (V2) as per IS 2618, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), rubber bands, Theft Proof Rifle Racks **Searched String**: MULTIMETER 0 TO 1000 M OHMS 2.5 TO 5000 VOLT Muffle/Box Furnace (V2), Temperature Indicator for Transformers - Analog type, Multimedia Projector (MMP), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, PVC

बिड विवरण/Bid Details	Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Winter Jacket (V2), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Plaster of Paris Bandage Conforming to IS 4738 **Searched String**: SCREW DRIVER ELECTRICIAN CONNECTOR, 100 MM INSULATED HANDLE THIN STEM Category not available on GeM for the text string uploaded by the buyer **Searched String**: SCREW DRIVER TERMINAL 75 MM CONNECTOR TYPE Terminal Strip Connectors, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, modular electrical enclosure switch board boxes for modular type accessories, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Copper Alloy Globe Valve For Waterworks Purpose (V2) Conforming to IS 778, Padlocks (ताले) conforming To Is 15275, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Non-Sparking Screw Driver-IS:4595 **Searched String**: TABLE FOR DEMONSTRATION 2.5 X 1.20 X 0.75 METERS Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Wild - Life Cages, Theft Proof Rifle Racks, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, compressed asbestos fibre jointing sheet, Minifuge, Portable Toilet, Compressed non-asbestos jointing sheet, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PCR Mini Cooler **Searched String**: WALL JUMPER OCTAGONAL 37MMX450MM AND 37X600 MM Combination Board (V2), Corrugated Boxes, Wall Mounting Cabinet, Bathroom Water Shower (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Non-Sparking Hammers (V2) • Non-Sparking Screw Driver-IS:4595 • Starter Motors for IC Engines
बीओक्यू शीर्षक /**BOQ Title**	Supply of Tools Equipment for ITI BOQ
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	4.5 Lakh (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	HAMMER CROSS PEIN 250 GRAMS WITH HANDLE.
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	902248
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	78
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	300

Schedule 3 ईएमडी राशि/EMD Amount (In INR)	60
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	126
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	174
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	17
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	105
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	234
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	6
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	195
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	390
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	390
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	375
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	240
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	45
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	345
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	14
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	270
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	23
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	248
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	21
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	45
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	18
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	378
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	594
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	30
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	15

Schedule 32 ईएमडी राशि/EMD Amount (In INR)	17
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	29
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	600
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	570
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	108
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	43
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	23
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	76
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	540
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	189
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	154
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	10
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	20
Schedule 46 ईएमडी राशि/EMD Amount (In INR)	600
Schedule 47 ईएमडी राशि/EMD Amount (In INR)	162
Schedule 48 ईएमडी राशि/EMD Amount (In INR)	114
Schedule 49 ईएमडी राशि/EMD Amount (In INR)	570
Schedule 50 ईएमडी राशि/EMD Amount (In INR)	90
Schedule 51 ईएमडी राशि/EMD Amount (In INR)	600
Schedule 52 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 53 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 54 ईएमडी राशि/EMD Amount (In INR)	40
Schedule 55 ईएमडी राशि/EMD Amount (In INR)	24
Schedule 56 ईएमडी राशि/EMD Amount (In INR)	45
Schedule 57 ईएमडी राशि/EMD Amount (In INR)	27
Schedule 58 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 59 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 60 ईएमडी राशि/EMD Amount (In INR)	138

Schedule 61 ईएमडी राशि/EMD Amount (In INR)	150
Schedule 62 ईएमडी राशि/EMD Amount (In INR)	9
Schedule 63 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 64 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 65 ईएमडी राशि/EMD Amount (In INR)	252
Schedule 66 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 67 ईएमडी राशि/EMD Amount (In INR)	162
Schedule 68 ईएमडी राशि/EMD Amount (In INR)	75
Schedule 69 ईएमडी राशि/EMD Amount (In INR)	9
Schedule 70 ईएमडी राशि/EMD Amount (In INR)	126
Schedule 71 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 72 ईएमडी राशि/EMD Amount (In INR)	19
Schedule 73 ईएमडी राशि/EMD Amount (In INR)	29
Schedule 74 ईएमडी राशि/EMD Amount (In INR)	24
Schedule 75 ईएमडी राशि/EMD Amount (In INR)	39
Schedule 76 ईएमडी राशि/EMD Amount (In INR)	117
Schedule 77 ईएमडी राशि/EMD Amount (In INR)	300
Schedule 78 ईएमडी राशि/EMD Amount (In INR)	255
Schedule 79 ईएमडी राशि/EMD Amount (In INR)	32
Schedule 80 ईएमडी राशि/EMD Amount (In INR)	200
Schedule 81 ईएमडी राशि/EMD Amount (In INR)	263
Schedule 82 ईएमडी राशि/EMD Amount (In INR)	168
Schedule 83 ईएमडी राशि/EMD Amount (In INR)	24
Schedule 84 ईएमडी राशि/EMD Amount (In INR)	90
Schedule 85 ईएमडी राशि/EMD Amount (In INR)	540
Schedule 86 ईएमडी राशि/EMD Amount (In INR)	147
Schedule 87 ईएमडी राशि/EMD Amount (In INR)	174
Schedule 88 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 89 ईएमडी राशि/EMD Amount (In INR)	180

Schedule 90 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 91 ईएमडी राशि/EMD Amount (In INR)	285
Schedule 92 ईएमडी राशि/EMD Amount (In INR)	60
Schedule 93 ईएमडी राशि/EMD Amount (In INR)	84
Schedule 94 ईएमडी राशि/EMD Amount (In INR)	24
Schedule 95 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 96 ईएमडी राशि/EMD Amount (In INR)	39
Schedule 97 ईएमडी राशि/EMD Amount (In INR)	540
Schedule 98 ईएमडी राशि/EMD Amount (In INR)	68
Schedule 99 ईएमडी राशि/EMD Amount (In INR)	255
Schedule 100 ईएमडी राशि/EMD Amount (In INR)	60
Schedule 101 ईएमडी राशि/EMD Amount (In INR)	23
Schedule 102 ईएमडी राशि/EMD Amount (In INR)	600
Schedule 103 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 104 ईएमडी राशि/EMD Amount (In INR)	9
Schedule 105 ईएमडी राशि/EMD Amount (In INR)	6
Schedule 106 ईएमडी राशि/EMD Amount (In INR)	240
Schedule 107 ईएमडी राशि/EMD Amount (In INR)	204
Schedule 108 ईएमडी राशि/EMD Amount (In INR)	153
Schedule 109 ईएमडी राशि/EMD Amount (In INR)	12
Schedule 110 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 111 ईएमडी राशि/EMD Amount (In INR)	8
Schedule 112 ईएमडी राशि/EMD Amount (In INR)	68
Schedule 113 ईएमडी राशि/EMD Amount (In INR)	30
Schedule 114 ईएमडी राशि/EMD Amount (In INR)	405
Schedule 115 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 116 ईएमडी राशि/EMD Amount (In INR)	240
Schedule 117 ईएमडी राशि/EMD Amount (In INR)	5
Schedule 118 ईएमडी राशि/EMD Amount (In INR)	12

Schedule 119 ईएमडी राशि/EMD Amount (In INR)	60
Schedule 120 ईएमडी राशि/EMD Amount (In INR)	225
Schedule 121 ईएमडी राशि/EMD Amount (In INR)	117
Schedule 122 ईएमडी राशि/EMD Amount (In INR)	159
Schedule 123 ईएमडी राशि/EMD Amount (In INR)	225
Schedule 124 ईएमडी राशि/EMD Amount (In INR)	540
Schedule 125 ईएमडी राशि/EMD Amount (In INR)	450
Schedule 126 ईएमडी राशि/EMD Amount (In INR)	157
Schedule 127 ईएमडी राशि/EMD Amount (In INR)	18
Schedule 128 ईएमडी राशि/EMD Amount (In INR)	72
Schedule 129 ईएमडी राशि/EMD Amount (In INR)	156
Schedule 130 ईएमडी राशि/EMD Amount (In INR)	120
Schedule 131 ईएमडी राशि/EMD Amount (In INR)	390
Schedule 132 ईएमडी राशि/EMD Amount (In INR)	90
Schedule 133 ईएमडी राशि/EMD Amount (In INR)	17
Schedule 134 ईएमडी राशि/EMD Amount (In INR)	450
Schedule 135 ईएमडी राशि/EMD Amount (In INR)	48
Schedule 136 ईएमडी राशि/EMD Amount (In INR)	48
Schedule 137 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 138 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 139 ईएमडी राशि/EMD Amount (In INR)	300
Schedule 140 ईएमडी राशि/EMD Amount (In INR)	144
Schedule 141 ईएमडी राशि/EMD Amount (In INR)	210
Schedule 142 ईएमडी राशि/EMD Amount (In INR)	87
Schedule 143 ईएमडी राशि/EMD Amount (In INR)	78
Schedule 144 ईएमडी राशि/EMD Amount (In INR)	96
Schedule 145 ईएमडी राशि/EMD Amount (In INR)	36
Schedule 146 ईएमडी राशि/EMD Amount (In INR)	10
Schedule 147 ईएमडी राशि/EMD Amount (In INR)	135

Schedule 148 ईएमडी राशि/EMD Amount (In INR)	186
Schedule 149 ईएमडी राशि/EMD Amount (In INR)	44
Schedule 150 ईएमडी राशि/EMD Amount (In INR)	150
Schedule 151 ईएमडी राशि/EMD Amount (In INR)	570
Schedule 152 ईएमडी राशि/EMD Amount (In INR)	36
Schedule 153 ईएमडी राशि/EMD Amount (In INR)	63
Schedule 154 ईएमडी राशि/EMD Amount (In INR)	27
Schedule 155 ईएमडी राशि/EMD Amount (In INR)	27
Schedule 156 ईएमडी राशि/EMD Amount (In INR)	51
Schedule 157 ईएमडी राशि/EMD Amount (In INR)	75
Schedule 158 ईएमडी राशि/EMD Amount (In INR)	450
Schedule 159 ईएमडी राशि/EMD Amount (In INR)	21
Schedule 160 ईएमडी राशि/EMD Amount (In INR)	15
Schedule 161 ईएमडी राशि/EMD Amount (In INR)	410
Schedule 162 ईएमडी राशि/EMD Amount (In INR)	585
Schedule 163 ईएमडी राशि/EMD Amount (In INR)	63
Schedule 164 ईएमडी राशि/EMD Amount (In INR)	60
Schedule 165 ईएमडी राशि/EMD Amount (In INR)	432
Schedule 166 ईएमडी राशि/EMD Amount (In INR)	60

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	2

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

PRINCIPAL
GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI. BANASKATHA 385001
(Principal Iti Palanpur)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	अनुमानित मूल्य / **Estimated Value**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	2600	Blocks Parallel Adjustable 75 X 75 X 50 Mm	1
Schedule 2	10000	Flash Point Apparatus This Apparatus	1
Schedule 3	2000	Steam Generator Copper For Steam Distilation Cap 1000 Ml	2
Schedule 4	4200	Draughtsman Drawing Instrument Box	12
Schedule 5	5800	Dumpy Level Builder 25 Cm Local Length X 23 Mm Complete With Box	1
Schedule 6	560	Set Square Celluliod 45 Degree 8 Inch	14
Schedule 7	3500	Telescopic Alidade	1
Schedule 8	7800	Drafting Table With Conugated Board 150 Cmx90 Cmx90 Cm	2
Schedule 9	200	Finger Thimbles-steel	4
Schedule 10	6500	Ac Starter Resistance Type Starter	1
Schedule 11	13000	Brake Test Arrangement With Two Spring Balance Of 0 To 25 Kg Rating	1
Schedule 12	13000	Crimping Tool For Crimping 16 Sq Mm To 95 Sqmm	2
Schedule 13	12500	Drill Hand Brace 0 To 100 Mm	5
Schedule 14	8000	Drilling Machine Hand 0 To 6 Mm Capacity	2
Schedule 15	1500	Electric Iron 1200 W 230 V With Temprature Control	2
Schedule 16	11500	Function Generator 2 To 200 Khz	1
Schedule 17	450	Greese Pressure Gun Hand	1
Schedule 18	9000	Hammer Cross Pein 250 Grams With Handle.	36
Schedule 19	750	Hammer Extractor Type 0.250 Kg With Handle	3
Schedule 20	8250	Laboratory Type Induction Coil 1000w	5
Schedule 21	700	Mallet Hard Wood 0.50 Kg.	2
Schedule 22	1500	Plane Jack 200mm X 50 Mm	1
Schedule 23	1400	Plane Smoothing Metal 200 Mm X 50 Mm Cutter	2
Schedule 24	600	Plier Round Nose 100 Mm Insulated	4
Schedule 25	12600	Punch Centre 150 Mm X 9 Mm Dia Knurled Body	42
Schedule 26	8400	Screw Driver Insulated 4 Mm X 100 Mm	42
Schedule 27	4000	Series Type Ohm Meter 0 To 2000 Approximate	2
Schedule 28	19800	Shaded Pole Motor Fractional Hp 240 V 50 Hz	2

Schedule 29	4000	Shunt Type Ohm Meter 0 To 2000 Approximate	2
Schedule 30	1000	Snip Straight 250 Mm	1
Schedule 31	500	Soldering Iron Copper Bit 0.25 Kg.	2
Schedule 32	550	Soldering Iron Exchangable Copper Tip 65 Watt	1
Schedule 33	950	Spanners Double Ended Open Set Of 12 Metric Sizes 6 To 32 Mm	1
Schedule 34	20000	Techometer Or Revolution Counter With Stop Watch	2
Schedule 35	4800	Tempreture Controlled Soldering Iron 50w 230 V	2
Schedule 36	19000	Variable Auto Transformer 0 To 270v 5a To 10a Single Phase	2
Schedule 37	3600	Voltmeter Centre Zero 100 0 100 Mv	2
Schedule 38	1430	Caliper Inside Spring 15 Cm	13
Schedule 39	750	Spanner Wrench Adjustable 150 Mm	3
Schedule 40	2520	Rule Steel 30 Cm Graduated Both English And Metric Units	63
Schedule 41	18000	Growler	9
Schedule 42	6300	Knife Double Bladed Electrician 100 Mm	63
Schedule 43	5120	Line Tester 5oo Volt Heavy Duty Electric Testing	64
Schedule 44	330	Caliper Outside Spring 15 Cm	3
Schedule 45	660	Divider Spring 15 Cm	6
Schedule 46	20000	Digital Lux Meter Lcd Read Out 0.05 To 7000 Lumens With Battery	2
Schedule 47	5400	Desoldering Pump Electrically Heated Manually Operated 230 V 40w	12
Schedule 48	3800	Dimmer Starter 3 Amp	2
Schedule 49	19000	Led Lighting System Measurement	2
Schedule 50	3000	Radio Receiver Set Am Fm	2
Schedule 51	20000	Wireless Communication Modules For Interfacing	1
Schedule 52	4800	Blocks Vee 150 X 100 X 100 Mm	1
Schedule 53	12000	Boring Bar Indexable With Insert 1 Inch Shank	24
Schedule 54	1320	Caliper Hermachrodite.spring 15 Cm	12
Schedule 55	800	Carbide Wear Block 1 Mm-2 Mm.	1
Schedule 56	1500	Chisel Diamond Point 9 X 150 Mm	10
Schedule 57	900	Clamp Or Vice Tool Maker 5 Cm And 7.5cm Set Of 2	3
Schedule 58	4800	Comparator Stand With Dial Indicator	1
Schedule 59	500	Extractors Screw Or Stud Sizes 1 To 8 Set	1
Schedule 60	4600	Gauge Plug Single Ended 5 To 55 By 1 Mm	2

Schedule 61	5000	Gauge Snap Go And No Go 25 To 50 Mm By 5 Mm	1
Schedule 62	300	Hammer Planishing With Handle	2
Schedule 63	4000	Interchangeable Ratchet Socket Set	1
Schedule 64	8400	Knurling Tool Diamond Straight And Diagonal	4
Schedule 65	8400	Lapping Plate 6 Inch Dia	12
Schedule 66	500	Mallet Dia 100 Mm X 150 Mm	1
Schedule 67	5400	Metal Rack 180 X 150 X 45 Cm Slotted Angle	2
Schedule 68	2500	Morse Taper Sleeves No. 0to1, 1to2,2to3,3to4,4to5,	1
Schedule 69	300	Poker 900 Mm Long	2
Schedule 70	4200	Puller Set Universal Bearing And Bushes	6
Schedule 71	500	Punch Dot Slot Dia 10 X 100 Mm	5
Schedule 72	630	Rule Steel 15 Cm Graduated Both English And Metric Units	21
Schedule 73	950	Soldering Iron 250 W Wooden Handle	1
Schedule 74	800	Spanner Wrench Adjustable 380 Mm	2
Schedule 75	1300	Stake Grooving 100 X 100 X 300 Mm	1
Schedule 76	3900	Stake Hatchet With Leg 300 X 200 X 20 Mm	3
Schedule 77	10000	Surface Roughness Comparison Plates N1 And N12 Grades	2
Schedule 78	8500	Telescopic Gauge Range 8 To 150 Mm Set Of 6 Pcs	1
Schedule 79	1050	Tool Bit Holder As Armstrong Straight	3
Schedule 80	6650	Hammer Ball Pein 500 Grams 1 Lb With Handle	19
Schedule 81	8750	Hammer Ball Pein 250 Grams With Handle	35
Schedule 82	5600	Power Meter	2
Schedule 83	800	Smps Tester	1
Schedule 84	3000	Auto Transformer 3 Phase Input 230 V Output 0-270 V	1
Schedule 85	18000	Digital Panel Meters 3.5 Digit	6
Schedule 86	4900	Experimental Setup For Online Dissolved Oxygen Measurement	1
Schedule 87	5800	Simple Tank Type Quantity Meter	1
Schedule 88	4000	Trainers On Rs 485 To Rs232 Convertor	1
Schedule 89	6000	Fuel Injection Pump Dismantling Tool Kit	1
Schedule 90	12000	Marking Out Table 90 X 60 X 90 Cm	2
Schedule 91	9500	Pipe Cutter Set 3 Wheel Type 75 Mm Pipe	1
Schedule 92	2000	Snip Right Cut 250 Mm	2

Schedule 93	2800	Tap Set Metric 2 To 10 Mm Set Of 9 Pcs With Wrench	1
Schedule 94	800	Vice Hand 37 Mm	2
Schedule 95	4800	Punch Hollow 6 Mm To 15 Set Of 7	3
Schedule 96	1300	Ac Alternator Slip Ring Puller Variable	1
Schedule 97	18000	Air Impact Wrench With Standard Accessories	3
Schedule 98	2250	Allen Key Set -hexagonal 2 To 14 Mm 12 Pieces	3
Schedule 99	8500	Anvil 50 Kgs With Stand	1
Schedule 100	2000	Cut Section Models Of Shock Absorbers	1
Schedule 101	750	Extractors Stud Set Of 3	1
Schedule 102	20000	Files Assorted Sizes And Types Including Safe Edge File Set Of 20 Nos	2
Schedule 103	3200	Fuel Feed Pump For Diesel	2
Schedule 104	300	Grease Gun Small Size	1
Schedule 105	200	Hammer Plastic 0.25 Kgs. With Hadle	1
Schedule 106	8000	Oil Pump For Dismentling And Assembling	1
Schedule 107	6800	Philips Screw Driver Set Of 5 Pieces 100mm - 300mm	17
Schedule 108	5100	Philips Screw Driver Set Of 5 Pieces 100mm - 300mm Pozidrivandtorx Drive	6
Schedule 109	400	Piston Ring Compressor	1
Schedule 110	1400	Piston Ring Expander And Remover	2
Schedule 111	250	Plier Vice Grip	1
Schedule 112	2250	Screw Driver Electrician 250 Mm Thin Stem Insulated Handle Magnetic Point	15
Schedule 113	1000	Spanner Megneto Set Of 8 Spanners	2
Schedule 114	13500	Cpvc Or Upvc Pipe Cutter Upto 50 Mm	9
Schedule 115	500	Girmale	1
Schedule 116	8000	Hydraulic Pressure Machines For Testing Leakage In Gi Pipe Fittings Etc	1
Schedule 117	150	Soil Pot With Brush.	1
Schedule 118	400	Soldering Copper Hatchet Type 500 Gms	2
Schedule 119	2000	Stilson Wrenches 20 Cm.long	8
Schedule 120	7500	Tool Caulking Set Of 2	5
Schedule 121	3900	Brush Less Dc Motor Bldc Controller 15 To 30 Watts 315 Volt Dc Trainer Kit	1
Schedule 122	5300	Circulating Water Pump Small 0.5 H.p With Ss Tank	1
Schedule 123	7500	Decibel Meter 30 To 100 Db	1

Schedule 124	18000	Descalling Pump Set	1
Schedule 125	15000	Dry N2 In Cylinder With 2 Stage Regulator	1
Schedule 126	5248	Electronic Leak Detector Digital Type Capable To Detect Of R134a Hc R-22	2
Schedule 127	600	Fin Straightened Or Fin Comb With Strong Steel Wire Based Combing On Wood	3
Schedule 128	2400	Flaring Tool Set Single Type For Tube 4.7 To 16 Mm Od	2
Schedule 129	5200	Metal Rack 1820 X 1210 X 450 Mm	1
Schedule 130	4000	Motor Split Phase Motor 1 H.p. Single Phase 230 V	1
Schedule 131	13000	Motor Ac Single Phase 230 V, 50 Cycles Capacitor Type With Starter Switch 1 Hp	1
Schedule 132	3000	Piercing Valves With Access Fittings 1 By 4 Inch	2
Schedule 133	550	Pipe Cutter With Built In Reamer And Spare Cutter For Copper Tube 3 To 32 Mm	1
Schedule 134	15000	Portable Air Lpg Brazing Kit	1
Schedule 135	1600	Punch Hole For Cutting Gasket 4.7 To 16 Mm Dia	1
Schedule 136	1600	Punch Round 3 Mm 4mm And 6mm Dia Each	1
Schedule 137	3200	Quick Couples Process Tube Adopter 1 By 4 Nich	4
Schedule 138	12000	Quick Couples Process Tube Adopter 3 By 8 Inch	4
Schedule 139	10000	Refrigerant Cylinder 10 Kg Capacity	1
Schedule 140	4800	Service Oscillator	1
Schedule 141	7000	Table For Arc Welding All Metal With Positioner 120 Cm X 120 Cm X 75 Cm	1
Schedule 142	2900	Current Meter	1
Schedule 143	2600	Height Indicators Survey Of India Pattern	2
Schedule 144	3200	Leveling Staff 4 Mtr Reading To 5mm Telescopic Type	4
Schedule 145	1200	Ranging Rods Wooden Fitted With Iron Shoe 2meters Long	4
Schedule 146	330	Caliper Transfer Inside 15 Cm	3
Schedule 147	4500	Centre Gauge Combined 60 55 And 29 Degree	1
Schedule 148	6200	Collapsible Tap With Attachment	1
Schedule 149	1450	Knurling Tool Revolving Head Rough Med Fine Diamond And Straight	1
Schedule 150	5000	Lathe Mandrels Diff Types	1
Schedule 151	19000	Marking Off Table 1200 X 1200 X 900 Mm High	1
Schedule 152	1200	Coil Tester	1
Schedule 153	2100	Diomand Cutter 150 Mm	6

Schedule 154	900	Plier Square Nose 150 Mm	3
Schedule 155	900	Hammer Sledge Double Faced 4 Kg	1
Schedule 156	1700	Multi Angle Magnetic Clamp Set Metal Base 18 X10 X 10 Cm	1
Schedule 157	2500	Swagging And Flooring Tool Kit 45 Degree Tubing 1 By 8 To 3 By 4 Inch	1
Schedule 158	15000	D.c. Series Motor With 2 Point Starter 3 Hp 250 V With 3 Point Starter	1
Schedule 159	700	Foot Print Grip 250 Mm	2
Schedule 160	500	Hammer Cross Pein 500 Grams With Handle	2
Schedule 161	13650	Mallet Barwood 1 Kg 75 Mm X 15 Mm	21
Schedule 162	19500	Multimeter 0 To 1000 M Ohms 2.5 To 5000 Volt	3
Schedule 163	2100	Screw Driver Electrician Connector, 100 Mm Insulated Handle Thin Stem	21
Schedule 164	2000	Screw Driver Terminal 75 Mm Connector Type	20
Schedule 165	14400	Table For Demonstration 2.5 X 1.20 X 0.75 Meters	3
Schedule 166	2000	Wall Jumper Octagonal 37mmx450mm And 37x600 Mm	4

BLOCKS PARALLEL ADJUSTABLE 75 X 75 X 50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

FLASH POINT APPARATUS THIS APPARATUS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

STEAM GENERATOR COPPER FOR STEAM DISTILATION CAP 1000 ML

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

DRAUGHTSMAN DRAWING INSTRUMENT BOX

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	12	21

DUMPY LEVEL BUILDER 25 CM LOCAL LENGTH X 23 MM COMPLETE WITH BOX

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SET SQUARE CELLULIOD 45 DEGREE 8 INCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	14	21

TELESCOPIC ALIDADE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

DRAFTING TABLE WITH CONUGATED BOARD 150 CMX90 CMX90 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

FINGER THIMBLES-STEEL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

AC STARTER RESISTANCE TYPE STARTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

BRAKE TEST ARRANGEMENT WITH TWO SPRING BALANCE OF 0 TO 25 KG RATING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

CRIMPING TOOL FOR CRIMPING 16 SQ MM TO 95 SQMM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

DRILL HAND BRACE 0 TO 100 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	5	21

DRILLING MACHINE HAND 0 TO 6 MM CAPACITY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

ELECTRIC IRON 1200 W 230 V WITH TEMPRATURE CONTROL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

FUNCTION GENERATOR 2 TO 200 KHZ

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

GREESE PRESSURE GUN HAND

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

HAMMER CROSS PEIN 250 GRAMS WITH HANDLE.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	36	21

HAMMER EXTRACTOR TYPE 0.250 KG WITH HANDLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

LABORATORY TYPE INDUCTION COIL 1000W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	5	21

MALLET HARD WOOD 0.50 KG.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PLANE JACK 200MM X 50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PLANE SMOOTHING METAL 200 MM X 50 MM CUTTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PLIER ROUND NOSE 100 MM INSULATED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

PUNCH CENTRE 150 MM X 9 MM DIA KNURLED BODY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	42	21

SCREW DRIVER INSULATED 4 MM X 100 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	42	21

SERIES TYPE OHM METER 0 To 2000 APPROXIMATE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

SHADED POLE MOTOR FRACTIONAL HP 240 V 50 HZ

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

SHUNT TYPE OHM METER 0 To 2000 APPROXIMATE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

SNIP STRAIGHT 250 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SOLDERING IRON COPPER BIT 0.25 KG.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

SOLDERING IRON EXCHANGABLE COPPER TIP 65 WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SPANNERS DOUBLE ENDED OPEN SET OF 12 METRIC SIZES 6 TO 32 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

TECHOMETER OR REVOLUTION COUNTER WITH STOP WATCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

TEMPRETURE CONTROLLED SOLDERING IRON 50W 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

VARIABLE AUTO TRANSFORMER 0 To 270V 5A To 10A SINGLE PHASE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

VOLTMETER CENTRE ZERO 100 0 100 MV

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

CALIPER INSIDE SPRING 15 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	13	21

SPANNER WRENCH ADJUSTABLE 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

RULE STEEL 30 CM GRADUATED BOTH ENGLISH AND METRIC UNITS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	63	21

GROWLER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	9	21

KNIFE DOUBLE BLADED ELECTRICIAN 100 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	63	21

LINE TESTER 5OO VOLT HEAVY DUTY ELECTRIC TESTING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	64	21

CALIPER OUTSIDE SPRING 15 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

DIVIDER SPRING 15 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	6	21

DIGITAL LUX METER LCD READ OUT 0.05 TO 7000 LUMENS WITH BATTERY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

DESOLDERING PUMP ELECTRICALLY HEATED MANUALLY OPERATED 230 V 40W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	12	21

DIMMER STARTER 3 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

LED LIGHTING SYSTEM MEASUREMENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

RADIO RECEIVER SET AM FM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

WIRELESS COMMUNICATION MODULES FOR INTERFACING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

BLOCKS VEE 150 X 100 X 100 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

BORING BAR INDEXABLE WITH INSERT 1 Inch SHANK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	24	21

CALIPER HERMACHRODITE.SPRING 15 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	12	21

CARBIDE WEAR BLOCK 1 MM-2 MM.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

CHISEL DIAMOND POINT 9 X 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	10	21

CLAMP Or VICE TOOL MAKER 5 CM AND 7.5CM SET OF 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

COMPARATOR STAND WITH DIAL INDICATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

EXTRACTORS SCREW Or STUD SIZES 1 TO 8 SET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

GAUGE PLUG SINGLE ENDED 5 TO 55 BY 1 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

GAUGE SNAP GO AND NO GO 25 TO 50 MM BY 5 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

HAMMER PLANISHING WITH HANDLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

INTERCHANGEABLE RATCHET SOCKET SET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

KNURLING TOOL DIAMOND STRAIGHT And DIAGONAL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

LAPPING PLATE 6 Inch DIA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	12	21

MALLET DIA 100 MM X 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

METAL RACK 180 X 150 X 45 CM SLOTTED ANGLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

MORSE TAPER SLEEVES NO. 0TO1, 1TO2,2TO3,3TO4,4TO5,

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

POKER 900 MM LONG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PULLER SET UNIVERSAL BEARING AND BUSHES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	6	21

PUNCH DOT SLOT DIA 10 X 100 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	5	21

RULE STEEL 15 CM GRADUATED BOTH ENGLISH AND METRIC UNITS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	21	21

SOLDERING IRON 250 W WOODEN HANDLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SPANNER WRENCH ADJUSTABLE 380 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

STAKE GROOVING 100 X 100 X 300 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

STAKE HATCHET WITH LEG 300 X 200 X 20 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

SURFACE ROUGHNESS COMPARISON PLATES N1 And N12 GRADES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

TELESCOPIC GAUGE RANGE 8 To 150 MM SET OF 6 PCS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

TOOL BIT HOLDER AS ARMSTRONG STRAIGHT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

HAMMER BALL PEIN 500 GRAMS 1 LB WITH HANDLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	19	21

HAMMER BALL PEIN 250 GRAMS WITH HANDLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	35	21

POWER METER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

SMPS TESTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

AUTO TRANSFORMER 3 PHASE INPUT 230 V OUTPUT 0- 270 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

DIGITAL PANEL METERS 3.5 DIGIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	6	21

EXPERIMENTAL SETUP FOR ONLINE DISSOLVED OXYGEN MEASUREMENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SIMPLE TANK TYPE QUANTITY METER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

TRAINERS ON RS 485 TO RS232 CONVERTOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

FUEL INJECTION PUMP DISMANTLING TOOL KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

MARKING OUT TABLE 90 X 60 X 90 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PIPE CUTTER SET 3 WHEEL TYPE 75 Mm PIPE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SNIP RIGHT CUT 250 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

TAP SET METRIC 2 TO 10 MM SET OF 9 PCS WITH WRENCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

VICE HAND 37 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PUNCH HOLLOW 6 MM TO 15 SET OF 7

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

AC ALTERNATOR SLIP RING PULLER VARIABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

AIR IMPACT WRENCH WITH STANDARD ACCESSORIES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

ALLEN KEY SET -HEXAGONAL 2 TO 14 MM 12 PIECES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

ANVIL 50 KGS WITH STAND

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

CUT SECTION MODELS OF SHOCK ABSORBERS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

EXTRACTORS STUD SET OF 3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

FILES ASSORTED SIZES AND TYPES INCLUDING SAFE EDGE FILE SET OF 20 NOS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

FUEL FEED PUMP FOR DIESEL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

GREASE GUN SMALL SIZE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

HAMMER PLASTIC 0.25 KGS. WITH HADLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

OIL PUMP FOR DISMENTLING AND ASSEMBLING

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	17	21

PHILIPS SCREW DRIVER SET OF 5 PIECES 100MM - 300MM POZIDRIVANDTORX DRIVE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	6	21

PISTON RING COMPRESSOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PISTON RING EXPANDER AND REMOVER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PLIER VICE GRIP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SCREW DRIVER ELECTRICIAN 250 MM THIN STEM INSULATED HANDLE MAGNETIC POINT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	15	21

SPANNER MEGNETO SET OF 8 SPANNERS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

CPVC Or UPVC PIPE CUTTER UPTO 50 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	9	21

GIRMALE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

HYDRAULIC PRESSURE MACHINES FOR TESTING LEAKAGE IN GI PIPE FITTINGS ETC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SOIL POT WITH BRUSH.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SOLDERING COPPER HATCHET TYPE 500 GMS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

STILSON WRENCHES 20 CM.LONG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	8	21

TOOL CAULKING SET OF 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	5	21

BRUSH LESS DC MOTOR BLDC CONTROLLER 15 To 30 WATTS 315 VOLT DC TRAINER KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

CIRCULATING WATER PUMP SMALL 0.5 H.P WITH SS TANK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

DECIBEL METER 30 To 100 DB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

DESCALLING PUMP SET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

DRY N2 IN CYLINDER WITH 2 STAGE REGULATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

ELECTRONIC LEAK DETECTOR DIGITAL TYPE CAPABLE TO DETECT OF R134A HC R-22

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

FIN STRAIGHTENED Or FIN COMB WITH STRONG STEEL WIRE BASED COMBING ON WOOD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

FLARING TOOL SET SINGLE TYPE FOR TUBE 4.7 TO 16 MM OD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

METAL RACK 1820 X 1210 X 450 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

MOTOR SPLIT PHASE MOTOR 1 H.P. SINGLE PHASE 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

MOTOR AC SINGLE PHASE 230 V, 50 CYCLES CAPACITOR TYPE WITH STARTER SWITCH 1 HP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PIERCING VALVES WITH ACCESS FITTINGS 1 By 4 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

PIPE CUTTER WITH BUILT IN REAMER AND SPARE CUTTER FOR COPPER TUBE 3 TO 32 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PORTABLE AIR LPG BRAZING KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PUNCH HOLE FOR CUTTING GASKET 4.7 TO 16 MM DIA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

PUNCH ROUND 3 MM 4MM AND 6MM DIA EACH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

QUICK COUPLES PROCESS TUBE ADOPTER 1 By 4 Nich

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

QUICK COUPLES PROCESS TUBE ADOPTER 3 By 8 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

REFRIGERANT CYLINDER 10 KG CAPACITY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SERVICE OSCILLATOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

TABLE FOR ARC WELDING ALL METAL WITH POSITIONER 120 CM X 120 CM X 75 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

CURRENT METER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

HEIGHT INDICATORS SURVEY OF INDIA PATTERN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

LEVELING STAFF 4 MTR READING TO 5MM TELESCOPIC TYPE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

RANGING RODS WOODEN FITTED WITH IRON SHOE 2METERS LONG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

CALIPER TRANSFER INSIDE 15 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

CENTRE GAUGE COMBINED 60 55 AND 29 DEGREE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

COLLAPSIBLE TAP WITH ATTACHMENT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

KNURLING TOOL REVOLVING HEAD ROUGH MED FINE DIAMOND AND STRAIGHT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

LATHE MANDRELS DIFF TYPES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

MARKING OFF TABLE 1200 X 1200 X 900 MM HIGH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

COIL TESTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

DIOMAND CUTTER 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	6	21

PLIER SQUARE NOSE 150 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

HAMMER SLEDGE DOUBLE FACED 4 KG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

MULTI ANGLE MAGNETIC CLAMP SET METAL BASE 18 X10 X 10 CM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

SWAGGING AND FLOORING TOOL KIT 45 DEGREE TUBING 1 By 8 TO 3 By 4 INCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

D.C. SERIES MOTOR WITH 2 POINT STARTER 3 HP 250 V WITH 3 POINT STARTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	1	21

FOOT PRINT GRIP 250 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

HAMMER CROSS PEIN 500 GRAMS WITH HANDLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	2	21

MALLET BARWOOD 1 KG 75 MM X 15 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	21	21

MULTIMETER 0 TO 1000 M OHMS 2.5 TO 5000 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

SCREW DRIVER ELECTRICIAN CONNECTOR, 100 MM INSULATED HANDLE THIN STEM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	21	21

SCREW DRIVER TERMINAL 75 MM CONNECTOR TYPE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	20	21

TABLE FOR DEMONSTRATION 2.5 X 1.20 X 0.75 METERS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	3	21

WALL JUMPER OCTAGONAL 37MMX450MM AND 37X600 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rohitkumar Ghemarbhai Chaudhary	385001,GOVT. INDUSTRIAL TRAINING INSTITUTE, PALANPUR NR SONARIYA BUNGLOWS , BANAS DAIRY ROAD, PALANPUR DI-BANASKATHA	4	21

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

   INDUSTRIAL
   TRAINING
   INSTITUTE
   PALANPUR
   BANASKANTHA
   .

3. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the

relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

PRINCIPAL ITI PALANPUR
payable at
ITI PALANPUR
.
Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

6. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

7. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. The Bidder has to upload Check list duly signed and stamp sample given in Buyer uploaded ATC document) with necessary details and submit documents in relevant window on GeM as per check list

Mandatory Documents List

1. BUYER ADDED ATC document
2. Compliance of BoQ specification and supporting document
3. EMD Submitted (Yes/No) (The bidder must have a minimum average annual turnover of Twice the bid value Rs.18 Lacs) or eligible for EMD Exemption(Wherever applicable).
4. Bidder Average Turnover Documents
5. Are you eligible for purchase preference? (Yes/No)

If Yes Mention Category with relevant documents submitted as attached

6. Self-Declaration/Certificate for Local Content (with Percentage)
7. Self-Declaration for under liquidation, court receivership or similar Proceedings, should not be bankrupt, not blacklisted/ debarred/ banned by any government.

whichever is applicable as per Gujarat State Procurement Policy 2024 Uploaded, yes or no? (As per Given Format)

In case of any conflict in the terms and conditions given in this bid in ATC, the Gujarat State Procurement Policy 2024 provisions shall prevail. However, if there is such an ATC which has no counterpart in the said policy, then the ATC shall prevail.

.

8. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document Click here to view the file.

9. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

   PRINCIPAL ITI PALANPUR
   payable at
   ITI PALANPUR
   . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

10. **Certificates**

    Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main

item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---