बिड संख्या/Bid Number: GEM/2026/B/8192529

दिनांक /Dated: 29-10-2026

## बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| **बिड बंद होने की तारीख/समय /Bid End Date/Time** | 16-11-2026 13:00:00 |
| **बिड खुलने की तारीख/समय /Bid Opening Date/Time** | 17-11-2026 13:00:00 |
| **बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)** | 180 (Days) |
| **मंत्रालय/राज्य का नाम/Ministry/State Name** | Gujarat |
| **विभाग का नाम/Department Name** | Labour And Employment Department Gujarat |
| **संगठन का नाम/Organisation Name** | Directorate Of Employment & Training |
| **कार्यालय का नाम/Office Name** | Det |
| **शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal** | HOD Email id :adirpur-det@gujarat.gov.in<br>Buyer Email id: ask-iti-karcheliya@gujarat.gov.in |
| **कुल मात्रा/Total Quantity** | 2161 |

| बिड विवरण/Bid Details | |
|---|---|
| **वस्तु श्रेणी /Item Category** | CAST IRON BLOCK 150 X 50 X 08 MM , ALLUMINIUM FILLER ROD 2.4 MM DIA , ALUMINIUM FLUX , SPARK LIGHTER FOR GAS WELDING , BRASS FILLER ROD 2.4 MM DIA , CAST IRON ELECTRODE 3.15 MM DIA, 1 PACKET CONTAINS 90 NOS , M S SHEET 8 FT X 4 FT 2.0 MM THICKNESS , G I SHEET 8 FT X 4 FT , 24 SWG OR 0.56 MM THICK , INDUSTRIAL HAND WASH , M S ROUND BAR 10 MM DIA , VEHICLE WASH LIQUID , HAND RUBBER GLOVES 5000 V , 100 W, 250 V BULB , TUNGSTEN FILAMENT , 200 W, 250 V BULB, TUNGSTEN FILAMENT , RJ 45 CONNECTOR , CAPACITOR 36 MFD , CAPACITOR 250 MFD , PLASTIC SEAL TO SEAL ENERGY METER , GI EARTH ROD 16 MM DIA LENGTH 4 FEET WITH CLAMP, CHEMICAL AND TOP COVER , PANEL LIGHT INDICATOR , 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW AND BLUE , FLOURESCENT TUBELIGHT SET 40 WATT , MODULAR DUMMY PLATE ONE MODULE , MODULAR LIGHT INDICATOR 10 AMP PIANO TYPE , DIFFERENT KIND OF RESISTOR , 1 BOX EQUAL TO 50 NO OF DIFFERENT RESISTOR , CO-AXIAL CABLE RG-6 , RG-6 CABLE CONNECTOR , SENSOR FOR LIGHTNING LAMP REMOTE CONTROL SWITCH , MOTION SENSOR LAMP 9 W, 230 V , METAL CONDUIT PIPE 19 MM , HOOK UP WIRE , ELECTROLYTE CAPACITOR 330 MFD 25 V , PVC COUPLING 19 MM WITH INTERNAL THREAD , CARBON RESISTOR 470 OHM , 02 WATT , CARBON RESISTOR 22 K OHM , 02 WATT , CARBON RESISTOR 01 K OHM , 02 WATT , DIODE IN 4007 , PVC CONDUIT PIPE 19 MM , CABLE JOINTING KIT RESIN COMPOUND TYPE , 07 BY 20 PVC INSULATED COPPER WIRE , 10 SQ MM PVC INSULATED FLEXIBLE COPPER WIRE , TUBELIGHT CHOKE COPPER WINDING ON PLATE TYPE 40 W , HIGH PRESSURE MERCURY LAMP WITH CHOCK AND HOLDER 125 W , SOLAR CELL 5 V 100 Ma, 0.5 W MINI SOLAR CELL , 70 X 70 MM , LIGHT INDICATOR 6 AMP SWITCH TYPE NON MODULAR , FUSE 5 AMP SWITCH TYPE NON MODULAR , MALE FEMALE PLUG SOCKET 6 AMP , CEILING ROSE , TWO PLATE , HSS DRILL BIT, 1 SET EQUAL TO EACH 1 NO OF 02 MM, 03 MM, 05 MM , NO VOLT COIL 240 V AND 440 V EACH , COTTON BINDING THREAD , PVC MILINEX PAPER , RUBBER CHECKERED ELECTRICAL MAT 1 MTR X 2 MTR , FORWARD REVERSE SWITCH 16 AMP , LED LAMP 0.5 W, 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW, BLUE, PINK , 09 V BATTERY WITH CAP , METAL DIODE 25 AMP , SATIN RIBBON ROLL 12 MM WIDTH AVG 10 MTR LONG, 1 SET EQUAL TO EACH 1 NO OF BLUE AND WHITE , BROWN PAPER 140 GSM 36 INCH WIDE 1 MTR LENGTH OR HIGHER LENGTH , CANVAS COTTON FABRIC 250 GSM OR HIGHER GSM, 120 CM WIDTH OR HIGHER , SOLDERING WIRE 60 BY 40 , ELECTRICIAN GRADE , COTTON TAP ADHESIVE 12 MM , ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A , OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A , ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX , OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX |

| बिड विवरण/Bid Details | |
|---|---|
| **GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS** | CAST IRON BLOCK 150 X 50 X 08 MM, ALLUMINIUM FILLER ROD 2.4 MM DIA, ALUMINIUM FLUX, SPARK LIGHTER FOR GAS WELDING, BRASS FILLER ROD 2.4 MM DIA, CAST IRON ELECTRODE 3.15 MM DIA, M S SHEET 8 FT X 4 FT 2.0 MM THICKNESS, G I SHEET 8 FT X 4 FT , 24 SWG OR 0.56 MM THICK, INDUSTRIAL HAND WASH, M S ROUND BAR 10 MM DIA, VEHICLE WASH LIQUID , HAND RUBBER GLOVES 5000 V , 100 W, 250 V BULB , TUNGSTEN FILAMENT, 200 W, 250 V BULB, TUNGSTEN FILAMENT, RJ 45 CONNECTOR, CAPACITOR 36 MFD, CAPACITOR 250 MFD, PLASTIC SEAL TO SEAL ENERGY METER, GI EARTH ROD 16 MM DIA LENGTH 4 FEET WITH CLAMP, CHEMICAL AND TOP COVER, PANEL LIGHT INDICATOR , 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW AND BLUE, FLOURESCENT TUBELIGHT SET 40 WATT, MODULAR DUMMY PLATE ONE MODULE, MODULAR LIGHT INDICATOR 10 AMP PIANO TYPE, DIFFERENT KIND OF RESISTOR , 1 BOX EQUAL TO 50 NO OF DIFFERENT RESISTOR, CO-AXIAL CABLE RG-6, RG-6 CABLE CONNECTOR, SENSOR FOR LIGHTNING LAMP REMOTE CONTROL SWITCH, MOTION SENSOR LAMP 9 W, 230 V, METAL CONDUIT PIPE 19 MM, HOOK UP WIRE, ELECTROLYTE CAPACITOR 330 MFD 25 V, PVC COUPLING 19 MM WITH INTERNAL THREAD, CARBON RESISTOR 470 OHM , 02 WATT, CARBON RESISTOR 22 K OHM , 02 WATT, CARBON RESISTOR 01 K OHM , 02 WATT, DIODE IN 4007, PVC CONDUIT PIPE 19 MM, CABLE JOINTING KIT RESIN COMPOUND TYPE, 07 BY 20 PVC INSULATED COPPER WIRE , 10 SQ MM PVC INSULATED FLEXIBLE COPPER WIRE, TUBELIGHT CHOKE COPPER WINDING ON PLATE TYPE 40 W, HIGH PRESSURE MERCURY LAMP WITH CHOCK AND HOLDER 125 W, SOLAR CELL 5 V 100 Ma, 0.5 W MINI SOLAR CELL , 70 X 70 MM, LIGHT INDICATOR 6 AMP SWITCH TYPE NON MODULAR, FUSE 5 AMP SWITCH TYPE NON MODULAR, MALE FEMALE PLUG SOCKET 6 AMP, CEILING ROSE, HSS DRILL BIT, 1 SET EQUAL TO EACH 1 NO OF 02 MM, 03 MM, 05 MM, NO VOLT COIL 240 V & 440 V EACH, COTTON BINDING THREAD, PVC MILINEX PAPER, RUBBER CHECKERED ELECTRICAL MAT 1 MTR X 2 MTR, FORWARD REVERSE SWITCH 16 AMP, LED LAMP 0.5 W, 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW, BLUE, PINK, 09 V BATTERY WITH CAP, METAL DIODE 25 AMP, SATIN RIBBON ROLL 12 MM WIDTH, 10 MTR LONG, SET OF BLUE, WHITE, BROWN PAPER 140 GSM 36 INCH WIDE 1 MTR LENGTH OR HIGHER LENGTH, CANVAS COTTON FABRIC 250 GSM OR HIGHER GSM, 120 CM WIDTH OR HIGHER, SOLDERING WIRE 60 BY 40 , ELECTRICIAN GRADE, COTTON TAP ADHESIVE 12 MM, ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A, OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A, ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX, OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX |
| | **Searched String**: CAST IRON BLOCK 150 X 50 X 08 MM<br><br>modular electrical enclosure switch board boxes for modular type accessories, Floor Drain Traps (V2), Cast Iron Bench, Labels Stickers (V3), Wild - Life Cages, Work Benches, Kidney Trays Conforming to IS 3992, Polyurethane Tube (V2), Multipurpose or General Test Tubes (V2) as per IS 2618, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255 |

| बिड विवरण/Bid Details | |
|---|---|
| | **Searched String**: ALLUMINIUM FILLER ROD 2.4 MM DIA<br><br>Steel Rod 30.1mm Diameter (OFB (Defence)), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694<br><br>**Searched String**: ALUMINIUM FLUX<br><br>Brazing flux, magnetic stirrers, WELDING FLUX, Antiwear Hydraulic Oil Heavy Duty (V4) as per IS 10522, Aluminium nitrate, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aluminium Oxide, Lithium Base Grease For Automotive Purposes(V2) Conforming to IS 12203, ALUMINIUM LUMPS, Platform Step Ladder (V2)<br><br>**Searched String**: SPARK LIGHTER FOR GAS WELDING<br><br>Spark Arrestor, Single Burner Gas Deep Fryer, Gas Tungsten Arc Welding (GTAW) Machine (V2), Blow Pipe for Welding and Cutting as per IS 7653 (V2), WELDING ELECTRODE -Flux cored wire for CO2 gas shielded arc welding ( BEML), Steel Pipes for Water and Sewage as per IS 3589, Gas Metal Arc Welding (GMAW) Machine (V2), Welding Electrode - Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding ( BEML) as per C4002 BEML Welding Electrode, Welding Cap, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML)<br><br>**Searched String**: BRASS FILLER ROD 2.4 MM DIA<br><br>Steel Rod 30.1mm Diameter (OFB (Defence)), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781<br><br>**Searched String**: CAST IRON ELECTRODE 3.15 MM DIA<br><br>MOLECULAR SIEVE TYPE - 3A FOR INERT GAS DRIER (3 MM DIA PELLETS) for ONGC, Garden Bench, Cast Iron |

| बिड विवरण/Bid Details | Components (Deepwell Hand Pumps Components) Conforming to IS 15500 (Part 5), Cast Iron Detachable Joints for Use with Asbestos Cement Pressure Pipes conforming to IS 8794, Asbestos Cement Pressure Pipe and Joints ISI Marked to 1592, Cast Iron Bench, General Purpose Ball Valves (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Pillar Taps for Water Supply Purpose conforming to IS 1795, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763<br><br>**Searched String**: M S SHEET 8 FT X 4 FT 2.0 MM THICKNESS<br><br>SEWAGE TREATMENT PLANT, Polyurethane Tube (V2), Equipment Camouflage Nets (Jute) as per Defence Specification<br><br>**Searched String**: G I SHEET 8 FT X 4 FT , 24 SWG OR 0.56 MM THICK<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: INDUSTRIAL HAND WASH<br><br>Antimicrobial Hand Wash (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Face Wash, Alcohol Based Hand Sanitizer, Industrial Purpose Laundry Machines, Laboratory Incubators, Wash Oil (V2), Plastic Wash Bottle, industrial vacuum cleaner, Surgical Wash Bowl<br><br>**Searched String**: M S ROUND BAR 10 MM DIA<br><br>M S Sheet as per IS 1079 (Unit - Mass), Parallel Bar - Outdoor Gym Equipment, MS Sheet as per IS 1079, Polyurethane Tube (V2), Towel Rail, Bunk Beds conforming to IS 17636, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, M.S Stopper for Traffic Control (Portable Barrier), Roti Making Machine, Cotton Bandage Cloth Conforming to IS 863<br><br>**Searched String**: VEHICLE WASH LIQUID<br><br>Liquid Lab Wash Detergent, Household Insecticides (V2), Vehicle Lift, Face Wash, Alcohol Based Hand Sanitizer, Wash Oil (V2), Professional Large Format Display (V2), Plastic Wash Bottle, Passenger Car, Surgical Wash Bowl<br><br>**Searched String**: HAND RUBBER GLOVES 5000 V<br><br>Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Nitrile Coated/Nitrile Hand Gloves (V2), Hand Gloves (MHA), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, General Purpose Hand Gloves (V2), Tanker on Agricultural Trailer, Cotton Canvas Hand Gloves (SAIL), Hospitals Cleaning Gloves, Post-Mortem Rubber Gloves Conforming to IS 4149<br><br>**Searched String**: 100 W, 250 V BULB , TUNGSTEN FILAMENT<br><br>Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Hand Held Slit Lamp - RBSK, Kidney Trays Conforming to IS 3992, Foot |
|---|---|

| बिड विवरण/Bid Details | Steps For Hospital/Clinic and Domestic Purposes, Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications, Line Tester (V2)<br><br>**Searched String**: 200 W, 250 V BULB, TUNGSTEN FILAMENT<br><br>Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Frequency meter - Analog (Panel Meter), Hand Held Slit Lamp - RBSK<br><br>**Searched String**: RJ 45 CONNECTOR<br><br>Ethernet Information Outlet, Household Insecticides (V2), Spinosad 45% SC, Polypropylene (PP) Bag as per Postal Department (V2), Hose connector, SMA connector, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Field Mountable (FM45) Connector for Telecommunication, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Electrical Power Connector<br><br>**Searched String**: CAPACITOR 36 MFD<br><br>Capacitor Banks For Use On 11 KV System (PSPCL)), A3 Size Multifunction Printer (MFP), A.C. Motor Capacitors ISI Marked to IS 2993 ( Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), monocrotophos 36% SL as per IS:8074, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Monocrotophos 36% Soluble Concentrate (V2) Conforming To Is 8074, Phosphonobutane Tricarboxylic Acid (PBTC), Multifunction Printer (Print, Scan, Copy), 36 feet Tubular Aluminium Aerial Mast as per Directorate General, CRPF QRs/TDs Specifications<br><br>**Searched String**: CAPACITOR 250 MFD<br><br>Capacitor Banks For Use On 11 KV System (PSPCL)), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), A.C. Motor Capacitors ISI Marked to IS 2993 ( Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Anti TB Drugs - Ethionamide 250 mg Tablets, Curtains (V2), Anti TB Drugs - Levofloxacin 250 mg Tablets, Photocopier/Printer Trolley, A3 Size Multifunction Printer (MFP), Electric Ceiling Fan (V4) ISI Marked to IS 374<br><br>**Searched String**: PLASTIC SEAL TO SEAL ENERGY METER<br><br>Plastic Grip Seal, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Standardized Self Locking Single Use Plastic Seals (Pull Tight Seal) as per Postal Department specification, Lead Seal Conforming to IS 13923, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Sealing Wax (V3) Conforming to IS 868, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Epoxy Resin, Hardeners and Epoxy Resin Compositions for Floor Topping Conforming to IS 9197, Vessel Sealing System, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2)<br><br>**Searched String**: GI EARTH ROD 16 MM DIA LENGTH 4 FEET WITH CLAMP, CHEMICAL AND TOP COVER<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: PANEL LIGHT INDICATOR , 1 SET EQUAL |
|---|---|

| बिड विवरण/Bid Details | TO EACH 1 NO OF RED, YELLOW AND BLUE<br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: FLOURESCENT TUBELIGHT SET 40 WATT<br><br>NQ Surface Set Diamond Core Bit 25/40 SPC (CMPDI), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Gypsy horn - loud speakers, Digital UHF Base / Mobile Radio Sets as per MHA QR (V2), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Digital UHF Repeater Sets as per MHA QR (V2), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), LED Batten Light (LED Tube Light) (V2), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5)<br><br>**Searched String**: MODULAR DUMMY PLATE ONE MODULE<br><br>Modular Extendable Conference Table (V2), Blade Server Compute Module, modular electrical enclosure switch board boxes for modular type accessories, Ceiling rose - IS 371, Non-Locking Bone Plate, Locking Compression Plates (V2)<br><br>**Searched String**: MODULAR LIGHT INDICATOR 10 AMP PIANO TYPE<br><br>Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Hand Held Search Light, Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Online Ups Modular Type<br><br>**Searched String**: DIFFERENT KIND OF RESISTOR , 1 BOX EQUAL TO 50 NO OF DIFFERENT RESISTOR<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: CO-AXIAL CABLE RG-6<br><br>Radio Frequency Coaxial Cable, Ethernet Cables, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Electric Axial Flow Fans (V2) Conforming To IS 3588, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Control Cable, Zinc Oxide Elastic Self - Adhesive Bandage (V2), Electrical Cable Lugs, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694<br><br>**Searched String**: RG-6 CABLE CONNECTOR<br><br>Electrical Power Connector, Ethernet Cables, Radio Frequency Coaxial Cable, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Fiber Optic Pigtails, XLPE Cable for Working Voltage up to and Including 1.1 KV |
|---|---|

| बिड विवरण/Bid Details | |
|---|---|
| **GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS** | Marked To IS 7098 (Part 1), Zinc Oxide Elastic Self - Adhesive Bandage (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Male connector for arc welding machine(BHEL)<br><br>**Searched String**: SENSOR FOR LIGHTNING LAMP REMOTE CONTROL SWITCH<br><br>Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller), Slamps (Algorithm based Street Light Automatic Switch), Power Control Center (PCC) Panel for Power Distribution, Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000<br><br>**Searched String**: MOTION SENSOR LAMP 9 W, 230 V<br><br>Rechargeable LED Bulb (V2)<br><br>**Searched String**: METAL CONDUIT PIPE 19 MM<br><br>Carbon Tape 19 MM(OFB-DEFENCE), Polyethylene Pipes for Water Supply conforming to IS 4984, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, MS ERW Pipe for Bus Body Building Parts as per IS 3601 (Latest), Flexible Metalic Conduit(Bhel)-IS:3480, Parallel Bar - Outdoor Gym Equipment, Flexible Steel Conduits For Electrical Wiring Conforming To IS 3480, Weightlifting Discs, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Hydraulic Hose<br><br>**Searched String**: HOOK UP WIRE<br><br>Conveyer Belt Fastening Hook, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hook wrench, Wild - Life Cages, Hook Wrench (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Lifting Hook (V2) as per IS 12162, Bathroom Hooks, Hook and loop disc, Muffle Furnace<br><br>**Searched String**: ELECTROLYTE CAPACITOR 330 MFD 25 V<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: PVC COUPLING 19 MM WITH INTERNAL THREAD<br><br>Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 |

| बिड विवरण/Bid Details | **Searched String**: CARBON RESISTOR 470 OHM , 02 WATT Resistors (V2)<br><br>**Searched String**: CARBON RESISTOR 22 K OHM , 02 WATT Resistors (V2)<br><br>**Searched String**: CARBON RESISTOR 01 K OHM , 02 WATT Resistors (V2)<br><br>**Searched String**: DIODE IN 4007<br><br>Rectifier diode, All in One PC (V2), Diode Stud Type(RINL), Relay Module, Light emitting diode driver, Dry Erase Writing Boards (V3), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Environmental Chamber, Soft Tissue Diode Dental Laser, Biochemistry Reagent Kit for Human Samples<br><br>**Searched String**: PVC CONDUIT PIPE 19 MM<br><br>Carbon Tape 19 MM(OFB-DEFENCE), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Pipe for Gardening Purpose, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Pipe Cutter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Hydraulic Hose<br><br>**Searched String**: CABLE JOINTING KIT RESIN COMPOUND TYPE<br><br>Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Welding Cable ISI Marked To IS 9857 (V2)<br><br>**Searched String**: 07 BY 20 PVC INSULATED COPPER WIRE<br><br>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Tapered Bearings as per IS 12102<br><br>**Searched String**: 10 SQ MM PVC INSULATED FLEXIBLE COPPER WIRE<br><br>PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable |
|---|---|

| बिड विवरण/Bid Details | Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)<br><br>**Searched String**: TUBELIGHT CHOKE COPPER WINDING ON PLATE TYPE 40 W<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: HIGH PRESSURE MERCURY LAMP WITH CHOCK AND HOLDER 125 W<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: SOLAR CELL 5 V 100 Ma, 0.5 W MINI SOLAR CELL , 70 X 70 MM<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: LIGHT INDICATOR 6 AMP SWITCH TYPE NON MODULAR<br><br>Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293<br><br>**Searched String**: FUSE 5 AMP SWITCH TYPE NON MODULAR<br><br>Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, modular electrical enclosure switch board boxes for modular type accessories, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Director-Class Storage Area Network (SAN) Switch<br><br>**Searched String**: MALE FEMALE PLUG SOCKET 6 AMP<br><br>Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Malleable Cast Iron Pipe Fittings (V2) as per IS 1879, Cables, Converters and Adapters |
|---|---|

| बिड विवरण/Bid Details | **Searched String**: CEILING ROSE<br><br>Ceiling rose - IS 371, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Ceiling Roses Conforming To IS 371 (V2), Rose Seeds, Ceiling OT Light (V2), Wiper Ceiling Bungi, (Vitreous China) - Shower Rose-IS:2556, Electric Ceiling Fan (V4) ISI Marked to IS 374, Standalone Ceiling Mounted Fire Suppression System, Chandeliers-Handicraft<br><br>**Searched String**: HSS DRILL BIT, 1 SET EQUAL TO EACH 1 NO OF 02 MM, 03 MM, 05 MM<br><br>Modular Toilet, UV - Visible Spectrophotometer (FSSAI), Cricket Stumps and Bails (V2) Conforming to IS 6621, Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654<br><br>**Searched String**: NO VOLT COIL 240 V & 440 V EACH<br><br>Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445<br><br>**Searched String**: COTTON BINDING THREAD<br><br>Cotton Thread - Twine, Cleaning Duster (V3), Thread, Cotton, Sewing - OFB, Book Binding Cloth, Spiral Binding / Wiro Binding (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Thread sealant, Twine Thread, Nylon Thread, Cotton Bandage Cloth Conforming to IS 863<br><br>**Searched String**: PVC MILINEX PAPER<br><br>PVC gitti, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Reducer Socket, PVC End Cap, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Strip Curtain, PVC Card Printers, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Sheet (V2), Suction Catheters (V2)<br><br>**Searched String**: RUBBER CHECKERED ELECTRICAL MAT 1 MTR X 2 MTR<br><br>Extendable Road Barricade (V2), Judo Mat (V2), Sports Mats (V2)<br><br>**Searched String**: FORWARD REVERSE SWITCH 16 AMP<br><br>SAN Switch, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Switching Power Supply for Wireless Application<br><br>**Searched String**: LED LAMP 0.5 W, 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW, BLUE, PINK<br><br>Category not available on GeM for the text string uploaded by the buyer |
|---|---|

| बिड विवरण/Bid Details | |
|---|---|
| | **Searched String**: 09 V BATTERY WITH CAP<br><br>LED Batten with Battery / Invertor, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Culture Tube With Screw Cap (V2), Online UPS (V2), Dropping Bottle with Tip Cap (V2), Online UPS (>10 KVA) With Battery, Portable Emergency LED Lighting Tower System with Battery Bank, Lithium Battery For Use With Radio Set in Mobile Role as per MHA QRs, Modular Table / Meeting Table / Centre Table (V2), LED Bulb with Battery as per IS 16102<br><br>**Searched String**: METAL DIODE 25 AMP<br><br>Gypsum Building Plaster - Premixed Lightweight Plasters as per IS 2547, Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, Soft Tissue Diode Dental Laser, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), White LED (W-LED) based Solar Lantern as per MNRE Specification, Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206, Shirodhara Vessel For Panchakarma, Murexide or Ammonium Purpurate, Weightlifting Discs, Floor Drain Traps (V2)<br><br>**Searched String**: SATIN RIBBON ROLL 12 MM WIDTH, 10 MTR LONG, SET OF BLUE, WHITE<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: BROWN PAPER 140 GSM 36 INCH WIDE 1 MTR LENGTH OR HIGHER LENGTH<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: CANVAS COTTON FABRIC 250 GSM OR HIGHER GSM, 120 CM WIDTH OR HIGHER<br><br>Cloth, Disruptive Pattern, Uniform for VIP Security<br><br>**Searched String**: SOLDERING WIRE 60 BY 40 , ELECTRICIAN GRADE<br><br>Tapered Bearings as per IS 12102, Cotton Towelling And Towels (V3) Conforming To IS 7056, Cotton Towelling And Towels Conforming To IS 7056 (V4)<br><br>**Searched String**: COTTON TAP ADHESIVE 12 MM<br><br>Graphite Adhesive Tape, Cleaning Duster (V3), Elastic Surgical Adhesive Tapes (V2), Self Adhesive Flags (V3), Epoxy Adhesive (V2) Conforming to IS 12994, Cotton Bandage Cloth Conforming to IS 863, Carbon Tape 19 MM(OFB-DEFENCE), Handloom Cotton Bed Sheets (V2) as per IS 745, Nylon Tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948<br><br>**Searched String**: ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A |

| बिड विवरण/Bid Details | Category not available on GeM for the text string uploaded by the buyer |
|---|---|
| | **Searched String**: ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX<br><br>Category not available on GeM for the text string uploaded by the buyer |
| **अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification** | • Welding Rods and Filler Wire for Gas Shielded Arc Welding of Structural Steel as per IS 6419<br>• PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694<br>• MS Sheet as per IS 1079 |
| **बीओक्यू शीर्षक /BOQ Title** | BOQ 1 FOR RAW MATERIAL |
| **एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover** | No |
| **स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover** | Yes \| Complete |
| **विक्रेता से मांगे गए दस्तावेज़/Document required from seller** | Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| **क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?** | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| **बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension** | 3 |
| **दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended** | 3 |
| **ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count** | 3 |
| **बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled** | No |

| बिड विवरण/Bid Details | |
|---|---|
| **बिड का प्रकार/Type of Bid** | Two Packet Bid |
| **प्राथमिक उत्पाद श्रेणी/Primary product category** | M S SHEET 8 FT X 4 FT 2.0 MM THICKNESS |
| **तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation** | 2 Days |
| **निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)** | No |
| **अनुमानित बिड मूल्य / Estimated Bid Value** | 54687 |
| **मूल्यांकन पद्धति/Evaluation Method** | Item wise evaluation |
| **मध्यस्थता खंड/Arbitration Clause** | No |
| **सुलह खंड/Mediation Clause** | No |

**ईएमडी विवरण/EMD Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

**ईपीबीजी विवरण /ePBG Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

| | |
|---|---|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |

**एमएसई खरीद वरीयता/MSE Purchase Preference**

| | |
|---|---|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X% | 20 |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference | 25 |

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

**Pre Bid Detail(s)**

| **मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time** | **प्री-बिड स्थान/Pre-Bid Venue** |
|---|---|
| 04-11-2026 13:00:00 | GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT-394240 |

**मूल्यांकन विधि(मदवार मूल्यांकन विधि)** / **Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / **Evaluation Schedules** | अनुमानित मूल्य / **Estimated Value** | वस्तु/श्रेणी / **Item/Category** | मात्रा / **Quantity** |
|---|---|---|---|
| Schedule 1 | 6500 | Cast Iron Block 150 X 50 X 08 Mm | 130 |
| Schedule 2 | 700 | Alluminium Filler Rod 2.4 Mm Dia | 2 |
| Schedule 3 | 100 | Aluminium Flux | 200 |
| Schedule 4 | 240 | Spark Lighter For Gas Welding | 6 |

| | | | |
|---|---|---|---|
| Schedule 5 | 2000 | Brass Filler Rod 2.4 Mm Dia | 4 |
| Schedule 6 | 300 | Cast Iron Electrode 3.15 Mm Dia, 1 Packet Contains 90 Nos | 1 |
| Schedule 7 | 12500 | M S Sheet 8 Ft X 4 Ft 2.0 Mm Thickness | 5 |
| Schedule 8 | 2200 | G I Sheet 8 Ft X 4 Ft , 24 Swg Or 0.56 Mm Thick | 2 |
| Schedule 9 | 200 | Industrial Hand Wash | 4 |
| Schedule 10 | 225 | M S Round Bar 10 Mm Dia | 7 |
| Schedule 11 | 200 | Vehicle Wash Liquid | 2 |
| Schedule 12 | 500 | Hand Rubber Gloves 5000 V | 5 |
| Schedule 13 | 260 | 100 W, 250 V Bulb , Tungsten Filament | 13 |
| Schedule 14 | 300 | 200 W, 250 V Bulb, Tungsten Filament | 10 |
| Schedule 15 | 628 | Rj 45 Connector | 157 |
| Schedule 16 | 300 | Capacitor 36 Mfd | 3 |
| Schedule 17 | 450 | Capacitor 250 Mfd | 3 |
| Schedule 18 | 100 | Plastic Seal To Seal Energy Meter | 20 |
| Schedule 19 | 1500 | Gi Earth Rod 16 Mm Dia Length 4 Feet With Clamp, Chemical And Top Cover | 1 |
| Schedule 20 | 4250 | Panel Light Indicator , 1 Set Equal To Each 1 No Of Red, Yellow And Blue | 25 |
| Schedule 21 | 1250 | Flourescent Tubelight Set 40 Watt | 5 |
| Schedule 22 | 100 | Modular Dummy Plate One Module | 20 |
| Schedule 23 | 900 | Modular Light Indicator 10 Amp Piano Type | 30 |
| Schedule 24 | 30 | Different Kind Of Resistor , 1 Box Equal To 50 No Of Different Resistor | 1 |
| Schedule 25 | 75 | Co-axial Cable Rg-6 | 15 |
| Schedule 26 | 136 | Rg-6 Cable Connector | 17 |
| Schedule 27 | 2000 | Sensor For Lightning Lamp Remote Control Switch | 10 |
| Schedule 28 | 1500 | Motion Sensor Lamp 9 W, 230 V | 10 |
| Schedule 29 | 250 | Metal Conduit Pipe 19 Mm | 5 |
| Schedule 30 | 150 | Hook Up Wire | 30 |
| Schedule 31 | 34 | Electrolyte Capacitor 330 Mfd 25 V | 17 |
| Schedule 32 | 48 | Pvc Coupling 19 Mm With Internal Thread | 16 |
| Schedule 33 | 17 | Carbon Resistor 470 Ohm , 02 Watt | 17 |
| Schedule 34 | 17 | Carbon Resistor 22 K Ohm , 02 Watt | 17 |
| Schedule 35 | 17 | Carbon Resistor 01 K Ohm , 02 Watt | 17 |
| Schedule 36 | 50 | Diode In 4007 | 50 |
| Schedule 37 | 180 | Pvc Conduit Pipe 19 Mm | 18 |

| | | | |
|---|---|---|---|
| Schedule 38 | 800 | Cable Jointing Kit Resin Compound Type | 1 |
| Schedule 39 | 300 | 07 By 20 Pvc Insulated Copper Wire | 20 |
| Schedule 40 | 2000 | 10 Sq Mm Pvc Insulated Flexible Copper Wire | 20 |
| Schedule 41 | 400 | Tubelight Choke Copper Winding On Plate Type 40 W | 2 |
| Schedule 42 | 200 | High Pressure Mercury Lamp With Chock And Holder 125 W | 1 |
| Schedule 43 | 120 | Solar Cell 5 V 100 Ma, 0.5 W Mini Solar Cell , 70 X 70 Mm | 6 |
| Schedule 44 | 400 | Light Indicator 6 Amp Switch Type Non Modular | 20 |
| Schedule 45 | 100 | Fuse 5 Amp Switch Type Non Modular | 5 |
| Schedule 46 | 500 | Male Female Plug Socket 6 Amp | 20 |
| Schedule 47 | 500 | Ceiling Rose , Two Plate | 20 |
| Schedule 48 | 350 | Hss Drill Bit, 1 Set Equal To Each 1 No Of 02 Mm, 03 Mm, 05 Mm | 5 |
| Schedule 49 | 1500 | No Volt Coil 240 V And 440 V Each | 10 |
| Schedule 50 | 150 | Cotton Binding Thread | 10 |
| Schedule 51 | 40 | Pvc Milinex Paper | 400 |
| Schedule 52 | 1000 | Rubber Checkered Electrical Mat 1 Mtr X 2 Mtr | 2 |
| Schedule 53 | 1400 | Forward Reverse Switch 16 Amp | 2 |
| Schedule 54 | 1500 | Led Lamp 0.5 W, 1 Set Equal To Each 1 No Of Red, Yellow, Blue, Pink | 10 |
| Schedule 55 | 400 | 09 V Battery With Cap | 20 |
| Schedule 56 | 200 | Metal Diode 25 Amp | 20 |
| Schedule 57 | 300 | Satin Ribbon Roll 12 Mm Width Avg 10 Mtr Long, 1 Set Equal To Each 1 No Of Blue And White | 10 |
| Schedule 58 | 300 | Brown Paper 140 Gsm 36 Inch Wide 1 Mtr Length Or Higher Length | 20 |
| Schedule 59 | 300 | Canvas Cotton Fabric 250 Gsm Or Higher Gsm, 120 Cm Width Or Higher | 20 |
| Schedule 60 | 540 | Soldering Wire 60 By 40 , Electrician Grade | 540 |
| Schedule 61 | 100 | Cotton Tap Adhesive 12 Mm | 50 |
| Schedule 62 | 300 | On Type Push Button Switch, Green Colour For Use In Panel Board 5 A | 10 |
| Schedule 63 | 300 | Off Type Push Button Switch Red Colour For Use In Panel Board 5 A | 10 |
| Schedule 64 | 240 | On Type Push Button Switch, Green Colour For Use In Panel Board 5 A With Gangbox | 6 |
| Schedule 65 | 240 | Off Type Push Button Switch Red Colour For Use In Panel Board 5 A With Gangbox | 6 |

**CAST IRON BLOCK 150 X 50 X 08 MM**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 130 | 15 |

## ALLUMINIUM FILLER ROD 2.4 MM DIA

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 2 | 15 |

## ALUMINIUM FLUX

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 200 | 15 |

## SPARK LIGHTER FOR GAS WELDING

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 6 | 15 |

## BRASS FILLER ROD 2.4 MM DIA

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 4 | 15 |

## CAST IRON ELECTRODE 3.15 MM DIA, 1 PACKET CONTAINS 90 NOS

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 1 | 15 |

## M S SHEET 8 FT X 4 FT 2.0 MM THICKNESS

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 5 | 15 |

## G I SHEET 8 FT X 4 FT , 24 SWG OR 0.56 MM THICK

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |

| | |
|---|---|
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 2 | 15 |

## INDUSTRIAL HAND WASH

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 4 | 15 |

## M S ROUND BAR 10 MM DIA

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 7 | 15 |

## VEHICLE WASH LIQUID

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 2 | 15 |

## HAND RUBBER GLOVES 5000 V

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 5 | 15 |

## 100 W, 250 V BULB , TUNGSTEN FILAMENT

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 13 | 15 |

## 200 W, 250 V BULB, TUNGSTEN FILAMENT

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## RJ 45 CONNECTOR

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 157 | 15 |

## CAPACITOR 36 MFD

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 3 | 15 |

## CAPACITOR 250 MFD

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 3 | 15 |

## PLASTIC SEAL TO SEAL ENERGY METER

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## GI EARTH ROD 16 MM DIA LENGTH 4 FEET WITH CLAMP, CHEMICAL AND TOP COVER

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |

| | |
|---|---|
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 1 | 15 |

## PANEL LIGHT INDICATOR , 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW AND BLUE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 25 | 15 |

## FLOURESCENT TUBELIGHT SET 40 WATT

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 5 | 15 |

## MODULAR DUMMY PLATE ONE MODULE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## MODULAR LIGHT INDICATOR 10 AMP PIANO TYPE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 30 | 15 |

## DIFFERENT KIND OF RESISTOR , 1 BOX EQUAL TO 50 NO OF DIFFERENT RESISTOR

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 1 | 15 |

## CO-AXIAL CABLE RG-6

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 15 | 15 |

## RG-6 CABLE CONNECTOR

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 17 | 15 |

## SENSOR FOR LIGHTNING LAMP REMOTE CONTROL SWITCH

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## MOTION SENSOR LAMP 9 W, 230 V

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## METAL CONDUIT PIPE 19 MM

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 5 | 15 |

## HOOK UP WIRE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |

| | |
|---|---|
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 30 | 15 |

## ELECTROLYTE CAPACITOR 330 MFD 25 V

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 17 | 15 |

## PVC COUPLING 19 MM WITH INTERNAL THREAD

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 16 | 15 |

## CARBON RESISTOR 470 OHM , 02 WATT

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 17 | 15 |

## CARBON RESISTOR 22 K OHM , 02 WATT

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 17 | 15 |

## CARBON RESISTOR 01 K OHM , 02 WATT

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 17 | 15 |

## DIODE IN 4007

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 50 | 15 |

## PVC CONDUIT PIPE 19 MM

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 18 | 15 |

## CABLE JOINTING KIT RESIN COMPOUND TYPE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 1 | 15 |

## 07 BY 20 PVC INSULATED COPPER WIRE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## 10 SQ MM PVC INSULATED FLEXIBLE COPPER WIRE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## TUBELIGHT CHOKE COPPER WINDING ON PLATE TYPE 40 W

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |

| | |
|---|---|
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 2 | 15 |

## HIGH PRESSURE MERCURY LAMP WITH CHOCK AND HOLDER 125 W

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 1 | 15 |

## SOLAR CELL 5 V 100 Ma, 0.5 W MINI SOLAR CELL , 70 X 70 MM

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 6 | 15 |

## LIGHT INDICATOR 6 AMP SWITCH TYPE NON MODULAR

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## FUSE 5 AMP SWITCH TYPE NON MODULAR

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 5 | 15 |

## MALE FEMALE PLUG SOCKET 6 AMP

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## CEILING ROSE , TWO PLATE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## HSS DRILL BIT, 1 SET EQUAL TO EACH 1 NO OF 02 MM, 03 MM, 05 MM

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 5 | 15 |

## NO VOLT COIL 240 V AND 440 V EACH

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## COTTON BINDING THREAD

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## PVC MILINEX PAPER

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 400 | 15 |

## RUBBER CHECKERED ELECTRICAL MAT 1 MTR X 2 MTR

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |

| | |
|---|---|
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 2 | 15 |

## FORWARD REVERSE SWITCH 16 AMP

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 2 | 15 |

## LED LAMP 0.5 W, 1 SET EQUAL TO EACH 1 NO OF RED, YELLOW, BLUE, PINK

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## 09 V BATTERY WITH CAP

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## METAL DIODE 25 AMP

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## SATIN RIBBON ROLL 12 MM WIDTH AVG 10 MTR LONG, 1 SET EQUAL TO EACH 1 NO OF BLUE AND WHITE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## BROWN PAPER 140 GSM 36 INCH WIDE 1 MTR LENGTH OR HIGHER LENGTH

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## CANVAS COTTON FABRIC 250 GSM OR HIGHER GSM, 120 CM WIDTH OR HIGHER

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 20 | 15 |

## SOLDERING WIRE 60 BY 40 , ELECTRICIAN GRADE

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 540 | 15 |

## COTTON TAP ADHESIVE 12 MM

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 50 | 15 |

## ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |

| | |
|---|---|
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 10 | 15 |

## ON TYPE PUSH BUTTON SWITCH, GREEN COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 6 | 15 |

## OFF TYPE PUSH BUTTON SWITCH RED COLOUR FOR USE IN PANEL BOARD 5 A WITH GANGBOX

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Pritiben Daxeshkumar Patel | 394240,GOVT. INDUSTRIAL TRAINING INSTITUTE, KARCHELIYA NEAR R.F.O. OFFICE, MAHUVA ANAVAL ROAD, AT. KARCHELIYA, TA. MAHUVA, BARDOLI, DI. SURAT, GUJARAT | 6 | 15 |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

4. **Generic**

   While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the

screenshot of GST portal confirming payment of GST.

5. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

6. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

## * This bid will be governed as per "Gujarat State Procurement Policy 2024" published by Industries and Mines Department, Gujarat.

1. Micro and small scale enterprises which participate directly in tendering process for the product which they are manufacturing/service which they are providing and have Udyam registration for items/ service under the procurement and having registration with CSPO or National Small industries Corporation.

2. Startups which participate directly in tendering process for the product which they are manufacturing / service which they are providing and recognised by DPIIT under the Start-up India Program and has obtained Udyam registration & CSPO/NSIC registration as MSE.

**3. Please refer complete “Gujarat state procurement policy 2024”**

**4. MSE must have to submit Udyam registration (relevant) with CSPO/ NSIC.**

5. For any dispute decision of head of the institute will be final.

## 6. * Turnover of the bidder

The minimum average annual financial turnover or actual production of the bidder/ during the last three years, ending on 31st March of the previous financial year, **should be at least twice the bid value. (Bid Estimated value mentioned in bid document)** Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant/ Cost Accountant indicating the financial turnover or actual production details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average financial turnover or actual production in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

.

7. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly

and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**