बिड संख्या/Bid Number: GEM/2026/B/8192961
दिनांक /Dated: 05-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	16-11-2026 09:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	17-11-2026 09:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Defence
विभाग का नाम/Department Name	Department Of Defence Research & Development
संगठन का नाम/Organisation Name	Office Of Dg (mss)
कार्यालय का नाम/Office Name	**********
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :neeraj.tbrl@gov.in Buyer Email id: vinay.kumar.dgre@gov.in
कुल मात्रा/Total Quantity	2
वस्तु श्रेणी /Item Category	WRENCHES and DRIVERS TOOL SET (ONGC) (Q3)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	4 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Post Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Auto CRAC Days	30
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
7. **Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives**

An independent third party Professional Inspection Body can help buyer in mitigating buyer’s risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation

conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer .If so requested and accepted by the seller , initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer . For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer’s decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

WRENCHES And DRIVERS TOOL SET (ONGC) (2 metric tonne)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Open-End Wrench Set (Metric)	**Contents of open end wrench set (Metric)**	12 pcs of wrenches of sizes 6-7,8-9,10-11,11-13,12-13,14-15,16-18,17-19,19-22,21-24,22-24,27-30 mm.
	Dimensions(in mm) of various sizes of Compliance open end wrench set (Size,Length,Head Diameter,Head Thickness) (Dimensions in bracket are of second end)	6(7),97,13(15),4(4)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Plating of Open-End Wrench Set (Metric)	Nickel Chrome
	Head offset of Open-End Wrench Set (Metric)	15.0 **(degree)**
Contents of WRENCHES and DRIVERS TOOL SET (ONGC)	**Contents of WRENCHES and DRIVERS TOOL SET (ONGC)**	Open-End Wrench Set (Metric)
Double Head Open-End Wrench Set (Imperial)	**Material of Double Head Open-End Wrench Set (Imperial)**	Alloy Steel
	Dimensions(in inches) of Double Head Open- End Wrench (Size,Length,Head Diameter,Head Thickness) Tolerances - 5% (Dimensions in brackets are of second end)	0.25(0.31),4.06,0.53(0.66),0.16(0.16)
	Plating of Double Head Open-End Wrench Set (Imperial)	Nickel Chrome
	Head offset of Double Head Open-End Wrench Set (Imperial)	15.0 **(degree)**
	Contents of Double Head Open-End Wrench Set (Imperial)	20 pcs of Double Head Open-End Wrenches (Imperial)
Bi -HExRing spanner (Imperial) 9 pc Set	**Storage of Bi -HExRing spanner (Imperial) 9 pc Set**	Blow Moulded
	Dimensions in inches (Size,Outside Diameter,Head Depth,Length) - Tolerance 5% : Bi - HExRing spanner (Imperial) 9 pc Set (Dimensions in brackets are of second end)	0.19(0.22),0.31(0.34),0.22(0.22),3.84
	Plating of Bi -HExRing spanner (Imperial)	Chrome
	Contents of Bi -HExRing spanner set (Imperial)	9 pcs of Bi-HeX Ring Spanners (Imperial)
	Head offset of Bi -HExRing spanner (Imperial)	10.0 **(degree)**
	Material of Bi -HExRing spanner (Imperial)	Alloy Steel
BI-HEx10 Degree OFFSET Ring spanner set (Metric) 8-32 mm	**Material of BI-HEx10 Degree OFFSET Ring spanner (Metric)**	Alloy Steel

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Dimensions in mm (Size,Outside Diameter,Head Depth,Length)- Tolerance 5% : BI- HEx10 Degree OFFSET Ring spanner set (Metric)(Sizes in brackets are of second end)	8(10),13(15),7(8),185
	Contents of BI-HEx10 Degree OFFSET Ring spanner set (Metric) 8-32 mm	8-10,11-13,12-14,14-15,16-18,17-19,19-22,21-24,27-30,30-32
Bi -HEx15 Degree Ring Spanner Set (Imperial)	**Dimensions in inches (Size,Length,Head Depth,Outside Diameter) - Tolerance 5% : Bi - HEx15 Degree Ring Spanner Set (Imperial)(Dimensions in brackets are of second end)**	0.31(0.38),8.88,0.25(0.3),0.45(0.55)
	Head offset of Bi -HEx15 Degree Ring Spanner Set (Imperial)	15.0 **(degree)**
	Material of Bi -HEx15 Degree Ring Spanner Set (Imperial)	Alloy Steel
	Storage of Bi -HEx15 Degree Ring Spanner Set (Imperial)	Blow Moulded
	Contents : Bi -HEx15 Degree Ring Spanner Set (Imperial)	16 pcs of Bi -Hex 15 Degree Ring Spanner Set (Imperial)
BI-HExRing Spanner Deep Offset (Metric) 12 pcs Set	**Storage of BI-HExRing Spanner Deep Offset Set (Metric)**	Blow Moulded
	Dimensions in mm (Size,Length,Head Depth,Outside Diameter)- Tolerance 5% : BI-HExRing Spanner Deep Offset (Metric)(Dimensions in brackets are of second end)	6(7),165,5(6),10.5(12)
	Material of BI-HExRing Spanner Deep Offset (Metric)	Alloy Steel
	Contents of of BI-HExRing Spanner Deep Offset (Metric)	12 pcs of BI- Hex Ring Spanner Deep Offset (Metric)
	Head offset of BI-HExRing Spanner Deep Offset (Metric)	60.0 **(degree)**

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
BI-HExRing spanner deep offset (Imperial) 11 pcs Set	**Contents of BI-HExRing spanner deep offset (Imperial) 11 pcs Set**	11 pcs of Bi- Hex Ring spanner deep offset (Imperial)
	Head offset of BI-HExRing spanner deep offset (Imperial)	60.0 **(degree)**
	Material of BI-HExRing spanner deep offset (Imperial)	Alloy Steel
	Dimensions (Wrenches Sizes in inch) (Size,Length,Head Depth,Outside Diameter) Tolerance 5% : BI-HExRing spanner deep offset (Imperial) 11 pcs Set(Dimensions in brackets are of second end)	0.25(0.31),6.42,0.25(0.31),0.39(0.47)
	Storage of BI-HExRing spanner deep offset (Imperial) 11 pcs Set	Blow Moulded
	Plating of BI-HExRing spanner deep offset (Imperial)	Nickel Chrome
BI-HExDeep Offset Double Ring Spanner set (Metric) 24mm to 50 mm	**Contents of ring spanner (11 pcs) of BI-HExDeep Offset Double Ring Spanner set (Metric) 24mm to 50 mm**	24-26,24-27,25-28,27-29,27-30,27-32,30-32,32-36,36-41,41-46,46-50
	Plating of BI-HExDeep Offset Double Ring Spanner set (Metric)	Chrome
	Material of BI-HExDeep Offset Double Ring Spanner set (Metric)	Alloy Steel
	Dimensions(Size,Outside Diameter,Head Depth,Length) - Tolerance 5% : BI-HExDeep Offset Double Ring Spanner set (Metric) 24mm to 50 mm Dimensions in bracket are of second end	24(26),36(40),13(14),326
	Finish of BI-HExDeep Offset Double Ring Spanner set (Metric)	Micro-Matte
	Compliance : BI-HExDeep Offset Double Ring Spanner set (Metric)	DIN 838

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Storage of BI-HExDeep Offset Double Ring Spanner set (Metric) 24mm to 50 mm	Blow Moulded
	Head offset of BI-HExDeep Offset Double Ring Spanner set (Metric)	60.0 **(degree)**
Double Head Socket Wrench Set (Metric)	**Material of Double Head Socket Wrench Set (Metric)**	Alloy Steel
	Hardness of Double Head Socket Wrench Set (Metric)	42
	Dimensions in mm(Size,Length,Outer Diameter Head 1,Outer Diameter Head 2) - 5% (Dimensions in brackets are of second end)	6(7),103,10,11
	Contents of Double Head socket wrench (12 pcs) and Tommy Bar (3 Pcs)	12 pcs of Double Head socket wrench (6X7,8x9,10X11,12x13,14x15,16x17,18x19,20x22,21 x23,24x26,25x28,30x32) and 3 pcs of Tommy bars (6-17,17-27,25-50)
1/4 inch Drive 6-Point Shallow Socket Sets (Imperial)	**Finish of ratchet handle**	Chrome
	Rachet Repair kit to be supplied with the set	Yes
	Material of 1/4 inch shallow sockets (imperial)	Alloy Steel
	Contents of 1/4 inch Drive 6-Point Shallow Socket Sets (Imperial)	3/16 inch Socket,7/32 inch Socket,1/4 inch Socket,9/32 inch Socket,5/16 inch Socket,11/32 inch Socket,3/8 inch Socket,7/16 inch Socket,1/2 inch Socket,9/16 inch Socket,Rachet Handle,Universal Joint,2 inch Knurled Extension,4 inch Knurled Extension
	Material of ratchet handle	Alloy Steel
	Dimensions in inch (Sizes of sockets,Socket Bolt Clearance Depth,Socket End Diameter,Drive End Diameter,Socket Length,Opening Depth of Socket) - Tolerance 5%	0.19,0.5,0.28,0.47,0.88,0.16
3/8 inch Ratchet Wrench and Socket accessories set	**Material of 3/8 inch Ratchet Wrench and Socket accessories set**	Alloy Steel
	Maximum Torque of 1/4 inch Drive Square Drive Adaptor (inch/pound)	450
	Storage of 3/8 inch Ratchet Wrench and Socket accessories set	Blow Moulded

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Dimensions of wobble extensions (Length,Shank Diameter) (Tolerance 5%)	38,13
3/8 inch drive 6-point Deep sockets Set (Imperial)	**Dimensions in inch (Size,Bolt Clearance Depth,Socket End Diameter,Drive End Diameter,Length,Opening Depth) - Tolerance 5% : 3/8 inch drive 6-point Deep sockets Set (Imperial)**	0.25,1.69,0.47,0.69,2.13,0.25
	Material of 3/8 inch drive 6-point Deep sockets Set (Imperial)	Alloy Steel
	Length of Ratchet (Tolerance 5%)	190.0 **(millimeter)**
	Shank Diameter of 3 inch Knurled Friction Ball Extension (Tolerance 5%)	10.3 **(millimeter)**
	Shank Diameter of 1-1/2 inch Friction Ball Extension (Tolerance 5%)	12.7 **(millimeter)**
	Shank Diameter of 2-1/16 inch Friction Ball Universal Joint (Tolerance 5%)	19.0 **(millimeter)**
Adjustible Spanner Set (4 nos)	**Finish of Adjustible Spanner Set (4 nos)**	Nickel Chrome
	Contents of Adjustible Spanner Set (4 nos)	Adjustable Spanner 6 inch,Adjustable Spanner 8 inch,Adjustable Spanner 10 inch,Adjustable Spanner 12 inch
	Dimensions(Length,Maximum Jaw Opening) -Adjustible Spanner Set (4 nos) : Tolerance 5%	150,19
	Material of Adjustible Spanner Set (4 nos)	Alloy Steel
Heavy Duty Industrial Grade Adjustable Wrench,15 inch	**Material of Industrial Grade Adjustable Wrench,15 inch**	Alloy Steel
	Finish of Industrial Grade Adjustable Wrench,15 inch	Chrome
Adjustible Wrench with Thin Tapered Jaws Set	**Dimensions in mm (Length,Maximum Jaw opening,Head Thickness) - Tolerance 5% : Adjustible Wrench with Thin Tapered**	250,30,15.5
	Material of Adjustible Wrench with tapered jaw of Adjustible Wrench with Thin Tapered Jaws Set	Alloy Steel

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Contents of set of Adjustible Wrenches with tapered jaw	10 inch Adjustable wrench,12 inch Adjustable wrench
1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)	**Contents : 1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)**	13 Shallow Sockets sets (3/8 inch,7/16 inch,1/2 inch,9/16 inch,5/8 inch,11/16 inch,3/4 inch,13/16 inch,7/8 inch,15/16 inch,1 inch,1-1/16 inch,1-1/8 inch),High Strength Rachet Handle,18 inch Breaker bar,5 inch Knurled Extension,11 inch Knurled Extension
	Finish of 1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)	Chrome
	Dimensions (in inch) of 1/2 inch Drive Sockets (Sizes,Bolt Clearance Depth,Socket End Diameter,Drive End Diameter,Length,Opening Depth) - Tolerance 5% : 1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)	0.38,0.88,0.59,0.91,1.5,0.31
	Storage of 1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)	Blow Moulded
	Square Drive of 1/2 inch Drive Ratchet Handle	1/2 inch
	Rachet Repair kit to be supplied with 1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)	Yes
	Material of 1/2 inch Drive 6-Point Shallow Socket Sets (Imperial)	Alloy Steel
Straight Pipe Wrench Set (Imperial)	**Material : Straight Pipe Wrench Set (Imperial)**	Alloy Steel
Mechanical Torque Wrench	**Head Depth in inch : Mechanical Torque wrench**	1.5
	Range in Nm : Mechanical Torque wrench (nm)	40-200
	Should include calibration certificate traceable to international standards	Yes
	Size of Drive (in inch) of Mechanical Torque wrench	1/2
	Swing Arc of Mechanical Torque wrench	10.0 **(degree)**
	Head Style	Compact Ratchet

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Repair and calibration facility in India	Yes
	Increment in Ft|lb : Mechanical Torque wrench	1
	Storage : Mechanical Torque wrench	Blow Moulded
	Increment in Nm : Mechanical Torque wrench (nm)	0.1
	Calibration as per ASME standards for accuracy,from 20-100% of full scale,using NIST traceable equipment	Yes
	Range in Ft|lb : Mechanical Torque wrench	30-150
	Length in inch : Mechanical Torque wrench (Tolerance 5%)	15
	Gear Teeth of Mechanical Torque wrench	30
	Direction of Measuring Torque	Anticlockwise
	Head Width in inch: Mechanical Torque wrench	1.5
	Scale of Mechanical Torque wrench	N.m
AIR RATCHET WRENCH	**Maximum Torque of Air Ratchet Wrench (Nm)**	27
	Grade 5 Bolt Capacity (in inch) of Air Ratchet Wrench	5/16
	Drive Size of Air(in inch) Ratchet Wrench	1/2
	Housing Material of Air Ratchet Wrench	Aluminium
	Free Speed of Air Ratchet Wrench	185
HEAVY DUTY STRAP WRENCH	**Material of Heavy Duty Strap Wrench**	Aluminum
	Should adjust to fit any circumference or irregular shape	Yes
HEAVY DTY STRAP WRENCH	**Diameter of Heavy Duty Strap Wrench (Tolerance 5%)**	100.0 **(millimeter)**

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Combination Wrench Set (Imperial) 3/8-1-1/4 inch	**Storage of combination wrench set (Imperial)**	Kit Bag
	Head offset of Ring side of combination wrench set (Imperial)	7.5 **(degree)**
	Contents of Combination Wrench Set (Imperial) 3/8-1-1/4 inch	3/8,7/16,1/2,9/16,5/8,11/16,3/4,13/16,7/8,15/16,1,1-1/16,1-1/8and 1-1/4
	Compliance : Combination wrench set (Imperial)	ASME B107.100
	Material of combination wrench set (Imperial)	Alloy Steel
	Finish of combination wrench set (Imperial)	Chrome
	Storage of Combination Wrench Set (Imperial) 3/8-1-1/4 inch	Blow Moulded
	Dimensions (in inch) (Size,Outside Diameter - Ring End,Outside Diameter - Open End,Head Depth - Ring End,Head Depth - Open End,Length) - Tolerance 5%	0.38,0.59,0.78,0.31,0.19,6.5
	Style of combination wrench set (Imperial)	12 point
Chain Pipe Wrench	**Continuous operation can be done without removing the wrench**	Yes
	Maxmum Pipe Diameter of Chain Pipe Wrench (Tolerance 5%)	100.0 **(millimeter)**
	Material of Chain Pipe Wrench	Alloy Steel
	Minimum Pipe Diameter of Chain Pipe Wrench (Tolerance 5%)	9.5 **(millimeter)**
	Forged Heat Treated Handle of Chain Pipe Wrench	Yes
	Handle Length of Chain Pipe Wrench (Tolerances 5%)	11.0 **(inch)**
7 Drawer Tool Trolley	**Finish**	Powder coated
	Material of 7 Drawer Tool Trolley	Mild Steel
Tool Bag	**Material of Tool Bag**	Heavy Cordura

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	**********	**********PANCHKULA	2	45

Buyer added Bid Specific Additional Scope of Work

क्र.सं./S.No.	Document Title	Description	रिवर्स प्रभार के अनुसार जीएसटी/Applicable i.r.o. Items
1	Technical Specification Documents View	Technical Specification Documents	WRENCHES And DRIVERS TOOL SET (ONGC)(2)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly

and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---