बिड संख्या/Bid Number: GEM/2026/B/8193181

दिनांक /Dated: 23-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	07-11-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	08-11-2026 18:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	15 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Madhya Pradesh
विभाग का नाम/Department Name	Technical Education And Man Power Planning Department Madhya Pradesh
संगठन का नाम/Organisation Name	Directorate Of Training Government Of Madhya Pradesh Bhopal
कार्यालय का नाम/Office Name	Directorate Of Skill Development Mp Jabalpur
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :addsd.jbp@mp.gov.in Buyer Email id: itisgl.strivebuy@mp.gov.in
कुल मात्रा/Total Quantity	16273
	Heavy Duty Floor Cleaner Disinfectant 5 Litre Can , Toilet Urinal Bowl Cleaner 1 Litre Can , Glass Multi Surface Cleaner Liquid Spray bottle 750 ml With 1 Litre Refill , Liquid Hand Wash Liquid despensor bottle 500 ml With 1500ml Refill , Bleaching Powder 5 kg Bag , Napthalene Balls 1 kg Pack , Caustic Soda Flakes Drain Cleaner 1 kg Bag , Hand Sanitizer Gel Liquid 500 ml Can , Soft Broom Phool Jharoo Standard 500 gm min weight , Hard Broom Kharata SINK JHAROO Standard 400 gm min weight , Heavy Duty Floor Wiper 18 Inch 450 mm Blade , Cotton Wet Floor Mop with Clip 300 gm Mop Head 4 ft Handle , Replacement Cotton Mop Refill Heads 300 GM Weight , Industrial Cobweb Brush Jala Brush Telescopic Handle up to 3 m , Long Handle Floor Scrubbing Brush 10 12 Inch Head 4 ft Handle , Toilet Cleaning Brush Round Curved Angular Neck , Plastic Dustpan with Rubber Lip Large Heavy Duty , Heavy Duty Plastic Buckets 20 Litre Capacity , Plastic Water Mugs 1.0 1.5 Litre Capacity , Dustbin 100 Litre Capacity , Heavy Duty Black Garbage Liner Bags 30 x 37 Inch 50 Micron , Microfiber Cleaning Cloths 40 cm x 40 cm min. 300 GSM , Heavy Duty Rubber Cleaning Gloves Large XL 14 Inch Length , Commercial Hydrochloric Acid Sanitation Descaling Acid 5 Litre Can , Concentrated Black Disinfectant Fluid Phenyle 5 Litre Can Grade 3 Class A B , Heavy Duty Multi Purpose Detergent Washing Powder 1 kg Moisture Proof Pack , Rechargeable Industrial LED Searchlight Security Torch 5 Watt High Power LED 3.7V Li ion , Heavy Duty Windproof Security Umbrella 12 Rib Large Canopy Min. 48 Inch 120 cm Arc , Industrial Waterproof PVC Safety Gumboots Calf Length 14 15 Inch

बिड विवरण/Bid Details	Height Sizes 7 to 10 , Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 15 mm 10 feet length ,
वस्तु श्रेणी /Item Category	Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 20 mm 10 feet length , Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 25 mm 10 feet length , Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 40 mm 10 feet length , Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 50 mm 10 feet length , UPVC Pipe Socket Coupler 15mm 15mm Nominal Size Schedule 80 ASTM D2467 , UPVC Pipe Socket Coupler 20mm 20mm Nominal Size Schedule 80 ASTM D2467 , UPVC Pipe Socket Coupler 25mm 25mm Nominal Size Schedule 80 ASTM D2467 , UPVC Pipe Socket Coupler 40mm 40mm Nominal Size Schedule 80 ASTM D2467 , UPVC Pipe Socket Coupler 50 mm 50mm Nominal Size Schedule 80 ASTM D2467 , UPVC Union Joint 15mm 15mm Nominal Size Schedule 80 ASTM D2467 , UPVC Union Join 20mm 20mm Nominal Size Schedule 80 ASTM D2467 , UPVC Union Join 25mm 25mm Nominal Size Schedule 80 ASTM D2467 , UPVC Union Join 40mm 40mm Nominal Size Schedule 80 ASTM D2467 , UPVC Union Join 50mm 50mm Nominal Size Schedule 80 ASTM D2467 , UPVC Equal 90 Pipe Tee 15mm 15mm Nominal Size Schedule 80 ASTM D2467 , UPVC Equal 90 Pipe Tee 20mm 20mm Nominal Size Schedule 80 ASTM D2467 , UPVC Equal 90 Pipe Tee 25mm 25mm Nominal Size Schedule 80 ASTM D2467 , UPVC Equal 90 Pipe Tee 40mm 40mm Nominal Size Schedule 80 ASTM D2467 , UPVC Equal 90 Pipe Tee 50mm 50mm Nominal Size Schedule 80 ASTM D2467 , UPVC Reducing Bush Reducer Socket 20mm to 15 mm 20mm to 15mm Schedule 80 ASTM D2467 , UPVC Reducing Bush Reducer Socket 25mm to 20mm 25mm to 20mm Schedule 80 ASTM D2467 , UPVC Reducing Bush Reducer Socket 25mm to 15mm 25mm to 15mm Schedule 80 ASTM D2467 , UPVC Compact Ball Valve 15mm 15mm Nominal Size Solvent Threaded Ends , UPVC Compact Ball Valve 20mm 20mm Nominal Size Solvent Threaded Ends , UPVC Compact Ball Valve 50mm 50mm Nominal Size Solvent Threaded Ends , UPVC Compact Ball Valve 25mm 25mm Nominal Size Solvent Threaded Ends , UPVC Heavy Duty Solvent Cement Glue 250 ml 250 ml Tin Container with Applicator Cap , UPVC 90 Plumbing Pipe Elbow 15mm 15mm Nominal Size Schedule 80 ASTM D2467 , UPVC 90 Plumbing Pipe Elbow 20mm 20mm Nominal Size Schedule 80 ASTM D2467 , UPVC 90 Plumbing Pipe Elbow 25mm 25mm Nominal Size Schedule 80 ASTM D2467 , UPVC 90 Plumbing Pipe Elbow 40mm 40mm Nominal Size Schedule 80 ASTM D2467 , UPVC 90 Plumbing Pipe Elbow 50mm 50mm Nominal Size Schedule 80 ASTM D2467 , UPVC Concentric Pipe Reducer Socket 50 mm to 40 mm 50mm to 40mm 50 x 40 mm Heavy Duty Class B , UPVC Concentric Pipe Reducer Socket 50mm to 50mm x 25 mm 50mm to 25mm 50 x 25 mm Heavy Duty Class B , UPVC Concentric Pipe Reducer Socket 25mm to 15mm 25mm to 15mm Heavy Duty Class B , UPVC Concentric Pipe Reducer Socket 20mm to 15mm 20mm to 15mm Heavy Duty Class B , 1 WAY SWITCH FLUSH TYPE 6AMP 240 VOLT 6AMP 240 VOLT , 2 WAY SWITCH FLUSH TYPE 6AMP 240 VOLT 6AMP 240 VOLT , 3 CORE FLAT PVC COPPER CALBE 2.5 sqmm 2.5 SQMM , 4 CORE COPPER FLEXIBLE UNARMOURED CABLE 2.5 sqmm 2.5 SQMM , 5 PIN SOCKET 6 AMP 240 VOLT 6 AMP 240 VOLT 6AMP 240 VOLT , Aluminium wire P.V.C. 1 core 1.5sqmm 1.5 SQMM , Aluminium wire P.V.C. 1 core 2.5sqmm , Aluminium wire P.V.C. 1 core 4sqmm , ANGLE HOLDER 6A 240 V 6 AMP 240 VOLT , BAKELITE PENDANT HOLDER 6A 240 V NORMAL 6

बिड विवरण/Bid Details	AMP 240 VOLT , BATTEN LED TUBELIGHT WITH COMPLETE SET 20 WATT , Deep Groove Radial Ball Bearing 6201 6201 2RS 2Z 12 x 32 x 10 mm , Deep Groove Radial Ball Bearing 6202 6202 2RS 2Z 15 x 35 x 11 mm , BELL PUSH SWITCH FLUSH TYPE 6 AMP 240VOLT 6 AMP 240 VOLT , Black Phosphated Drywall Wood Screws 25mm 25mm 25 mm Length x 3.5 mm Dia No. 6 , Black Phosphated Drywall Wood Screws 0.5 Inch 0.5 13 mm Length x 3.5 mm Dia No. 6 , CAPACITOR 2.5MFD , CAPACITOR 3.15 MFD , CAPACITOR 4 mfd , Cashing Caping PATTI 20mm , CHINA KANTI 15mm , CHINA KANTI 25mm , CHINA KANTI 40mm , Coloured Decorative LED Lamp Bulb Blue 0.5W to 3W 240V AC , Coloured Decorative LED Lamp Bulb Red 0.5W to 3W 240V AC , Coloured Decorative LED Lamp Bulb Yellow 0.5W to 3W 240V AC , COPPER STRIP 25 mm x 3 mm , COTTEN TAPE 25mm WIDTH AND 20 METER LENGTH PER ROLL , EMERGENCY LED BULB 9WATT , EMERGENCY LED BULB 12 WATT , FASTENER SCREW SET 10mm , FASTENER SCREW SET 12mm , Flexible wire copper 2 core 23 76 , Flexible wire copper 2 core 40 76 , GI wire 16SWG , Electrical Industrial Safety PVC Gumboots Calf Length Height 14 to 15 inch Sizes 7 to 10 , Electrical Insulating Safety Rubber Hand Gloves Class 0 Class 0 Working 1000V AC Proof Test 5000V AC 14 Length , HEX HEAD BRASS NUT BOLT M10mm length 50mm , HEX HEAD STEEL NUT BOLT M08mm length 50mm , HEX HEAD STEEL NUT BOLT M10mm length 50mm , HEX HEAD STEEL NUT BOLT M12mm length 50mm , HEX HEAD STEEL NUT BOLT 16mm length 50mm , ICTP main switch 63AMP , ICTP main switch 100 AMP , ICTP main switch 200AMP , Incandescent Lamps 40 watt , Incandescent Lamps 60 watt , Incandescent Lamps 100 watt , Incandescent Lamps 200 watt , INSULATION TAPE , INSULATION VARNISH AIR DRY VARNISH 1 litre bottle , INTERMIDIAT SWITCH 6AMP 240 VOLT , KITKAT FUSE MALE FEMALE 200 amp , KITKAT FUSE MALE FEMALE 500 amp , LED BULB 9WATT , LED BULB 12WATT , LED BULB 20WATT , LED STREET LIGHT 45WATT 60 WATT 5000 to 6000 lumen , LUG Thimbal Alluminum 16mm , LUG Thimbal Alluminum 25mm , LUG Thimbal Alluminum 50mm , LUG Thimbal Alluminum 75mm , Tungsten Carbide Tipped TCT Masonry Drill Bit Dia 6.0 mm Working Length 60 to 100 mm , Tungsten Carbide Tipped TCT Masonry Drill Bit Dia 8.0 mm Working Length 70 to 120 mm , Tungsten Carbide Tipped TCT Masonry Drill Bit Dia 10.0 mm Working Length 80 to 120 mm , MCB C TYPE 6AMP 10 AMP , MCB C TYPE 16 AMP 20amp , MCB DP C TYPE 16 AMP 20amp , MCB DP C TYPE 32 AMP , MCB FOUR POLE TPN 32 AMP , MODULER 06 AMP BELL SWITCH 6AMP 240 VOLT , Modular Air Conditioner AC Power Box with Plate 20A 25A Single Pole MCB 20A Shuttered Socket , MODULER COMBINED SWITCH SOCKET WITH SURFACE PLATE 16 AMP 240 VOLT , Modular 5 Step Electronic Fan Speed Regulator 100W 240V AC 1 Module 2 Module , MODULER HOLDER 06 AMP 240 VOLT , Modular Surface Concealed PVC Gang Box with Plate 12 Way 12 Module 12 Way , Modular Surface Concealed PVC Gang Box with Plate 4 Way 4 Module 4 Way , Modular Surface Concealed PVC Gang Box with Plate 8 Way 8 Module 8 Way , MODULER SOCKET 3 PIN 6AMP 240 VOLT , MODULER SWITCH 1 WAY 6AMP 240 VOLT , MODULER SWITCH 1 WAY 16AMP 240 VOLT , MODULER SWITCH 2 WAY 6AMP 240 VOLT , Motor DOL Starter 3 phase 5HP motors at 415V AC , MUZICAL DOOR BELL 6 AMP 240 VOLT , PVC Alluminium 2 CORE CABLE 4sqmm , PVC COPPER WIRE 0.5sqmm , PVC COPPER WIRE 1sqmm , PVC COPPER WIRE 1.5sqmm , PVC COPPER WIRE 2.5sqmm , PVC COPPER WIRE

	4sqmm , PVC INSULATION PAPER 5mil , PVC INSULATION PAPER 7mil , RUBBER MAT 2 x 4 x 25mm , Super Enameled Dual Coated Copper Winding Wire 36 SWG 36 SWG Nominal Dia 0.193 mm Class F 155 C H 180 C , Super Enameled Dual Coated Copper Winding Wire 34 SWG 34 SWG Nominal Dia 0.234 mm Class F 155 C H 180 C , Super Enameled Dual Coated Copper Winding Wire 32 SWG 32 SWG Nominal Dia 0.274 mm Class F 155 C H 180 C , SOLDERING FLUX ALUMINIUM 50 GRAM 50 GRAM , SOLDERING FLUX copper 50 GRAM 50 GRAM , SOLDERING WIRE 60 40 40 , TUBE CHOKE Electronic CHOKE Normal , TUBE ROD 20 WATT 20 WATT , Self Amalgamating Unvulcanized Raw Rubber Splicing Tape Kaccha Rubber Tape Width 25 mm x Thickness 0.8 mm x Length 5 10 Meter , Plastic Wall Rawl Plugs Guttaka Size 06 mm dia and 25 mm , Plastic Wall Rawl Plugs Guttaka Size 08 mm dia and 25 mm , Circle clip Kaju Pin 4mm , Circle clip Kaju Pin 6mm , Circle clip Kaju Pin 8mm , FASTENER SCREW SET 08mm , SUBMERSIBLE MOTOR STARTER 2HP 240 VOLT, 50Hz single phase
	Heavy Duty Floor Cleaner & Disinfectant, Toilet & Urinal Bowl Cleaner, Glass & Multi-Surface Cleaner, Liquid Hand Wash, Bleaching Powder, Napthalene Balls, Caustic Soda Flakes (Drain Cleaner), Hand Sanitizer Gel/Liquid, Soft Broom (Phool Jharoo), Hard Broom (Kharata / SINK JHAROO), Heavy Duty Floor Wiper, Cotton Wet Floor Mop with Clip, Replacement Cotton Mop Refill Heads, Industrial Cobweb Brush (Jala Brush), Long-Handle Floor Scrubbing Brush, Toilet Cleaning Brush, Plastic Dustpan with Rubber Lip, Heavy-Duty Plastic Buckets, Plastic Water Mugs, Dustbin, Heavy-Duty Black Garbage Liner Bags, Microfiber Cleaning Cloths, Heavy-Duty Rubber Cleaning Gloves, Commercial Hydrochloric Acid / Sanitation Descaling Acid, Concentrated Black Disinfectant Fluid (Phenyle), Heavy-Duty Multi-Purpose Detergent Washing Powder, Rechargeable Industrial LED Searchlight / Security Torch, Heavy-Duty Windproof Security Umbrella (12-Rib), Industrial Waterproof PVC Safety Gumboots, Unplasticized Polyvinyl Chloride (UPVC) , UPVC Pipe Socket / Coupler (1/2"), UPVC Pipe Socket / Coupler (3/4"), UPVC Pipe Socket / Coupler (1"), UPVC Pipe Socket / Coupler (1.5"), UPVC Pipe Socket / Coupler (2"), UPVC Union Joint (1/2"), UPVC Union Join (3/4"), UPVC Union Join (1"), UPVC Union Join(1.5"), UPVC Union Join (2"), UPVC Equal 90 Pipe Tee (1/2"), UPVC Equal 90 Pipe Tee (3/4"), UPVC Equal 90 Pipe Tee (1"), UPVC Equal 90 Pipe Tee (1.5"), UPVC Equal 90 Pipe Tee (2"), UPVC Reducing Bush / Reducer Socket (3/4" to 1/2"), UPVC Reducing Bush / Reducer Socket (1" to 3/4"), UPVC Reducing Bush / Reducer Socket (1" to 1/2"), UPVC Compact Ball Valve (1/2"), UPVC Compact Ball Valve (3/4"), UPVC Compact Ball Valve (2"), UPVC Compact Ball Valve (1"), UPVC Heavy-Duty Solvent Cement Glue (250 ml), UPVC 90 Plumbing Pipe Elbow (1/2"), UPVC 90 Plumbing Pipe Elbow (3/4"), UPVC 90 Plumbing Pipe Elbow (1"), UPVC 90 Plumbing Pipe Elbow (1.5"), UPVC 90 Plumbing Pipe Elbow (2"), UPVC Concentric Pipe Reducer Socket (2" to 1.5" (50 x 40 mm)), UPVC Concentric Pipe Reducer Socket (2" to 1" (50 x 25 mm)), UPVC Concentric Pipe Reducer Socket (1" to 1/2"), UPVC Concentric Pipe Reducer Socket (3/4" to 1/2"), 1-WAY SWITCH FLUSH TYPE 6AMP/240 VOLT, 2-WAY SWITCH FLUSH TYPE 6AMP/240 VOLT, 3-CORE FLAT PVC COPPER CALBE 2.5 sqmm, 4- CORE COPPER FLEXIBLE UNARMOURED CABLE 2.5 sqmm, 5 PIN SOCKET 6 AMP 240 VOLT 6 AMP/240 VOLT, Aluminium wire P.V.C. 1-core 1.5sqmm, Aluminium wire P.V.C. 1-core, Aluminium wire P.V.C. 1-core, ANGLE HOLDER 6A,240 V, BAKELITE PENDANT HOLDER 6A,240 V (NORMAL), BATTEN LED TUBELIGHT WITH COMPLETE SET, Deep Groove Radial

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Ball Bearing (6201), Deep Groove Radial Ball Bearing (6202), BELL PUSH SWITCH FLUSH TYPE 6 AMP 240VOLT, Black Phosphated Drywall / Wood Screws (1 Inch), Black Phosphated Drywall / Wood Screws (0.5 Inch), CAPACITOR, CAPACITOR, CAPACITOR, Cashing Caping PATTI, CHINA KANTI, CHINA KANTI, CHINA KANTI, Coloured Decorative LED Lamp Bulb (Blue), Coloured Decorative LED Lamp Bulb (Red), Coloured Decorative LED Lamp Bulb (Yellow), COPPER STRIP, COTTEN TAPE, EMERGENCY LED BULB, EMERGENCY LED BULB, FASTENER SCREW SET, FASTENER SCREW SET, Flexible wire copper 2 core, Flexible wire copper 2 core, GI wire, Electrical & Industrial Safety PVC Gumboots, Electrical Insulating Safety Rubber Hand Gloves (Class 0), HEX HEAD BRASS NUT BOLT, HEX HEAD STEEL NUT BOLT, HEX HEAD STEEL NUT BOLT, HEX HEAD STEEL NUT BOLT, HEX HEAD STEEL NUT BOLT, ICTP main switch, ICTP main switch, ICTP main switch, Incandescent Lamps, Incandescent Lamps, Incandescent Lamps, Incandescent Lamps, INSULATION TAPE, INSULATION VARNISH (AIR DRY VARNISH), INTERMIDIAT SWITCH, KITKAT FUSE (MALE & FEMALE), KITKAT FUSE (MALE & FEMALE), LED BULB, LED BULB, LED BULB, LED STREET LIGHT, LUG/Thimbal Alluminum, LUG/Thimbal Alluminum, LUG/Thimbal Alluminum, LUG/Thimbal Alluminum, Tungsten Carbide Tipped (TCT) Masonry Drill Bit, Tungsten Carbide Tipped (TCT) Masonry Drill Bit, Tungsten Carbide Tipped (TCT) Masonry Drill Bit, MCB C TYPE, MCB C TYPE, MCB DP C TYPE, MCB DP C TYPE, MCB FOUR POLE (TPN), MODULER 06 AMP BELL SWITCH, Modular Air Conditioner (AC) Power Box with Plate, MODULER COMBINED SWITCH & SOCKET WITH SURFACE PLATE, Modular 5-Step Electronic Fan Speed Regulator, MODULER HOLDER, Modular Surface / Concealed PVC Gang Box with Plate (12-Way), Modular Surface / Concealed PVC Gang Box with Plate (4-Way), Modular Surface / Concealed PVC Gang Box with Plate (8-Way), MODULER SOCKET 3-PIN, MODULER SWITCH 1-WAY, MODULER SWITCH 1-WAY, MODULER SWITCH 2-WAY, Motor DOL Starter 3-phase, MUZICAL (DOOR BELL), PVC Alluminium 2- CORE CABLE, PVC COPPER WIRE, PVC COPPER WIRE, PVC COPPER WIRE, PVC COPPER WIRE, PVC COPPER WIRE, PVC INSULATION PAPER, PVC INSULATION PAPER, RUBBER MAT, Super Enameled Dual-Coated Copper Winding Wire (36 SWG), Super Enameled Dual-Coated Copper Winding Wire (34 SWG), Super Enameled Dual-Coated Copper Winding Wire (32 SWG), SOLDERING FLUX ALUMINIUM 50 GRAM, SOLDERING FLUX copper 50 GRAM, SOLDERING WIRE 60/40, TUBE CHOKE Electronic, TUBE ROD 20 WATT, Self-Amalgamating Unvulcanized Raw Rubber Splicing Tape (Kaccha Rubber Tape), Plastic Wall Rawl Plugs / Guttaka, Plastic Wall Rawl Plugs / Guttaka, Circle clip (Kaju Pin), Circle clip (Kaju Pin), Circle clip (Kaju Pin), FASTENER SCREW SET, SUBMERSIBLE MOTOR STARTER
	Searched String: Heavy Duty Floor Cleaner & Disinfectant Heavy Duty Curtains - Panchakarma, industrial vacuum cleaner, Heavy Duty Battery Charger, Styling Chair / Salon Chair / Swiveling Barber Chair, Heavy Duty Creeper Seat, Heavy Duty Storage Racks, Heavy duty diesel ultra oil, Floor Drain Traps (V2), Heavy duty longspan storage System, Bamboo Slicer Machine (Heavy Duty) **Searched String**: Toilet & Urinal Bowl Cleaner Toilet Cleaner Liquid (V3) conforming to IS 7983, Urinal

बिड विवरण/Bid Details	Bowls as per IS 2556 (Part 6), FRP Urinal Cabin, Urinal Cubes - Deodorizer Block (V3), Toilet Brush (V3), FRP Urinal Cabin (V2), Toilet cleaner, Acid based Powder (V2) conforming to IS 13760 **Searched String**: Glass & Multi-Surface Cleaner Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Multi Grain Winnower Paddy cleaner Grain Cleaner, Glass Cleaner, Liquid (V3) conforming to IS 8540, Phototherapy Machine for (SNCU), Polishing Machines, Laboratory Glass Adapters, EFF Strip, Laboratory Glass Adapters (V2), Laboratory Glassware Washers, Laboratory Refrigerator (V2) **Searched String**: Liquid Hand Wash Antimicrobial Hand Wash (V2), Nitrile Coated/Nitrile Hand Gloves (V2), Liquid Lab Wash Detergent, Face Wash, Towel Hand Cotton Turkish (IAF), Wash Oil (V2), Digital Multimeter, Surgical Wash Bowl, Hand Held Search Light, Plastic Wash Bottle **Searched String**: Bleaching Powder Stable Bleaching Powder for Household and Industrial use (V3) conforming to IS 1065 (Part 1), Garden Bench, Stable Bleaching Powder for Treatment of Water Intended for Drinking (V3) conforming to IS 1065 (Part 2), Cellulose Powder, Classroom Stools, Calamine Powder, Custard powder, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Protein Powder, Agarose powder **Searched String**: Napthalene Balls Golf Balls, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Cue Sports Balls - Pool/Snooker/Billiards, Plastic Balls (V2)-Toys, Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455, Field Hockey Balls, Grinding Media Balls as per IS 6079, Golf Balls (V2), Medicine Ball, Inert Ceramic Balls **Searched String**: Caustic Soda Flakes (Drain Cleaner) Caustic Soda - (Solid and Lye) for ONGC as per IS 252, Caustic Soda (V2) ISI Marked to IS 252, Caustic Soda for Bulk Supply as per IS 252, Quick Lime For Chemical Industries (V2) Conforming to IS 1540 Part 1, Long Handle Drainage Cleaner, Electrostatic Liquid Cleaner, Potassium Hydroxide / Caustic Potash as per IS 6831, Common Salt For Chemical Industries (V2) Conforming to IS 797 **Searched String**: Hand Sanitizer Gel/Liquid Hand Sanitizer Panel, Alcohol Based Hand Sanitizer, Touchless Soap Dispenser (V3), Alcoholic Hand Disinfectant, Antiseptic Liquid / Gel, Rubbing Car Polish (V2) as per IS 7984, Dental Etchant, Robotic or automated liquid handling systems, Automated Liquid Handling Systems (V2), Centrifugal Pump for Liquid Handling (IOCL) **Searched String**: Soft Broom (Phool Jharoo) Sweeping Broom (V5) **Searched String**: Hard Broom (Kharata / SINK JHAROO)

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Heavy Duty Floor Wiper Domestic Wiper/Wiper Mopper (V3), Heavy Duty Curtains - Panchakarma, Floor Drain Traps (V2), Heavy Duty Battery Charger, Styling Chair / Salon Chair / Swiveling Barber Chair, Heavy Duty Creeper Seat, industrial vacuum cleaner, Heavy Duty Storage Racks, Heavy duty diesel ultra oil, Heavy duty longspan storage System **Searched String**: Cotton Wet Floor Mop with Clip Bucket Mop Wringer Trolley (V2), Badges (V2) **Searched String**: Replacement Cotton Mop Refill Heads Category not available on GeM for the text string uploaded by the buyer **Searched String**: Industrial Cobweb Brush (Jala Brush) cobweb brush, platform brush, Toilet Brush (V3), scrubbing brush, Carbon brush, Antistatic Brush (V2), Swinging Cow Brush, Tooth brush Holder, vortex mixers, Wire Cup Brush **Searched String**: Long-Handle Floor Scrubbing Brush scrubbing brush, Long Handle Drainage Cleaner, platform brush, Scrubber Dryer Floor Cleaning Machine (V2), Cricket Bat (V2) Conforming to IS 828, Scrubber Dryer Floor Cleaning Machine (V3) **Searched String**: Toilet Cleaning Brush Toilet Brush (V3), Cleaning Duster (V3), Antistatic Brush (V2), Toilet cleaner, Acid based Powder (V2) conforming to IS 13760, industrial vacuum cleaner, Brush for Road Sweeper Machine, Scrubber Dryer Floor Cleaning Machine (V2), Toilet Cleaner Liquid (V3) conforming to IS 7983, cobweb brush, Self Cleaning Automated IT Enabled Toilets **Searched String**: Plastic Dustpan with Rubber Lip Bottle Water Plastic with Cover (DEFENCE), Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262, Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), dust pans, Plastic Grocery Container (V3), Plastic Chairs For General Purposes conforming to IS 13713 (V3), Polymer Ball with Jhanjari / Polymer Rubber Ring (Preschool Kit), Auditorium Chair (V2), High Ankle Tactical Boot with Rubber - PU Sole (V2) as per IS 17012, Trophy (V2) **Searched String**: Heavy-Duty Plastic Buckets Heavy Duty Curtains - Panchakarma, Styling Chair / Salon Chair / Swiveling Barber Chair, Heavy Duty Battery Charger, Battery Cover, Heavy Duty Creeper Seat, industrial vacuum cleaner, Heavy Duty Storage Racks, Labolene, Heavy duty diesel ultra oil, Heavy duty longspan storage System **Searched String**: Plastic Water Mugs Domestic Mugs - Bathroom, water baths, Cups and Mugs - Handicraft, Bottle Water Plastic with Cover (DEFENCE), Cups And Mugs-Handicraft (Bamboo), Reverse Osmosis based

बिड विवरण/Bid Details	Water Treatment System above 50 LPH Capacity (V2), Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA), Bio Culture for wastewater treatment, File/Folder (V3), Plastic Seats and Covers for Water - Closets as per IS 2548 **Searched String**: Dustbin Pole-Mounted Outdoor Dustbin, Pole Mounted Stainless Steel Dustbin (V2), Reinforced Concrete Dust Bins conforming to IS 2174, Plastic Bottle Booth **Searched String**: Heavy-Duty Black Garbage Liner Bags Kick / Punching (Bag) - Gymnastics, industrial vacuum cleaner **Searched String**: Microfiber Cleaning Cloths Upcycled Dish Cloths Towels, Cleaning Duster (V3), Dish Cloths and Towels-Handicraft, Upcycled Dish Cloths Towels (V1), industrial vacuum cleaner, Cleaning scrapers, Cotton Bandage Cloth Conforming to IS 863, Drain Cleaning Rods, Scrubber Dryer Floor Cleaning Machine (V2), MEMBRANE CLEANING CHEMICAL **Searched String**: Heavy-Duty Rubber Cleaning Gloves Hospitals Cleaning Gloves, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Heavy Duty Curtains - Panchakarma, industrial vacuum cleaner, Heavy Duty Battery Charger, Heavy Duty Creeper Seat, Styling Chair / Salon Chair / Swiveling Barber Chair, Heavy Duty Storage Racks, Post-Mortem Rubber Gloves Conforming to IS 4149, Heavy duty diesel ultra oil **Searched String**: Commercial Hydrochloric Acid / Sanitation Descaling Acid Hydrochloric Acid as per IS 265, Hydrochloric Acid (V3) Conforming to IS 265, Hydrochloric Acid for Well Stimulation for (ONGC), Descaling Pump **Searched String**: Concentrated Black Disinfectant Fluid (Phenyle) Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, De- Odourizing Cum Disinfectant Fluid (V2) Conforming to IS 10758 **Searched String**: Heavy-Duty Multi-Purpose Detergent Washing Powder Household Laundry Detergent Powders (V2) Conforming to IS 4955, trolleys or accessories, Photocopier/Printer Trolley **Searched String**: Rechargeable Industrial LED Searchlight / Security Torch Rechargeable LED Head Torch (Head Lamp), Hand Held Search Light, Portable Hand Crank, Solar and AC Rechargeable LED Flashlight/ LED Lantern, Light Weight Lumen Torchlight As per MHA Specifications, LED Diving Torch Light (Diving Instruments or Accessories) **Searched String**: Heavy-Duty Windproof Security Umbrella (12-Rib) Umbrellas as per IS 2920

बिड विवरण/Bid Details	**Searched String**: Industrial Waterproof PVC Safety Gumboots
	Industrial Safety Glove/Gauntlet (V2), Industrial Safety Helmet (V3) ISI marked to IS 2925, Safety Shoes - Leather with PVC Sole, Industrial Safety Nets as per IS 11057, Polyvinylchloride (PVC) Industrial Boots (V3) ISI marked to IS 12254, PVC COATED CANOPY TENT STRUCTURE, Leather Safety and Protective Footwear with Direct Moulded Polymeric Sole (V2) ISI Marked to IS 14544, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Unplasticized Polyvinyl Chloride (UPVC) UPVC (Unplasticized Polyvinyl Chloride) Window, Suction Catheters (V2), PVC (Polyvinyl Chloride) Sheet, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Skipping Rope (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, Solvent cement for use with unplasticized polyvinylchloride plastic pipe and fittings conforming to IS 14182 **Searched String**: UPVC Pipe Socket / Coupler (1/2") Socket Reducing confirming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Socket Unions confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Steel Sockets confirming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Hand Operated Hydraulic Pipe Bender, Commercial PPR Pipes Fittings as per IS 15801, Drill Pipes (Petroleum Industry) **Searched String**: UPVC Pipe Socket / Coupler (3/4") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Hand Operated Hydraulic Pipe Bender, Electrical Extension Box (V4) **Searched String**: UPVC Pipe Socket / Coupler (1") Commercial UPVC Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Hexagon Socket Pipe Plugs-IS:9645, Unplsticized PVC Pipes for Water Supply

बिड विवरण/Bid Details	conforming to IS 4985, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Commercial PPR Pipes Fittings as per IS 15801, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Socket Reducing confirming to IS 1239 (Part 2), Plug and Socket Distribution Board **Searched String**: UPVC Pipe Socket / Coupler (1.5") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: UPVC Pipe Socket / Coupler (2") Commercial UPVC Fittings, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Socket Reducing confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Socket Unions confirming to IS 1239 (Part 2), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Hexagon Socket Pipe Plugs-IS:9645, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Steel Sockets confirming to IS 1239 (Part 2) **Searched String**: UPVC Union Joint (1/2") Union Bends confirming to IS 1239 (Part 2), Electronic Weighing Scales, BCAA 2:1:1 Powder, UPVC (Unplasticized Polyvinyl Chloride) Window, Pipe Unions confirming to IS 1239 (Part 2), Line Interactive UPS with AVR (V2), Socket Unions confirming to IS 1239 (Part 2), Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Shorts Disposable, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV) **Searched String**: UPVC Union Join (3/4") Methyl 4 Hydroxybenoate (Methylparaben), A3 Size Multifunction Printer (MFP), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC (Unplasticized Polyvinyl Chloride) Window, Metanil Yellow, Desk and Bench Set for Classroom/Training Area, Sulphanilic Acid, Multifunction Printer (Print, Scan, Copy), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: UPVC Union Join (1") Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), Tent Extendable Frame Supported With Mild Steel Joints and Flooring TPO, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Commercial

बिड विवरण/Bid Details	UPVC Fittings
	Searched String: UPVC Union Join(1.5") Octyl Alcohol (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC (Unplasticized Polyvinyl Chloride) Window, LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), Endotracheal Tube - Sterile (Single Use), Corrugated Fibreboard Boxes conforming to IS 2771 (Part 1), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: UPVC Union Join (2") Union Bends confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Pipe Unions confirming to IS 1239 (Part 2), UPVC (Unplasticized Polyvinyl Chloride) Window, Socket Unions confirming to IS 1239 (Part 2), Commercial UPVC Fittings, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Shorts Disposable, Laboratory Glassware - Boiling Flasks with Conical Ground Joints Conforming to IS 1381(Part 2) **Searched String**: UPVC Equal 90 Pipe Tee (1/2") Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Commercial PPR Pipes Fittings as per IS 15801, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), Hand Operated Hydraulic Pipe Bender **Searched String**: UPVC Equal 90 Pipe Tee (3/4") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Steel Pipes for Water and Sewage (V2) Conforming to IS 3589

बिड विवरण/Bid Details	**Searched String**: UPVC Equal 90 Pipe Tee (1") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2) **Searched String**: UPVC Equal 90 Pipe Tee (1.5") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Commercial PPR Pipes Fittings as per IS 15801, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: UPVC Equal 90 Pipe Tee (2") Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Commercial PPR Pipes Fittings as per IS 15801, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: UPVC Reducing Bush / Reducer Socket (3/4" to 1/2") Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546

बिड विवरण/Bid Details	**Searched String**: UPVC Reducing Bush / Reducer Socket (1" to 3/4")
	Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Desk and Chair Set for Classroom/Training Area, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Desk and Bench Set for Classroom/Training Area, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Desk Only for Classroom/Training Area **Searched String**: UPVC Reducing Bush / Reducer Socket (1" to 1/2") Socket Reducing confirming to IS 1239 (Part 2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), Water Distillation Unit (V3) **Searched String**: UPVC Compact Ball Valve (1/2") General Purpose Ball Valves (V2), CPVC Ball Valve, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Portable Toilet, General Purpose Ball Valves conforming to IS 9890 **Searched String**: UPVC Compact Ball Valve (3/4") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, CPVC Ball Valve, UPVC (Unplasticized Polyvinyl Chloride) Window, General Purpose Ball Valves (V2), General Purpose Ball Valves conforming to IS 9890, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 **Searched String**: UPVC Compact Ball Valve (2") Two way UPVC Outlet Valve, Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, CPVC Ball Valve, UPVC (Unplasticized Polyvinyl Chloride) Window, General Purpose Ball Valves (V2), Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455, Ball Valve as per

बिड विवरण/Bid Details	GAIL (India) Limited, General Purpose Ball Valves conforming to IS 9890, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, FRP Chamber Covers Used For Steel/PE Ball Valve Chambers as per Gujarat Gas Limited **Searched String**: UPVC Compact Ball Valve (1") Two way UPVC Outlet Valve, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, CPVC Ball Valve, General Purpose Ball Valves (V2), Ball Valve as per GAIL (India) Limited, General Purpose Ball Valves conforming to IS 9890, FRP Chamber Covers Used For Steel/PE Ball Valve Chambers as per Gujarat Gas Limited, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), General Purpose Lead-Acid Batteries (Valve Regulated Types) Conforming To IS 16220 (Part 1), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763 **Searched String**: UPVC Heavy-Duty Solvent Cement Glue (250 ml) Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Solvent cement for use with unplasticized polyvinylchloride plastic pipe and fittings conforming to IS 14182 **Searched String**: UPVC 90 Plumbing Pipe Elbow (1/2") Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), CPVC Industrial Pipe Fittings, Schedule 80, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbows Reducing confirming to IS 1239 (Part 2), Hand Operated Hydraulic Pipe Bender **Searched String**: UPVC 90 Plumbing Pipe Elbow (3/4") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe Fittings, Schedule 80, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Hand Operated Hydraulic Pipe Bender, Commercial PPR Pipes Fittings as per IS 15801, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: UPVC 90 Plumbing Pipe Elbow (1") Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe Fittings, Schedule 80, Commercial PPR Pipes

बिड विवरण/Bid Details	Fittings as per IS 15801, Elbow Pipe Fitting **Searched String**: UPVC 90 Plumbing Pipe Elbow (1.5") Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, CPVC Industrial Pipe Fittings, Schedule 80, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Commercial PPR Pipes Fittings as per IS 15801, Elbow Pipe Fitting **Searched String**: UPVC 90 Plumbing Pipe Elbow (2") Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), CPVC Industrial Pipe Fittings, Schedule 80, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Elbows Reducing confirming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: UPVC Concentric Pipe Reducer Socket (2" to 1.5" (50 x 40 mm)) Unplsticized PVC Pipes for Water Supply conforming to IS 4985, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778 **Searched String**: UPVC Concentric Pipe Reducer Socket (2" to 1" (50 x 25 mm)) Unplsticized PVC Pipes for Water Supply conforming to IS 4985, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778 **Searched String**: UPVC Concentric Pipe Reducer Socket (1" to 1/2") Socket Reducing confirming to IS 1239 (Part 2), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Socket Unions confirming to IS 1239 (Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cable Single Core and

Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Steel Sockets confirming to IS 1239 (Part 2), Unplsticized PVC Pipes for Water Supply conforming to IS 4985

Searched String: UPVC Concentric Pipe Reducer Socket (3/4" to 1/2")

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Hand Operated Hydraulic Pipe Bender, Steel Pipes for Water and Sewage (V2) Conforming to IS 3589

Searched String: 1-WAY SWITCH FLUSH TYPE 6AMP/240 VOLT

Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032

Searched String: 2-WAY SWITCH FLUSH TYPE 6AMP/240 VOLT

Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032

Searched String: 3-CORE FLAT PVC COPPER CALBE 2.5 sqmm

Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)

Searched String: 4- CORE COPPER FLEXIBLE UNARMOURED CABLE 2.5 sqmm

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Copper/Aluminium Conductors For Insulated

बिड विवरण/Bid Details	Electric Cables and Flexible Cords Conforming To IS 8130, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: 5 PIN SOCKET 6 AMP 240 VOLT 6 AMP/240 VOLT Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Flameproof Switch Socket **Searched String**: Aluminium wire P.V.C. 1-core 1.5sqmm PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Power Factor Meter - Digital, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML) **Searched String**: Aluminium wire P.V.C. 1-core PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Power Factor Meter - Digital, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: Aluminium wire P.V.C. 1-core PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), Power Factor Meter - Digital, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: ANGLE HOLDER 6A,240 V Cotton Towelling And Towels Conforming To IS 7056 (V4), Business Card Holder (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Mobile

बिड विवरण/Bid Details	Containers For Solid Waste Conforming to IS 12402, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Line Interactive UPS with AVR (V2), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018 **Searched String**: BAKELITE PENDANT HOLDER 6A,240 V (NORMAL) Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1) **Searched String**: BATTEN LED TUBELIGHT WITH COMPLETE SET LED Batten with Battery / Invertor, Tracksuit, Chemical Earth Pit Complete Set, White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Portable Emergency LED Lighting Tower System with AC Generator Set, Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Synthetic Web Equipment Improved Version (MHA) **Searched String**: Deep Groove Radial Ball Bearing (6201) Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455 **Searched String**: Deep Groove Radial Ball Bearing (6202) Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455, Single Row Deep Groove Ball Bearings (V2) conforming to IS 6455 **Searched String**: BELL PUSH SWITCH FLUSH TYPE 6 AMP 240VOLT Flushing Cistern **Searched String**: Black Phosphated Drywall / Wood Screws (1 Inch) General Purpose Ball Valves (V2), Multipurpose Wood Working machine, General Purpose Ball Valves conforming to IS 9890, Spiral Binding / Wiro Binding (V2) **Searched String**: Black Phosphated Drywall / Wood Screws (0.5 Inch) Needle Valve **Searched String**: CAPACITOR Capacitor Banks For Use On 11 KV System (PSPCL)), Electric Ceiling Fan (V4) ISI Marked to IS 374, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL), Universal Power Flow Controller **Searched String**: CAPACITOR Capacitor Banks For Use On 11 KV System (PSPCL)), Electric Ceiling Fan (V4) ISI Marked to IS 374, A.C. Motor Capacitors

	ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL), Universal Power Flow Controller **Searched String**: CAPACITOR Capacitor Banks For Use On 11 KV System (PSPCL)), Electric Ceiling Fan (V4) ISI Marked to IS 374, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL), Universal Power Flow Controller **Searched String**: Cashing Caping PATTI Tat Patti (V3), Deposit Safe (Non Tool Resistant), Wooden Beading Patti, single texture white rubberized waterproof nylon fabric rain capes with attached hood, Medicinal Plant Saplings, Register (V2), Rain Cape Multipurpose Disruptive (Poncho) (Defence) **Searched String**: CHINA KANTI China Astor Seeds, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, (Vitreous China) - Squatting Pans, Tea Set (V2), (Vitreous China) - Laboratory Sinks-IS:2556, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), (Vitreous China) - Shower Rose-IS:2556, European Pattern Toilet Seat Vitreous China, (Vitreous China) - Washdown Water Closets as per IS 2556, Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4) **Searched String**: CHINA KANTI China Astor Seeds, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, (Vitreous China) - Squatting Pans, Tea Set (V2), (Vitreous China) - Laboratory Sinks-IS:2556, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), (Vitreous China) - Shower Rose-IS:2556, European Pattern Toilet Seat Vitreous China, (Vitreous China) - Washdown Water Closets as per IS 2556, Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4) **Searched String**: CHINA KANTI China Astor Seeds, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, (Vitreous China) - Squatting Pans, Tea Set (V2), (Vitreous China) - Laboratory Sinks-IS:2556, Sinks / Wash Basins - Vitreous China as per IS 2556 (Part 4), (Vitreous China) - Shower Rose-IS:2556, European Pattern Toilet Seat Vitreous China, (Vitreous China) - Washdown Water Closets as per IS 2556, Wash Basins - Vitreous Sanitary Appliances (Vitreous China) conforming to IS 2556 (Part 4) **Searched String**: Coloured Decorative LED Lamp Bulb (Blue) Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Led post top
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	

बिड विवरण/Bid Details	lantern, Curtains (V2)
	Searched String: Coloured Decorative LED Lamp Bulb (Red) Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Led post top lantern, Curtains (V2) **Searched String**: Coloured Decorative LED Lamp Bulb (Yellow) Rechargeable LED Bulb (V2), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Led post top lantern **Searched String**: COPPER STRIP Rolled Copper and Copper Alloy Sheet, Strip and Foil, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Copper Strip for Electrical Purposes as per IS 1897, Paper Covered Rectangular Copper Conductor, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, EFF Strip, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Packing Strip, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Strip for Bullet Envelope conforming to IS 2768 **Searched String**: COTTEN TAPE Tape Cartridge / Tape Media, Elastic Surgical Adhesive Tapes (V2), Measuring Tape, Aluminum Tape, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Empire Tape, Foam Tape, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, HT Tape, Pressure Sensitive Adhesive Tapes with Plastic Base (V4) Conforming to IS 13262 **Searched String**: EMERGENCY LED BULB Rechargeable LED Bulb (V2), Laboratory Incubators, Flameproof LED Emergency Light, LED Bulb with Battery as per IS 16102, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Muffle Furnace, Emergency Light Unit (V2), Portable Emergency LED Lighting Tower System with Battery Bank **Searched String**: EMERGENCY LED BULB Rechargeable LED Bulb (V2), Laboratory Incubators, Flameproof LED Emergency Light, LED Bulb with Battery as per IS 16102, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Muffle Furnace, Emergency Light Unit (V2), Portable Emergency LED Lighting Tower System with Battery Bank **Searched String**: FASTENER SCREW SET Screwdriver Set (V2), Sofa (V3), Screw Compressor,

बिड विवरण/Bid Details	Compression Screw, Desk and Bench Set for Classroom/Training Area, Screw Cap Vial, Weightlifting Equipment – Bars / Plates / Collars (V2), Self Drilling Screw, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Bone Screw (V2) **Searched String**: FASTENER SCREW SET Screwdriver Set (V2), Sofa (V3), Screw Compressor, Compression Screw, Desk and Bench Set for Classroom/Training Area, Screw Cap Vial, Weightlifting Equipment – Bars / Plates / Collars (V2), Self Drilling Screw, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Bone Screw (V2) **Searched String**: Flexible wire copper 2 core PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Jumper **Searched String**: Flexible wire copper 2 core PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Jumper **Searched String**: GI wire Rigid GI Pipe (BHEL), Muffle Furnace, GI Grating (in Number), GI Grating (in MT), Tapered Bearings as per IS 12102, Molybdenum Wire, Wire Rope For Wire Rope Barrier, Parallel Bar - Outdoor Gym Equipment, Kirschner Wire (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: Electrical & Industrial Safety PVC Gumboots Industrial Safety Glove/Gauntlet (V2), PVC Insulated (Heavy

बिड विवरण/Bid Details	Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Industrial Siren / Electrical Siren, Industrial Safety Helmet (V3) ISI marked to IS 2925, Safety Shoes - Leather with PVC Sole, Multi-Pin electrical top for industrial appliacation, Industrial Safety Nets as per IS 11057, Electrical Safety Devices And Accessories (Insulating Mats For Electrical Purposes) ISI Marked to IS 15652 (V2), Polyvinylchloride (PVC) Industrial Boots (V3) ISI marked to IS 12254, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3) **Searched String**: Electrical Insulating Safety Rubber Hand Gloves (Class 0) Live Working Gloves of Insulating Material (V2) ISI marked to IS 13774, Electrical Safety Devices And Accessories (Insulating Mats For Electrical Purposes) ISI Marked to IS 15652 (V2) **Searched String**: HEX HEAD BRASS NUT BOLT Coach Bolt, Nut and Washer (BHEL), Bolt / Bullet Seal, Hex Coupling Nut, Lock Nuts-IS:6731, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Span Bolt and Nut, 3155 Series - Hexagonal Head Bolt (HAL), BRASS NUT (BHEL-SCR), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3) **Searched String**: HEX HEAD STEEL NUT BOLT Coach Bolt, Nut and Washer (BHEL), Hexagonal Socket Head Cap Screw, Hex Coupling Nut, Bolt / Bullet Seal, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Allen Bolt, 3155 Series - Hexagonal Head Bolt (HAL), Double Hex Sockets, Span Bolt and Nut, Bolt Cutters as per IS 5200 **Searched String**: HEX HEAD STEEL NUT BOLT Coach Bolt, Nut and Washer (BHEL), Hexagonal Socket Head Cap Screw, Hex Coupling Nut, Bolt / Bullet Seal, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Allen Bolt, 3155 Series - Hexagonal Head Bolt (HAL), Double Hex Sockets, Span Bolt and Nut, Bolt Cutters as per IS 5200 **Searched String**: HEX HEAD STEEL NUT BOLT Coach Bolt, Nut and Washer (BHEL), Hexagonal Socket Head Cap Screw, Hex Coupling Nut, Bolt / Bullet Seal, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Allen Bolt, 3155 Series - Hexagonal Head Bolt (HAL), Double Hex Sockets, Span Bolt and Nut, Bolt Cutters as per IS 5200 **Searched String**: HEX HEAD STEEL NUT BOLT Coach Bolt, Nut and Washer (BHEL), Hexagonal Socket Head Cap Screw, Hex Coupling Nut, Bolt / Bullet Seal, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Allen Bolt, 3155 Series - Hexagonal Head Bolt (HAL), Double Hex Sockets, Span Bolt and Nut, Bolt Cutters as per IS 5200 **Searched String**: ICTP main switch Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Limit Switch, Reed Switch, Non Modular Piano Type Domestic Electrical Switches ISI

Marked To IS 3854, Time Switch, Examination Answer Books for Higher and Competitive Examinations (V4), SAN Switch, modular electrical enclosure switch board boxes for modular type accessories, BUZZER SWITCH.

Searched String: ICTP main switch

Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Limit Switch, Reed Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Time Switch, Examination Answer Books for Higher and Competitive Examinations (V4), SAN Switch, modular electrical enclosure switch board boxes for modular type accessories, BUZZER SWITCH.

Searched String: ICTP main switch

Isolator Switch (Switch Disconnector) Conforming To IS/IEC 60947 (Part 3), Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Limit Switch, Reed Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Time Switch, Examination Answer Books for Higher and Competitive Examinations (V4), SAN Switch, modular electrical enclosure switch board boxes for modular type accessories, BUZZER SWITCH.

Searched String: Incandescent Lamps

Floor Lamps-Handicraft, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Projector Lamps, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Floor Lamps-Handicraft (Bamboo), LED Machine Work Lamp, Wall Lamps and Sconces-Handicraft, Slit Lamp (V2), Wall Lamps And Sconces-Handicraft (Bamboo), Ballasts For Discharge Lamps Conforming To IS 15882

Searched String: Incandescent Lamps

Floor Lamps-Handicraft, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Projector Lamps, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Floor Lamps-Handicraft (Bamboo), LED Machine Work Lamp, Wall Lamps and Sconces-Handicraft, Slit Lamp (V2), Wall Lamps And Sconces-Handicraft (Bamboo), Ballasts For Discharge Lamps Conforming To IS 15882

Searched String: Incandescent Lamps

Floor Lamps-Handicraft, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Projector Lamps, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Floor Lamps-Handicraft (Bamboo), LED Machine Work Lamp, Wall Lamps and Sconces-Handicraft, Slit Lamp (V2), Wall Lamps And Sconces-Handicraft (Bamboo), Ballasts For Discharge Lamps Conforming To IS 15882

Searched String: Incandescent Lamps

Floor Lamps-Handicraft, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Projector Lamps, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), Floor Lamps-Handicraft (Bamboo), LED Machine Work Lamp,

बिड विवरण/Bid Details	Wall Lamps and Sconces-Handicraft, Slit Lamp (V2), Wall Lamps And Sconces-Handicraft (Bamboo), Ballasts For Discharge Lamps Conforming To IS 15882 **Searched String**: INSULATION TAPE Glass Mica Tape-IS :7809, Environmental Chamber, Polymide Tapes, HT Tape, Insulation Tester, Acoustical insulation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Tape Cartridge / Tape Media, Elastic Surgical Adhesive Tapes (V2), Measuring Tape **Searched String**: INSULATION VARNISH (AIR DRY VARNISH) Varnish, Shellac for General Purpose (V2) conforming to IS 347, Varnishes or Shellac Varnish as per IS 347, Ready Mixed Paint, Air Drying, Red Oxide - Zinc Phosphate, Priming as per IS 12744, Mobile Dry Air Plant (Heatless Type) (Powergrid), Thinner for Synthetic Paint and Varnishes Conforming to IS 14314, Adf (Air Drying Film) Lubricant-IS13796, Centrifugal/Screw Compressor with Dryer (NALCO), PAINT READY MIXED AIR DRYING WHITE, Ready Mixed Paint, Air Drying, for General Purpose (V2) Conforming to IS 168, Flat Brushes for Paints and Varnishes for Heavy Duty (V2) conforming to IS 384 (Part 1) **Searched String**: INTERMIDIAT SWITCH Limit Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Reed Switch, Argon Plasma Coagulator with ESU, Time Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, SAN Switch, Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller), BUZZER SWITCH., modular electrical enclosure switch board boxes for modular type accessories **Searched String**: KITKAT FUSE (MALE & FEMALE) Acoustic Tanpura (V2), Cables, Converters and Adapters, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), Pad Lock Various (As Per Defence Specification), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Syringe Filter, PTMT Tap Fitting, Self Cleaning Automated IT Enabled Toilets, Anatomy Structure Model (V2) **Searched String**: KITKAT FUSE (MALE & FEMALE) Acoustic Tanpura (V2), Cables, Converters and Adapters, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), Pad Lock Various (As Per Defence Specification), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Syringe Filter, PTMT Tap Fitting, Self Cleaning Automated IT Enabled Toilets, Anatomy Structure Model (V2) **Searched String**: LED BULB Rechargeable LED Bulb (V2), Laboratory Incubators, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Flower Bulb/Seeds, ECG Bulb Electrode, Muffle Furnace, ecg chest suction bulb electrode, Psychrometers, Unventilated (Dry and Wet Bulb

बिड विवरण/Bid Details	Hygrometer) as per IS 5725 **Searched String**: LED BULB Rechargeable LED Bulb (V2), Laboratory Incubators, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Flower Bulb/Seeds, ECG Bulb Electrode, Muffle Furnace, ecg chest suction bulb electrode, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725 **Searched String**: LED BULB Rechargeable LED Bulb (V2), Laboratory Incubators, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), LED Bulb with Battery as per IS 16102, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Flower Bulb/Seeds, ECG Bulb Electrode, Muffle Furnace, ecg chest suction bulb electrode, Psychrometers, Unventilated (Dry and Wet Bulb Hygrometer) as per IS 5725 **Searched String**: LED STREET LIGHT Inverter Based LED Street Light (V2), Laboratory Incubators, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, Muffle Furnace, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Portable OT Light (V2) **Searched String**: LUG/Thimbal Alluminum Tubular Lug-BHEL, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical Cable Lugs, Cable Lug for PZU-7 without surface treatment (Defence), Electrical connection Lugs or thimbles, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), Luggage Tags (Handicraft) (V2), Electric Hoist (Telpher) as per IS 3938, Suitcase (V2), Suitcase And Trolley Bags-Handicraft (Bamboo) **Searched String**: LUG/Thimbal Alluminum Tubular Lug-BHEL, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical Cable Lugs, Cable Lug for PZU-7 without surface treatment (Defence), Electrical connection Lugs or thimbles, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), Luggage Tags (Handicraft) (V2), Electric Hoist (Telpher) as per IS 3938, Suitcase (V2), Suitcase And Trolley Bags-Handicraft (Bamboo) **Searched String**: LUG/Thimbal Alluminum Tubular Lug-BHEL, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical Cable Lugs, Cable Lug for PZU-7 without surface treatment (Defence), Electrical connection Lugs or thimbles, Assembly Of Tubular Lug & Flexible

बिड विवरण/Bid Details	Copper Conductor (BHEL), Luggage Tags (Handicraft) (V2), Electric Hoist (Telpher) as per IS 3938, Suitcase (V2), Suitcase And Trolley Bags-Handicraft (Bamboo) **Searched String**: LUG/Thimbal Alluminum Tubular Lug-BHEL, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical Cable Lugs, Cable Lug for PZU-7 without surface treatment (Defence), Electrical connection Lugs or thimbles, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), Luggage Tags (Handicraft) (V2), Electric Hoist (Telpher) as per IS 3938, Suitcase (V2), Suitcase And Trolley Bags-Handicraft (Bamboo) **Searched String**: Tungsten Carbide Tipped (TCT) Masonry Drill Bit Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2) **Searched String**: Tungsten Carbide Tipped (TCT) Masonry Drill Bit Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2) **Searched String**: Tungsten Carbide Tipped (TCT) Masonry Drill Bit Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2) **Searched String**: MCB C TYPE Black Japan, Type A, Type B, Type C as per IS 341, Circuit Breakers for DC Operation, Mapleson C Circuit (V2), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), C Clamps as per IS 9181, Customised Ambulance with Equipment, C Clamps (V2) as per IS 9181, Muffle Furnace, UV - C Disinfection System (V2), Beehives as per IS 1515 **Searched String**: MCB C TYPE Black Japan, Type A, Type B, Type C as per IS 341, Circuit Breakers for DC Operation, Mapleson C Circuit (V2), Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), C Clamps as per IS 9181, Customised Ambulance with Equipment, C Clamps (V2) as per IS 9181, Muffle Furnace, UV - C Disinfection System (V2), Beehives as per IS 1515 **Searched String**: MCB DP C TYPE Black Japan, Type A, Type B, Type C as per IS 341, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fall Protection - Horizontal Life Line Including end Anchors as per EN 795:2012 Type C (PNG), USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Handset Charging Adapter, Customised Ambulance with Equipment, Computer Keyboards, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Wireless Headphones, Earphones and Communication Headsets

बिड विवरण/Bid Details	**Searched String**: MCB DP C TYPE
	Black Japan, Type A, Type B, Type C as per IS 341, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Fall Protection - Horizontal Life Line Including end Anchors as per EN 795:2012 Type C (PNG), USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), Correspondence Envelopes (V3) Conforming to IS 13892, Handset Charging Adapter, Customised Ambulance with Equipment, Computer Keyboards, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Wireless Headphones, Earphones and Communication Headsets **Searched String**: MCB FOUR POLE (TPN) Decorative Lightning Pole (V2) **Searched String**: MODULER 06 AMP BELL SWITCH Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Switching Power Supply for Wireless Application **Searched String**: Modular Air Conditioner (AC) Power Box with Plate modular electrical enclosure switch board boxes for modular type accessories **Searched String**: MODULER COMBINED SWITCH & SOCKET WITH SURFACE PLATE Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Analgesiometer **Searched String**: Modular 5-Step Electronic Fan Speed Regulator Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2) **Searched String**: MODULER HOLDER Soldering Clamp Holder, Surgical Needle Holders, Ryder Needle Holder, Business Card Holder (V2), Tooth brush Holder, Interface module, Industrial Gouging Electrode Holder, Plane Mirror Strip Holder, Notepad Holder / Padfolio (V2), Pen or Pencil Holders (V2) **Searched String**: Modular Surface / Concealed PVC Gang Box with Plate (12-Way) modular electrical enclosure switch board boxes for modular type accessories **Searched String**: Modular Surface / Concealed PVC Gang Box with Plate (4-Way) modular electrical enclosure switch board boxes for modular type accessories **Searched String**: Modular Surface / Concealed PVC Gang

	Box with Plate (8-Way) modular electrical enclosure switch board boxes for modular type accessories **Searched String**: MODULER SOCKET 3-PIN Electric Power Plug Top for Industrial Applications, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Electrical Power Connector, Hair Comb (V2), Electrical Extension Box (V4), Encrypted Removable Storage Devices (V2), Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Laboratory Glass Adapters (V2), Electrical Plugs (V2) ISI Marked to IS 1293, Laboratory Glass Adapters **Searched String**: MODULER SWITCH 1-WAY Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), HDMI Switcher, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Emergency Push Button Switch, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Relay Module, Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Limit Switch, Three Way Stopcocks **Searched String**: MODULER SWITCH 1-WAY Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), HDMI Switcher, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Emergency Push Button Switch, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Relay Module, Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Limit Switch, Three Way Stopcocks **Searched String**: MODULER SWITCH 2-WAY Layer 2 Access Switch (V3), KVM Switches (V2), HDMI Switcher, Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Digital UHF Hand-Held Radio Sets as per MHA QR (V2), Solenoid Valve (V3) **Searched String**: Motor DOL Starter 3-phase DOL starter, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Star Delta Motor Starter for Three Phase Induction Motors (V2), Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Starter Motor Assembly, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Starter Motors for IC Engines, Screw Compressor, Digital Grounding Device 3 Phase, Distribution Transformer, 3 Phase, 11 kV, >200 KVA upto and Including 2500 KVA ISI Marked To IS 1180 (Part 1) **Searched String**: MUZICAL (DOOR BELL) Electric Bells And Accessories conforming to IS 2268 (V2), Curtains (V2), door mats, Sliding door, Metal Storage Cabinet, Bell Metal Craft from Bajali - ODOP, Bell Metal Products from Bastar - ODOP, Vault (Strong Room) Door as

	per IS 11188, Door With Assembly (V2), Electric Bells and Accessories as per IS 2268 **Searched String**: PVC Alluminium 2- CORE CABLE PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: PVC COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Muffle Furnace, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: PVC COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Muffle Furnace, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: PVC COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods

बिड विवरण/Bid Details	for Electrical Applications (V2) ISI Marked to IS 12444, Muffle Furnace, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: PVC COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Muffle Furnace, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: PVC COPPER WIRE Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Muffle Furnace, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: PVC INSULATION PAPER Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Environmental Chamber, Insulation Tester, Acoustical insulation, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC gitti, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC End Cap, PVC Reducer Socket **Searched String**: PVC INSULATION PAPER Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Environmental Chamber, Insulation Tester, Acoustical insulation, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC gitti, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC End Cap, PVC Reducer Socket

बिड विवरण/Bid Details	
	Searched String: RUBBER MAT bathroom mat, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Ground Mat, Stable Rubber Mats, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Anti Fatigue Mat, ESD Mat (V2), Automotive Floor Mat, chair mat-cushion, Rubberized Weight Dumbbells **Searched String**: Super Enameled Dual-Coated Copper Winding Wire (36 SWG) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Super Enameled Dual-Coated Copper Winding Wire (34 SWG) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Super Enameled Dual-Coated Copper Winding Wire (32 SWG) Category not available on GeM for the text string uploaded by the buyer **Searched String**: SOLDERING FLUX ALUMINIUM 50 GRAM Wrought Aluminium and Aluminium Alloy Bars, Rods,Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Soldering and Desoldering Station with digital display, Air Freshener Solid or Gel (V2), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Tower Ladder (V2), Ayurvedic Classical Medicines - Choorna, Non Sparking Hammers (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Microwave Digestion System, walking stick or cane **Searched String**: SOLDERING FLUX copper 50 GRAM Brazing flux, Copper Oxychloride 50% WP, Soldering and Desoldering Station with digital display, Copper Oxychloride 50% Water Dispersible Powder Concentrate (V2) Conforming To Is 1507, Air Freshener Solid or Gel (V2), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Sparking Hammers (V2), Ayurvedic Classical Medicines - Choorna, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: SOLDERING WIRE 60/40 WELDING ELECTRODE - Solid wire for TIG welding (BEML) - as per C4012 BEML Welding Electrode, Cotton Towelling And Towels Conforming To IS 7056 (V4), WELDING ELECTRODE - Solid wire for submerged arc welding (BEML) - as per C4011 BEML Welding Electrode, Electric Soldering Iron, Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Recycled Towel, Imidacloprid 6.0% + Lambdacyhalothrin 4.0% SL (Soluble Liquid), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Electrical Sleeves Conforming To IS 11654 (Part 3/Sec 403), Cotton Towelling And Towels (V3) Conforming To IS 7056

बिड विवरण/Bid Details	**Searched String**: TUBE CHOKE Electronic
	Electronic Hooter, Endotracheal Tube - Sterile (Single Use), Electronic Theodolite, Copper Tube 104.9mm-OFB, Electronic dosimeter, Electronic Weighing Scales, Polyurethane Tube, Brass Tube 18A-OFB, Fusion Tube, Air Curtain **Searched String**: TUBE ROD 20 WATT Watt Meter - Analog (Panel Meter) as per IS 1248:2003, LED Batten Light (LED Tube Light) (V2), Handset Charging Adapter, Steel Rod 30.1mm Diameter (OFB (Defence)), Wrought Aluminium and Aluminium Alloy Bars, Rods,Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, LED Tube Light (Retrofit Type), Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, Endotracheal Tube - Sterile (Single Use), Track Light, LED Batten **Searched String**: Self-Amalgamating Unvulcanized Raw Rubber Splicing Tape (Kaccha Rubber Tape) Self Fusing Silicon Rubber Tape, Self-amalgamating tape **Searched String**: Plastic Wall Rawl Plugs / Guttaka PVC gitti, Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Touchless Soap Dispenser (Version 2), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Vertical Hanging Garden Pots, Hot / Cold Water Dispenser (V2), Plastic Ice Box (V2), Oxygen Flow Meter **Searched String**: Plastic Wall Rawl Plugs / Guttaka PVC gitti, Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Touchless Soap Dispenser (Version 2), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Vertical Hanging Garden Pots, Hot / Cold Water Dispenser (V2), Plastic Ice Box (V2), Oxygen Flow Meter **Searched String**: Circle clip (Kaju Pin) Tie Pins And Clips-Handicraft (Bamboo), Tie Pins and Clips-Handicraft **Searched String**: Circle clip (Kaju Pin) Tie Pins And Clips-Handicraft (Bamboo), Tie Pins and Clips-Handicraft **Searched String**: Circle clip (Kaju Pin) Tie Pins And Clips-Handicraft (Bamboo), Tie Pins and Clips-Handicraft **Searched String**: FASTENER SCREW SET Screwdriver Set (V2), Sofa (V3), Screw Compressor, Compression Screw, Desk and Bench Set for Classroom/Training Area, Screw Cap Vial, Weightlifting Equipment – Bars / Plates / Collars (V2), Self Drilling Screw, Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Bone Screw (V2) **Searched String**: SUBMERSIBLE MOTOR STARTER

बिड विवरण/Bid Details	
	Submersible Pump Starters (Motor starter controls), vortex mixers, DOL starter, Star Delta Motor Starter for Three Phase Induction Motors (V2), Starter Motor Assembly, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2), Starter Motors for IC Engines, Submersible Sewerage Pump, E - Cart for Garbage (V2), Motor Protection Circuit Breaker (MPCB)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• De- Odourizing Cum Disinfectant Fluid (V2) Conforming to IS 10758 • PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)
बीओक्यू शीर्षक /**BOQ Title**	ELECTRICAL AND OTHER ITEMS LIST
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	2 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	2 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	1 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /**Startup Relaxation for Years of Experience and Turnover**	No
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3

बिड विवरण/Bid Details	
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	10 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	Heavy Duty Floor Cleaner Disinfectant 5 Litre Can
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
अनुमानित बिड मूल्य / **Estimated Bid Value**	1000000
Payment Timelines	Payments shall be made to the Seller within **30** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	3

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Principal ITI
Directorate Of Skill Development Mp Jabalpur, Technical Education and Man Power Planning Department Madhya Pradesh, Directorate of Training Government of Madhya Pradesh Bhopal,

(Sachiv Vikas Samiti Industrial Training Institute Singrauli)

UIN Number NCTGC2415P

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
28-10-2026 11:00:00	PRODUCT OFFERED BY BIDDER TO BE DISCUSSED AT GOVT ITI SINGRAULI WAIDHAN ADDRESS- TELAI ROAD PACHAUR FROM 11:00 AM TO 13.00 PM ON DATE-28.10.2026

Heavy Duty Floor Cleaner Disinfectant 5 Litre Can

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

Toilet Urinal Bowl Cleaner 1 Litre Can

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	55	15

Glass Multi Surface Cleaner Liquid Spray Bottle 750 Ml With 1 Litre Refill

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	26	15

Liquid Hand Wash Liquid Despensor Bottle 500 Ml With 1500ml Refill

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	30	15

Bleaching Powder 5 Kg Bag

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	5	15

Napthalene Balls 1 Kg Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Caustic Soda Flakes Drain Cleaner 1 Kg Bag

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	9	15

Hand Sanitizer Gel Liquid 500 Ml Can

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	11	15

Soft Broom Phool Jharoo Standard 500 Gm Min Weight

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	60	15

Hard Broom Kharata SINK JHAROO Standard 400 Gm Min Weight

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	85	15

Heavy Duty Floor Wiper 18 Inch 450 Mm Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	25	15

Cotton Wet Floor Mop With Clip 300 Gm Mop Head 4 Ft Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

Replacement Cotton Mop Refill Heads 300 GM Weight

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

Industrial Cobweb Brush Jala Brush Telescopic Handle Up To 3 M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Long Handle Floor Scrubbing Brush 10 12 Inch Head 4 Ft Handle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

Toilet Cleaning Brush Round Curved Angular Neck

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	28	15

Plastic Dustpan With Rubber Lip Large Heavy Duty

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

Heavy Duty Plastic Buckets 20 Litre Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

Plastic Water Mugs 1.0 1.5 Litre Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

Dustbin 100 Litre Capacity

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	11	15

Heavy Duty Black Garbage Liner Bags 30 X 37 Inch 50 Micron

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

Microfiber Cleaning Cloths 40 Cm X 40 Cm Min. 300 GSM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	84	15

Heavy Duty Rubber Cleaning Gloves Large XL 14 Inch Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

Commercial Hydrochloric Acid Sanitation Descaling Acid 5 Litre Can

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	16	15

Concentrated Black Disinfectant Fluid Phenyle 5 Litre Can Grade 3 Class A B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

Heavy Duty Multi Purpose Detergent Washing Powder 1 Kg Moisture Proof Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

Rechargeable Industrial LED Searchlight Security Torch 5 Watt High Power LED 3.7V Li Ion

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Heavy Duty Windproof Security Umbrella 12 Rib Large Canopy Min. 48 Inch 120 Cm Arc

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Industrial Waterproof PVC Safety Gumboots Calf Length 14 15 Inch Height Sizes 7 To 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	3	15

Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 15 Mm 10 Feet Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 20 Mm 10 Feet Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	14	15

Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 25 Mm 10 Feet Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 40 Mm 10 Feet Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

Unplasticized Polyvinyl Chloride UPVC Pressure Plumbing Pipe 50 Mm 10 Feet Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

UPVC Pipe Socket Coupler 15mm 15mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	34	15

UPVC Pipe Socket Coupler 20mm 20mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	33	15

UPVC Pipe Socket Coupler 25mm 25mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	37	15

UPVC Pipe Socket Coupler 40mm 40mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	17	15

UPVC Pipe Socket Coupler 50 Mm 50mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	27	15

UPVC Union Joint 15mm 15mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	32	15

UPVC Union Join 20mm 20mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

UPVC Union Join 25mm 25mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	36	15

UPVC Union Join 40mm 40mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	17	15

UPVC Union Join 50mm 50mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	27	15

UPVC Equal 90 Pipe Tee 15mm 15mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	36	15

UPVC Equal 90 Pipe Tee 20mm 20mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	24	15

UPVC Equal 90 Pipe Tee 25mm 25mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	36	15

UPVC Equal 90 Pipe Tee 40mm 40mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	13	15

UPVC Equal 90 Pipe Tee 50mm 50mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	27	15

UPVC Reducing Bush Reducer Socket 20mm To 15 Mm 20mm To 15mm Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	24	15

UPVC Reducing Bush Reducer Socket 25mm To 20mm 25mm To 20mm Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	24	15

UPVC Reducing Bush Reducer Socket 25mm To 15mm 25mm To 15mm Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	32	15

UPVC Compact Ball Valve 15mm 15mm Nominal Size Solvent Threaded Ends

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	28	15

UPVC Compact Ball Valve 20mm 20mm Nominal Size Solvent Threaded Ends

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

UPVC Compact Ball Valve 50mm 50mm Nominal Size Solvent Threaded Ends

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

UPVC Compact Ball Valve 25mm 25mm Nominal Size Solvent Threaded Ends

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	32	15

UPVC Heavy Duty Solvent Cement Glue 250 Ml 250 Ml Tin Container With Applicator Cap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

UPVC 90 Plumbing Pipe Elbow 15mm 15mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	32	15

UPVC 90 Plumbing Pipe Elbow 20mm 20mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

UPVC 90 Plumbing Pipe Elbow 25mm 25mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	32	15

UPVC 90 Plumbing Pipe Elbow 40mm 40mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	15	15

UPVC 90 Plumbing Pipe Elbow 50mm 50mm Nominal Size Schedule 80 ASTM D2467

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

UPVC Concentric Pipe Reducer Socket 50 Mm To 40 Mm 50mm To 40mm 50 X 40 Mm Heavy Duty Class B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

UPVC Concentric Pipe Reducer Socket 50mm To 50mm X 25 Mm 50mm To 25mm 50 X 25 Mm Heavy Duty Class B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

UPVC Concentric Pipe Reducer Socket 25mm To 15mm 25mm To 15mm Heavy Duty Class B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

UPVC Concentric Pipe Reducer Socket 20mm To 15mm 20mm To 15mm Heavy Duty Class B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

1 WAY SWITCH FLUSH TYPE 6AMP 240 VOLT 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	200	15

2 WAY SWITCH FLUSH TYPE 6AMP 240 VOLT 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	100	15

3 CORE FLAT PVC COPPER CALBE 2.5 Sqmm 2.5 SQMM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	50	15

4 CORE COPPER FLEXIBLE UNARMOURED CABLE 2.5 Sqmm 2.5 SQMM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	100	15

5 PIN SOCKET 6 AMP 240 VOLT 6 AMP 240 VOLT 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	100	15

Aluminium Wire P.V.C. 1 Core 1.5sqmm 1.5 SQMM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	9	15

Aluminium Wire P.V.C. 1 Core 2.5sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

Aluminium Wire P.V.C. 1 Core 4sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

ANGLE HOLDER 6A 240 V 6 AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	80	15

BAKELITE PENDANT HOLDER 6A 240 V NORMAL 6 AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	60	15

BATTEN LED TUBELIGHT WITH COMPLETE SET 20 WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	100	15

Deep Groove Radial Ball Bearing 6201 6201 2RS 2Z 12 X 32 X 10 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	30	15

Deep Groove Radial Ball Bearing 6202 6202 2RS 2Z 15 X 35 X 11 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	30	15

BELL PUSH SWITCH FLUSH TYPE 6 AMP 240VOLT 6 AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

Black Phosphated Drywall Wood Screws 25mm 25mm 25 Mm Length X 3.5 Mm Dia No. 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	3	15

Black Phosphated Drywall Wood Screws 0.5 Inch 0.5 13 Mm Length X 3.5 Mm Dia No. 6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	1	15

CAPACITOR 2.5MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	80	15

CAPACITOR 3.15 MFD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	80	15

CAPACITOR 4 Mfd

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	60	15

Cashing Caping PATTI 20mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	40	15

CHINA KANTI 15mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

CHINA KANTI 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

CHINA KANTI 40mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	4	15

Coloured Decorative LED Lamp Bulb Blue 0.5W To 3W 240V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	7	15

Coloured Decorative LED Lamp Bulb Red 0.5W To 3W 240V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	7	15

Coloured Decorative LED Lamp Bulb Yellow 0.5W To 3W 240V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	7	15

COPPER STRIP 25 Mm X 3 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	1	15

COTTEN TAPE 25mm WIDTH AND 20 METER LENGTH PER ROLL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	25	15

EMERGENCY LED BULB 9WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	25	15

EMERGENCY LED BULB 12 WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	25	15

FASTENER SCREW SET 10mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	50	15

FASTENER SCREW SET 12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

Flexible Wire Copper 2 Core 23 76

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	7	15

Flexible Wire Copper 2 Core 40 76

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

GI Wire 16SWG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

Electrical Industrial Safety PVC Gumboots Calf Length Height 14 To 15 Inch Sizes 7 To 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Electrical Insulating Safety Rubber Hand Gloves Class 0 Class 0 Working 1000V AC Proof Test 5000V AC 14 Length

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

HEX HEAD BRASS NUT BOLT M10mm Length 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	120	15

HEX HEAD STEEL NUT BOLT M08mm Length 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	70	15

HEX HEAD STEEL NUT BOLT M10mm Length 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	70	15

HEX HEAD STEEL NUT BOLT M12mm Length 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	70	15

HEX HEAD STEEL NUT BOLT 16mm Length 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	70	15

ICTP Main Switch 63AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

ICTP Main Switch 100 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

ICTP Main Switch 200AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

Incandescent Lamps 40 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	100	15

Incandescent Lamps 60 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	80	15

Incandescent Lamps 100 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	120	15

Incandescent Lamps 200 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	55	15

INSULATION TAPE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	300	15

INSULATION VARNISH AIR DRY VARNISH 1 Litre Bottle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	11	15

INTERMIDIAT SWITCH 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

KITKAT FUSE MALE FEMALE 200 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

KITKAT FUSE MALE FEMALE 500 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	3	15

LED BULB 9WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

LED BULB 12WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

LED BULB 20WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

LED STREET LIGHT 45WATT 60 WATT 5000 To 6000 Lumen

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	30	15

LUG Thimbal Alluminum 16mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	30	15

LUG Thimbal Alluminum 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	32	15

LUG Thimbal Alluminum 50mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

LUG Thimbal Alluminum 75mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	20	15

Tungsten Carbide Tipped TCT Masonry Drill Bit Dia 6.0 Mm Working Length 60 To 100 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

Tungsten Carbide Tipped TCT Masonry Drill Bit Dia 8.0 Mm Working Length 70 To 120 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Tungsten Carbide Tipped TCT Masonry Drill Bit Dia 10.0 Mm Working Length 80 To 120 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	4	15

MCB C TYPE 6AMP 10 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	18	15

MCB C TYPE 16 AMP 20amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	15	15

MCB DP C TYPE 16 AMP 20amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	15	15

MCB DP C TYPE 32 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	15	15

MCB FOUR POLE TPN 32 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	15	15

MODULER 06 AMP BELL SWITCH 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

Modular Air Conditioner AC Power Box With Plate 20A 25A Single Pole MCB 20A Shuttered Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	6	15

MODULER COMBINED SWITCH SOCKET WITH SURFACE PLATE 16 AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	24	15

Modular 5 Step Electronic Fan Speed Regulator 100W 240V AC 1 Module 2 Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	12	15

MODULER HOLDER 06 AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	40	15

Modular Surface Concealed PVC Gang Box With Plate 12 Way 12 Module 12 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

Modular Surface Concealed PVC Gang Box With Plate 4 Way 4 Module 4 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	17	15

Modular Surface Concealed PVC Gang Box With Plate 8 Way 8 Module 8 Way

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	22	15

MODULER SOCKET 3 PIN 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	66	15

MODULER SWITCH 1 WAY 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	106	15

MODULER SWITCH 1 WAY 16AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	76	15

MODULER SWITCH 2 WAY 6AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	60	15

Motor DOL Starter 3 Phase 5HP Motors At 415V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	4	15

MUZICAL DOOR BELL 6 AMP 240 VOLT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	4	15

PVC Alluminium 2 CORE CABLE 4sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	50	15

PVC COPPER WIRE 0.5sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

PVC COPPER WIRE 1sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	9	15

PVC COPPER WIRE 1.5sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	10	15

PVC COPPER WIRE 2.5sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

PVC COPPER WIRE 4sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	8	15

PVC INSULATION PAPER 5mil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	4	15

PVC INSULATION PAPER 7mil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

RUBBER MAT 2 X 4 X 25mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	14	15

Super Enameled Dual Coated Copper Winding Wire 36 SWG 36 SWG Nominal Dia 0.193 Mm Class F 155 C H 180 C

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	11	15

Super Enameled Dual Coated Copper Winding Wire 34 SWG 34 SWG Nominal Dia 0.234 Mm Class F 155 C H 180 C

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	5	15

Super Enameled Dual Coated Copper Winding Wire 32 SWG 32 SWG Nominal Dia 0.274 Mm Class F 155 C H 180 C

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	5	15

SOLDERING FLUX ALUMINIUM 50 GRAM 50 GRAM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	24	15

SOLDERING FLUX Copper 50 GRAM 50 GRAM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	24	15

SOLDERING WIRE 60 40 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2	15

TUBE CHOKE Electronic CHOKE Normal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	25	15

TUBE ROD 20 WATT 20 WATT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	50	15

Self Amalgamating Unvulcanized Raw Rubber Splicing Tape Kaccha Rubber Tape

Width 25 Mm X Thickness 0.8 Mm X Length 5 10 Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	3	15

Plastic Wall Rawl Plugs Guttaka Size 06 Mm Dia And 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	1800	15

Plastic Wall Rawl Plugs Guttaka Size 08 Mm Dia And 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	1800	15

Circle Clip Kaju Pin 4mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2400	15

Circle Clip Kaju Pin 6mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2900	15

Circle Clip Kaju Pin 8mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	2400	15

FASTENER SCREW SET 08mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	30	15

SUBMERSIBLE MOTOR STARTER 2HP 240 VOLT. 50Hz Single Phase

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Satyam Kumar Vishwakarma	486887,Govt ITI Singrauli, Telai Mod, Waidhan, Singrauli-486887 (M.P.)	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. **Turnover**

   OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

5. **Warranty**

   Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during

the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

7. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Pre-Bid Meeting, Venue & Representation Requirement:

(a) Participation in the pre-bid meeting is mandatory for all participating bidders to be eligible for te chnica l evaluation. The exact date, time, and venue for the pre-bid meeting are specified in the mai n GeM Bid D ocument.

(b) Bidders must explicitly specify the exact make, model, and detailed specifications of the item be ing off ered by them at the time of delivery.

(c) Bidders are strictly required to upload a duly signed and stamped copy of the Pre-Bid Meeting Represen tation Letter bearing the official Institute/Office seal along with their technical bid docume nts. Non-compli ance with this requirement shall render the bid liable for rejection.

2. Mandatory Document Submissions & Eligibility Criteria:

Bidders must upload clear and valid copi es of the following documents along with their bid:

(a) Valid GST Registration Certificate.

(b) PAN Card of the firm/bidder. (

c) Bank Account Details (Cancelled cheque or bank mandate form).

(d) An undertaking / self-declaration on a Non-Judicial Stamp Paper of Rs. 100/- (or as per statutory norms) duly notarized, certifying that the firm has not been blacklisted by any Central/State Government departm ent, Public Sector Undertaking (PSU), or autonomous body.

(e) Bidder Annual Turnover: The bidder must submit audited balance sheets and profit & loss sta tements (or chartered accountant certificate) for the last three financial years to prove financial sta bility and require d annual turnover as per GeM bid criteria.

(f) Past Performance: The bidder must submit satisfactory past performance credentials, work or ders, and completion/performance certificates from clients (Government/Semi-Government/PSU/Re puted institution s) for the supply of similar categories of goods executed during the preceding finan cial years.

3. General Terms & Conditions:

For all other terms, conditions, standard guidelines, and statutory compliances, the provisions menti oned in the main GeM Bid Document shall apply.

.

9. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into

force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---