बिड संख्या/Bid Number: GEM/2026/B/8194489

दिनांक /Dated: 23-10-2026

## बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 07-11-2026 21:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 08-11-2026 21:00:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 30 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Haryana |
| विभाग का नाम/Department Name | Urban Local Bodies |
| संगठन का नाम/Organisation Name | Directorate Of Urban Local Bodies |
| कार्यालय का नाम/Office Name | Dmc And Mc Fatehabad |
| शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal | HOD Email id :secymc.fatehabad@hry.nic.in<br>Buyer Email id: naveensingh4444@gmail.com |
| कुल मात्रा/Total Quantity | 150 |
| वस्तु श्रेणी /Item Category | Surf Board - Outdoor Gym Equipment (Q3) , Shoulder Builder / Arm Wheel - Outdoor Gym Equipment (Q3) , Air Walker / Stroller - Outdoor Gym Equipment (Q3) , Twister - Outdoor Gym Equipment (Q3) , Chest Press - Outdoor Gym Equipments (Q3) , Sit Up Board - Outdoor Gym Equipment (Q3) |
| पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years) | 25 Lakh (s) |
| मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years) | 25 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 1 Year (s) |
| टर्नओवर पात्रता मानदंड/Turnover eligibility criteria | To be verified by the buyer at the time of technical evaluation |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |

| बिड विवरण/Bid Details | |
|---|---|
| विक्रेता से मांगे गए दस्तावेज़/**Document required from seller** | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?** | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension** | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended** | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count** | 1 |
| विगत प्रदर्शन /**Past Performance** | 10 % |
| बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled** | No |
| बिड का प्रकार/**Type of Bid** | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/**Primary product category** | Surf Board - Outdoor Gym Equipment |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation** | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)** | No |
| **Payment Timelines** | Payments shall be made to the Seller within **15** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC) |
| मूल्यांकन पद्धति/**Evaluation Method** | Total value wise evaluation |
| मध्यस्थता खंड/**Arbitration Clause** | No |
| सुलह खंड/**Mediation Clause** | No |

ईएमडी विवरण/**EMD Detail**

| | |
|---|---|
| एडवाईजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount | 100000 |

**ईपीबीजी विवरण /ePBG Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

**लाभार्थी /Beneficiary :**

junior engineer
DMC and MC Fatehabad, Urban Local Bodies, Directorate of Urban Local Bodies,
(Narender)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमएसई खरीद वरीयता/MSE Purchase Preference**

| | |
|---|---|
| एमएसई खरीद वरीयता/MSE Purchase Preference | No |

**एमआईआई खरीद वरीयता/MII Purchase Preference**

| | |
|---|---|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid

document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## Surf Board - Outdoor Gym Equipment ( 25 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| TYPE | **Type** | Double |
| CAPACITY | **Maximum User Weight ( Kg )** | 120.0 **(kilogram)** |
| MATERIAL | **Governing Specification for GI Pipes** | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
| | **All the GI Pipes are ISI marked** | Yes, No |
| | **Main Central Pipe** | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | **Main Frame Pipe, Class as per IS 1239** | Heavy |
| | **Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Grade Material as per table 2 of IS 1161** | Not Applicable |
| | **Movement (Paddle) Frame** | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 50mm Nominal Bore G.I. Pipe |
| | **Movement ( Paddle ) Frame Pipe, Class as per IS 1239** | Heavy |
| | **Movement ( Paddle ) Frame Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore & Wall Thickness** | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, Not Applicable |
| | **Grade Material as per table 2 IS 1161** | Not Applicable |
| | **Connecting Links** | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe, 10 mm thick MS plates, 12 mm thick MS plates |
| | **Connecting Links Pipe, Class as per IS 1239** | Heavy |
| | **Connecting Link Pipe ( As per Clause 3, of IS 1161 ) Nominal Wall & Thickness** | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, Not Applicable |
| | **Grade Material (as per table 2 of IS 1161 )** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Handle Frame** | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe |
| | **Handle Frame Pipe, Class as per IS 1239** | Heavy |
| | **Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness** | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, Not Appliable |
| | **Grade Material per table 2 of IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Foundation Pipes with anchoring** | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | **Nominal Bore of Foundation Pipe** | 100mm |
| | **Foundation Pipe, Class as per IS 1239** | Heavy |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | **Grade Material (as per table 2 of IS 1161)** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **M S Foundation Plate Thickness** | 10, 12 **(millimeter)** |
| | **Bearings** | Ball Bearing, Tapered Roller Bearing |
| | **Foot Rest** | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| OTHER REQUIREMENTS | **Installation** | Included |
| CERTIFICATION | **Certfication ( Safety and Quality Requirements )** | As per European Standard EN 16630, No |
| WARRANTY | **Warranty ( years )** | 2.0 **(year)** |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Narender | 125050,Lal Batti Chowk Fatehabad. | 25 | 45 |

## Shoulder Builder / Arm Wheel - Outdoor Gym Equipment ( 25 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| TYPE | **Type** | Two Wheel, Three Wheel |
| MATERIAL | **Governing Specification for GI Pipes** | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
| | **All the GI Pipes are ISI marked** | No, Yes |
| | **Main Central Pipe construction** | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | **Main Central Pipe, Class as per IS 1239** | Heavy |
| | **Ring ( Wheel )** | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe |
| | **Ring ( Wheel ) Pipe, Class as per IS 1239** | Heavy |
| | **Pipe of Spokes of Wheel** | 15mm Nominal bore G.I. pipe, 20mm Nominal bore G.I. pipe |
| | **Pipe of Spoke of Wheel , Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | Number of Spokes in Wheel | 4 |
| | **Connector Pipe ( between Main Central Pipe and Wheel )** | 32 mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe, 50 mm Nominal bore G.I. pipe |
| | **Connector Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | **MS Foundation Plate Thickness** | 10, 12 **(millimeter)** |
| | **Foundation Pipes with anchoring** | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | **Nominal Bore of Foundation Pipe** | 80mm, 100mm, 125mm, 150mm |
| | **Foundation Pipe, Class as per IS 1239** | Medium, Heavy |
| | **Bearings** | Ball Bearing, Tapered Roller Bearing |
| OTHER REQUIREMENTS | **Installation** | Included, Not Included |
| CERTIFICATION | **Certfication ( Safety and Quality Requirements )** | As per European Standard EN 16630, No |
| WARRANTY | **Warranty ( years )** | 2.0 **(year)** |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Narender | 125050,Lal Batti Chowk Fatehabad. | 25 | 45 |

## Air Walker / Stroller - Outdoor Gym Equipment ( 25 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| TYPE | **Type** | Single, Double |
| CAPACITY | **Maximum User Weight ( Kg )** | 100.0 **(kilogram)** |
| MATERIAL | **Governing Specification for GI Pipes** | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
| | **All the GI Pipes are ISI marked** | No |
| | **Main Frame** | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | **Main Frame Pipe, Class as per IS 1239** | Medium, Heavy |
| | **leg movement frame** | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 50mm Nominal Bore G.I. Pipe |
| | **Leg Movement Frame Pipe, Class as per IS 1239** | Medium, Heavy |
| | **Handle Frame** | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe |
| | **Handle Frame Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | **Bearings** | Ball Bearing |
| | **Foot Rest** | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| | **MS Foundation Plate Thickness** | 10.0 **(millimeter)** |
| | **Foundation Pipes with anchoring** | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | **Nominal Bore of Foundation Pipe** | 80mm, 100mm, 125mm, 150mm |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Foundation Pipe, Class as per IS 1239** | Medium, Heavy |
| OTHER REQUIREMENTS | **Installation** | Included, Not Included |
| CERTIFICATION | **Certfication ( Safety and Quality Requirements )** | No |
| WARRANTY | **Warranty ( years )** | 2.0 **(year)** |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Narender | 125050,Lal Batti Chowk Fatehabad. | 25 | 45 |

## Twister - Outdoor Gym Equipment ( 25 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| TYPE | **Type** | Triple Twister ( Three standing ) |
| CAPACITY | **Maximum User Weight ( Kg )** | 100.0 **(kilogram)** |
| MATERIAL | **Governing Specification for GI Pipes** | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
| | **All the GI Pipes are ISI marked** | No, Yes |
| | **Main Central Pipe** | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | **Main Frame Pipe, Class as per IS 1239** | Heavy |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Main Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | **Grade Material as per table 2 of IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Standing/ Sitting Twister Frame Pipe** | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe, 50 mm Nominal Bore G.I. Pipe |
| | **Standing/ Sitting Twister Frame Pipe, Class as per IS 1239** | Heavy |
| | **Standing/ Sitting Twister Frame Pipe (As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness** | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, Not Applicable |
| | **Grade Material as per table 2 IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Rotating Disk Support Pipe at Bottom Pipe** | 80 mm Nominal Bore G.I. Pipe, 100 mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150 mm Nominal Bore G.I. Pipe |
| | **Rotating Disk Support Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Rotating Disk Support Pipe ( as per IS 1161 ) as per Clause 3, Nominal Bore & Wall Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10mm Thickness, Not Applicable |
| | **Grade Material (as per table 2 of IS 1161 )** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Handle Frame Pipe** | 25mm Nominal bore G.I. pipe, 32mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe |
| | **Handle Frame Pipe, Class as per IS 1239** | Heavy |
| | **Handle Frame Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness** | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, Not Applicable |
| | **Grade Material per table 2 of IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Foundation Pipes with anchoring** | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | **Nominal Bore of Foundation Pipe** | 80mm, 100mm, 125mm, 150mm |
| | **Foundation Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | **Grade Material (as per table 2 of IS 1161)** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **M S Foundation Plate Thickness** | 10, 12 **(millimeter)** |
| | **Bearings** | Ball Bearing, Tapered Roller Bearing |
| | **Foot Rest** | Fibre Reinforced Plastic, Aluminum casting material, C.I., LDPE, HDPE, Nylon |
| OTHER REQUIREMENTS | **Installation** | Included, Not Included |
| CERTIFICATION | **Certfication ( Safety and Quality Requirements )** | As per European Standard EN 16630, No |
| WARRANTY | **Warranty ( years )** | 2, 3, 4, 5 **(year)** |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Narender | 125050,Lal Batti Chowk Fatehabad. | 25 | 45 |

## Chest Press - Outdoor Gym Equipments ( 25 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| TYPE | **Type** | Chest Press Single |
| CAPACITY | **Maximum User Weight ( Kg )** | 100, 110, 120 **(kilogram)** |
| MATERIAL | **Governing Specification for GI Pipes** | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
| | **All the GI Pipes are ISI marked** | Yes, No |
| | **Main Central Pipe** | 80mm Nominal Bore G.I. Pipe, 100mm Nominal Bore G.I. Pipe, 125 mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | **Main Central Pipe, Class as per IS 1239** | Heavy |
| | **Handle Frame** | 32mm Nominal bore G.I. pipe, 40mm Nominal bore G.I. pipe |
| | **Handle Frame Pipe, Class as per IS 1239** | Heavy |
| | **Seat Frame** | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe |
| | **Seat Frame Pipe, Class as per IS 1239** | Medium, Heavy |
| | **Connecting Links** | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 10mm thick MS plates, 12mm thick MS plates |
| | **Connecting Links Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |
| | **Foot Rest Pipe** | 25mm Nominal Bore G.I. Pipe, 32mm Nominal Bore G.I. Pipe |
| | **Foot Rest Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | **MS Foundation Plate Thickness** | 10.0, 12.0 **(millimeter)** |
| | **Foundation Pipes with anchoring** | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | **Nominal Bore of Foundation Pipe** | 80mm, 100mm, 125mm, 150mm |
| | **Foundation Pipe, Class as per IS 1239** | Heavy, Not applicable for pipe as per IS 1161 |
| | **Seat and Back Rest** | 2mm Thick G.I. Seat with uniform bending radius to avoid sharp edges, 3mm thick, HDPE with uniform bending radius to avoid sharp edges, 6mm thick, Fibre Reinforced plastic with uniform bending radius to avoid sharp edges, 2.5mm thick, M.S. Perforated with uniform bending radius to avoid sharp edges, 3mm thick, LLDPE with uniform bending radius to avoid sharp edges |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | | |
| | **Bearings** | Ball Bearing, Tapered Roller Bearing |
| | Thickness of closing caps ( min ) | 2.0 **(millimeter)** |
| OTHER REQUIREMENTS | **Installation** | Included, Not Included |
| CERTIFICATION | **Certfication ( Safety and Quality Requirements )** | As per European Standard EN 16630, No |
| WARRANTY | **Warranty ( years )** | 2, 3, 4, 5 **(year)** |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Narender | 125050,Lal Batti Chowk Fatehabad. | 25 | 45 |

## Sit Up Board - Outdoor Gym Equipment ( 25 pieces )

**तकनीकी विशिष्टियाँ /Technical Specifications**

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| TYPE | **Type** | Double Station |
| MATERIAL | **Type of Back Rest** | Perforated Sheet, Set of Rectangular Flat Pipes, Plain Sheet |
| | **Material of Back Rest** | Fibre Reinforced Plastic, Mild Steel Plate, LDPE, HDPE, Galvanized Iron(GI) |
| | **Governing Specification for GI Pipes** | BIS specification No IS 1239 ( Part 1 )- 2004, latest, BIS specification No IS 1161:2014, latest |
| | **All the GI Pipes are ISI marked** | Yes, No |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Main Frame/Central Pipe** | 50mm Nominal Bore G.I. Pipe, 80mm Nominal Bore G.I. Pipe, 100 mm Nominal Bore G.I. Pipe, 125mm Nominal Bore G.I. Pipe, 150mm Nominal Bore G.I. Pipe |
| | **Main Frame/Central Pipe, Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | **Main Frame/Central Pipe ( As per Clause 3, of IS 1161 ) Nominal Bore & Wall Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, 50 mm NB with 2.9mm Thickness, 50 mm NB with 3.6mm Thickness, 50 mm NB with 4.5 mm Thickness, Not Applicable |
| | **Grade of Material as per table 2 of IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Foot Rest Pipe** | 32mm Nominal Bore G.I. Pipe, 40mm Nominal Bore G.I. Pipe, 50mm Nominal Bore G.I. Pipe |
| | **Foot Rest Pipe , Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | **Foot Rest Pipe ( As per as per Clause 3, of IS 1161 ) , Nominal Bore & Wall Thickness** | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6 mm Thickness, 50 mm NB with 4.5 mm Thickness, Not Applicable |
| | **Grade of Material as per table 2 IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Back Rest Frame Pipe and Connecting Links** | 25 mm Nominal Bore G.I. Pipe, 32 mm Nominal Bore G.I. Pipe, 40 mm Nominal Bore G.I. Pipe |
| | **Back Rest Frame Pipe and Connecting Links, Class as per IS 1239** | Medium, Heavy, Not applicable for M.S. Plates and Pipes as per IS 1161 |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **Back Rest Frame Pipe and Connecting Links ( As per Clause 3, of IS 1161 ) Nominal Wall & Thickness** | 25 mm NB with 2.6 mm Thickness, 25 mm NB with 3.2 mm Thickness, 25 mm NB with 4 mm Thickness, 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2 mm Thickness, 40 mm NB with 4 mm Thickness, Not Applicable |
| | **Grade of Material (as per table 2 of IS 1161 )** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Leg Support Pipe** | 32mm Nominal bore G.I. pipe, 40 mm Nominal bore G.I. pipe, 50mm Nominal bore G.I. pipe |
| | **Leg Support Pipe , Class as per IS 1239** | Medium, Heavy, Not applicable for pipe as per IS 1161 |
| | **Leg Support Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness** | 32 mm NB with 2.6 mm Thickness, 32 mm NB with 3.2 mm Thickness, 32 mm NB with 4 mm Thickness, 40 mm NB with 2.9 mm Thickness, 40 mm NB with 3.2mm Thickness, 40 mm NB with 4 mm Thickness, 50 mm NB with 2.9 mm Thickness, 50 mm NB with 3.6mm Thickness, 50 mm NB with 4.5mm Thickness, Not Applicable |
| | **Grade of Material per table 2 of IS 1161** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |
| | **Foundation Pipes with anchoring** | 750mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm, 500mm deep GI Pipe, supported with M.S. Angle 25 X 25 X 4mm |
| | **Nominal Bore of Foundation Pipe** | 80mm, 100mm, 125mm, 150mm |
| | **Foundation Pipe, Class as per IS 1239** | Medium, Heavy |
| | **Foundation Pipe Pipe ( as per IS 1161 ) as per clause 3, Nominal Wall & Thickness** | 80 mm NB with 3.2 mm Thickness, 80 mm NB with 4 mm Thickness, 80 mm NB with 4.8 mm Thickness, 100 mm NB with 3.6 mm Thickness, 100 mm NB with 4.5 mm Thickness, 100 mm NB with 5.4 mm Thickness, 125 mm NB with 4.5 mm Thickness, 125mm NB with 4.8 mm Thickness, 125 mm NB with 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 4.5 mm Thickness, 150 mm NB,165.1 mm OD & 4.8 mm Thickness, 150 mm NB,165.1 mm OD & 5.4 mm Thickness, 150 mm NB,165.1 mm OD & 5.9 mm Thickness, 150 mm NB,165.1 mm OD & 6.3 mm Thickness, 150 mm NB,165.1 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 4.5 mm Thickness, 150 mm NB,168.3 mm OD & 4.8 mm Thickness, 150 mm NB,168.3 mm OD & 5.4 mm Thickness, 150 mm NB,168.3 mm OD & 6.3 mm Thickness, 150 mm NB,168.3 mm OD & 8 mm Thickness, 150 mm NB,168.3 mm OD & 10 mm Thickness, Not Applicable |
| | **Grade of Material (as per table 2 of IS 1161)** | YSt 210, YSt 240, YSt 310, YSt 355, Not Applicable |

| विवरण/Specification | विशिष्टि का नाम /Specification Name | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values) |
|---|---|---|
| | **M S Foundation Plate Thickness** | 10.0 **(millimeter)** |
| OTHER REQUIREMENTS | **Installation** | Included, Not Included |
| CERTIFICATION | **Certfication ( Safety and Quality Requirements )** | No |
| WARRANTY | **Warranty ( years )** | 2.0 **(year)** |

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Narender | 125050,Lal Batti Chowk Fatehabad. | 25 | 45 |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   **Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

4. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a

certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

5. **Turnover**

   OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

6. **Certificates**

   ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

7. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

8. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   All the bidders are informed that they have to provide all the gym equipment according to the ATC file

   we have selected the category of chest press machine but instead of chest press the department want rowi ng machine , the specification of rowing machine is mentioned in the ATC .

   The quantity of each category of machine is 25 pcs

   .

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as

the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में

भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**