बिड संख्या/Bid Number: GEM/2026/B/8201087

दिनांक /Dated: 30-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	20-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	21-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Odisha
विभाग का नाम/Department Name	Higher Education Department Odisha
संगठन का नाम/Organisation Name	Commissioner-cum-secy To Govt,h.e.deptt.,bhubaneswar
कार्यालय का नाम/Office Name	Higher Education
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :primaryuser-gem@gov.in Buyer Email id: hed.oe2@odisha.gov.in
कुल मात्रा/Total Quantity	16
वस्तु श्रेणी /Item Category	Mobile Storage Compactors (Q3)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	3
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	Yes
रिवर्स नीलामी योग्यता नियम/**RA Qualification Rule**	H1-Highest Priced Bid Elimination
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	Mobile Storage Compactors
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**	No
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/**Evaluation Method**	Total value wise evaluation
मध्यस्थता खंड/**Arbitration Clause**	No
सुलह खंड/**Mediation Clause**	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	500000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	1.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Deputy Secretary
Higher Education, Higher Education Department Odisha, Commissioner-cum-Secy to Govt,H.E.Deptt.,Bhubaneswar,
(Ddo-cum-deputy Secretary,higher Education Department)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.

iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Mobile Storage Compactors (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category Note**	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	2-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	1
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	80 kg, 90 kg, 100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	80 kg, 90 kg, 100 kg
	Load bearing capacity of under structure and base frame	2000 Kg, 2400 kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	2
	Minimum number of pairs of Bearings in Every Base frame	4
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	**Number of guide rail rows**	2
	Number of 915 mm Rail Pieces per Rail Row	0
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	1

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
DOORS and LOCKING	**Separate door lock for each section**	YES
MATERIAL	**M S Sheet Thickness of the Cabinet Body (mm)**	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.7 mm thick CRC sheet conforming to Grade D of IS 513 latest
	M S Sheet Thickness of the Door Panels (mm)	N.A.
	Height of base frame ±2(mm)	75 mm
	Height of track and moving clearance ±2(mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:1079/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	**Overall Height of the Cabinet from the ground in mm ±20 (mm)**	2080 mm
	Depth of the single faced fixed / static bodies Cabinet ±10(mm)	400 mm
	Depth of the single faced movable bodies Cabinet ±10(mm)	400 mm
	Depth of the movable bodies Cabinet ±10(mm)	800 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	**Paint**	Powder Coated with fire retardant epoxy polyester powder

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
WARRANTY	**Warranty Period IN NUMBER OF YEARS**	1 – Year

Additional Specification Parameters - Mobile Storage Compactors (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Optz Plus SD2 (Size – 2440Hx2400Wx400D) in mm – 01 nos Optz Plus LD2 (Size – 2440Hx2400Wx400D) in mm – 01 nos Optz Plus TD2 Solid Back Panel (Size – 2440Hx2400Wx800D) in mm – 04 nos	Optz Plus SD2 (Size – 2440Hx2400Wx400D) in mm – 01 nos Optz Plus LD2 (Size – 2440Hx2400Wx400D) in mm – 01 nos Optz Plus TD2 Solid Back Panel (Size – 2440Hx2400Wx800D) in mm – 04 nos
Optz Plus D2 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 02 nos. Optz Plus HDR PR 1200mm 2361mm ps (Size – 593.2Wx21.6Dx2291H) in mm – 20 nos.	Optz Plus D2 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 02 nos. Optz Plus HDR PR 1200mm 2361mm ps (Size – 593.2Wx21.6Dx2291H) in mm – 20 nos
FILE SEPARETOR – 40 nos	FILE SEPARETOR – 40 nos
Detail specification attached in ATC	Detail specification attached in ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bibhuti Bhusan Das	751001,Campus-II(HoD building) Higher Education Department, Lok Seva Bhawan, Sachivalaya Marag, Bhubaneswar, 751001	1	60

Mobile Storage Compactors (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification]

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category Note**	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	3-Bay
	Type of Drive	Mechanized Drive Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	6
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	5 Shelves/6 Compartments

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	5 Shelves/6 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	5 Shelves/6 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	N.A
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	**Number of guide rail rows**	2
	Number of 915 mm Rail Pieces per Rail Row	2
	Number of 1830 mm Rails Pieces per Rail Row	2
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	**Separate door lock for each section**	YES
MATERIAL	**M S Sheet Thickness of the Cabinet Body (mm)**	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ±2(mm)	75 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of track and moving clearance ±2(mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	**Overall Height of the Cabinet from the ground in mm ±20 (mm)**	2350 mm
	Depth of the single faced fixed / static bodies Cabinet ±10(mm)	450 mm
	Depth of the single faced movable bodies Cabinet ±10(mm)	450 mm
	Depth of the movable bodies Cabinet ±10(mm)	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	**Paint**	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	**Warranty Period IN NUMBER OF YEARS**	1 – Year

Additional Specification Parameters - Mobile Storage Compactors (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Optz Plus SD3 (Size – 2440Hx3600Wx400D) in mm – 01 nos. Optz Plus LD3 (Size – 2440Hx3600Wx400D) in mm – 01 nos	Optz Plus SD3 (Size – 2440Hx3600Wx400D) in mm – 01 nos. Optz Plus LD3 (Size – 2440Hx3600Wx400D) in mm – 01 nos
Optz Plus TD3 Solid Back Panel (Size – 2440Hx3600Wx800D) in mm – 04 nos. Optz Plus D3 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 02 nos	Optz Plus TD3 Solid Back Panel (Size – 2440Hx3600Wx800D) in mm – 04 nos. Optz Plus D3 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 02 nos
Optz Plus HDR PR 1200mm 2361mm ps (Size – 593.2Wx21.6Dx2291H) in mm – 30 nos. FILE SEPARETOR – 60 nos	Optz Plus HDR PR 1200mm 2361mm ps (Size – 593.2Wx21.6Dx2291H) in mm – 30 nos. FILE SEPARETOR – 60 nos
Detail Specification attached in ATC	Detail Specification attached in ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bibhuti Bhusan Das	751001,Campus-II(HoD building) Higher Education Department, Lok Seva Bhawan, Sachivalaya Marag, Bhubaneswar, 751001	1	60

Mobile Storage Compactors (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category Note**	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	1-Bay
	Type of Drive	Push Pull Type
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	2
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron Wheels
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	6
	Drive cover included on Body	NO
	Stud	Main and add on construction
GUIDE RAIL	**Number of guide rail rows**	2
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	**Separate door lock for each section**	YES
MATERIAL	**M S Sheet Thickness of the Cabinet Body (mm)**	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ±2(mm)	75 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of track and moving clearance ±2(mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:2062/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	**Overall Height of the Cabinet from the ground in mm ±20 (mm)**	2080 mm
	Depth of the single faced fixed / static bodies Cabinet ±10(mm)	400 mm
	Depth of the single faced movable bodies Cabinet ±10(mm)	400 mm
	Depth of the movable bodies Cabinet ±10(mm)	760 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	**Paint**	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	**Warranty Period IN NUMBER OF YEARS**	1 – Year

Additional Specification Parameters - Mobile Storage Compactors (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Optz Plus SS1 (Size – 2047Hx1200Wx400D) in mm – 01 nos. Optz Plus SL1 (Size – 2047Hx1200Wx400D) in mm – 01 nos. Optz Plus TM1 Solid Back Panel (Size – 2047Hx1200Wx800D) in mm – 04 nos.	Optz Plus SS1 (Size – 2047Hx1200Wx400D) in mm – 01 nos. Optz Plus SL1 (Size – 2047Hx1200Wx400D) in mm – 01 nos. Optz Plus TM1 Solid Back Panel (Size – 2047Hx1200Wx800D) in mm – 04 nos
Optz Plus Push Pull / D2 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 02 nos. Optz Plus HDR PR 1200mm 1980 mm ps (Size – 593.2Wx21.6Dx1910H) in mm – 10 nos.	Optz Plus Push Pull / D2 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 02 nos. Optz Plus HDR PR 1200mm 1980 mm ps (Size – 593.2Wx21.6Dx1910H) in mm – 10 nos.
FILE SEPARETOR – 20 nos.	FILE SEPARETOR – 20 nos
Details Specification attached in ATC	Details Specification attached in ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bibhuti Bhusan Das	751001,Campus-II(HoD building) Higher Education Department, Lok Seva Bhawan, Sachivalaya Marag, Bhubaneswar, 751001	3	60

Mobile Storage Compactors (11 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	**Category Note**	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	2-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = A x (B + C + 2D)	3
	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	100 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	100 kg
	Load bearing capacity of under structure and base frame	3000 Kg
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	Cast Iron wheels and Anti Friction Ball bearings
	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	N.A
	Drive cover included on Body	YES
	Stud	Main and add on construction
GUIDE RAIL	**Number of guide rail rows**	2
	Number of 915 mm Rail Pieces per Rail Row	0
	Number of 1830 mm Rails Pieces per Rail Row	1
	Number of 2745 mm Rails Pieces per Rail Row	1
DOORS and LOCKING	**Separate door lock for each section**	YES
MATERIAL	**M S Sheet Thickness of the Cabinet Body (mm)**	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	Height of base frame ±2(mm)	75 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Height of track and moving clearance ±2(mm)	55 mm
	Material of Stud	NA
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:1079/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	12 Nos.
DIMENSION	**Overall Height of the Cabinet from the ground in mm ±20 (mm)**	2080 mm
	Depth of the single faced fixed / static bodies Cabinet ±10(mm)	400 mm
	Depth of the single faced movable bodies Cabinet ±10(mm)	400 mm
	Depth of the movable bodies Cabinet ±10(mm)	760 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	1180 mm
PAINT	**Paint**	Powder Coated with fire retardant epoxy polyester powder
WARRANTY	**Warranty Period IN NUMBER OF YEARS**	1 – Year

Additional Specification Parameters - Mobile Storage Compactors (11 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Optz Plus SD2 (Size – 2047Hx2400Wx400D) in mm – 01 nos. Optz Plus LD2 (Size – 2440Hx2400Wx400D) in mm – 01 nos. Optz Plus TD2 Solid Back Panel (Size – 2440Hx2400Wx800D) in mm – 07 nos.	Optz Plus SD2 (Size – 2047Hx2400Wx400D) in mm – 01 nos. Optz Plus LD2 (Size – 2440Hx2400Wx400D) in mm – 01 nos. Optz Plus TD2 Solid Back Panel (Size – 2440Hx2400Wx800D) in mm – 07 nos.
Optz Plus D2 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 03 nos. Optz Plus Push Pull / D2 CHNL 800mm (Size - 800Wx124Dx31H) – 01 nos.	Optz Plus D2 CHNL 2400mm (Size – 2400Wx124Dx31H) in mm – 03 nos. Optz Plus Push Pull / D2 CHNL 800mm (Size - 800Wx124Dx31H) – 01 nos.
Optz Plus HDR PR 1200mm 2361mm ps (Size – 593.2Wx21.6Dx1910H) in mm – 32 nos. FILE SEPARETOR – 64 nos	Optz Plus HDR PR 1200mm 2361mm ps (Size – 593.2Wx21.6Dx1910H) in mm – 32 nos. FILE SEPARETOR – 64 nos
Details Specification attached in ATC	Details Specification attached in ATC

* Bidders offering must also comply with the additional specification parameters mentioned above.

अतिरिक्त विशिष्टि दस्तावेज़ /Additional Specification Documents

Applicable Drawing Document	View

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Bibhuti Bhusan Das	751001,Campus-II(HoD building) Higher Education Department, Lok Seva Bhawan, Sachivalaya Marag, Bhubaneswar, 751001	11	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the

original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

3. **OEM**

   IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

4. **Service & Support**

   Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

5. **Service & Support**

   Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

6. **Service & Support**

   Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.

9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---