बिड संख्या/Bid Number: GEM/2026/B/8201127

दिनांक /Dated: 30-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	21-11-2026 21:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	22-11-2026 21:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Education Secretariate
कार्यालय का नाम/Office Name	Central Institute Of Technology Kokrajhar Assam
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :p-basumatary@gov.in Buyer Email id: sushanta.narzary@gov.in
कुल मात्रा/Total Quantity	80
वस्तु श्रेणी /Item Category	Ethanol 500 ml SRL , Acetone 500 ml SRL , Barium sulphate 500gm Merck , Calcium Nitrate Tetrahydrate 500 gm Merck , Zinc acetate dihydrate 500gm Merck , Ethylene glycol 500ml Merck , Amoxicillin 500 mg , Isopropanol 500 ml SRL , Micropipette 10 to 1000ul , Micropipette tips , Borosilicate glass Petri dish 100mm , pH paper , Tissue papers roll , Micro centrifuge tube 2ml , Micro Spatula , Whatman No 1 filter paper , Crucible with lid , Magnetic stirrer bar 8 x 22 mm , Gold III chloride trihydrate 500mg Merck and Code no 4151 , Desiccator vacuum 250 mm Diameter , Laboratory Benchtop pH Meter , Magnetic Stirrer with hot plate 18x18 cm and Z742543 , Electronic weight balance K Roy and Co and Model BW 200
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Ethanol 500 ml SRL, Acetone 500 ml SRL, Barium sulphate 500gm Merck, Calcium Nitrate Tetrahydrate 500 gm Merck, Zinc acetate dihydrate 500gm Merck, Ethylene glycol 500ml Merck, Amoxicillin 500 mg, Isopropanol 500 ml SRL, Micropipette 10 to 1000l, Micropipette tips, Borosilicate glass Petri dish 100mm , pH paper, Tissue papers roll, Micro centrifuge tube 2ml , Micro Spatula, Whatman No 1 filter paper, Crucible with lid, Magnetic stirrer bar 8 x 22 mm, Gold III chloride trihydrate 500mg Merck and Code no 4151, Desiccator vacuum 250 mm Diameter, Laboratory Benchtop pH Meter, Magnetic Stirrer with hot plate 18x18 cm and Z742543, Electronic weight balance K Roy and Co and Model BW 200
	Searched String: Ethanol 500 ml SRL

बिड विवरण/Bid Details	Shaker Incubator, n-Heptane (V2), Alcohol Based Hand Sanitizer, Acetonitrile (V2), Toilet Cleaner Liquid (V3) conforming to IS 7983, Tetrahydrofuran (V2), Laboratory Magnetic Stirrer (V2), Fehling's Solution A & B (V2), Laboratory Glassware Volumetric Flask, Liquid Consortia (V2) **Searched String**: Acetone 500 ml SRL Shaker Incubator, n-Heptane (V2), Alcohol Based Hand Sanitizer, Acetonitrile (V2), Toilet Cleaner Liquid (V3) conforming to IS 7983, Tetrahydrofuran (V2), Laboratory Magnetic Stirrer (V2), Fehling's Solution A & B (V2), Laboratory Glassware Volumetric Flask, Liquid Consortia (V2) **Searched String**: Barium sulphate 500gm Merck Barytes for Chemical Industry and Oil-Well Drilling conforming to IS 2881, Ammonium Ferrous Sulphate hexahydrate, Barium Chloride as per IS: 5288, Barium Nitrate, Mercuric Sulphate (V2), Nickel sulphate, Mercuric Sulphate, Barium Hydroxide (V2) Conforming to IS 6015, Potassium Hydrogen Sulphate, Benzene as per IS 534 **Searched String**: Calcium Nitrate Tetrahydrate 500 gm Merck Calcium Nitrate Tetrahydrate, Calcium Nitrate Tetrahydrate (V2) **Searched String**: Zinc acetate dihydrate 500gm Merck Zinc Acetate, GLACIAL ACETIC ACID, SODIUM ACETATE, Ammonium acetate, Ammonium acetate AR Grade, Sodium dihydrogen orthophosphate dihydrate, Copper (II) chloride dihydrate or Cupric chloride dihydrate, Zinc Nitrate (Hexahydrate), Diethylenetriaminepenta acetic acid **Searched String**: Ethylene glycol 500ml Merck Ethylene Glycol - IS 5295, 2-Phenoxyethanol, Ethylene Glycol Monobutyl Ether, Mono Ethylene Glycol - ONGC, Ethylene Glycol Mono Butyl Ether (EGMBE) (ONGC), Tri Ethylene Glycol (TEG) - ONGC **Searched String**: Amoxicillin 500 mg Anti TB Drugs - Levofloxacin 500 mg Tablets, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), AMOXICILLIN + ClOXACILLIN, Amoxicillin + Clavulanic Acid (Potassium Clavulanate) Tablet, Magnesium (Mg) Powder, Speed Breaker (V2), X - Ray Machine (500 mA), Amoxicillin + Clavulanic Oral Liquid, 500 mA X - Ray Machine (V2), Deep freezer **Searched String**: Isopropanol 500 ml SRL Shaker Incubator, n-Heptane (V2), Alcohol Based Hand Sanitizer, Acetonitrile (V2), Toilet Cleaner Liquid (V3) conforming to IS 7983, Tetrahydrofuran (V2), Laboratory Magnetic Stirrer (V2), Fehling's Solution A & B (V2), Laboratory Glassware Volumetric Flask, Liquid Consortia (V2) **Searched String**: Micropipette 10 to 1000l

बिड विवरण/Bid Details	Alphacypermethrin 10% Emulsifiable Concentrate Conforming To Is 15602, water baths, Topramezone 10g/l +
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Atrazine 300g/l SC (Suspension Concentrate), Ultra Low Temperature Laboratory Deep Freezer (up to -86°C Degree), Topramezone 10g/l +Atrazine 300g/l SC (Suspension Concentrate), Muffle/Box Furnace (V2), Sulfate Standard Solution, Humidity Chamber, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Laboratory Refrigerator (V3) **Searched String**: Micropipette tips Universal Pipette Tips (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Universal Pipette Tips (V3), Dental Applicator tips for bonding agent, Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), Yankauer Suction Set, Saliva Ejector Suction Tips for Dental Use, Auditorium Chair (V2), Agricultural Trailer Complying to AIS 112, Guidewires (V2) **Searched String**: Borosilicate glass Petri dish 100mm Petri plates or dishes(V2), Serological Pipettes and Graduated Pipettes as per IS 4364, Glass Tableware (V2) Conforming to IS 1961, Laboratory Glassware Washers, Volumetric Pipettes as per IS 1117, Vacuum Filtration Assembly, Laboratory Beakers (V3) Confirming to IS 2619, Soap Dish/ Case (V2), traffic signs - bilinker light, Laboratory Glass Adapters (V2) **Searched String**: pH paper pH Paper, Digital pH Meter, pH Paper (V2), pH Electrode, pH Meter, Shredding Machine/Paper Shredder, pH Electrode (V2), Ph Meter Rod, Computer Paper (V3) Conforming to IS 12766 (In Packet), PH GLASS ELECTRODE **Searched String**: Tissue papers roll Facial Tissue Papers(V3), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Tissue Homogenizer, Labels Stickers (V3), Strapping Roll, Shredding Machine/Paper Shredder, Edge Roll, Carbon Papers (V2), ETO Packing Paper Roll, Tapered Bearings as per IS 12102 **Searched String**: Micro centrifuge tube 2ml Refrigerated Micro - Centrifuge, Blood Collection Tube, Refrigerated Micro - Centrifuge (V2), Medical Centrifuge, Centrifuge Tubes (V3), Test Tube Rack, Endotracheal Tube - Sterile (Single Use), microcentrifuge tubes, Micro - Nutrient Mixture For Agricultural Use (V2), PCR Tubes **Searched String**: Micro Spatula Micro Spatula-IS:3888, Mouse Pad (V2), Micro Spatula (V2) Conforming to IS 3888, Surgical Spatulas, Micro/Semi-Micro/Analytical weighing balance, Domestic Kitchen Spatulas (V2), Analytical Semi - Micro Balances, Laboratory Incubators, Refrigerated Micro - Centrifuge, Surgical Scissors (V2) **Searched String**: Whatman No 1 filter paper Cellulose Nitrate Filter Paper (V2), Towel Hand Cotton

बिड विवरण/Bid Details	Turkish (IAF), Laboratory Filter Papers (V2), Writing and Printing Papers Conforming to IS 1848 (Part 1), Printing
	Maplitho Paper (V3) Conforming to IS 1848 (Part 1), One Man Meals Ready to Eat (Menu No 1) (V3) (Defence), Handloom Cotton Bed Sheets (V2) as per IS 745, Computer Paper (V3) Conforming to IS 12766 (In Packet), Air Sampler, The Indian National Flag as per IS 1 **Searched String**: Crucible with lid Nickel Crucible with Lid, Revolving Chair (V5), Nickel Crucible with Lid (V2), Teflon Beaker with Lid, Entry and Mid Level Desktop Computer, Sintered Glass Crucible, Domestic Masala Trolly, Sintered Glass Crucible (V2), High End Desktop Computer, Wrought Aluminium Utensils (V2) as per IS 1660 **Searched String**: Magnetic stirrer bar 8 x 22 mm Dry Erase Writing Boards (V3), Polyurethane Tube (V2), Parallel Bar - Outdoor Gym Equipment, Combination Board (V2), Work Benches, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Laboratory Magnetic Stirrer (V2), Equipment Camouflage Nets (Jute) as per Defence Specification, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: Gold III chloride trihydrate 500mg Merck and Code no 4151 Category not available on GeM for the text string uploaded by the buyer **Searched String**: Desiccator vacuum 250 mm Diameter Laboratory Desiccator (V2), Roti Making Machine, Steel Rod 30.1mm Diameter (OFB (Defence)), Speed Breaker (V2), Blood Administration Set (V2), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Foot Steps For Hospital/Clinic and Domestic Purposes, Centrifuge Tubes (V3), industrial vacuum cleaner, Medicine Ball (V2) **Searched String**: Laboratory Benchtop pH Meter pH Meter, Digital pH Meter, Multiparameter pH or mV or ISE or Temp Meter, Ph Meter Rod, Turbidity meter, Water Quality Meters / Analyzers, Laboratory Refrigerator (V3), Ball Mill for Laboratory, Two Pan Laboratory Balance Analytical Chemical Physical as per IS 9440, Secondary Stage Physics Laboratory Kit (NCERT) **Searched String**: Magnetic Stirrer with hot plate 18x18 cm and Z742543 Laboratory Magnetic Stirrer (V2), Analgesiometer **Searched String**: Electronic weight balance K Roy and Co and Model BW 200 Electronic Weighing Scales, Micro/Semi-Micro/Analytical weighing balance

बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Chemical Vapour Deposition System
बीओक्यू शीर्षक /**BOQ Title**	Lab Consumable
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	1 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	4 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/**MSE Relaxation for Years of Experience and Turnover**	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /**Startup Relaxation for Years of Experience and Turnover**	No
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	50 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No

बिड विवरण/Bid Details	
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Micropipette tips
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st

March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Ethanol 500 Ml SRL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	5	30

Acetone 500 Ml SRL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	5	30

Barium Sulphate 500gm Merck

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Calcium Nitrate Tetrahydrate 500 Gm Merck

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Zinc Acetate Dihydrate 500gm Merck

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Ethylene Glycol 500ml Merck

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	4	30

Amoxicillin 500 Mg

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Isopropanol 500 Ml SRL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Micropipette 10 To 1000ul

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Micropipette Tips

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Borosilicate Glass Petri Dish 100mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	5	30

PH Paper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Tissue Papers Roll

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	20	30

Micro Centrifuge Tube 2ml

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	6	30

Micro Spatula

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Whatman No 1 Filter Paper

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Crucible With Lid

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	3	30

Magnetic Stirrer Bar 8 X 22 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	10	30

Gold III Chloride Trihydrate 500mg Merck And Code No 4151

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	2	30

Desiccator Vacuum 250 Mm Diameter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Laboratory Benchtop PH Meter

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Magnetic Stirrer With Hot Plate 18x18 Cm And Z742543

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

Electronic Weight Balance K Roy And Co And Model BW 200

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Sushanta Narzary	783370,Central Institute of Technology Kokrajhar, J.D. Road, Kokrajhar	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---