बिड संख्या/Bid Number: GEM/2026/B/8204348

दिनांक /Dated: 28-10-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	17-11-2026 18:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	18-11-2026 18:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: ask-iti-jamnagar@gujarat.gov.in
कुल मात्रा/Total Quantity	5588
	INTERNAL SSD , Graphics Card 2GB or More , PCB , Soldering wire and paste , 3 core Copper Cable Wire , SMPS , Resistors , Capacitors , Inductors , LED , Transistors , Thyristors , RJ 45 CONNECTOR , LAN CABLE , CMOS BATTERIES , I O BOX WITH SOCKET , BATTERY FOR LAPTOP , Power Adapter for Plextex Monitor , SMPS for Plextex CPU , BATTERY 12V 12AH , DC LAMP , BATTERY JUMP COPPER CABLE , LUG SOCKET , FUSE , AUTO IGNITION SWITCH , LED TUBE LIGHT , REVERSE FORWARD SWITHC , computer power cable , Crocodile clamp copper Big Size , Copper wire 10 sqmm , Test Lamp with one meter wire 12v DC , FUSE WIRE , MODULAR 5 STEP FAN REGULATOR FLUSH MOUNT , LETHOROID PAPER , NOMEX PAPER , INSULATING PLASTIC PAPER , FIBRE WEDGE , RUBBER MAT , CONTACTOR MODULE , OVERLOAD RELAY FOR CONTACTOR MODULE , TIMER ELECTRIC STAR DELTA STARTER , NO NC ADD ON BLOCK FOR CONTACTOR 440V , START STOP PUSH BUTTON WITH BOX RED AND GREEN 600V , DIN RAIL CHANNEL SLOTTED , KITKAT FUSE 15A 440V AC , INTEMEDIATE SWITCH , hard drawn bare copper wire , alumininum hard drawn wire , PVC INSULATED ALUMINIUM ARMED CABLE , FERULE ALUMINIUM , CABLE JOINTING KIT RESIN COMPOND , HEAT SRINKABLE JOINT KIT , CARBON RESITOR , CARBON RESITOR 2K 3K 0.5W , SUPER ANNEMAL COPPER WIRE , CAPACITOR , SOLAR CELL , ELCB , HEAVY DUTY MULTIMETER PROB WIRE PAIR , 0.15 PVC copper wire , SUPER ENEMAL WINDING WIRE 36 SWG , LED LIGHTING STREEP multicolour , LED LIGHTING STREEP DRIVER POWER SUPPLY , FLUX FOR SOLDERING PASTE , fiber glass sleeve , mika WEDGE , Pvc board modular type 12 module , carbon

बिड विवरण/Bid Details	resistors , lug board with patch cord , SPST switch , adepter , MCB ENCLOSER , DP SWITCH , RCCB ELCB 3 POLE , lug
वस्तु श्रेणी /Item Category	copper , 2 pin screw terminal xy 128 , chemical earthiing electrode copper bonded , Electrical Solder Wire , Copper Flexible Wire 10 meter , LED Assorted Pack of 100 , Resistor Kit Assorted , Small DC Motor , Lubrcation Float Switch , capacitor , Combine capacitor , rubber mat , 0.055 SWG PVC Insulated Copper Wire , PVC SINGLE STRAND ALUMINIUM CABLE , UNDERGROUND CABLE , ICDP Switch 16A 250volt , 1.5 SQMM copper flexible wire red,blacK,blue,green , Connecting Leads , Resistror different size , Copper Lugs , Different type Capacitor , Capacitor 3.15 microF , KITKET FUSE , HRC FUSE , CROCODILE CLIP , Plywood Board , solar charge controller with dusk to don fixture , SOLAR PLATE 12V DC , DC CABLE RED AND BLACK , MC 4 CONNECTOR MALE FEMALE SET 4MM, 6MM , CRYSTALLINE MODULE , DC LOAD FAN , AA RECHARGABLE BATTERY HOLDER , DC to AC inverter Mini , Capacitor 4 and 8 microF , PVC GANGBOX 1 WAY AND 2 WAY , PVC GANGBOX 3 WAY AND 4 WAY , Double sided Connecting Lead 1 Meter Red and Black colour , DC LOAD LED LIGHT 5W AND 10W , AA RECHARGABLE BATTERY , Tickwood batten 300x25X12mm , PV solar module with mounting hardware 75 W , FILAMENT LAMP 200W , FILAMENT LAMP 60W , FILAMENT LAMP 100W , BUTTON CELL 3V , FAST GLASS FUSE , Panasonic BR 0.66 AGCT4A 6V Battery 500mAh , Die penetrant testing kit , Welding Cable multi core copper , ELCB 250V,25A,2 Pole,tripping Current 30 ma , half wave, full wave and bridge rectifier circuit each , remote control switch sensor 4 way 230 V , motion sensor 230 V AC , RCCB 2 Pole , PVC Gang Box 1-Way With Base , Button Cell 1.5 V , Lithium iron cell 3.7V , Zinc carboun Cell 1.5 V , Nickel Metal Hydraide Cell 1.5V , Maintenance free led acid bettry 12v , RG-6 Coaxial Cable , Infrared Motion Detector , RF Wireless Remot Controlled Switch for 4-Load Control node switch , Cable Race Ways , Axiliary Gutter for Cable , Ber Copper 32 SWG solid open conductor , Ber Alluminium 32 SWG Wire , Draw Spring For Wireman , 9 Watt Low Voltage Track Light 230V , Low Voltage Track Chennal , Cabon Resister 0.25 Watt 82 Ohm , LED Lamp Holder with pvc cap , Electronic Sequencial Control Circuit 4-Channel , CLF Desplay spot light 15 Watt 240 V , LED Down Light 15 Watt 240 Volt , Kitchen Cabinet Light 10 Watt 230V , 125 Watt HPMV Mercury Vapour Lamp complet Fixture , 150 Watt HPSW Sodium Vapour Lamp Complet Fixture , 150 Watt Metal Helaid Lamp Complet Fixture , Different Ohmic Value Carbon resister 1 ohm to 100 ohm , Transformer 230 6V 5 Amp. , Transformer 230 6-0-6 V 5 Amp. , Carbon Resister 470 Ohm 0.5 Watt , Capacitor 1000 MFD 50V , DC Variable Power Supply , CFL Lamp 20 Watt 230 V , LED Lamp 9 Watt 230 V , Rechargable Battery 12 V 7AH , DC LED Lamp 5 Watt 12 V , Cable Termination Kit Resin core , Cable Lug 25 Sq.MM Alluminium , Under ground Cable Jointing kit Resin Compound , Ferrul Connector , Buzzer 230 v , 1 Meter Length Lead Wire with both side male Pin , Flexible wire Lead , LED 5mm 3v Blue , Multimeter Lead , LED Lamp 20 Watt 230 V
	INTERNAL SSD, Graphics Card 2GB or More, PCB, Soldering wire and paste, 3 core Copper Cable Wire, SMPS, Resistors, Capacitors, Inductors, LED, Transistors,, Transistors,, Transistors,, Transistors,, Thyristors, RJ 45 CONNECTOR, LAN CABLE, CMOS BATTERIES, I/O BOX WITH SOCKET, BATTERY FOR LAPTOP, Power Adapter for Plextex Monitor, BATTERY FOR LAPTOP, SMPS for Plextex CPU, BATTERY 12V,

बिड विवरण / Bid Details	12AH, DC LAMP (YELLOW LAMP), BATTERY JUMP COPPER CABLE, LUG SOCKET, FUSE, AUTO IGNITION SWITCH, LED
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	TUBE LIGHT, REVERSE FORWARD SWITHC, computer power cable , Crocodile clamp (copper) Big Size, Copper wire 10 sq.mm, Test Lamp with one meter wire 12v DC, FUSE WIRE , MODULAR 5 STEP FAN REGULATOR FLUSH MOUNT , LETHOROID PAPER , NOMEX PAPER, INSULATING PLASTIC PAPER, FIBRE WEDGE, RUBBER MAT , CONTACTOR MODULE, OVERLOAD RELAY FOR CONTACTOR MODULE, TIMER ELECTRIC STAR DELTA STARTER, NO NC ADD ON BLOCK FOR CONTACTOR 440V, START STOP PUSH BUTTON WITH BOX RED AND GREEN 600V , DIN RAIL CHANNEL SLOTTED , KITKAT FUSE 15A, 440V AC , INTEMEDIATE SWITCH, hard drawn bare copper wire , aluminum hard drawn wire, PVC INSULATED ALUMINIUM ARMED CABLE, FERULE ALUMINIUM, CABLE JOINTING KIT RESIN COMPOND, HEAT SRINKABLE JOINT KIT, CARBON RESITOR, CARBON RESITOR 2K, 3K 1/2W, CARBON RESITOR, CARBON RESITOR, SUPER ANNEMAL COPPER WIRE, CAPACITOR , PCB, SOLAR CELL, ELCB, HEAVY DUTY MULTIMETER PROB WIRE PAIR, 3/20 PVC copper wire, SUPER ENEMAL WINDING WIRE 36 SWG, LED LIGHTING STREEP (multicolour), LED LIGHTING STREEP DRIVER (POWER SUPPLY), FLUX FOR SOLDERING (PASTE), fiber glass sleeve 0.5, 1, 2, 3, 5 MM, mika WEDGE, Pvc board modular type(12 module), carbon resistors 2.2k, 3.3k, 4.7k each, lug board with patch cord, SPST switch , carbon resistors 10,20,30,40 ohm, carbon resistors, adepter, MCB ENCLOSER , DP SWITCH , RCCB (ELCB) 3 POLE, lug copper, 2 pin screw terminal xy 128, chemical earthiing electrode copper bonded, Electrical Solder Wire , Copper Flexible Wire 10 meter, LED Assorted Pack of 100, Resistor Kit Assorted, Small DC Motor, Lubrcation Float Switch , capacitor 2.5 fd, Combine capacitor 50+4 fd, rubber mat, rubber mat, 1/18 SWG PVC Insulated Copper Wire, PVC SINGLE STRAND ALUMINIUM CABLE, UNDERGROUND CABLE, ICDP Switch 16A/250volt, 1.5 mm2 copper flexible wire (red,blacK,blue,green), Connecting Leads, Resistror different size (1kohm to 25 k ohm) 5 nos each, Copper Lugs (each 20nos), Different type Capacitor(Mica, Ciramic,Plastic,Paper), Capacitor 3.15 microF, KITKET FUSE, HRC FUSE, CROCODILE CLIP , Plywood Board 400*300*19, solar charge controller with dusk to don fixture, SOLAR PLATE 12V DC , DC CABLE (RED & BLACK), MC 4 CONNECTOR MALE FEMALE SET 4MM, 6MM, CRYSTALLINE MODULE, DC LOAD FAN, AA RECHARGABLE BATTERY HOLDER, DC to AC inverter Mini, Capacitor 4 and 8 microF, PVC GANGBOX 1 WAY AND 2 WAY, PVC GANGBOX 3 WAY AND 4 WAY, Double sided Connecting Lead 1 Meter - Red and Black colour, DC LOAD LED LIGHT 5W AND 10W, AA RECHARGABLE BATTERY, Tickwood batten 300x25X12mm, solar charge controller with dusk to don fixture, PV solar module with mounting hardware 75 W , FILAMENT LAMP (TUNGSTON) 200W, FILAMENT LAMP (TUNGSTON) 60W, FILAMENT LAMP (TUNGSTON) 100W, BUTTON CELL 3V, FAST GLASS FUSE , Panasonic BR-2/3AGCT4A 6V Battery 500mAh, Die penetrant testing kit, Welding Cable multi core copper, ELCB 250V,25A,2 Pole,tripping Current 30 ma, half wave, full wave and bridge rectifier circuit each, remote control switch sensor 4 way 230 V, motion sensor 230 V AC, RCCB 2 Pole , PVC Gang Box 1-Way With Base, Button Cell 1.5 V, Lithium iron cell 3.7V , Zinc carboun Cell 1.5 V, Nickel Metal Hydraide Cell 1.5V, Maintenance free led acid bettry 12v, RG-6 Coaxial Cable, Infrared Motion Detector , RF Wireless Remot Controlled Switch for 4-Load Control node switch,

बिड विवरण/Bid Details	
	Cable Race Ways 2" size, Axiliary Gutter for Cable, Ber Copper 32 SWG solid open conductor, Ber Alluminium 32 SWG Wire, Draw Spring For Wireman, 9 Watt Low Voltage Track Light 230V, Low Voltage Track Chennal, Cabon Resister 1/4 Watt 82 Ohm, LED Lamp Holder with pvc cap, Electronic Sequencial Control Circuit 4-Channel, CLF Desplay spot light 15 Watt 240 V, LED Down Light 15 Watt 240 Volt, Kitchen Cabinet Light 10 Watt 230V, 125 Watt HPMV Mercury Vapour Lamp complet Fixture , 150 Watt HPSW Sodium Vapour Lamp Complet Fixture, 150 Watt Metal Helaid Lamp Complet Fixture, Different Ohmic Value Carbon resister 1 ohm to 100 ohm, Transformer 230/6V 5 Amp., Transformer 230/6-0-6 V 5 Amp., Carbon Resister 470 Ohm 1/2 Watt, Capacitor 1000 MFD 50V, DC Variable Power Supply 0-100 V DC Variable, CFL Lamp 20 Watt 230 V, LED Lamp 9 Watt 230 V, Rechargable Battery 12 V 7AH, DC LED Lamp 5 Watt 12 V, Cable Termination Kit Resin core, Cable Lug 25 Sq.MM Alluminium, Under ground Cable Jointing kit (Resin Compound), Ferrul (Connector) 25 sq.mm Alluminium, Buzzer 230 v, 1 Meter Length Lead Wire with both side male Pin , Flexible wire Lead, LED 5mm 3v Blue, Multimeter Lead, LED Lamp 20 Watt 230 V
	Searched String: INTERNAL SSD Internal Storage Device (SSD/HDD) (V2), Enterprise Remote Access and Support Software, USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), Internal Dial Caliper Gauge, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), HoleTest Micrometer(BHEL), Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Internal Micrometer as per IS 2966, Tablet Computer (V2) **Searched String**: Graphics Card 2GB or More Computer Graphics Card (GPU), Pullovers Or Cardigans For Adults-IS:3617, IS:4582, Mother and Child Protection Card, Biscuits, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Point of Sale (POS) Kiosk (V2), High Temperature High Pressure Table Top Sample Dyeing Machine, Flat Bed Knitting Machines, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Electrochemical Workstations **Searched String**: PCB PCB Platting, Printed Circuit Board, PCB Prototype Machine, Printed circuit board storage rack, Dielectric Constant Kit for Solids, Computer Motherboards, Designing Software (V3) **Searched String**: Soldering wire and paste Soft Solder - IS 193, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Soldering and Desoldering Station with digital display, Super Chain and Wire Lubricant, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Polish, Paste for Floor and wooden Furniture (V2) conforming to IS 8541, Wire rope slings and sling legs (V3) conforming to IS 2762, Molybdenum Wires for Lighting and Electronic Application Conforming To IS 12465 (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Paper Adhesives, Liquid Gum and Office Paste

बिड विवरण/Bid Details	Type (V2) Conforming to IS 2257 **Searched String**: 3 core Copper Cable Wire Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, All in One PC (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper Cable Analyser, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: SMPS Switch Mode Power Supply (V2) Conforming To IS 14886, Switching Power Supply for Wireless Application, Mains Battery Charger (MHA), Battery Charger As per MHA Specifications (V2) **Searched String**: Resistors Resistors (V2), Neutral Grounding Resistor (NGR) **Searched String**: Capacitors Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1) **Searched String**: Inductors Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Inline Inductor **Searched String**: LED LED Batten, Laboratory Incubators, LED Curbstone, data wall display, LED Batten Light (LED Tube Light) (V2), Muffle Furnace, LED Marine Lanterns, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Flash Light, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3) **Searched String**: Transistors, Manual Metal Arc Welding (MMA) Machine (V3), Viscometer, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2) **Searched String**: Transistors, Manual Metal Arc Welding (MMA) Machine (V3), Viscometer, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2)

बिड विवरण/Bid Details	
	Searched String: Transistors, Manual Metal Arc Welding (MMA) Machine (V3), Viscometer, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2) **Searched String**: Transistors, Manual Metal Arc Welding (MMA) Machine (V3), Viscometer, DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Gas Metal Arc Welding (GMAW) Machine (V2), Gas Tungsten Arc Welding (GTAW) Machine (V2) **Searched String**: Thyristors Thyristor Power Unit **Searched String**: RJ 45 CONNECTOR Ethernet Information Outlet, Household Insecticides (V2), Hose connector, Polypropylene (PP) Bag as per Postal Department (V2), SMA connector, Spinosad 45% SC, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Field Mountable (FM45) Connector for Telecommunication, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Electrical Power Connector **Searched String**: LAN CABLE Cable network tester, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Ethernet Cables, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Wireless LAN Access Point (V3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Telecommunication Cable Connection Enclosure, Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Antenna Cable **Searched String**: CMOS BATTERIES Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Online UPS (V2), Multipurpose Dry Batteries (V2) ISI Marked to IS 8144, book scanner, Lead Acid Traction Batteries (V2) Conforming To IS 5154 (Part 1 and 2), Scrubber Dryer Floor Cleaning Machine (V2), Vented Type Nickel Cadmium Batteries - IS 10918, Video - Nystagmography (VNG) for Vertigo Clinics, Manganese Dioxide For Dry Batteries - IS 11153, Portable Emergency LED Lighting Tower System with Battery Bank **Searched String**: I/O BOX WITH SOCKET Switched Socket-Outlets without Interlock for Fixed Installations ISI Marked to IS 15787, Electrical Extension Box (V4), Interface module, Hopper Tipper Dumper for Garbage, Pull Cord Switch with Terminal Box & Lamp, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), KNEE BRACE (Size-Medium) with Packing Box (ALIMCO), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Laboratory Glass Adapters

बिड विवरण/Bid Details	
	Searched String: BATTERY FOR LAPTOP LAPTOP CADDY, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Rugged Notebook - Laptop, Inverter Battery Trolley, File/Folder (V3), Laptop Stand/Cooling Stand, General Purpose Battery Chargers, High End Laptop - Notebook, Chair for General Purpose, Semi Rugged Notebook - Laptop **Searched String**: Power Adapter for Plextex Monitor Handset Charging Adapter, Computer Monitor (V2), Holter with Monitor for analysis, Electric Trap for insects (UV based Electric Zappers), Power Cord For Computer (V2), Digital pH Meter, Power Spray Machine for Disinfection Purpose, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Power Bank for Mobile and Laptops (V2), Scanner (V3) **Searched String**: BATTERY FOR LAPTOP LAPTOP CADDY, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Rugged Notebook - Laptop, Inverter Battery Trolley, File/Folder (V3), Laptop Stand/Cooling Stand, General Purpose Battery Chargers, High End Laptop - Notebook, Chair for General Purpose, Semi Rugged Notebook - Laptop **Searched String**: SMPS for Plextex CPU Switching Power Supply for Wireless Application, Cabinet for Desktop, Add on Cards and Accessories for PABX System, Interactive Panel Solution for Institutions **Searched String**: BATTERY 12V, 12AH Battery Cover, Cleaning Duster (V3), Battery Tester, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Container (V2) Conforming To IS 13369, Battery Link Terminal, Cotton Towelling And Towels Conforming To IS 7056 (V4), Battery Terminal Coating, Hand Held Slit Lamp - RBSK, Inverter Battery Trolley, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1) **Searched String**: DC LAMP (YELLOW LAMP) Hand Lamp, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Inspection Lamp, Slit Lamp, LED Based Indicating Lamp for Panel Cut Outs, Infrared Heat Lamp, LED Machine Work Lamp, Lamp Shades-Handicraft, Ballasts For Discharge Lamps Conforming To IS 15882, Slit Lamp (V2) **Searched String**: BATTERY JUMP COPPER CABLE Copper Cable Analyser, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Copper Jumper, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Welding Cable ISI Marked To IS 9857 (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Electrical Cable Lugs, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

बिड विवरण/Bid Details	**Searched String**: LUG SOCKET Tubular Lug-BHEL, Electrical Extension Box (V4), Insulated socket, Cable Lug for PZU-7 without surface treatment (Defence), IC SOCKET, Electrical Cable Lugs, IC Socket (V2), Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, PVC Reducer Socket, Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL) **Searched String**: FUSE Glass Fuse, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Cylindrical Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Drop Out Fuses, Industrial composite color 3D Printer, HT Motor Protection Fuse (BHEL), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Blade Fuses-IS:13703 **Searched String**: AUTO IGNITION SWITCH Time Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Auto Kerato Refractometer/ Auto Ref Keratometer, Agricultural Trailer Complying to AIS 112, Auto Refractometer (V2), modular electrical enclosure switch board boxes for modular type accessories, Industrial Ethernet Switch (V2), Tanker on Agricultural Trailer, Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 **Searched String**: LED TUBE LIGHT LED Batten Light (LED Tube Light) (V2), Laboratory Incubators, LED Tube Light (Retrofit Type), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Muffle Furnace, LED Batten, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Flash Light, Endotracheal Tube - Sterile (Single Use), LED Bulkhead Light **Searched String**: REVERSE FORWARD SWITHC Reverse Engineering and Binary Analysis Software, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity, Entry and Mid Level Desktop Computer, 3D Laser Scanner, MB Plough / Reversible MB Plough, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Drinking Water ATM / Water Vending Machine (Version 2), Reversion Oil Bath, Agriculture Land Leveler **Searched String**: computer power cable Computer Power Cord, Entry and Mid Level Desktop Computer, Power Cord For Computer (V2), Computer Monitor (V2), Power Cable Fault Locator, High End Desktop Computer, Cable Management - Cable Tray System and Cable Ladder System Conforming To IS/IEC 61537, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Computer Table (V3), Computer Motherboards **Searched String**: Crocodile clamp (copper) Big Size

बिड विवरण/Bid Details	Kelvin Clips, Corrugated Boxes, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Electrical connection Lugs or thimbles, Hose Clamp as per IS 4762, Non Sparking Combination Spanners (V2), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Ring Slugging Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Non-Sparking Screw Driver-IS:4595 **Searched String**: Copper wire 10 sq.mm Copper Tube 35 mm-OFB, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Endotracheal Tube - Sterile (Single Use), Copper Tube 104.9mm-OFB, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Test Lamp with one meter wire 12v DC Wire rope slings and sling legs (V3) conforming to IS 2762 **Searched String**: FUSE WIRE Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Muffle Furnace, Glass Fuse, Carriers and bases in rewirable type electric fuses conforming to IS 2086, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Cylindrical Fuses, Tapered Bearings as per IS 12102, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Drop Out Fuses, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: MODULAR 5 STEP FAN REGULATOR FLUSH MOUNT Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037, Non Modular Piano Type Domestic Fan Regulator Conforming To IS 11037 (V2), Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4) **Searched String**: LETHOROID PAPER pH Paper, Blotting paper, Paper Carry Bag and Paper Pouches, Plotter Paper Roll (V2), Kraft Paper For Packing And Wrapping (V3) Conforming to IS 1397, Paper Cup (Dona) cum Paper Disc Machine Kit (GRIMCO Gujarat Govt), Volatile Corrosion Inhibitor (VCI) Treated paper - IS 6263, Shredding Machine/Paper Shredder, Tracing Paper Conforming to IS 9033, Blotting Paper (V2) **Searched String**: NOMEX PAPER pH Paper, Blotting paper, Paper Carry Bag and Paper Pouches, Plotter Paper Roll (V2), Kraft Paper For Packing And

बिड विवरण/Bid Details	Wrapping (V3) Conforming to IS 1397, Paper Cup (Dona) cum Paper Disc Machine Kit (GRIMCO Gujarat Govt), Volatile Corrosion Inhibitor (VCI) Treated paper - IS 6263, Shredding Machine/Paper Shredder, Tracing Paper Conforming to IS 9033, Blotting Paper (V2) **Searched String**: INSULATING PLASTIC PAPER Electrical Insulating Kraft Paper, File/Folder (V3), Electrical Insulating Paint, Shredding Machine/Paper Shredder (V2), Environmental Chamber, Plastic Chain, Paper Moisture Meter, Plastic Refractory, cobweb brush, Plastic Jerrycans **Searched String**: FIBRE WEDGE Wedge Wire Screen, Environmental Chamber, FIBRE GLASS TUBE, Fibre Microtome (Textile), Optical Fibre Cable for Networking, Fibre Patch Panel, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Ceramic fibre Paper, Dental Wedges (V2), Ruggedised and Armoured Fibre Optic Patch Cord **Searched String**: RUBBER MAT bathroom mat, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Ground Mat, Stable Rubber Mats, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Anti Fatigue Mat, Rubberized Weight Dumbbells, Automotive Floor Mat, chair mat-cushion, rubber bands **Searched String**: CONTACTOR MODULE CONTACTOR RELAY, Random Access Memory (RAM) Module, Vacuum Contactor Conforming To IS/IEC 60470, Mobile Work Force Management Solution Software, Air Break Contactors, Interface module, Relay Module, DC Motor Armature Reversing Contactor-BHEL, Industrial Automation Communication Interface Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial **Searched String**: OVERLOAD RELAY FOR CONTACTOR MODULE Overload Relay, CONTACTOR RELAY, Relay Module, SOVP Device for Street light Pole Mounted, Identification Clip for Telecommunication Voice Distribution Module, Grounding Rail for Disconnection Telecommunication Voice Module, Primary and Secondary Injection Test Kit for CT_VT and Relay Tester, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Photovoltaic Module (Solar Charger) for Batteries as per MHA QRs **Searched String**: TIMER ELECTRIC STAR DELTA STARTER Star Delta Motor Starter for Three Phase Induction Motors (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, DOL starter, Starter Motors for IC Engines, Stationary Storage Type Electric Water Heaters (Geyser) (V3) ISI Marked to IS 2082, Starter Motor Assembly, Starters For Fluorescent Lamps Conforming To IS 2215, Submersible Pump Starters (Motor starter controls), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2)

बिड विवरण/Bid Details	**Searched String**: NO NC ADD ON BLOCK FOR CONTACTOR 440V
	Category not available on GeM for the text string uploaded by the buyer **Searched String**: START STOP PUSH BUTTON WITH BOX RED AND GREEN 600V Category not available on GeM for the text string uploaded by the buyer **Searched String**: DIN RAIL CHANNEL SLOTTED Din Rail, Industrial Ethernet Switch (V2), Temperature Transmitter, Ethernet Extender, Industrial Modbus TCP to Serial Gateway **Searched String**: KITKAT FUSE 15A, 440V AC Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Cotton Towelling And Towels Conforming To IS 7056 (V4), AC Voltage Transducer (V2), HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Digital pH Meter, Frequency meter - Analog (Panel Meter), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 **Searched String**: INTEMEDIATE SWITCH Limit Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Reed Switch, Argon Plasma Coagulator with ESU, Time Switch, modular electrical enclosure switch board boxes for modular type accessories, Industrial Switch, SAN Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, BUZZER SWITCH. **Searched String**: hard drawn bare copper wire Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Clothing hangers (V2), Solid Drawn Copper Tubes for General Engineering Purpose - IS 2501, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Stainless Steel Wire Conforming To IS 6528, Copper Strip for Electrical Purposes as per IS 1897, Zinc Coated EDM Wire (V2), Copper (in the form of refinery shapes) Conforming to IS 191 **Searched String**: aluminium hard drawn wire Stainless Steel Wire Conforming To IS 6528, Clothing hangers (V2), Wired Microphone (V2), EDM Brass Wire, Brushes Horse-IS:9276 **Searched String**: PVC INSULATED ALUMINIUM ARMED CABLE PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated Unsheathed Cable with

बिड विवरण/Bid Details	Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: FERULE ALUMINIUM Aluminium nitrate, magnetic stirrers, Aluminium Oxide, Tower Ladder (V2), ALUMINIUM LUMPS, Platform Step Ladder (V2), ALUMINIUM SLIDE TRAY, Wrought Aluminium and Aluminium Alloy Bars, Rods,Tubes, Sections, Plates and Sheets for Electrical Application - IS 5082, Wrought Aluminium and Aluminium Alloys Sheet and Strip (General Engineering Purposes) as per IS 737, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694 **Searched String**: CABLE JOINTING KIT RESIN COMPOND Cable Sealing Kit, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Fiber Optics Trainer Kit For Educational Purpose, Fibre Optic Installation and Maintenance Tool Kit **Searched String**: HEAT SRINKABLE JOINT KIT Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Waxing Kit, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Kerosene Oil Fired Bukhari with Exhaust Pipes as per MHA QRs **Searched String**: CARBON RESITOR Carbon Bush, Carbon brush, Carbon brushes for motor and generator, Carbon Molecular Sieves, Non Carbonated Beverage Dispenser (V2), Carbon Electrode paste, Carbon Monoxide Meter, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Activated Carbon (Pellet), Polycarbonate Lathi **Searched String**: CARBON RESITOR 2K, 3K 1/2W Muffle Furnace, Hand Operated Hydraulic Pipe Bender, Biosafety Cabinet (V2), K - 4 Crash Rated Blocking Bollard, Lyophilizer, Blood Collection Tube, Electronic Weighing Scales, Line Interactive UPS with AVR (V2), Desk and Bench Set for Classroom/Training Area, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV) **Searched String**: CARBON RESITOR Carbon Bush, Carbon brush, Carbon brushes for motor and generator, Carbon Molecular Sieves, Non Carbonated Beverage Dispenser (V2), Carbon Electrode paste, Carbon Monoxide Meter, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Activated Carbon (Pellet), Polycarbonate Lathi

बिड विवरण/Bid Details	**Searched String**: CARBON RESITOR Carbon Bush, Carbon brush, Carbon brushes for motor and generator, Carbon Molecular Sieves, Non Carbonated Beverage Dispenser (V2), Carbon Electrode paste, Carbon Monoxide Meter, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Activated Carbon (Pellet), Polycarbonate Lathi **Searched String**: SUPER ANNEMAL COPPER WIRE Super Chain and Wire Lubricant, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Control Cable, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Zinc Coated EDM Wire (V2), Copper (in the form of refinery shapes) Conforming to IS 191, Wired Router **Searched String**: CAPACITOR Capacitor Banks For Use On 11 KV System (PSPCL)), Electric Ceiling Fan (V4) ISI Marked to IS 374, A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Shunt Power Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), CR Type Surge Suppressor Upto 33 kV (BHEL), Universal Power Flow Controller **Searched String**: PCB PCB Platting, Printed Circuit Board, PCB Prototype Machine, Printed circuit board storage rack, Dielectric Constant Kit for Solids, Computer Motherboards, Designing Software (V3) **Searched String**: SOLAR CELL Cell Scraper, Breath Analyser, Cell cleaner, Lithium ion solar battery, Automated Cell Counter, Solar Water Heating System as per IS 12976:1990, Cell Scraper (V2), Liquid Consortia (V2), Jameson Flotation Cell, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification **Searched String**: ELCB Earth Leakage Circuit Breaker (ELCB), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester **Searched String**: HEAVY DUTY MULTIMETER PROB WIRE PAIR Category not available on GeM for the text string uploaded by the buyer **Searched String**: 3/20 PVC copper wire Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cypermethrin 3% + Quinalphos 20% EC

बिड विवरण/Bid Details	(Emulsifiable Concentrate), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Dimethoate 20% + Cypermethrin 3% EC (Emulsifiable Concentrate), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: SUPER ENEMAL WINDING WIRE 36 SWG Category not available on GeM for the text string uploaded by the buyer **Searched String**: LED LIGHTING STREEP (multicolour) LED Luminaire for High Bay Lighting, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), Portable Emergency LED Lighting Tower System with Battery Bank, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), White LED (W - LED) Based Solar Home Lighting Systems (V2), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), High Mast Lighting Tower for large area with LED Flood Lighting System, Portable Emergency LED Lighting Tower System with AC Generator Set, High Mast Lighting Octagonal Tower with Solar Based LED Street Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) **Searched String**: LED LIGHTING STREEP DRIVER (POWER SUPPLY) Light emitting diode driver, Portable Emergency LED Lighting Tower System with Battery Bank, Led post top lantern, Trolley Mounted AC Supply lighting tower with LED Flood Light, Portable Emergency LED Lighting Tower System with AC Generator Set, High Mast Lighting Tower for large area with LED Flood Lighting System **Searched String**: FLUX FOR SOLDERING (PASTE) Soft Solder - IS 193, Fume extraction unit for filteration of soldering fumes, Brazing flux, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode, Soft Solder for Electronic applications, Lithium Base Grease For Automotive Purposes(V2) Conforming to IS 12203, WELDING ELECTRODE -Flux cored wire for CO2 gas shielded arc welding (BEML), Polish, Paste for Floor and wooden Furniture (V2) conforming to IS 8541, Lithium Base Grease for Industrial Purposes as per IS 7623, Scouring Products for Utensil Cleaning- Dishwash (V3) Conforming to IS 6047 **Searched String**: fiber glass sleeve 0.5, 1, 2, 3, 5 MM Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, HDMI Switcher, Polyurethane Tube (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Computer Aided Textile Designing Software, XLPE Cable for Working

बिड विवरण/Bid Details	Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Patio Furniture Set-Handicraft (Bamboo), shoes school pvc boys girls, Examination Cum Dressing Table with Drainage 0 **Searched String**: mika WEDGE Wedge Wire Screen, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Dental Wedges (V2), jacks hydraulic **Searched String**: Pvc board modular type(12 module) modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Prelaminated MDF Board Conforming to IS 14587, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Foot Rest, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Pin Up Notice Board (V2) **Searched String**: carbon resistors 2.2k, 3.3k, 4.7k each Blood Collection Tube, Desk and Bench Set for Classroom/Training Area, Biosafety Cabinet (V2), Hand Operated Hydraulic Pipe Bender, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Desk Only for Classroom/Training Area, water baths, Environmental Chamber, Muffle Furnace, Lyophilizer **Searched String**: lug board with patch cord Copper Patch Cord, Modular Table / Meeting Table / Centre Table (V2), Fiber Optic Patch Cord (V2), Ruggedised and Armoured Fibre Optic Patch Cord, Computer Table (V3), Cable Lug for PZU-7 without surface treatment (Defence), Pull Cord Switch with Terminal Box & Lamp, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Board Games Or Magic Board With Bands (V2)-Toys, Pin Up Notice Board (V2) **Searched String**: SPST switch Limit Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Reed Switch, Toggle Switches, Time Switch, modular electrical enclosure switch board boxes for modular type accessories, Industrial Switch, Argon Plasma Coagulator with ESU, SAN Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 **Searched String**: carbon resistors 10,20,30,40 ohm Internal Combustion Engine Crankcase Oils for Automotive Application (V2) Conforming to IS 13656, Online Ups Modular Type, (HDPE) / (PP) Woven Sacks for Packaging 10 kg, 15 kg, 20 kg, 25 kg and 30 kg Foodgrains ISI marked to IS 16208, Resistors (V2), Bag Calico- OFB, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Mild Steel Sheet, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Carbon Bush, Solid Cushion Tyres (V2) **Searched String**: carbon resistors Resistors (V2), Carbon Bush, Carbon brush, Non Carbonated

बिड विवरण/Bid Details	Beverage Dispenser (V2), Carbon Molecular Sieves, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Carbon Electrode paste, Polycarbonate Lathi, Carbon Monoxide Meter, Anti Bird Spike **Searched String**: adepter Diflubenzuron, Diflubenzuron Wettable Powder (WP) (V2) Conforming to IS 14186, Portable Liquid Ultrasonic Flow Meter(ONGC), Pesticide- Diflubenzuron WP Conforming to IS 14186 **Searched String**: MCB ENCLOSER Circuit Breakers for DC Operation, Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Server or Network Rack (V2), Fixed Clean Agent Gas based Fire Suppression System **Searched String**: DP SWITCH Chlorpyrifos 1.5% DP, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Cypermethrin 0.25% DP (Dustable Powder), Quinalphos 01.50% DP (Dustable Powder), modular electrical enclosure switch board boxes for modular type accessories, Limit Switch, Chlorpyrifos 1.5% DP ((Dustable Powder) (V2), Reed Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Time Switch **Searched String**: RCCB (ELCB) 3 POLE Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Bamboo, Tent Pole as per IS 7344, Earth Leakage Circuit Breaker (ELCB), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester **Searched String**: lug copper Assembly Of Tubular Lug & Flexible Copper Conductor (BHEL), Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Tubular Lug-BHEL, Electrical Cable Lugs, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Cable Lug for PZU-7 without surface treatment (Defence), Copper Jumper, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper carbonate, Copper Nickel Pipe **Searched String**: 2 pin screw terminal xy 128 Category not available on GeM for the text string uploaded by the buyer **Searched String**: chemical earthiing electrode copper bonded Chemical Earth Pit Complete Set, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Welding Electrode -

बिड विवरण/Bid Details	Copper Coated Solid Wire for Co2 Gas Shielded Arc Welding (BEML) as per C4002 BEML Welding Electrode, Earthing Rod, Welding Cable ISI Marked To IS 9857 (V2), Resin Treated Compressed Wood Laminates (COMPREGS) for Chemical Purposes Marked to IS 3513 (Part 2) **Searched String**: Electrical Solder Wire Solder Bar, Muffle Furnace, Flux Cored Solder Wire as per IS 1921, Soft Solder - IS 193, Solder Bar (in Kg), Scrubber Dryer Floor Cleaning Machine (V2), Zinc Coated EDM Wire (V2), Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Rover Mask, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 **Searched String**: Copper Flexible Wire 10 meter Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Jumper, Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Digital pH Meter **Searched String**: LED Assorted Pack of 100 Set of Used Light Weight Jute Sacking Bags for Packing 50 Kg Food Grain (1 Set = 100 Bags), Nitrile Coated/Nitrile Hand Gloves (V2), Parcel Bag Labels of 'CBD / CED' Series, Decorative / Display Balloons (V2), Plastic Bottles/Containers for Packaging of Natural Mineral Water and Packaged Drinking Water Conforming to IS 15410, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Package No. 1 - ATAL TINKERING LAB OF NITI AAYOG ELECTRONICS DEVELOPMENT, ROBOTICS, INTERNET OF THINGS AND SENSORS, Desk Pads - Writing (V2), Moulds for Use in Tests of Cement, Concrete and Pozzolana Conforming to IS 10086, Surgical Sutures **Searched String**: Resistor Kit Assorted ASSORTED PIPES, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Rheostat Kit For Educational Purpose, Rain Jacket (With Integrated Hood And Trouser) as per IAFS specification, Neutral Grounding Resistor (NGR), Biochemistry Reagent Kit for Human Samples, Resistors (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Saucer Cones, Facial Kit **Searched String**: Small DC Motor DC WINCH MOTOR, Nitrile Coated/Nitrile Hand Gloves (V2), DC Motor Armature Reversing Contactor-BHEL, E - Cart for Garbage (V2), Durry Small (IAF), vortex mixers, DC Anvil (OFB), DC Electronic Load, Sieve Shaker, DC Current Transducer

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	**Searched String**: Lubrcation Float Switch Multi Level Float Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Limit Switch, modular electrical enclosure switch board boxes for modular type accessories, Reed Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Time Switch, Computer Monitor (V2), Industrial Switch **Searched String**: capacitor 2.5 fd 5-5 Dithiobis -2-2 Nitrobenzoic Acid, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, 5-Sulfosalicylic acid, Electric Ceiling Fan (V4) ISI Marked to IS 374, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Electric Axial Flow Fans (V2) Conforming To IS 3588, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: Combine capacitor 50+4 fd Dinotefuran 4% + Acephate 50% SG (Soluble Granules), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Plastic Sheet (4 x 50 m) for NDRF, Electric Ceiling Fan (V4) ISI Marked to IS 374, Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), Cotton Towelling And Towels Conforming To IS 7056 (V4), Wild - Life Cages, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Polyurethane Tube (V2), Non Sparking Combination Spanners (V2) **Searched String**: rubber mat bathroom mat, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Ground Mat, Stable Rubber Mats, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Anti Fatigue Mat, Rubberized Weight Dumbbells, Automotive Floor Mat, chair mat-cushion, rubber bands **Searched String**: rubber mat bathroom mat, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Ground Mat, Stable Rubber Mats, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Anti Fatigue Mat, Rubberized Weight Dumbbells, Automotive Floor Mat, chair mat-cushion, rubber bands **Searched String**: 1/18 SWG PVC Insulated Copper Wire Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Winding Wires for Submersible Motors (HR PVC Insulated Wires) Conforming to IS 8783 (Part 4/Sec 1), PVC Insulated Copper Cable Single

बिड विवरण/Bid Details	Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: PVC SINGLE STRAND ALUMINIUM CABLE PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Optical Fibre Cable for Networking **Searched String**: UNDERGROUND CABLE Metal Free Optical Fibre Cable with Double HDPE Sheath for Underground Duct Application, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Field Telephone Cable (Telecommunication Cable), Under Ground / Above Ground Horizontal Cylindrical Steel Storage Tanks for Petroleum Products as per IS 10987:1992 (Latest), High Density Polyethene (HDPE) Telecom Ducts For Optical Fibre Cable as per TEC Specification, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Antenna Cable, Bends for HDPE Pipes, Control Cable, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: ICDP Switch 16A/250volt Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Computer Monitor (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Digital Earth Resistance Meter, Laboratory Deep Freezer (Upto -20°C Degree), Laboratory Desiccator (V2), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), modular electrical enclosure switch board boxes for modular type accessories **Searched String**: 1.5 mm2 copper flexible wire (red,blacK,blue,green)

बिड विवरण/Bid Details	PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: Connecting Leads Test Leads, Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Sterile Connecting Device, Rotary Encoder, Lead for Mechanical Pencil (V2), Radiation protective Lead aprons with accessories, Connecting Rod Assembly for Automobile Engine, SCREWED GLANDS (PG THREADS) FOR CABLES AND LEADS(BHEL), Electrical connection Lugs or thimbles, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651 **Searched String**: Resistror different size (1kohm to 25 k ohm) 5 nos each Resistors (V2), Plain Copier Paper (V3) ISI Marked to IS 14490 **Searched String**: Copper Lugs (each 20nos) Electrical Cable Lugs, Electrical connection Lugs or thimbles, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Bucket Mop Wringer Trolley (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) as per IS: 1703, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Copper Alloy Check Valve For Waterworks Purpose (V2) Conforming to IS 778, LED Batten with Battery / Invertor **Searched String**: Different type Capacitor(Mica, Ciramic,Plastic,Paper) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Capacitor 3.15 microF alpha-Naphthol, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Sodium Lauryl Sulphate-IS 3986, Electric Ceiling Fan (V4) ISI Marked to IS 374, Acephate 25% + Fenvalerate 3% Emulsifiable Concentrate Conforming To Is 15156, Handpump Sub-Assemblies (Deepwell Hand Pumps Components) Conforming IS 15500 (Part 3), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Sodium Lauryl Sulphate (V2) Conforming to IS 3986, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: KITKET FUSE Glass Fuse, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Cylindrical Fuses, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Drop Out Fuses, Industrial composite color 3D Printer, HT Motor Protection Fuse (BHEL), Fuse Wire Used in Rewirable Type

बिड विवरण/Bid Details	Electric Fuses up to 650 Volts Conforming To IS 9926, Blade Fuses-IS:13703
	Searched String: HRC FUSE HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Glass Fuse, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Industrial composite color 3D Printer, Cylindrical Fuses, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, Drop Out Fuses, Self Fusing Silicon Rubber Tape, HT Motor Protection Fuse (BHEL) **Searched String**: CROCODILE CLIP Kelvin Clips, Exam Pad (V2), Cable Nail Clip (V2), Identification Clip for Telecommunication Voice Distribution Module, Ligation Clips, Circlips - IS 3075, Canvas Bag (V2), Binder Clips (V3) Conforming to IS 8231, Open / Endoscopic Clip Applicator (V2), Eye Blinder **Searched String**: Plywood Board 400*300*19 Plywood for General Purposes Marked to IS 303 (V3), Modular Metal Drawer File Cabinet Pedestal, Wooden Furniture from Hoshiarpur - ODOP, Carbon Tape 19 MM(OFB-DEFENCE), Pin Up Notice Board (V2), Herbarium Cabinet (V2), Foot Rest, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), High Density High Moisture Resistance (HDHMR) Boards, Carrom Board and Accessories (V2) **Searched String**: solar charge controller with dusk to don fixture Electrostatic Discharge Chairs (V2) **Searched String**: SOLAR PLATE 12V DC DC Solar Wire, Laboratory Hot plate, Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, White LED (W - LED) Based Solar Home Lighting Systems (V2), 4.5mm Broad D.C. Plate with corresponding screws, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Electric Winch (V2), Locking Compression Plates (V2), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3) **Searched String**: DC CABLE (RED & BLACK) Shoes Black Non-Slip for Camouflage Rig ICG, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Web Belt Black (Nylon) for Digital Camouflage, ICG, Weightlifting Discs, Electric cables for photovoltaic (PV) systems for rated voltage 1500 Volt d.c. ISI Marked to IS 17293, Electrical Power Connector, Tea Leaf (चाय पती) **Searched String**: MC 4 CONNECTOR MALE FEMALE SET 4MM, 6MM Desk and Bench Set for Classroom/Training Area, Pad Lock Various (As Per Defence Specification), Desk and Chair Set for Classroom/Training Area, Blood Administration Set (V2),

बिड विवरण/Bid Details	Cables, Converters and Adapters **Searched String**: CRYSTALLINE MODULE Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Random Access Memory (RAM) Module, Relay Module, Interface module, Industrial Automation Communication Interface Module, Air Decontamination System (Fumigation Cum Air Purification System), Current Voltage Measuring Module, Single switch IGBT Module, Ammonium Persulphate Reagent Grade, Disconnection Telecommunication Voice Module **Searched String**: DC LOAD FAN DC Electronic Load, Electronic Weighing Scales, DC Electronic Load (V2), Oscillating DC Fans used in Automotive Vehicles, Classroom Stools, Electric Ceiling Fan (V4) ISI Marked to IS 374, Cloth Dryer Stand, RLC Load, vortex mixers, load balancer **Searched String**: AA RECHARGABLE BATTERY HOLDER Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Portable Suction Machine (V2), Touchless Soap Dispenser (V3), Rechargeable LED Head Torch (Head Lamp), Hot Air Oven (FSSAI), Intrinsically Safe (Explosion Proof) LED Torch with Replaceable Battery, 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2) **Searched String**: DC to AC inverter Mini Measuring Instrument (BHEL), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Circuit Breakers for DC Operation, Split Air Conditioner Including Green AC, Wall Mount Type (V2), Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Digital pH Meter, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Electric Ceiling Fan (V4) ISI Marked to IS 374, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3) **Searched String**: Capacitor 4 and 8 microF 4-channel Noise and Vibration Analyzer, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Deep Water Barricading with Net and Anchor 8 km Long - UP PAC, Shoes-Handicraft, Sodium fluoride, Extra Pure and AR/ACS, Cotton Towelling And Towels Conforming To IS 7056 (V4), Package No 4 - Atal Tinkering Lab of Niti Aayog Power Supply and Accessories and Safety Equipment, Portable Emergency LED Lighting Tower System with AC Generator Set, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, A3 Size Multifunction Printer (MFP) **Searched String**: PVC GANGBOX 1 WAY AND 2 WAY Solenoid Valve (V2), Solenoid Valve (V3), Sterile Hypodermic Needles for Single use (V2) **Searched String**: PVC GANGBOX 3 WAY AND 4 WAY Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: Double sided Connecting Lead 1 Meter - Red and Black colour
	Category not available on GeM for the text string uploaded by the buyer **Searched String**: DC LOAD LED LIGHT 5W AND 10W Slamps (Algorithm based Street Light Automatic Switch), LED Light Bar (Strobe or warning lights), White LED (W - LED) Based Solar Home Lighting Systems (V2) **Searched String**: AA RECHARGABLE BATTERY Multipurpose Dry Batteries (Non-Rechargeable) (V3) ISI Marked To IS 8144, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Battery Cover, Touchless Soap Dispenser (V3), Battery Tester, Online UPS (V2), Battery Link Terminal, Online UPS (>10 KVA) With Battery, Battery Terminal Coating, Scrubber Dryer Floor Cleaning Machine (V2) **Searched String**: Tickwood batten 300x25X12mm LED Batten, Cleaning Duster (V3), LED Batten with Battery / Invertor, LED Batten Light (LED Tube Light) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Rechargeable LED Batten Light (Emergency LED Tube Light) (V2), Dry Erase Writing Boards (V3), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, File/Folder (V3), Cable Nail Clip (V2) **Searched String**: solar charge controller with dusk to don fixture Electrostatic Discharge Chairs (V2) **Searched String**: PV solar module with mounting hardware 75 W Solar Based Home Systems (Solar Power Packs): AC Models as per MNRE Specifications **Searched String**: FILAMENT LAMP (TUNGSTON) 200W Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Infrared Heat Lamp, Rechargeable LED Bulb (V2), Tubular Fluorescent Lamps Conforming To IS 2418, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2) **Searched String**: FILAMENT LAMP (TUNGSTON) 60W Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Tubular Fluorescent Lamps Conforming To IS 2418, Rechargeable LED Bulb (V2), LED Based Indicating Lamp for Panel Cut Outs, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2)

बिड विवरण/Bid Details	
	Searched String: FILAMENT LAMP (TUNGSTON) 100W Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes (V3) ISI Marked to IS 418, Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Tubular Fluorescent Lamps Conforming To IS 2418, Rechargeable LED Bulb (V2), Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2) **Searched String**: BUTTON CELL 3V Sealed Nickel Cadmium Button Type Rechargeable Single Cells Conforming to IS 10893, Entry and Mid Level Desktop Computer, Cell Scraper, Cell cleaner, High End Desktop Computer, Emergency Push Button Switch, Liquid Consortia (V2), Automated Cell Counter, Interactive Panels with CPU, Cell Scraper (V2) **Searched String**: FAST GLASS FUSE Glass Fuse, HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Carriers and bases in rewirable type electric fuses conforming to IS 2086, Cylindrical Fuses, Environmental Chamber, Tricycle or Rickshaw for Carrying Goods (V2), Drop Out Fuses, Modular Table / Meeting Table / Centre Table (V2), Fast Green FCF, Food Grade - IS 6022, Tanker on Agricultural Trailer **Searched String**: Panasonic BR-2/3AGCT4A 6V Battery 500mAh Cotton Towelling And Towels Conforming To IS 7056 (V4), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Desk and Bench Set for Classroom/Training Area, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Digital pH Meter, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, water baths, shoes school pvc boys girls, Desk and Chair Set for Classroom/Training Area **Searched String**: Die penetrant testing kit Relay Testing Educational Kit, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Digital Water Quality Testers/Analyzers (Jal Jeevan Mission), SARS-CoV-2 IgG (COV2G) Testing Kit, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Water poison detection kit, Dielectric Constant Kit for Solids, Transformer Oil BDV Test Kit, Cold Start Pilot Kit, Rapid Pregnancy Test Kit **Searched String**: Welding Cable multi core copper PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Welding Cable ISI Marked To IS 9857 (V2), PVC Insulated Copper Cord

बिड विवरण/Bid Details	Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated
	Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Copper Cable Analyser, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: ELCB 250V,25A,2 Pole,tripping Current 30 ma Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Multi function Calibrators **Searched String**: half wave, full wave and bridge rectifier circuit each Category not available on GeM for the text string uploaded by the buyer **Searched String**: remote control switch sensor 4 way 230 V Solenoid Valve (V3) **Searched String**: motion sensor 230 V AC Automatic Door sensor, Occupancy sensor, Digital pH Meter, Synchronous Servo Motor, Shaping Machine, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), Junction Boxes (Flameproof), Dental RadioVisioGraphy (RVG) Unit (V2) **Searched String**: RCCB 2 Pole Metal Pole, Sofa (V3), Harvesting Pole, Kho Kho Pole (V2), Desk and Bench Set for Classroom/Training Area, Octagonal Pole (V2), Pole Mounted Stainless Steel Dustbin (V2), Pole (OFB (Defence)), Pole-Mounted Outdoor Dustbin, Pole Umbrella (V2) **Searched String**: PVC Gang Box 1-Way With Base Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Lighting Box (Flasher For Police Vehicles), Network Attached Storage (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, HDMI Switcher, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Button Cell 1.5 V Sealed Nickel Cadmium Button Type Rechargeable Single Cells Conforming to IS 10893, Cotton Towelling And Towels Conforming To IS 7056 (V4), Endless V Belt for Industrial Purposes ISI marked to IS 2494 (Part 1), LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), PVC

बिड विवरण/Bid Details	Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694,
	Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Secondary Sealed Cells and Batteries For Portable Application - Nickel Cadmium Conforming To IS 16048 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6 **Searched String**: Lithium iron cell 3.7V Secondary Lithium Cells and Batteries For Portable Application Conforming To IS 16047 (Part 3), Garden Bench, 72V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Flame Photometer, 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Laboratory Refrigerator (V2), Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Submersible Pumpsets (Three Phase) Conforming To IS 8034 (V2) **Searched String**: Zinc carboun Cell 1.5 V Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Hydrochloric Acid (V3) Conforming to IS 265, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: Nickel Metal Hydraide Cell 1.5V Secondary Sealed Cells and Batteries For Portable Application - Nickel Metal Hydride Conforming To IS 16048 (Part 2), Secondary Sealed Cells and Batteries For Portable Application - Nickel Cadmium Conforming To IS 16048 (Part 1), Biobanking and Cell Culture Cryogenic Tubes **Searched String**: Maintenance free led acid bettry 12v 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification **Searched String**: RG-6 Coaxial Cable Radio Frequency Coaxial Cable, Ethernet Cables, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Zinc Oxide Elastic Self - Adhesive Bandage (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694

बिड विवरण/Bid Details	
	Searched String: Infrared Motion Detector Occupancy sensor, Door Frame Metal Detector, Infrared Illuminator, Automatic Door sensor, Infrared Heat Lamp, Handheld Digital Infrared Thermometer, Infrared Spectroscopy System, Non-Contact High Voltage Detector, Industrial Infrared Oven, Smoke Detector **Searched String**: RF Wireless Remot Controlled Switch for 4-Load Control node switch Slamps (Algorithm based Street Light Automatic Switch), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000 **Searched String**: Cable Race Ways 2" size Cable Trunking and Wiring Duct System For Electrical Installations Marked To IS 14927 (Part 2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Cross Over (Version 2), Examination Answer Books (V4) Conforming to IS 5195, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Biosafety Cabinet (V2), Radio Frequency Coaxial Cable, Gypsum For Agricultural Use (V2) Conforming to IS 6046, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Axiliary Gutter for Cable Optical Fibre Cable for Networking, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cable Jacket Stripper for Telecommunication, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), FTTH Drop Optical Fibre Cable, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Trunking and Wiring Duct System For Electrical Installations Marked To IS 14927 (Part 2), Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Electrical Cable Lugs **Searched String**: Ber Copper 32 SWG solid open conductor Non Sparking Open end Slugging Spanners (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Non Sparking Double Open Ended Spanner (V2) **Searched String**: Ber Alluminium 32 SWG Wire Tapered Bearings as per IS 12102, Binder Clips (V3) Conforming to IS 8231, Exercise Books Conforming to IS 5195, Fuse Wire Used in Rewirable Type Electric Fuses up to 650 Volts Conforming To IS 9926, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786 **Searched String**: Draw Spring For Wireman Spring Bars For Watch Cases and Straps Conforming to IS 10865, File/Folder (V3), Spring Testing Machine (V2), Power Control Center (PCC) Panel for Power Distribution, Double ferrule fittings for air spring, Drawing Trussels / Drawing Board Stand, Air Circuit Breaker Conforming To IS/IEC 60947

बिड विवरण/Bid Details	(Part 2), Instrument Trolley for Hospitals (V2), Spring Rider, Solid Drawn Copper Tubes for General Engineering Purpose - IS 2501 **Searched String**: 9 Watt Low Voltage Track Light 230V LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Track Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, traffic signs - bilinker light, Light Weight Running Shoes (V3) (MHA) **Searched String**: Low Voltage Track Chennal Low Voltage Surge Protective Devices Connected to Low Voltage Power Systems Conforming To IS 16463 (Part 11), Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Air Circuit Breaker Conforming To IS/IEC 60947 (Part 2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1) **Searched String**: Cabon Resister 1/4 Watt 82 Ohm Resistors (V2), Flying Insect Control Traps - Fly Catcher, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Hammers (V2), Non Sparking Combination Spanners (V2), Steel Pipes for Water and Sewage (V2) Conforming to IS 3589, Non Sparking Ring Slugging Spanners (V2), Non Sparking Pipe Wrench (V2) **Searched String**: LED Lamp Holder with pvc cap LED Portable Miner's Cordless Cap Lamp (V2), Rechargeable LED Bulb (V2), Led post top lantern, White LED Based Solar Study Lamp as per MNRE Specifications, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), White LED Based Solar Home Lighting System with Batten Type Luminary as per MNRE Specifications, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 **Searched String**: Electronic Sequencial Control Circuit 4-Channel Online Ups Modular Type, Hearing Aid **Searched String**: CLF Desplay spot light 15 Watt 240 V Category not available on GeM for the text string uploaded by the buyer **Searched String**: LED Down Light 15 Watt 240 Volt LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Hand Held Search Light, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), LED Luminaire for Road and Street Lights (V2)

बिड विवरण/Bid Details	Conforming to IS 10322 (Part 5 / Section 3), LED Batten Light (LED Tube Light) (V2), LED Tube Light (Retrofit Type), LED Luminaire for Flood Light, Flame Proof (V2) **Searched String**: Kitchen Cabinet Light 10 Watt 230V Hand Held Search Light, LED Batten Light (LED Tube Light) (V2), traffic signs - bilinker light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Light emitting diode driver, Emergency Light Unit (V2), LED Tube Light (Retrofit Type) **Searched String**: 125 Watt HPMV Mercury Vapour Lamp complet Fixture High Pressure Mercury Vapour Lamps Conforming To IS 9900 **Searched String**: 150 Watt HPSW Sodium Vapour Lamp Complet Fixture High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974 **Searched String**: 150 Watt Metal Helaid Lamp Complet Fixture Infrared Heat Lamp, Infrared Lamp For Panchakarma, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2) **Searched String**: Different Ohmic Value Carbon resister 1 ohm to 100 ohm Resistors (V2) **Searched String**: Transformer 230/6V 5 Amp. Digital pH Meter, Common Burnt Clay Building Bricks conforming to IS 1077, Endotracheal Tube - Sterile (Single Use), Transformer Oil BDV Test Set, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, shoes school pvc boys girls, Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, patient care mattresses, Boot Ankle Textile Jungle Boot Direct Moulded Pu Sole In Pairs as per FDDI specification **Searched String**: Transformer 230/6-0-6 V 5 Amp. Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Line Interactive UPS with AVR (V2) **Searched String**: Carbon Resister 470 Ohm 1/2 Watt Mild Steel Sheet, Toxic Gas Detector, Resistors (V2), General Purpose Ball Valves (V2), Hand Operated Hydraulic Pipe Bender **Searched String**: Capacitor 1000 MFD 50V Insulation Tester, Capacitors for Electric Fan Motors as per IS 1709 (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000

बिड विवरण/Bid Details	V Conforming To IS 1445, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Labels Stickers (V3), Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2) **Searched String**: DC Variable Power Supply 0-100 V DC Variable DC Regulated Power Supply As Per MHA QRs, Switching Power Supply for Wireless Application **Searched String**: CFL Lamp 20 Watt 230 V Digital pH Meter, Hand Lamp, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3) **Searched String**: LED Lamp 9 Watt 230 V Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Hand Lamp, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Rechargeable LED Bulb (V2), Track Light **Searched String**: Rechargable Battery 12 V 7AH Jersey Mens Woollen 'V' Neck (Defence), Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Potassium Pyroantimonate, Valve Regulated Lead Acid (VRLA) Batteries as per TEC Specification, Wall Clocks (Battery Operated) (V2) Conforming to IS 12510, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, shoes school pvc boys girls, 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257 **Searched String**: DC LED Lamp 5 Watt 12 V 12 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Semaphore Indicator Conforming To IS/IEC 60947 (Part 5/Sec 1), Hand Lamp, Flameproof Plug, Socket And Hand Lamp-IS:5, IS:1248, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Hand Held Search Light, LED Batten Light (LED Tube Light) (V2), LED Based Indicating Lamp for Panel Cut Outs **Searched String**: Cable Termination Kit Resin core Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cable Sealing Kit, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC

बिड विवरण/Bid Details	Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated Copper Cable Multi Core Circular Sheathed with Flexible Conductor ISI Marked To IS 694 **Searched String**: Cable Lug 25 Sq.MM Alluminium XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Under ground Cable Jointing kit (Resin Compound) Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2) **Searched String**: Ferrul (Connector) 25 sq.mm Alluminium XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694 **Searched String**: Buzzer 230 v BUZZER SWITCH., Cotton Towelling And Towels Conforming To IS 7056 (V4), PENICILLIN V, Reciprocating Saw, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Air Curtain, V - Belts - Endless Narrow V - Belts for Industrial use as per IS 14261, Power Factor Meter - Digital, Ammonium Metavanadate, Sheeting, Tickings and Bedsheets (V2) as per IS 175 **Searched String**: 1 Meter Length Lead Wire with both side male Pin

	Wire rope slings and sling legs (V3) conforming to IS 2762, Test Leads
	Searched String: Flexible wire Lead Flexible Cystoscope, Muffle Furnace, Lead nitrate, Test Leads, Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) Marked To IS 9968 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Cryogenic Flexible Hose, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flexible Jaw Coupling, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: LED 5mm 3v Blue XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Writing Pens, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, A3 Size Multifunction Printer (MFP), true rms clamp meter, LED Batten, Locking Compression Plates (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), LED Based Information Display System, Endotracheal Tube - Sterile (Single Use) **Searched String**: Multimeter Lead Digital Multimeter, Digital Multimeter (V2), Stationary Valve Regulated Lead Acid Batteries (V3) Conforming To IS 15549, Lead nitrate, Radiation protective Lead aprons with accessories, Lead nitrate (V2), Lead(II) Acetate, Stationary Lead-Acid Cells and Batteries with Tubular Positive Plates Conforming To IS 1651, Refined Secondary Lead (V2) as per IS 3717, Lead (II) Oxide (LithARGE) LR **Searched String**: LED Lamp 20 Watt 230 V Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Hand Lamp, LED Batten Light (LED Tube Light) (V2), Inspection Lamp, Digital pH Meter, LED Batten, LED Tube Light (Retrofit Type), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Hand Held Search Light, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Stable Rubber Mats • Limit Switch • PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694
बीओक्यू शीर्षक /BOQ Title	ELECTRICAL ITEMS
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	2.78 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	22 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	3 core Copper Cable Wire
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

बिड विवरण/Bid Details	
अनुमानित बिड मूल्य / Estimated Bid Value	557833
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	16735

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

PRINCIPAL
INDUSTRIAL TRAINING INSTITUTE JAMNAGAR
(Principal)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	20
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	50

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in

the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 20% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 50% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid

opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
05-11-2026 12:00:00	INDUSTRIAL TRAINING INSTITUTE JAMNAGAR OPP ST BUS STAND NEAR SAAT RASTA CIRCLE SUMMER CLUB ROAD JAMNAGAR 361005

INTERNAL SSD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

Graphics Card 2GB Or More

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

PCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Soldering Wire And Paste

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

3 Core Copper Cable Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	30	15

SMPS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Resistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Capacitors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Inductors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

LED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

Transistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Transistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Transistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Transistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Thyristors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

RJ 45 CONNECTOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	315	15

LAN CABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	123	15

CMOS BATTERIES

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	60	15

I O BOX WITH SOCKET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	30	15

BATTERY FOR LAPTOP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Power Adapter For Plextex Monitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

BATTERY FOR LAPTOP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

SMPS For Plextex CPU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

BATTERY 12V 12AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	6	15

DC LAMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	18	15

BATTERY JUMP COPPER CABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

LUG SOCKET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	240	15

FUSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	12	15

AUTO IGNITION SWITCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	24	15

LED TUBE LIGHT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	30	15

REVERSE FORWARD SWITHC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	6	15

Computer Power Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Crocodile Clamp Copper Big Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	12	15

Copper Wire 10 Sqmm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	11	15

Test Lamp With One Meter Wire 12v DC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

FUSE WIRE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

MODULAR 5 STEP FAN REGULATOR FLUSH MOUNT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	27	15

LETHOROID PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	80	15

NOMEX PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	80	15

INSULATING PLASTIC PAPER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	80	15

FIBRE WEDGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	80	15

RUBBER MAT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	37	15

CONTACTOR MODULE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	9	15

OVERLOAD RELAY FOR CONTACTOR MODULE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

TIMER ELECTRIC STAR DELTA STARTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	8	15

NO NC ADD ON BLOCK FOR CONTACTOR 440V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	8	15

START STOP PUSH BUTTON WITH BOX RED AND GREEN 600V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	6	15

DIN RAIL CHANNEL SLOTTED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	9	15

KITKAT FUSE 15A 440V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

INTEMEDIATE SWITCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	14	15

Hard Drawn Bare Copper Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	80	15

Aluminium Hard Drawn Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	80	15

PVC INSULATED ALUMINIUM ARMED CABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	40	15

FERULE ALUMINIUM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	16	15

CABLE JOINTING KIT RESIN COMPOND

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

HEAT SRINKABLE JOINT KIT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

CARBON RESITOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	92	15

CARBON RESITOR 2K 3K 0.5W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	60	15

CARBON RESITOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	15	15

CARBON RESITOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	30	15

SUPER ANNEMAL COPPER WIRE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1250	15

CAPACITOR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	15	15

PCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	15	15

SOLAR CELL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	21	15

ELCB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

HEAVY DUTY MULTIMETER PROB WIRE PAIR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

0.15 PVC Copper Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

SUPER ENEMAL WINDING WIRE 36 SWG

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

LED LIGHTING STREEP Multicolour

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

LED LIGHTING STREEP DRIVER POWER SUPPLY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

FLUX FOR SOLDERING PASTE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Fiber Glass Sleeve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Mika WEDGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	50	15

Pvc Board Modular Type 12 Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Carbon Resistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	8	15

Lug Board With Patch Cord

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	8	15

SPST Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	16	15

Carbon Resistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	16	15

Carbon Resistors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	16	15

Adepter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

MCB ENCLOSER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

DP SWITCH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

RCCB ELCB 3 POLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Lug Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

2 Pin Screw Terminal Xy 128

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Chemical Earthiing Electrode Copper Bonded

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Electrical Solder Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Copper Flexible Wire 10 Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

LED Assorted Pack Of 100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Resistor Kit Assorted

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Small DC Motor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Lubrcation Float Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

Combine Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Rubber Mat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

Rubber Mat

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

0.055 SWG PVC Insulated Copper Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

PVC SINGLE STRAND ALUMINIUM CABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

UNDERGROUND CABLE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

ICDP Switch 16A 250volt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

1.5 SQMM Copper Flexible Wire Red,blacK,blue,green

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Connecting Leads

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Resistror Different Size

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	50	15

Copper Lugs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Different Type Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Capacitor 3.15 MicroF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

KITKET FUSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

HRC FUSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

CROCODILE CLIP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Plywood Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	15	15

Solar Charge Controller With Dusk To Don Fixture

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

SOLAR PLATE 12V DC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

DC CABLE RED AND BLACK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

MC 4 CONNECTOR MALE FEMALE SET 4MM, 6MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	50	15

CRYSTALLINE MODULE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	15	15

DC LOAD FAN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

AA RECHARGABLE BATTERY HOLDER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

DC To AC Inverter Mini

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

Capacitor 4 And 8 MicroF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

PVC GANGBOX 1 WAY AND 2 WAY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

PVC GANGBOX 3 WAY AND 4 WAY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Double Sided Connecting Lead 1 Meter Red And Black Colour

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

DC LOAD LED LIGHT 5W AND 10W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

AA RECHARGABLE BATTERY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	18	15

Tickwood Batten 300x25X12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	75	15

Solar Charge Controller With Dusk To Don Fixture

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	6	15

PV Solar Module With Mounting Hardware 75 W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	6	15

FILAMENT LAMP 200W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	55	15

FILAMENT LAMP 60W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	42	15

FILAMENT LAMP 100W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	60	15

BUTTON CELL 3V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	5	15

FAST GLASS FUSE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Panasonic BR 0.66 AGCT4A 6V Battery 500mAh

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

Die Penetrant Testing Kit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

Welding Cable Multi Core Copper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	50	15

ELCB 250V,25A,2 Pole,tripping Current 30 Ma

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Half Wave, Full Wave And Bridge Rectifier Circuit Each

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Remote Control Switch Sensor 4 Way 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

Motion Sensor 230 V AC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

RCCB 2 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	1	15

PVC Gang Box 1-Way With Base

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	180	15

Button Cell 1.5 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

Lithium Iron Cell 3.7V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

Zinc Carboun Cell 1.5 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

Nickel Metal Hydraide Cell 1.5V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	3	15

Maintenance Free Led Acid Bettry 12v

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

RG-6 Coaxial Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	63	15

Infrared Motion Detector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

RF Wireless Remot Controlled Switch For 4-Load Control Node Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Cable Race Ways

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	30	15

Axiliary Gutter For Cable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	30	15

Ber Copper 32 SWG Solid Open Conductor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Ber Alluminium 32 SWG Wire

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Draw Spring For Wireman

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	60	15

9 Watt Low Voltage Track Light 230V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

Low Voltage Track Chennal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Cabon Resister 0.25 Watt 82 Ohm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	150	15

LED Lamp Holder With Pvc Cap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	150	15

Electronic Sequencial Control Circuit 4-Channel

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

CLF Desplay Spot Light 15 Watt 240 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

LED Down Light 15 Watt 240 Volt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Kitchen Cabinet Light 10 Watt 230V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

125 Watt HPMV Mercury Vapour Lamp Complet Fixture

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

150 Watt HPSW Sodium Vapour Lamp Complet Fixture

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

150 Watt Metal Helaid Lamp Complet Fixture

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	2	15

Different Ohmic Value Carbon Resister 1 Ohm To 100 Ohm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	110	15

Transformer 230 6V 5 Amp.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	11	15

Transformer 230 6-0-6 V 5 Amp.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	11	15

Carbon Resister 470 Ohm 0.5 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	25	15

Capacitor 1000 MFD 50V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

DC Variable Power Supply

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

CFL Lamp 20 Watt 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

LED Lamp 9 Watt 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Rechargable Battery 12 V 7AH

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

DC LED Lamp 5 Watt 12 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	20	15

Cable Termination Kit Resin Core

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Cable Lug 25 Sq.MM Alluminium

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	24	15

Under Ground Cable Jointing Kit Resin Compound

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

Ferrul Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	24	15

Buzzer 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	4	15

1 Meter Length Lead Wire With Both Side Male Pin

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	200	15

Flexible Wire Lead

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	10	15

LED 5mm 3v Blue

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	120	15

Multimeter Lead

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	13	15

LED Lamp 20 Watt 230 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Trivedi Rajesh Suryakant	361005,GOVT. INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR, SUMER CLUB ROAD, OPP. BUS STAND, TA./DI. - JAMNAGAR	40	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   To participate in the tender, every agency is mandatorily required to deposit an amount equivalent to 3% (three percent) of the estimated value of the tender s pecifically Rs. 16735/- as Earnest Money Deposit (EMD).
   .

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.

10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---