बिड संख्या/Bid Number: GEM/2026/B/8204417

दिनांक /Dated: 04-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-11-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	20-11-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Gujarat
विभाग का नाम/Department Name	Labour And Employment Department Gujarat
संगठन का नाम/Organisation Name	Directorate Of Employment & Training
कार्यालय का नाम/Office Name	Det
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :adirpur-det@gujarat.gov.in Buyer Email id: prn-iti-kathlal@gujarat.gov.in
कुल मात्रा/Total Quantity	1459

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	M S FLAT 100 X 10 MM , M S C CHANNEL 75 X 40 X 5MM , M S ANGLE 25 X 3 MM , M S PIPE DIA 25MM , G I SHEET 24 SWG 8 X 4 ft , M S FLAT 50X3 MM , M S SQUARE BAR 25 X 25MM , G I PIPE DIA 25MM , G I REDUCER ELBOW 1 by 0.5 inch , G I ELBOW 0.5 inch , G I NIPPLE 0.5 X 4 inch , G I GATE VALVE 0.5 inch , G I T 0.5 inch , G I COUPLING 0.5 inch , G I BEND 1 inch , G I PLUG 0.5 inch , WATER TAP 0.5 inch , DRILL BIT 8 and 6 and 10 , M S FLAT 100 X 2 MM , BRASS SHEET 50 X 2 MM , C I FLAT 50 X 10 x 150MM , M S PIPE 50X 3 MM , M S ROUND BAR DIA 10 , COPPER PIPE DIA 12MM , SILICON BRONZ FILLER ROAD 3MM , SILICON BRONZ FILLER ROAD 1.6MM , SILICON BRONZ FILLER ROAD 5MM , SILICON ALLUMINIUM FILLER ROAD 3MM , NUT BOLT M6,M8,M10 , HACKSAW WING NUT , FLUORESCENT TUBE FITTING 40W , TUBE ROD 40W , TRANSFORMER 6-0-6 V , PCB 4 X 4 , HOOK UP WIRE , BATTEN HOLDER , PANDENT HOLDER , HPMV LAMP FITTING 150W , HPSV LAMP FITTING 150W , HARD DRAWNBARE ALLUMINIUM WIRE 8SWG , BARE COPPER WIRE 19 SWG , FERRULE CONNECTOR 35 SQMM ALLUMINIUM , PVC BOBIN FOR COIL , 36 SWG SUPER ENAMELD COPPER WIRE , CAPACITOR 2MF 240 400V , CAPACITOR 4MF 240 400V , CAPACITOR 8MF 240 400V , INDUCTOR MERCURY CHALK 250W , INDUCTOR 3MH , BULB WITH HOLDER 12V 6W DC , BULB WITH HOLDER 12V 21 DC , BULB WITH HOLDER 12V 35 DC , NEON SIGN TUBE WITH FITTING , LMAP 200W , LMAP 100W , ADD ON CONTACT NO AND NC , DRILL BIT SET , PLAYWOOD LAMINATED SHEET 200 X 150 X 3 MM , M S SHEET 18 SWG 8 X 4 ft , BARE COPPER WIRE 8 SWG , COPPER TUBE 10MM , INDUCTOR 40W , CAPACITOR 5MF , M S FLAT 48 X 5.5 MM , CONDUIT PIPE 19MM , INTERNAL THREAD COUPLING 19 MM , SPLIT BOLT CONNECT IN 35 MM CONNECTOR , 35 SQ MM ALL ALLUMINIUM CONDUCTOR , TRANSFORMER 12V , RCC DRILL BIT , LAPPING MATERIAL , MAGNETIC CONTACTOR 16 AMP 440V , OVERLOAD RELAY 6.5 AMP

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	M S FLAT 100 X 10 MM , M S C CHANNEL 75 X 40 X 5MM, M S ANGLE 25 X 3 MM, M S PIPE DIA 25MM, G I SHEET 24 SWG 8 X 4 ft, M S FLAT 50X3 MM, M S SQUARE BAR 25 X 25MM, G I PIPE DIA 25MM, G I REDUCER ELBOW 1 by 0.5 inch, G I ELBOW 0.5 inch, G I NIPPLE 0.5 X 4 inch, G I GATE VALVE 0.5 inch, G I T 0.5 inch, G I COUPLING 0.5 inch, G I BEND 1 inch, G I PLUG 0.5 inch, WATER TAP 0.5 inch, DRILL BIT 8 and 6 and 10, M S FLAT 100 X 2 MM, BRASS SHEET 50 X 2 MM, C I FLAT 50 X 10 x 150MM, M S PIPE 50X 3 MM, M S ROUND BAR DIA 10, COPPER PIPE DIA 12MM , SILICON BRONZ FILLER ROAD 3MM, SILICON BRONZ FILLER ROAD 1.6MM, SILICON BRONZ FILLER ROAD 5MM, SILICON ALLUMINIUM FILLER ROAD 3MM, NUT BOLT M6,M8,M10, HACKSAW WING NUT, FLUORESCENT TUBE FITTING 40W, TUBE ROD 40W, TRANSFORMER 6-0-6 V , PCB 4 X 4 , HOOK UP WIRE, BATTEN HOLDER , PANDENT HOLDER , HPMV LAMP FITTING 150W , HPSV LAMP FITTING 150W , HARD DRAWNBARE ALLUMINIUM WIRE 8SWG, BARE COPPER WIRE 19 SWG, FERRULE CONNECTOR 35 SQMM ALLUMINIUM, PVC BOBIN FOR COIL, 36 SWG SUPER ENAMELD COPPER WIRE, CAPACITOR 2MF 240 400V, CAPACITOR 4MF 240 400V, CAPACITOR 8MF 240 400V, INDUCTOR MERCURY CHALK 250W , INDUCTOR 3MH, BULB WITH HOLDER 12V 6W DC, BULB WITH HOLDER 12V 21 DC, BULB WITH HOLDER 12V 35 DC, NEON SIGN TUBE WITH FITTING , LMAP 200W, LMAP 100W, ADD ON CONTACT NO AND NC, DRILL BIT SET , PLAYWOOD LAMINATED SHEET 200 X 150 X 3 MM, M S SHEET 18 SWG 8 X 4 ft, BARE COPPER WIRE 8 SWG, COPPER TUBE 10MM, INDUCTOR 40W, CAPACITOR 5MF, M S FLAT 48 X 5.5 MM, CONDUIT PIPE 19MM , INTERNAL THREAD COUPLING 19 MM, SPLIT BOLT CONNECT IN 35 MM CONNECTOR, 35 SQ MM ALL ALLUMINIUM CONDUCTOR , TRANSFORMER 12V , RCC DRILL BIT, LAPPING MATERIAL, MAGNETIC CONTACTOR 16 AMP 440V, OVERLOAD RELAY 6.5 AMP
	Searched String: M S FLAT 100 X 10 MM M S Sheet as per IS 1079 (Unit - Mass), Parallel Bar - Outdoor Gym Equipment, Hand Magnifiers (V2) conforming to IS 5148, Polyurethane Tube (V2), MS Sheet as per IS 1079, Electronic Baby Weighing Scale - RBSK, Mild Steel Sheet, Wooden Lab Stools, modular electrical enclosure switch board boxes for modular type accessories, Note Sheet Pad (Azure Laid) (V3) **Searched String**: M S C CHANNEL 75 X 40 X 5MM modular electrical enclosure switch board boxes for modular type accessories, Equipment Camouflage Nets (Jute) as per Defence Specification, Parallel Bar - Outdoor Gym Equipment, Correspondence Envelopes (V3) Conforming to IS 13892, Wooden Lab Stools, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Plain Gauze Swab, Portable Toilet, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Elastic Bandage Conforming to IS 16111 **Searched String**: M S ANGLE 25 X 3 MM XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Parallel Bar - Outdoor Gym

बिड विवरण/Bid Details	Equipment, Cast Iron Bench, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Sterile Hypodermic Needles for Single use (V2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, rubber bands, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: M S PIPE DIA 25MM M S Casing For Pulverised Fuel Mill (BHEL), Biosafety Cabinet (V2), M S Structural Plate as per IS 2062, M S Sheet as per IS 1079 (Unit - Mass), Vertical Autoclave, MS Sheet as per IS 1079, Labels Stickers (V3), MS Structural Plate as per IS 2062 (Unit - Quantity), Modular Table / Meeting Table / Centre Table (V2), Large Outer Diameter Casing Pipes (Petroleum Industry) **Searched String**: G I SHEET 24 SWG 8 X 4 ft Handloom Cotton Bed Sheets (V2) as per IS 745, Multi Sport Goal Post (V2), Roller Blind (V2) **Searched String**: M S FLAT 50X3 MM M S Casing For Pulverised Fuel Mill (BHEL), Dry Erase Writing Boards (V3), M S Structural Plate as per IS 2062, Equipment Camouflage Nets (Jute) as per Defence Specification, M S Sheet as per IS 1079 (Unit - Mass), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), MS Sheet as per IS 1079, Labels Stickers (V3), MS Structural Plate as per IS 2062 (Unit - Quantity), Pin Up Notice Board (V2) **Searched String**: M S SQUARE BAR 25 X 25MM Cast Iron Bench, Parallel Bar - Outdoor Gym Equipment, Elastic Surgical Adhesive Tapes (V2), Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, X-Ray Detectable Gauze Swab/Laparotomy Sponge (V2), Wooden Lab Stools, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Multimedia Projector (MMP), X-Ray Detectable Absorbent Cotton Gauze Conforming to IS 16950, Reciprocal Shakers - Mechanical Shaker Machine with Timer **Searched String**: G I PIPE DIA 25MM Rapid Response Mobile Diagnostic Laboratory (I - Lab), Biosafety Cabinet (V2), Large Outer Diameter Casing Pipes (Petroleum Industry), Pipe Clamps (V2), Biochemistry Reagent Kit for Human Samples, Dry Erase Writing Boards (V3), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Polyethylene Pipes for Water Supply conforming to IS 4984, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 **Searched String**: G I REDUCER ELBOW 1 by 0.5 inch Digital Temperature Indicator, Heavy Vehicle Driving Simulator (MHA), Ceramic (Vitreous China) Flushing

बिड विवरण/Bid Details	Cisterns for Water Closets and Urinals conforming to IS 774, Triple Purpose Nozzle as per IS 2871, Dental Bone Grafts Material (V2) **Searched String**: G I ELBOW 0.5 inch Needle Valve, Chlorine Tablets (V2) Conforming to IS 9825, Digital Temperature Indicator, Laboratory Glassware - Burettes (V2) as per IS 1997, Bone Marrow Biopsy Needle (V2), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Electronic Torque and Angle Wrench (ONGC) **Searched String**: G I NIPPLE 0.5 X 4 inch Bone Marrow Biopsy Needle (V2), Equipment Camouflage Nets (Jute) as per Defence Specification, Lapi Patra (Putty Applicator), Multimedia Projector (MMP), Aluminium Composite Panel Sheet **Searched String**: G I GATE VALVE 0.5 inch Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, HF Gate Antenna Systems, Needle Valve, Knife Edge Gate Valve **Searched String**: G I T 0.5 inch All in One PC (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Needle Valve, Eriochrome Black T, Magnetic Resonance Imaging (MRI) Machine, Chlorine Tablets (V2) Conforming to IS 9825, Laboratory Glassware - Burettes (V2) as per IS 1997, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774 **Searched String**: G I COUPLING 0.5 inch Needle Valve, Chlorine Tablets (V2) Conforming to IS 9825, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Laboratory Glassware - Burettes (V2) as per IS 1997, Digital Temperature Indicator, Bone Marrow Biopsy Needle (V2), Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Electronic Torque and Angle Wrench (ONGC) **Searched String**: G I BEND 1 inch Uniform Jersey Woolen Ribbed V Neck as per DGS&D Specification (MHA), Spinal Needle Conforming to IS 7350, Interactive Boards, Handloom Cotton Bed Sheets (V2) as per IS 745, Interactive Panels with CPU, Cordless Brushless Impact Wrench (ONGC), CPVC Ball Valve, General Purpose Ball Valves (V2), Ratchet Handle as per IS 7975, Bone Marrow Biopsy Needle (V2) **Searched String**: G I PLUG 0.5 inch Needle Valve, Chlorine Tablets (V2) Conforming to IS 9825, Digital Temperature Indicator, Laboratory Glassware - Burettes (V2) as per IS 1997, Bone Marrow Biopsy Needle (V2), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Copper and Copper Alloy Rods and Sections (Other than Forging Stock), Electronic Torque and Angle Wrench (ONGC)

बिड विवरण/Bid Details	**Searched String**: WATER TAP 0.5 inch
	Laboratory Water Tap, High Pressure Washer, Measuring Tape, Water Pump Seals, Metal Alloy Casting Water Tap with Aerator (V2), Muffle/Box Furnace (V2), Acephate 50%+ Fipronil 5% Water Dispersible Granules (WDG), Foreign body (metal) detector for veterinary use, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Cyfluthrin - Emulsion in Water (EW) Conforming to IS 15228 **Searched String**: DRILL BIT 8 and 6 and 10 Mycobacterium Tuberculosis-Specific Recombinant Antigens ESAT-6 and CFP-10 injection, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Center Drill Bits (V2) as per IS 6708 and IS 6709, Shoes-Handicraft, NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), Desk and Bench Set for Classroom/Training Area, Integrated Powered Drill and Debrider system, Static Protective Relays, Pouch for Ammunition and Grenades Made of Disruptive Pattern Nylon 6 6 Marked to IS 16726, Cloth Dryer Stand **Searched String**: M S FLAT 100 X 2 MM Mild Steel Sheet, Cotton Towelling And Towels Conforming To IS 7056 (V4), Polyurethane Tube (V2), Bunk Beds conforming to IS 17636, Biosafety Cabinet (V2), Parallel Bar - Outdoor Gym Equipment, Correspondence Envelopes (V3) Conforming to IS 13892, Electronic Baby Weighing Scale - RBSK, Wooden Lab Stools, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458 **Searched String**: BRASS SHEET 50 X 2 MM Plastic Sheet (4 x 50 m) for NDRF, Bunk Beds conforming to IS 17636, Mild Steel Sheet, Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) conforming to IS 1703, modular electrical enclosure switch board boxes for modular type accessories, Wild - Life Cages, Cast Iron Bench, Polyurethane Tube (V2), Computer Paper (V3) Conforming to IS 12766 (In Packet), Correspondence Envelopes (V3) Conforming to IS 13892 **Searched String**: C I FLAT 50 X 10 x 150MM modular electrical enclosure switch board boxes for modular type accessories, Particle Board Conforming to IS 3087, Cast Iron Bench, Wild - Life Cages, Correspondence Envelopes (V3) Conforming to IS 13892, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Work Benches, Polyurethane Tube (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Labels Stickers (V3) **Searched String**: M S PIPE 50X 3 MM Parallel Bar - Outdoor Gym Equipment, Equipment Camouflage Nets (Jute) as per Defence Specification, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Labels Stickers (V3), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, rubber bands, Galvanized Steel Chain Link Fence Fabric (V2) conforming to

बिड विवरण/Bid Details	IS 2721, Polyethylene Pipes for Water Supply conforming to IS 4984, Cotton Bandage Cloth Conforming to IS 863
	Searched String: M S ROUND BAR DIA 10 M S Sheet as per IS 1079 (Unit - Mass), Parallel Bar - Outdoor Gym Equipment, MS Sheet as per IS 1079, Polyurethane Tube (V2), Cotton Bandage Cloth Conforming to IS 863, Potato Peeler, Dough Kneader (V1), Rice Warmer (V2) **Searched String**: COPPER PIPE DIA 12MM Copper Nickel Pipe, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Copper Nickel Pipe (V2), Non Sparking Pipe Wrench (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Biochemistry Reagent Kit for Human Samples, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: SILICON BRONZ FILLER ROAD 3MM ROAD BARRIER, Hook and loop disc, Self Fusing Silicon Rubber Tape, Extendable Road Barricade (V2), Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Hammers (V2), Non Sparking Combination Spanners (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398 **Searched String**: SILICON BRONZ FILLER ROAD 1.6MM Non Sparking Double Ended Ring Spanner (V2), Extendable Road Barricade (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Hammers (V2), Non Sparking Combination Spanners (V2), Non Sparking Ring Slugging Spanners (V2), Non Sparking Pipe Wrench (V2) **Searched String**: SILICON BRONZ FILLER ROAD 5MM ROAD BARRIER, Thermoplastic Road Marking Paint, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Extendable Road Barricade (V2), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Hammers (V2), Non Sparking Combination Spanners (V2), Medals (V3) **Searched String**: SILICON ALLUMINIUM FILLER ROAD 3MM ROAD BARRIER, Flameproof Switch Socket, Extendable Road Barricade (V2), Hook and loop disc, Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Self Fusing Silicon Rubber Tape, Connector Pipes for Washbasins/ Sinks/ Geyser **Searched String**: NUT BOLT M6,M8,M10 Span Bolt and Nut, water baths, Coach Bolt, Nut and Washer

बिड विवरण/Bid Details	(BHEL), Lock Nuts-IS:6731, Hydraulic Nut Splitter, Biosafety Cabinet (V2), Galvanised Foundation Bolt including Nuts and Washers (BHEL), Prevailing Torque Type Hexagon Nuts (With Non-Metallic Insert), Style 1 - IS 7002, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Deep freezer **Searched String**: HACKSAW WING NUT Wing Nuts-IS:2636, Wing Nuts Conforming to IS 2636, Hacksaw Frame (V2), Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Power Hacksaw Machine, Hex Coupling Nut, Rivet Nut (BHEL), Stud with Nuts, Lock Nut (BHEL), Hydraulic Nut Splitter **Searched String**: FLUORESCENT TUBE FITTING 40W Double ferrule fittings for air spring, LED Batten Light (LED Tube Light) (V2), LED Tube Light (Retrofit Type), Tubular Fluorescent Lamps Conforming To IS 2418, Steel Sockets confirming to IS 1239 (Part 2), Fitness Tube, Union Bends confirming to IS 1239 (Part 2), Starters For Fluorescent Lamps Conforming To IS 2215, Longscrews confirming to IS 1239 (Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: TUBE ROD 40W Earthing Rod, Endotracheal Tube - Sterile (Single Use), Threaded Rod, Steel Rod 30.1mm Diameter (OFB (Defence)), Tungsten Rod, Fixed Computer Workstation (V2), Mining Drill Rod, Electrical Rescue Rod, Nitrile Coated/Nitrile Hand Gloves (V2), Ph Meter Rod **Searched String**: TRANSFORMER 6-0-6 V 6-Benzylaminopurine, water baths, 6 - Mercaptopurine Tablets (V2), Desk and Bench Set for Classroom/Training Area, Protective PX- 6 -Defence (V2), Muffle/Box Furnace (V2), 6 Part Automated Hematology Analyzer, Jumbo Process Indicator, Bensulfuronmethyl 0.6% + Pretilachlor 6% GR (Granular), Electrical Extension Box (V4) **Searched String**: PCB 4 X 4 4-Aminoantipyrine, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Plastic Sheet (4 x 50 m) for NDRF, Wild - Life Cages, Methyl 4 Hydroxybenoate (Methylparaben), Cotton Towelling And Towels Conforming To IS 7056 (V4), Interceptor Vehicle (4 Wheeler), Built up Trucks (V3), Fipronil 4% + Acetamiprid 4% Suspension Concentrate Conforming To Is 18390, water baths **Searched String**: HOOK UP WIRE Conveyer Belt Fastening Hook, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hook wrench, Wild - Life Cages, Hook Wrench (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Lifting Hook (V2) as per IS 12162, Bathroom Hooks, Hook and loop disc, Pin Up Notice Board (V2) **Searched String**: BATTEN HOLDER LED Batten, LED Batten Light (LED Tube Light) (V2), LED

बिड विवरण/Bid Details	Batten with Battery / Invertor, Business Card Holder (V2), Rechargeable LED Batten Light (Emergency LED Tube Light)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	(V2), Surgical Needle Holders, Soldering Clamp Holder, Ryder Needle Holder, Pen or Pencil Holders (V2), Tooth brush Holder **Searched String**: PANDENT HOLDER Soldering Clamp Holder, Surgical Needle Holders, Ryder Needle Holder, Business Card Holder (V2), Tooth brush Holder, Industrial Gouging Electrode Holder, Plane Mirror Strip Holder, Pen or Pencil Holders (V2), Notepad Holder / Padfolio (V2), Stationery Holder/Pen Stand(V3) **Searched String**: HPMV LAMP FITTING 150W High Pressure Mercury Vapour Lamps Conforming To IS 9900, Rechargeable LED Bulb (V2), Ballasts For Discharge Lamps Conforming To IS 15882, High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Tubular Fluorescent Lamps Conforming To IS 2418 **Searched String**: HPSV LAMP FITTING 150W Ballasts For Discharge Lamps Conforming To IS 15882, Rechargeable LED Bulb (V2), High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Flood Light Luminaire suitable for HPSV Lamps, Lamp Starter (Ignitors - Starting Device) for HPSV Lamps, Metal Halide Lamps) as per IS 12449 (Part 1 and Part 2), UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Tubular Fluorescent Lamps Conforming To IS 2418 **Searched String**: HARD DRAWNBARE ALLUMINIUM WIRE 8SWG Wired Microphone (V2), Endotracheal Tube - Sterile (Single Use), Zinc Coated EDM Wire (V2), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, EDM Brass Wire, Mamata Card, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Kirschner Wire (V2) **Searched String**: BARE COPPER WIRE 19 SWG Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, Binder Clips (V3) Conforming to IS 8231, Tapered Bearings as per IS 12102, Copper (in the form of refinery shapes) Conforming to IS 191, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Zinc Coated EDM Wire (V2), Control Cable **Searched String**: FERRULE CONNECTOR 35 SQMM ALLUMINIUM Fiber Optic Pigtails, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694

बिड विवरण/Bid Details	
	Searched String: PVC BOBIN FOR COIL PVC Fills for Colling Tower, Pressure Extension Tubes for Medical Purpose, Consumables for PVC Card Printer, PVC Coated Nylon Fabric for Awning and Gun Covers as per Indian Navy Specification, Pipe for Gardening Purpose, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Suit - for Personal Protective Gears NDRF, PVC Insulated Cable For Submersible Pumps ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1) **Searched String**: 36 SWG SUPER ENAMELD COPPER WIRE Category not available on GeM for the text string uploaded by the buyer **Searched String**: CAPACITOR 2MF 240 400V Cotton Towelling And Towels Conforming To IS 7056 (V4), Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, Digital pH Meter, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, BiPAP Full Face Mask (V2), Locking Compression Plates (V2), Smooth Bore Circuits - Anesthesia Breathing Circuits (V2) **Searched String**: CAPACITOR 4MF 240 400V Cotton Towelling And Towels Conforming To IS 7056 (V4), Capacitors for Electric Fan Motors as per IS 1709 (V2), Electric Ceiling Fan (V4) ISI Marked to IS 374, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Power Quality Analyzer, Power Factor Meter - Digital, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 **Searched String**: CAPACITOR 8MF 240 400V Capacitors for Electric Fan Motors as per IS 1709 (V2), Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), Electric Ceiling Fan (V4) ISI Marked to IS 374, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Carriers and bases in rewirable type electric fuses conforming to IS 2086, Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Non-Contact High Voltage Detector, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Light Weight Running Shoes (V3) (MHA) **Searched String**: INDUCTOR MERCURY CHALK 250W Mercuric Nitrate, Mercury (II) Iodide Red **Searched String**: INDUCTOR 3MH Inline Inductor, Entry and Mid Level Desktop Computer, Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097, Foam Making Branch - FB

बिड विवरण/Bid Details	
	10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), High End Desktop Computer, Interactive Panels with CPU, Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Garden Bench **Searched String**: BULB WITH HOLDER 12V 6W DC Rechargeable LED Bulb (V2), Hand Held Slit Lamp - RBSK, Fire Hoses with Delivery Coupling, High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Watermist and Caf Fire Extinguisher Low Pressure Trolley Mounted (V2), Line Interactive UPS with AVR (V2) **Searched String**: BULB WITH HOLDER 12V 21 DC Hand Held Slit Lamp - RBSK, Rechargeable LED Bulb (V2), Coaxial Opthalmoscope Rechargeable **Searched String**: BULB WITH HOLDER 12V 35 DC Hand Held Slit Lamp - RBSK, Rechargeable LED Bulb (V2), Coaxial Opthalmoscope Rechargeable **Searched String**: NEON SIGN TUBE WITH FITTING Double ferrule fittings for air spring, Revolving Chair (V5), E - Sign with Embedded CA Software, Culture Tube With Screw Cap (V2), Modular Table / Meeting Table / Centre Table (V2), Needle Free Connector with Extension Tube, Digital Signature Certificate (DSC) (V3), Neonatal Resuscitation Trolley with Radiant Warmer (V2), Metal Storage Cabinet, High Temperature Furnace with Gas - Programmable Single / Multi Zone / Sliding Tube Furnace (V2) **Searched String**: LMAP 200W Fixed Computer Workstation (V2), Laboratory Hot Air Oven (V2), Ice Lined Refrigerator (V2), Digital pH Meter, Deep freezer, Register (V2), Muffle/Box Furnace (V2), LED Luminaire for High Bay Lighting, Foot Steps For Hospital/Clinic and Domestic Purposes, Curtains (V2) **Searched String**: LMAP 100W Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Laboratory Hot Air Oven (V2), Fixed Computer Workstation (V2), Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Classroom Stools, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Desk Pads - Writing (V2), Digital Multimeter **Searched String**: ADD ON CONTACT NO AND NC Category not available on GeM for the text string uploaded by the buyer **Searched String**: DRILL BIT SET Wireline Diamond Core Bit Set, Sofa (V3), Twist Drill Bit, Morse Taper Shank as per IS 5103 (V2), Twist Drill Bit,

बिड विवरण/Bid Details	Parallel Shank, Jobber Series as per IS 5101 (V2), Desk and Bench Set for Classroom/Training Area, Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2), Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, tricone rock roller bits roller steel tooth drill bits, Wireline Diamond Core Bit Set (V2) **Searched String**: PLAYWOOD LAMINATED SHEET 200 X 150 X 3 MM Computer Paper (V3) Conforming to IS 12766 (In Packet), Flex Posters / Banners (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Salver, Note Sheet Pad (Azure Laid) (V3), Mild Steel Sheet, Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, rubber bands, Labels Stickers (V3), Portable Toilet **Searched String**: M S SHEET 18 SWG 8 X 4 ft Plastic Sheet (4 x 50 m) for NDRF, Parallel Bar - Outdoor Gym Equipment, M S Sheet as per IS 1079 (Unit - Mass), Crepe Bandage Conforming to IS 4605, Roller Blind (V2), Handloom Cotton Bed Sheets (V2) as per IS 745, Polyurethane Tube (V2), Portable Emergency LED Lighting Tower System with AC Generator Set, SEWAGE TREATMENT PLANT **Searched String**: BARE COPPER WIRE 8 SWG Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Endotracheal Tube - Sterile (Single Use), Polyester Enamelled Round Copper Wire, Class 155 Conforming To IS 13730 (Part 3), Copper Wire Rods for Electrical Applications (V2) ISI Marked to IS 12444, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Zinc Coated EDM Wire (V2), Non Sparking Double Ended Ring Spanner (V2), Copper (in the form of refinery shapes) Conforming to IS 191, Non Sparking Double Open Ended Spanner (V2) **Searched String**: COPPER TUBE 10MM Copper Tube-BHEL, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Copper Tube 104.9mm-OFB, Copper Tube 35 mm-OFB, Biosafety Cabinet (V2), Cast Copper Alloy Traps, Polyurethane Tube, Dry Erase Writing Boards (V3), Fusion Tube, Suction Tube **Searched String**: INDUCTOR 40W Inline Inductor, Fixed Computer Workstation (V2), Foam making Branch Pipe or Fire suppression foam or similar compounds as per IS 2097, Foam Making Branch - FB 10X (Jet) with Inline Inductor as per IS 2097:2012 (Latest Amendment), Nitrile Coated/Nitrile Hand Gloves (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Pole Mounted Stainless Steel Dustbin (V2), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Recycled Towel, Low Temperature Laboratory Deep Freezer (up to-40°C Degree) **Searched String**: CAPACITOR 5MF Capacitor Banks For Use On 11 KV System (PSPCL)), File/Folder (V3), A.C. Motor Capacitors ISI Marked to IS 2993

बिड विवरण/Bid Details	(Part 1), Capacitors for Electric Fan Motors as per IS 1709 (V2), Entry and Mid Level Desktop Computer, Shunt Power
	Capacitors (Self - Healing Type) Marked to IS 13340 (Part 1) (V2), All in One PC (V2), Shunt Power Capacitors of the Self - Healing Type for AC Systems as per IS 13340 (Part 1), High End Desktop Computer, CR Type Surge Suppressor Upto 33 kV (BHEL) **Searched String**: M S FLAT 48 X 5.5 MM Parallel Bar - Outdoor Gym Equipment, Wild - Life Cages, Theft Proof Rifle Racks, Polyurethane Tube (V2), rubber bands, Correspondence Envelopes (V3) Conforming to IS 13892, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Bunk Beds conforming to IS 17636 **Searched String**: CONDUIT PIPE 19MM Fittings for Rigid Non Metallic Conduits Conforming To IS 3419, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Rigid Plain Conduits of Insulating Materials Conforming To IS 9537 (Part 3), Foot Rest, Hydraulic Hose, Biosafety Cabinet (V2), Flexible Metalic Conduit(Bhel)-IS:3480, Dry Erase Writing Boards (V3), Pipe saddles, Endotracheal Tube - Sterile (Single Use) **Searched String**: INTERNAL THREAD COUPLING 19 MM Carbon Tape 19 MM(OFB-DEFENCE), Endotracheal Tube - Sterile (Single Use), Cotton Sewing Threads for Aerospace Purposes- as per IS: 1376, Unsintered PTFE Teflon tape for Thread Sealing Applications Conforming to IS 14643 (V2), Cotton Sewing Threads- as per IS : 1720, Blood Administration Set (V2), Mild Steel Sheet, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458 **Searched String**: SPLIT BOLT CONNECT IN 35 MM CONNECTOR Battery Link Terminal, Ethernet Information Outlet, Wired Headphones, Earphones and Communication Headsets, Battery Terminal Cover/Battery Enclosure (V2) **Searched String**: 35 SQ MM ALL ALLUMINIUM CONDUCTOR XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Aerial Bunched Cable For Working Voltage Upto and

बिड विवरण/Bid Details	Including 1.1 kV Marked To IS 14255, XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI
	Marked to IS 7098 (Part 2) **Searched String**: TRANSFORMER 12V Control Transformer, Cleaning Duster (V3), Isolation Transformer, Transformer Winding Resistance Meter, Transformer Oil Pump, Cotton Towelling And Towels Conforming To IS 7056 (V4), 15 kV Neutral Current Transformer for Sub-stations / Power Houses (PSPCL), Distribution Transformer, 3 Phase, upto and Including 200 KVA ISI Marked To IS 1180 (Part 1), Capacitive Voltage Transformer (DTL), Surgical Sutures **Searched String**: RCC DRILL BIT Twist Drill Bit, Morse Taper Shank as per IS 5103 (V2), Twist Drill Bit, Parallel Shank, Jobber Series as per IS 5101 (V2), Twist Drill Bit, Parallel Shank, Long Series as per IS 5102 (V2), Drilling Machine Bench Type / Pillar Type as per IS 2425, Solid Carbide Twist Drill Bit, Parallel Shank, Jobber Series as per IS 16059 (V2), RCC Guard stone Type A (Cement or concrete posts), tricone rock roller bits roller steel tooth drill bits, Rotary Hammer Drill (NDRF), Wireline Diamond Core Bit Set, RCC Guard stone Type B (Cement or concrete posts) **Searched String**: LAPPING MATERIAL Double Side Lapping and Polishing Machine, Pin Up Notice Board (V2), Cotton Dress Material, Ground Enhancement Material, Wooden Podium, Silk Dress Material, Three Wheeler Hooper Tipper Dumper, Sterilization Packaging Material, Centrifuge Tubes (V3), Polling Material Kit **Searched String**: MAGNETIC CONTACTOR 16 AMP 440V Digital pH Meter, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240 **Searched String**: OVERLOAD RELAY 6.5 AMP Overload Relay, Endotracheal Tube - Sterile (Single Use), Digital VHF Repeater Set as per MHA QR, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, shoes school pvc boys girls, Wireless LAN Access Point (V3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Hematology Analyzer (Fully-Automated), Printed Circuit Board, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Low Voltage Surge Protective Devices Connected to Low Voltage Power Systems Conforming To IS 16463 (Part 11) • modular electrical enclosure switch board boxes for modular type accessories
बीओक्यू शीर्षक /**BOQ Title**	RAW MATERIAL BOQ 26 27
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	1.1 Lakh (s)

बिड विवरण/Bid Details	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	8 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	4
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	M S FLAT 100 X 10 MM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	223925
Payment Timelines	Payments shall be made to the Seller within **45** days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	2

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :
PRINCIPAL CLASS-2
ITI KAPADWANJ NANI RATNAKAR MATA ROAD 387620
(Principal Iti Kapadwanj)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	100

1. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs from the State of Bid Inviting Authority having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry/ State of Bid Inviting Authority. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 100% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry. Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and

for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

M S FLAT 100 X 10 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	215	15

M S C CHANNEL 75 X 40 X 5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	13	15

M S ANGLE 25 X 3 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

M S PIPE DIA 25MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	8	15

G I SHEET 24 SWG 8 X 4 Ft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	3	15

M S FLAT 50X3 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	8	15

M S SQUARE BAR 25 X 25MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	25	15

G I PIPE DIA 25MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

G I REDUCER ELBOW 1 By 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

G I ELBOW 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

G I NIPPLE 0.5 X 4 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

G I GATE VALVE 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

G I T 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

G I COUPLING 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

G I BEND 1 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

G I PLUG 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

WATER TAP 0.5 Inch

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

DRILL BIT 8 And 6 And 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	1	15

M S FLAT 100 X 2 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	48	15

BRASS SHEET 50 X 2 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	26	15

C I FLAT 50 X 10 X 150MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	35	15

M S PIPE 50X 3 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	35	15

M S ROUND BAR DIA 10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	4	15

COPPER PIPE DIA 12MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

SILICON BRONZ FILLER ROAD 3MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	50	15

SILICON BRONZ FILLER ROAD 1.6MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	50	15

SILICON BRONZ FILLER ROAD 5MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	50	15

SILICON ALLUMINIUM FILLER ROAD 3MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	50	15

NUT BOLT M6,M8,M10

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	7	15

HACKSAW WING NUT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	40	15

FLUORESCENT TUBE FITTING 40W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	10	15

TUBE ROD 40W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	5	15

TRANSFORMER 6-0-6 V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	31	15

PCB 4 X 4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	51	15

HOOK UP WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	10	15

BATTEN HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	65	15

PANDENT HOLDER

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	65	15

HPMV LAMP FITTING 150W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	5	15

HPSV LAMP FITTING 150W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	5	15

HARD DRAWNBARE ALLUMINIUM WIRE 8SWG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	20	15

BARE COPPER WIRE 19 SWG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	40	15

FERRULE CONNECTOR 35 SQMM ALLUMINIUM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	30	15

PVC BOBIN FOR COIL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	15	15

36 SWG SUPER ENAMELD COPPER WIRE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

CAPACITOR 2MF 240 400V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

CAPACITOR 4MF 240 400V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

CAPACITOR 8MF 240 400V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

INDUCTOR MERCURY CHALK 250W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	8	15

INDUCTOR 3MH

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

BULB WITH HOLDER 12V 6W DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

BULB WITH HOLDER 12V 21 DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

BULB WITH HOLDER 12V 35 DC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

NEON SIGN TUBE WITH FITTING

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	1	15

LMAP 200W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	50	15

LMAP 100W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	85	15

ADD ON CONTACT NO AND NC

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

DRILL BIT SET

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

PLAYWOOD LAMINATED SHEET 200 X 150 X 3 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	80	15

M S SHEET 18 SWG 8 X 4 Ft

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	1	15

BARE COPPER WIRE 8 SWG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	5	15

COPPER TUBE 10MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

INDUCTOR 40W

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	20	15

CAPACITOR 5MF

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	10	15

M S FLAT 48 X 5.5 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	21	15

CONDUIT PIPE 19MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	6	15

INTERNAL THREAD COUPLING 19 MM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	20	15

SPLIT BOLT CONNECT IN 35 MM CONNECTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	30	15

35 SQ MM ALL ALLUMINIUM CONDUCTOR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	10	15

TRANSFORMER 12V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	10	15

RCC DRILL BIT

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	5	15

LAPPING MATERIAL

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	1	15

MAGNETIC CONTACTOR 16 AMP 440V

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	4	15

OVERLOAD RELAY 6.5 AMP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Nirav Bhikhabhai Parmar	387630,GOVT. INDUSTRIAL TRAINING INSTITUTE, KATHLAL, DR. K. R. SHAH SECONDARY SCHOOL CAMPUS, AT- BHANER, TA- KATHLAL, DI - KHEDA	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Account Payee Demand Draft in favour of

   PRINCIPAL ITI KAPADWANJ
   payable at
   SBI KAPADWANJ
   .
   Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Generic**

   Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

7. **Rate Contract**

   Demurrage charges In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.Demurrage charges. In case the rejected items are not lifted by the firm within 48 hrs, the demurrage charges at the rate of 0.5% of total contract value will be charged per day. In case the items are not lifted within a month, the same will be destroyed by the station board of officers and no claim will be admitted.

8. **Rate Contract**

   Packing Material The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.Packing Material. The items will be supplied by the successful bidder in its original packing material and the packing material will not be returned. Weight of packing material will not be included in quantity supplied and only net weight of the items will be counted. The packing should be of standardized weights of appropriate size. Item will not be accepted in non-standardized weights.

9. **Rate Contract**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the

bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

10. **Rate Contract**

    Bidder's offer is liable to be rejected if they dont upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

11. **Past Project Experience**

    Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

12. **Buyer Added Bid Specific ATC**

    Buyer uploaded ATC document Click here to view the file.

13. **Buyer Added Bid Specific ATC**

    Buyer Added text based ATC clauses

1. Supply as per Specifications:-

The bidder shall be required to supply **all items/materials strictly in accordance with the specification mentioned in the Additional Terms & Conditions (ATC) of the bid.**

2. Gujarat State Procurement Policy, 2024:-

This bid shall be governed by the **Gujarat State Procurement Policy, 2024**, published by the Industries and Mines Department, Government of Gujarat.

Bidders are advised to carefully examine the applicable provisions of the **Gujarat State Procurement Policy, 2024**, including provisions relating to:

- EMD Exemption
- Start-up provisions
- Purchase Preference
- MSE provisions
- other applicable benefits/exemptions

3. Clarification Regarding EMD Exemption and Requirement

EMD exemption shall be applicable as per the provisions of the Gujarat State Procurement Policy, 2024. The bidder claiming exemption shall submit the relevant valid documents, as applicable:

a) MSE:

Valid **Udyam Registration Certificate and NSIC/CSPO Certificate** for the particular item/product.

b) Start-up:

Valid **DPIIT Start-up Certificate, Udyam Registration, and NSIC/CSPO Certificate** for the particular item as an MSE.

c) GeM Verified Vendor Assessment:

Sellers having **GeM Verified Vendor Assessment** for the particular item.

d) Other eligible categories:

Any other enterprise/organization eligible for EMD exemption as per **Clause 4A of the Gujarat State Procurement Policy, 2024 (Page No. 06)**.

e) If those above document not available than EMD Amount DD (Demand Draft Rs.6718/- In the name of PRINCIPAL ITI KAPADWANJ is mandatory.

4. Epbg:

The ePBG shall be applicable as per the Gujarat State Procurement Policy, 2024, as follows:

Category ePBG - ePBG

Enterprises/Organizations exempted from EMD and purchase value up to ₹5 Lakh - **Exempted** Enterprises/Organizations exempted from EMD - **3% of Order Value**

All other enterprises **- 5% of Order Value**

5. Precedence of Gujarat State Procurement Policy, 2024

In case of any conflict between the terms and conditions specified in this bid/ATC and the provisions of the **Gujarat State Procurement Policy, 2024**, the provisions of the Gujarat State Procurement Policy, 2024 shall prevail.

However, where any provision of the ATC has no corresponding provision in the said policy, the relevant ATC provision shall prevail.

6. Turnover of the Bidder

The minimum average annual financial turnover or actual production of the bidder during the **last three financial years, ending on 31st March of the previous financial year**, shall be at least **twice the bid value**.

The bidder shall upload documentary evidence in the form of:

- Certified Audited Balance Sheets for the relevant financial years; or
- A certificate issued by a Chartered Accountant (CA)/Cost Accountant, indicating the financial turnover or actual production details for the relevant period.

In case the date of constitution/incorporation of the bidder is less than three years old, the average financial turnover or actual production for the completed financial years after the date of constitution/incorporation shall be taken into consideration.

7. Compliance with Minimum Specifications:

The products supplied must strictly comply with the **minimum specifications prescribed in the bid/corrigendum**.

Any offer/product deviating from the prescribed minimum specifications shall not be considered for further proceedings.

8. Self-Declaration Regarding Blacklisting/Debarment/Banning

The bidder shall submit a **Self-Declaration** confirming that:

- The bidder is not bankrupt; and
- The bidder has not been blacklisted, debarred or banned by any Government Authority, whether State or Central, or by any Public Sector Organization.

9. Contact Details

For any issue or assistance related to the tender, bidders may contact the following: **N.B.Parmar, Asst. Store Keeper - 9913813806**

10. Mandatory Documents List :

1. Annexure -1 (Local Content Declaration) Note- In case the bidder is supplier and not OEM, then the above mentioned MII certificate should be given by the OEM in their letter head.

2. Annexure – 2 (Self Declaration regarding blacklisting, financial standing etc.)

3. EMD Deposit/ Udyam and NSIC/CSPO // Vendor Assessment / EMD Exemption Document as per Gujarat procurement Policy- 2024 point - 4 A (a to h) NSIC certificate must clearly highlight and indicate the concerned product for which EMD exemption is claimed

4. Turnover Document as per bid requirement

5. Experience Document as per bid requirement

11. Legal Jurisdiction / Legal Proceedings

Jurisdiction for Dispute Resolution:

In the event of any legal dispute, controversy, or difference arising out of or in connection with this contract, tender, or supply order, the same shall be subject to the **exclusive jurisdiction of the Courts located at kathlal**, Gujarat only. No other court or forum shall have jurisdiction to entertain or try any such dispute

NOTE:- ITEM NUMBER 57. DRILL BIT SET (SET OF 0.5 TO 13MM)

ITEM NUMBER 70. RCC DRILL BIT (4MM SIZE)

CONSIDER ABOVE SPECIFICATION FOR ITEM NO. 57 AND 70

.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector

Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---